Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	20
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X; LR S=2; ANT7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	10171.50	35.65	3.37	39.02	54.00	14.98	Vertical	PASS
2	15075.50	33.60	8.98	42.58	54.00	11.42	Vertical	PASS
3	17979.00	33.01	12.55	45.56	54.00	8.44	Vertical	PASS
4	9482.50	43.93	2.34	46.27	74.00	27.73	Vertical	PASS
5	15079.50	41.98	8.99	50.97	74.00	23.03	Vertical	PASS
6	17347.50	39.13	12.75	51.88	74.00	22.12	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X; LR S=2; ANT7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	38.04	2.37	40.41	-	-	Horizontal	NA
2	9145.50	36.13	3.13	39.26	54.00	14.74	Horizontal	PASS
3	15076.00	33.89	8.98	42.87	54.00	11.13	Horizontal	PASS
4	17351.50	32.39	12.80	45.19	54.00	8.81	Horizontal	PASS
5	2479.80	42.09	2.37	44.46	-	-	Horizontal	NA
6	8856.00	42.71	2.59	45.30	74.00	28.70	Horizontal	PASS
7	15065.50	41.28	8.94	50.22	74.00	23.78	Horizontal	PASS
8	17351.50	39.33	12.80	52.13	74.00	21.87	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X; LR S=2; ANT7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	6870.00	37.49	-2.24	35.25	54.00	18.75	Vertical	PASS
2	15075.00	33.87	8.97	42.84	54.00	11.16	Vertical	PASS
3	17364.50	33.19	12.29	45.48	54.00	8.52	Vertical	PASS
4	6842.00	45.49	-2.43	43.06	74.00	30.94	Vertical	PASS
5	15134.00	41.07	8.59	49.66	74.00	24.34	Vertical	PASS
6	17364.00	39.94	12.31	52.25	74.00	21.75	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X; LR S=8; ANT7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	9632.50	36.43	2.85	39.28	54.00	14.72	Horizontal	PASS
2	15065.50	33.84	8.94	42.78	54.00	11.22	Horizontal	PASS
3	17360.00	32.33	12.47	44.80	54.00	9.20	Horizontal	PASS
4	9604.50	43.16	2.84	46.00	74.00	28.00	Horizontal	PASS
5	15065.00	41.24	8.94	50.18	74.00	23.82	Horizontal	PASS
6	17346.50	39.09	12.70	51.79	74.00	22.21	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X; LR S=8; ANT7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	10089.00	35.94	3.31	39.25	54.00	14.75	Vertical	PASS
2	15065.00	33.61	8.94	42.55	54.00	11.45	Vertical	PASS
3	17346.50	32.06	12.70	44.76	54.00	9.24	Vertical	PASS
4	9634.00	43.61	2.84	46.45	74.00	27.55	Vertical	PASS
5	15079.00	40.56	8.99	49.55	74.00	24.45	Vertical	PASS
6	17355.50	39.04	12.65	51.69	74.00	22.31	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	20
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X; LR S=8; ANT7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	9630.50	36.40	2.85	39.25	54.00	14.75	Horizontal	PASS
2	15118.00	33.89	8.81	42.70	54.00	11.30	Horizontal	PASS
3	17358.00	32.62	12.55	45.17	54.00	8.83	Horizontal	PASS
4	9500.50	43.65	2.67	46.32	74.00	27.68	Horizontal	PASS
5	15074.50	41.03	8.97	50.00	74.00	24.00	Horizontal	PASS
6	17347.50	39.72	12.75	52.47	74.00	21.53	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	20
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X; LR S=8; ANT7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	8130.50	36.08	0.56	36.64	54.00	17.36	Vertical	PASS
2	15240.00	33.23	9.11	42.34	54.00	11.66	Vertical	PASS
3	17348.00	32.10	12.77	44.87	54.00	9.13	Vertical	PASS
4	8124.00	44.15	0.52	44.67	74.00	29.33	Vertical	PASS
5	15241.50	39.92	9.15	49.07	74.00	24.93	Vertical	PASS
6	17350.00	39.10	12.86	51.96	74.00	22.04	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X; LR S=8; ANT7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	39.52	2.37	41.89	-	-	Horizontal	NA
2	7961.50	37.14	-0.08	37.06	54.00	16.94	Horizontal	PASS
3	15067.50	33.77	8.95	42.72	54.00	11.28	Horizontal	PASS
4	17352.00	32.34	12.78	45.12	54.00	8.88	Horizontal	PASS
5	2479.80	42.72	2.37	45.09	-	-	Horizontal	NA
6	8492.50	43.31	1.13	44.44	74.00	29.56	Horizontal	PASS
7	14499.50	42.07	8.29	50.36	74.00	23.64	Horizontal	PASS
8	17860.50	39.03	12.68	51.71	74.00	22.29	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X; LR S=8; ANT7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	9920.50	36.34	3.17	39.51	54.00	14.49	Vertical	PASS
2	15074.50	33.22	8.97	42.19	54.00	11.81	Vertical	PASS
3	17354.00	32.29	12.70	44.99	54.00	9.01	Vertical	PASS
4	9920.00	43.78	3.17	46.95	74.00	27.05	Vertical	PASS
5	14376.00	41.32	8.79	50.11	74.00	23.89	Vertical	PASS
6	17348.50	39.32	12.79	52.11	74.00	21.89	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Radiated Band Edge

Test Result

Project Information			
Mode:	BLE	Band:	-
Bandwidth	1M	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2346.61	32.99	1.42	34.41	54.00	19.59	Horizontal	PASS
2	2368.21	33.04	1.44	34.48	54.00	19.52	Horizontal	PASS
3	2389.24	32.85	1.43	34.28	54.00	19.72	Horizontal	PASS
4	2346.30	43.75	1.42	45.17	74.00	28.83	Horizontal	PASS
5	2367.39	43.85	1.43	45.28	74.00	28.72	Horizontal	PASS
6	2389.77	42.90	1.43	44.33	74.00	29.67	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	1M	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2336.20	33.31	1.33	34.64	54.00	19.36	Vertical	PASS
2	2360.87	33.19	1.44	34.63	54.00	19.37	Vertical	PASS
3	2389.99	33.31	1.43	34.74	54.00	19.26	Vertical	PASS
4	2336.55	43.54	1.33	44.87	74.00	29.13	Vertical	PASS
5	2362.75	44.25	1.45	45.70	74.00	28.30	Vertical	PASS
6	2389.83	43.55	1.43	44.98	74.00	29.02	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	1M	Channel	39
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.73	33.31	1.86	35.17	54.00	18.83	Horizontal	PASS
2	2491.04	33.43	1.93	35.36	54.00	18.64	Horizontal	PASS
3	2494.22	33.18	1.97	35.15	54.00	18.85	Horizontal	PASS
4	2484.17	44.28	1.87	46.15	74.00	27.85	Horizontal	PASS
5	2490.80	44.33	1.93	46.26	74.00	27.74	Horizontal	PASS
6	2493.56	44.48	1.96	46.44	74.00	27.56	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	1M	Channel	39
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2484.15	43.62	1.87	45.49	74.00	28.51	Vertical	PASS
2	2489.32	44.24	1.92	46.16	74.00	27.84	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	2M	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2336.89	33.16	1.34	34.50	54.00	19.50	Horizontal	PASS
2	2358.18	33.08	1.45	34.53	54.00	19.47	Horizontal	PASS
3	2389.05	33.51	1.43	34.94	54.00	19.06	Horizontal	PASS
4	2337.33	43.70	1.34	45.04	74.00	28.96	Horizontal	PASS
5	2358.36	44.00	1.45	45.45	74.00	28.55	Horizontal	PASS
6	2389.46	43.37	1.43	44.80	74.00	29.20	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	2M	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2342.47	33.14	1.39	34.53	54.00	19.47	Vertical	PASS
2	2356.51	32.92	1.44	34.36	54.00	19.64	Vertical	PASS
3	2388.20	33.21	1.43	34.64	54.00	19.36	Vertical	PASS
4	2341.50	43.61	1.38	44.99	74.00	29.01	Vertical	PASS
5	2354.70	43.82	1.45	45.27	74.00	28.73	Vertical	PASS
6	2387.89	43.79	1.43	45.22	74.00	28.78	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	2M	Channel	39
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2484.03	33.38	1.87	35.25	54.00	18.75	Horizontal	PASS
2	2487.48	33.08	1.90	34.98	54.00	19.02	Horizontal	PASS
3	2492.10	33.33	1.95	35.28	54.00	18.72	Horizontal	PASS
4	2483.60	44.70	1.86	46.56	74.00	27.44	Horizontal	PASS
5	2487.78	44.23	1.90	46.13	74.00	27.87	Horizontal	PASS
6	2492.67	44.31	1.95	46.26	74.00	27.74	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	2M	Channel	39
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2484.12	33.05	1.87	34.92	54.00	19.08	Vertical	PASS
2	2489.20	33.14	1.92	35.06	54.00	18.94	Vertical	PASS
3	2494.57	33.08	1.98	35.06	54.00	18.94	Vertical	PASS
4	2484.23	43.55	1.87	45.42	74.00	28.58	Vertical	PASS
5	2489.59	44.19	1.92	46.11	74.00	27.89	Vertical	PASS
6	2494.67	45.02	1.98	47.00	74.00	27.00	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X; LR S=2; ANT7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2336.74	33.09	1.34	34.43	54.00	19.57	Horizontal	PASS
2	2361.28	33.05	1.44	34.49	54.00	19.51	Horizontal	PASS
3	2386.29	33.14	1.43	34.57	54.00	19.43	Horizontal	PASS
4	2337.43	43.67	1.34	45.01	74.00	28.99	Horizontal	PASS
5	2360.15	44.33	1.44	45.77	74.00	28.23	Horizontal	PASS
6	2388.70	43.35	1.43	44.78	74.00	29.22	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X; LR S=2; ANT7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2350.97	33.19	1.45	34.64	54.00	19.36	Vertical	PASS
2	2370.37	33.07	1.44	34.51	54.00	19.49	Vertical	PASS
3	2388.89	33.10	1.43	34.53	54.00	19.47	Vertical	PASS
4	2351.91	43.49	1.45	44.94	74.00	29.06	Vertical	PASS
5	2369.24	43.90	1.44	45.34	74.00	28.66	Vertical	PASS
6	2388.48	43.29	1.43	44.72	74.00	29.28	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X; LR S=2; ANT7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2484.12	33.44	1.87	35.31	54.00	18.69	Horizontal	PASS
2	2491.02	33.53	1.93	35.46	54.00	18.54	Horizontal	PASS
3	2493.47	33.16	1.96	35.12	54.00	18.88	Horizontal	PASS
4	2483.87	44.08	1.87	45.95	74.00	28.05	Horizontal	PASS
5	2491.28	43.77	1.94	45.71	74.00	28.29	Horizontal	PASS
6	2493.70	44.31	1.96	46.27	74.00	27.73	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X; LR S=2; ANT7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2484.20	33.16	1.87	35.03	54.00	18.97	Vertical	PASS
2	2491.09	33.24	1.93	35.17	54.00	18.83	Vertical	PASS
3	2495.64	33.07	1.98	35.05	54.00	18.95	Vertical	PASS
4	2483.70	44.00	1.86	45.86	74.00	28.14	Vertical	PASS
5	2490.99	44.08	1.93	46.01	74.00	27.99	Vertical	PASS
6	2495.82	44.56	1.98	46.54	74.00	27.46	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X; LR S=8; ANT7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2340.65	33.07	1.37	34.44	54.00	19.56	Horizontal	PASS
2	2358.58	33.15	1.45	34.60	54.00	19.40	Horizontal	PASS
3	2388.30	33.03	1.43	34.46	54.00	19.54	Horizontal	PASS
4	2340.18	44.00	1.37	45.37	74.00	28.63	Horizontal	PASS
5	2358.43	44.32	1.45	45.77	74.00	28.23	Horizontal	PASS
6	2388.42	43.88	1.43	45.31	74.00	28.69	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X; LR S=8; ANT7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2334.92	33.17	1.32	34.49	54.00	19.51	Vertical	PASS
2	2359.02	33.23	1.45	34.68	54.00	19.32	Vertical	PASS
3	2388.30	33.20	1.43	34.63	54.00	19.37	Vertical	PASS
4	2336.49	43.98	1.33	45.31	74.00	28.69	Vertical	PASS
5	2357.20	44.00	1.44	45.44	74.00	28.56	Vertical	PASS
6	2386.82	43.36	1.42	44.78	74.00	29.22	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X; LR S=8; ANT7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.65	33.16	1.86	35.02	54.00	18.98	Horizontal	PASS
2	2489.15	33.23	1.92	35.15	54.00	18.85	Horizontal	PASS
3	2492.49	33.11	1.95	35.06	54.00	18.94	Horizontal	PASS
4	2483.57	44.71	1.85	46.56	74.00	27.44	Horizontal	PASS
5	2489.04	43.82	1.92	45.74	74.00	28.26	Horizontal	PASS
6	2493.03	43.99	1.96	45.95	74.00	28.05	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X; LR S=8; ANT7		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.67	33.18	1.86	35.04	54.00	18.96	Vertical	PASS
2	2490.18	33.02	1.93	34.95	54.00	19.05	Vertical	PASS
3	2492.36	33.08	1.95	35.03	54.00	18.97	Vertical	PASS
4	2483.77	43.92	1.87	45.79	74.00	28.21	Vertical	PASS
5	2490.27	43.93	1.93	45.86	74.00	28.14	Vertical	PASS
6	2492.34	44.69	1.95	46.64	74.00	27.36	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	1M	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT6		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2339.09	32.97	1.36	34.33	54.00	19.67	Horizontal	PASS
2	2365.92	35.70	1.44	37.14	54.00	16.86	Horizontal	PASS
3	2388.77	33.48	1.43	34.91	54.00	19.09	Horizontal	PASS
4	2339.24	43.78	1.36	45.14	74.00	28.86	Horizontal	PASS
5	2366.32	44.09	1.44	45.53	74.00	28.47	Horizontal	PASS
6	2389.30	43.33	1.43	44.76	74.00	29.24	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	1M	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT6		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2334.60	33.37	1.32	34.69	54.00	19.31	Vertical	PASS
2	2372.00	33.41	1.43	34.84	54.00	19.16	Vertical	PASS
3	2389.36	33.54	1.43	34.97	54.00	19.03	Vertical	PASS
4	2334.04	44.42	1.31	45.73	74.00	28.27	Vertical	PASS
5	2372.78	43.83	1.44	45.27	74.00	28.73	Vertical	PASS
6	2389.55	43.02	1.43	44.45	74.00	29.55	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	1M	Channel	39
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT6		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.70	35.45	1.86	37.31	54.00	16.69	Horizontal	PASS
2	2485.24	33.48	1.88	35.36	54.00	18.64	Horizontal	PASS
3	2486.24	34.34	1.88	36.22	54.00	17.78	Horizontal	PASS
4	2483.69	46.26	1.86	48.12	74.00	25.88	Horizontal	PASS
5	2485.33	45.05	1.88	46.93	74.00	27.07	Horizontal	PASS
6	2486.18	44.76	1.88	46.64	74.00	27.36	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	1M	Channel	39
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT6		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.80	33.18	1.87	35.05	54.00	18.95	Vertical	PASS
2	2484.54	33.39	1.87	35.26	54.00	18.74	Vertical	PASS
3	2487.75	33.21	1.90	35.11	54.00	18.89	Vertical	PASS
4	2483.71	43.72	1.86	45.58	74.00	28.42	Vertical	PASS
5	2484.28	45.07	1.87	46.94	74.00	27.06	Vertical	PASS
6	2487.73	44.49	1.90	46.39	74.00	27.61	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	2M	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT6		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2353.22	33.25	1.45	34.70	54.00	19.30	Horizontal	PASS
2	2386.04	33.07	1.43	34.50	54.00	19.50	Horizontal	PASS
3	2389.61	33.25	1.43	34.68	54.00	19.32	Horizontal	PASS
4	2353.07	44.16	1.45	45.61	74.00	28.39	Horizontal	PASS
5	2385.98	44.67	1.43	46.10	74.00	27.90	Horizontal	PASS
6	2389.43	43.59	1.43	45.02	74.00	28.98	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	2M	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT6		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2328.99	32.97	1.27	34.24	54.00	19.76	Vertical	PASS
2	2362.97	33.11	1.45	34.56	54.00	19.44	Vertical	PASS
3	2388.36	33.19	1.43	34.62	54.00	19.38	Vertical	PASS
4	2328.56	43.90	1.27	45.17	74.00	28.83	Vertical	PASS
5	2363.54	44.48	1.44	45.92	74.00	28.08	Vertical	PASS
6	2388.39	43.63	1.43	45.06	74.00	28.94	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	2M	Channel	39
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT6		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.52	33.56	1.85	35.41	54.00	18.59	Horizontal	PASS
2	2483.94	33.26	1.87	35.13	54.00	18.87	Horizontal	PASS
3	2489.32	33.20	1.92	35.12	54.00	18.88	Horizontal	PASS
4	2483.56	45.50	1.85	47.35	74.00	26.65	Horizontal	PASS
5	2483.80	46.21	1.87	48.08	74.00	25.92	Horizontal	PASS
6	2489.25	44.65	1.92	46.57	74.00	27.43	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	2M	Channel	39
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X.ANT6		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.65	33.16	1.86	35.02	54.00	18.98	Vertical	PASS
2	2483.89	33.45	1.87	35.32	54.00	18.68	Vertical	PASS
3	2486.27	33.22	1.89	35.11	54.00	18.89	Vertical	PASS
4	2483.51	43.84	1.85	45.69	74.00	28.31	Vertical	PASS
5	2483.95	44.93	1.87	46.80	74.00	27.20	Vertical	PASS
6	2486.07	44.90	1.88	46.78	74.00	27.22	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X; LR S=2; ANT6		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2337.80	33.29	1.35	34.64	54.00	19.36	Horizontal	PASS
2	2380.24	32.93	1.43	34.36	54.00	19.64	Horizontal	PASS
3	2389.33	33.33	1.43	34.76	54.00	19.24	Horizontal	PASS
4	2338.02	44.61	1.35	45.96	74.00	28.04	Horizontal	PASS
5	2380.74	44.13	1.43	45.56	74.00	28.44	Horizontal	PASS
6	2389.83	43.04	1.43	44.47	74.00	29.53	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X; LR S=2; ANT6		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2335.61	33.10	1.33	34.43	54.00	19.57	Vertical	PASS
2	2348.40	32.92	1.44	34.36	54.00	19.64	Vertical	PASS
3	2389.24	33.14	1.43	34.57	54.00	19.43	Vertical	PASS
4	2335.08	43.73	1.32	45.05	74.00	28.95	Vertical	PASS
5	2348.68	44.19	1.44	45.63	74.00	28.37	Vertical	PASS
6	2389.21	42.95	1.43	44.38	74.00	29.62	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X; LR S=2; ANT6		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.66	33.31	1.86	35.17	54.00	18.83	Horizontal	PASS
2	2483.99	33.39	1.87	35.26	54.00	18.74	Horizontal	PASS
3	2486.97	33.15	1.90	35.05	54.00	18.95	Horizontal	PASS
4	2483.57	45.46	1.85	47.31	74.00	26.69	Horizontal	PASS
5	2483.93	45.83	1.87	47.70	74.00	26.30	Horizontal	PASS
6	2486.97	44.45	1.90	46.35	74.00	27.65	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X; LR S=2; ANT6		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.68	33.31	1.86	35.17	54.00	18.83	Vertical	PASS
2	2488.37	33.22	1.91	35.13	54.00	18.87	Vertical	PASS
3	2492.89	33.32	1.95	35.27	54.00	18.73	Vertical	PASS
4	2483.70	44.34	1.86	46.20	74.00	27.80	Vertical	PASS
5	2488.48	43.80	1.91	45.71	74.00	28.29	Vertical	PASS
6	2492.88	44.36	1.95	46.31	74.00	27.69	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X; LR S=8; ANT6		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2327.15	33.17	1.25	34.42	54.00	19.58	Horizontal	PASS
2	2344.16	32.98	1.40	34.38	54.00	19.62	Horizontal	PASS
3	2389.74	33.12	1.43	34.55	54.00	19.45	Horizontal	PASS
4	2327.87	44.16	1.26	45.42	74.00	28.58	Horizontal	PASS
5	2344.23	43.99	1.40	45.39	74.00	28.61	Horizontal	PASS
6	2389.77	43.31	1.43	44.74	74.00	29.26	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	0
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X; LR S=8; ANT6		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2315.64	34.18	1.15	35.33	54.00	18.67	Vertical	PASS
2	2346.73	33.94	1.42	35.36	54.00	18.64	Vertical	PASS
3	2388.67	33.25	1.43	34.68	54.00	19.32	Vertical	PASS
4	2315.49	44.53	1.15	45.68	74.00	28.32	Vertical	PASS
5	2346.73	44.99	1.42	46.41	74.00	27.59	Vertical	PASS
6	2389.17	43.63	1.43	45.06	74.00	28.94	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X; LR S=8; ANT6		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.67	33.33	1.86	35.19	54.00	18.81	Horizontal	PASS
2	2485.59	33.25	1.88	35.13	54.00	18.87	Horizontal	PASS
3	2491.66	33.02	1.95	34.97	54.00	19.03	Horizontal	PASS
4	2483.50	44.98	1.85	46.83	74.00	27.17	Horizontal	PASS
5	2485.66	45.21	1.88	47.09	74.00	26.91	Horizontal	PASS
6	2491.68	44.91	1.95	46.86	74.00	27.14	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ652D0088	Engineer:	Ou Shuyan
Remark:	X; LR S=8; ANT6		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	2483.51	33.07	1.85	34.92	54.00	19.08	Vertical	PASS
2	2485.82	33.01	1.88	34.89	54.00	19.11	Vertical	PASS
3	2489.90	33.04	1.93	34.97	54.00	19.03	Vertical	PASS
4	2483.56	44.24	1.85	46.09	74.00	27.91	Vertical	PASS
5	2485.81	44.80	1.88	46.68	74.00	27.32	Vertical	PASS
6	2489.97	44.23	1.93	46.16	74.00	27.84	Vertical	PASS

~The End~

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.