





LTE Band 5 / 10MHz

Lowest Channel / QPSK




Date: 28.MAR.2026 08:37:36

Middle Channel / QPSK



Date: 28.MAR.2026 08:38:42

Highest Channel / QPSK



Date: 28.MAR.2026 08:39:50

Frequency Stability

Test Conditions		LTE Band 5 (QPSK) / Middle Channel / BandWidth 10M			
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Frequency Offset (Δf) (Hz)	Within Authorized Frequency Block(Hz)	Result
50	Normal Voltage	0.0154	-12.9	Yes	PASS
40	Normal Voltage	0.0029	2.4	Yes	
30	Normal Voltage	0.0069	-5.8	Yes	
20(Ref.)	Normal Voltage	0.0000	0	Yes	
10	Normal Voltage	0.0154	-12.9	Yes	
0	Normal Voltage	0.0030	-2.5	Yes	
-10	Normal Voltage	0.0173	-14.5	Yes	
-20	Normal Voltage	0.0023	1.9	Yes	
20	Maximum Voltage	0.0000	0	Yes	
20	Normal Voltage	0.0085	-7.1	Yes	
20	Minimum Voltage	0.0154	-12.9	Yes	

Note:


1. Normal Voltage = 3.89 V. ; Minimum Voltage = 3.4 V. ; Maximum Voltage = 4.48 V.
2. The frequency fundamental emissions stay within the authorized frequency block.
3. The frequency variation is sufficient to ensure that the occupied bandwidth of all operation channels stay within the operating frequency block or frequency block group.



LTE Band 41


Peak-to-Average Ratio

Mode	LTE Band 41 / 20MHz				
Mod.	QPSK	16QAM	64QAM	N/A	Limit: 13dB
RB Size	Full RB	Full RB	Full RB		Result
Middle CH	5.01	6.09	6.70		PASS



**26dB Bandwidth**


Mode	LTE Band 41 : 26dB BW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	-	-	-	-	4.74	4.89	10.00	9.78	14.40	14.49	18.88	18.72






LTE Band 41


Middle Channel / 15MHz / QPSK




Middle Channel / 15MHz / 16QAM



Middle Channel / 20MHz / QPSK




Middle Channel / 20MHz / 16QAM





Occupied Bandwidth


Mode	LTE Band 41 : 99%OBW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	-	-	-	-	4.48	4.46	9.12	9.01	13.47	13.41	17.85	17.80






LTE Band 41


Middle Channel / 15MHz / QPSK




Middle Channel / 15MHz / 16QAM



Middle Channel / 20MHz / QPSK



Middle Channel / 20MHz / 16QAM







Conducted Band Edge

LTE Band 41 / 5MHz / QPSK


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 41 / 10MHz / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




LTE Band 41 / 15MHz / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB







LTE Band 41 / 20MHz / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 28.MAR.2026 09:09:21




Date: 28.MAR.2026 09:10:19



Conducted Spurious Emission


LTE Band 41 / 5MHz

Lowest Channel / QPSK




Date: 28.MAR.2026 09:11:28

Middle Channel / QPSK



Date: 28.MAR.2026 09:12:36

Highest Channel / QPSK




Date: 28.MAR.2026 09:13:43




LTE Band 41 / 10MHz

Lowest Channel / QPSK




Date: 28.MAR.2026 09:14:51

Middle Channel / QPSK



Date: 28.MAR.2026 09:15:59

Highest Channel / QPSK




Date: 28.MAR.2026 09:17:07




LTE Band 41 / 15MHz

Lowest Channel / QPSK




Date: 28.MAR.2026 09:18:16

Middle Channel / QPSK



Date: 28.MAR.2026 09:19:24

Highest Channel / QPSK




Date: 28.MAR.2026 09:20:33




LTE Band 41 / 20MHz

Lowest Channel / QPSK




Date: 28.MAR.2026 09:21:40

Middle Channel / QPSK



Date: 28.MAR.2026 09:22:47

Highest Channel / QPSK



Date: 28.MAR.2026 09:23:55

Frequency Stability

Test Conditions		LTE Band 41 (QPSK) / Middle Channel 10M			
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Frequency Offset (Δf) (Hz)	Within Authorized Frequency Block(Hz)	Result
50	Normal Voltage	0.0035	9.2	Yes	PASS
40	Normal Voltage	0.0004	1	Yes	
30	Normal Voltage	0.0000	-0.1	Yes	
20(Ref.)	Normal Voltage	0.0000	0	Yes	
10	Normal Voltage	0.0031	8.1	Yes	
0	Normal Voltage	0.0060	15.6	Yes	
-10	Normal Voltage	0.0064	16.7	Yes	
-20	Normal Voltage	0.0043	11.2	Yes	
20	Maximum Voltage	0.0000	0	Yes	
20	Normal Voltage	0.0031	8	Yes	
20	Minimum Voltage	0.0035	9.2	Yes	

Note:

1. Normal Voltage = 3.89 V. ; Minimum Voltage = 3.4 V. ; Maximum Voltage = 4.48 V.
2. The frequency fundamental emissions stay within the authorized frequency block.
3. The frequency variation is sufficient to ensure that the occupied bandwidth of all operation channels stay within the operating frequency block or frequency block group.



Appendix B. Radiated Spurious Emission Test Data

Test Engineer :	Jesse Wang, Stan Hsieh, Ken Wu	Relative Humidity(%):	24.3~25.2
		Temperature(°C):	55.6~61.7

B1.Summary of each worse mode

Mode	Band	Part	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp/Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
3	LTE B5	Part 22H	M	2496	-48.44	RMS	32.86	-50.13	0.22	-95.23	63.84	-13.00	-35.44	H	0
1	LTE B41	Part 27M	H	5355	-44.66	RMS	35.08	-44.30	0.53	-95.23	59.26	-25.00	-19.66	H	0
2	LTE B4	Part 27L	H	5220	-57.17	RMS	34.76	-44.66	0.44	-95.23	47.52	-13.00	-44.17	V	1




Ant. 0

Part 22H Mode 3


LTE B5 10M Ch20450 1RB0 QPSK

L



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 5 10M CH20450 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	1656.00	-55.66	RMS	29.22	-52.16	0.30	-95.23	62.21	-13.00	-42.66	Horizontal
2	2480.00	-49.27	RMS	32.70	-50.17	0.25	-95.23	63.18	-13.00	-36.27	Horizontal
3	3296.00	-63.45	RMS	33.29	-49.35	0.16	-95.23	47.68	-13.00	-50.45	Horizontal



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 5 10M CH20450 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	1656.00	-54.37	RMS	29.22	-52.16	0.30	-95.23	63.50	-13.00	-41.37	Vertical
2	2480.00	-49.80	RMS	32.70	-50.17	0.25	-95.23	62.65	-13.00	-36.80	Vertical
3	3296.00	-63.47	RMS	33.29	-49.35	0.16	-95.23	47.66	-13.00	-50.47	Vertical




Ant. 0

Part 22H Mode 3


LTE B5 10M Ch20525 1RB0 QPSK

M



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 5 10M CH20525 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1672.00	-56.09 RMS	29.30	-52.12	0.30	-95.23	61.66	-13.00	-43.09	Horizontal
2	2496.00	-48.44 RMS	32.86	-50.13	0.22	-95.23	63.84	-13.00	-35.44	Horizontal
3	3328.00	-62.09 RMS	33.36	-49.31	0.17	-95.23	48.92	-13.00	-49.09	Horizontal
4	4168.00	-60.94 RMS	33.70	-47.66	0.23	-95.23	48.02	-13.00	-47.94	Horizontal



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 5 10M CH20525 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1672.00	-56.27 RMS	29.30	-52.12	0.30	-95.23	61.48	-13.00	-43.27	Vertical
2	2496.00	-50.11 RMS	32.86	-50.13	0.22	-95.23	62.17	-13.00	-37.11	Vertical
3	3328.00	-62.63 RMS	33.36	-49.31	0.17	-95.23	48.38	-13.00	-49.63	Vertical
4	4168.00	-57.70 RMS	33.70	-47.66	0.23	-95.23	51.26	-13.00	-44.70	Vertical




Ant. 0

Part 22H Mode 3


LTE B5 10M Ch20600 1RB0 QPSK

H



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 5 10M CH20600 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1680.00	-55.25	RMS	29.30	-52.10	0.30	-95.23	62.48	-13.00	-42.25
2	2520.00	-54.53	RMS	32.90	-50.10	0.17	-95.23	57.73	-13.00	-41.53
3	3352.00	-63.42	RMS	33.39	-49.29	0.18	-95.23	47.53	-13.00	-50.42



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 5 10M CH20600 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1680.00	-54.93	RMS	29.30	-52.10	0.30	-95.23	62.80	-13.00	-41.93
2	2520.00	-55.31	RMS	32.90	-50.10	0.17	-95.23	56.95	-13.00	-42.31
3	3352.00	-63.61	RMS	33.39	-49.29	0.18	-95.23	47.34	-13.00	-50.61




Ant. 0

Part 27M Mode 1


LTE B41 20M Ch39750 1RB0 QPSK

L



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Horizontal
Mode : LTE Band 41 20M CH39750 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4995.00	-60.50	RMS	34.68	-45.29	0.45	-95.23	44.89	-25.00	-35.50 Horizontal
2	7492.00	-51.15	RMS	36.00	-43.07	0.47	-95.23	50.68	-25.00	-26.15 Horizontal
3	9984.00	-60.42	RMS	37.20	-41.96	1.11	-95.23	38.46	-25.00	-35.42 Horizontal



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Vertical
Mode : LTE Band 41 20M CH39750 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4995.00	-55.72	RMS	34.68	-45.29	0.45	-95.23	49.67	-25.00	-30.72 Vertical
2	7492.00	-55.21	RMS	36.00	-43.07	0.47	-95.23	46.62	-25.00	-30.21 Vertical
3	9984.00	-59.93	RMS	37.20	-41.96	1.11	-95.23	38.95	-25.00	-34.93 Vertical




Ant. 0

Part 27M Mode 1

LTE B41 20M Ch40620 1RB0 QPSK

M




Site : 03CH07-HY

Condition: -25 1m SHF-EHF_9170251 Horizontal

Mode : LTE Band 41 20M CH40620 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5175.00	-54.16	RMS	34.75	-44.78	0.43	-95.23	50.67	-25.00	-29.16 Horizontal
2	7755.00	-59.21	RMS	36.21	-42.59	0.64	-95.23	41.76	-25.00	-34.21 Horizontal
3	10335.00	-59.71	RMS	37.74	-41.19	0.56	-95.23	38.41	-25.00	-34.71 Horizontal



Site : 03CH07-HY

Condition: -25 1m SHF-EHF_9170251 Vertical

Mode : LTE Band 41 20M CH40620 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5175.00	-56.60	RMS	34.75	-44.78	0.43	-95.23	48.23	-25.00	-31.60 Vertical
2	7755.00	-50.70	RMS	36.21	-42.59	0.64	-95.23	50.27	-25.00	-25.70 Vertical
3	10335.00	-59.99	RMS	37.74	-41.19	0.56	-95.23	38.13	-25.00	-34.99 Vertical




Ant. 0

Part 27M Mode 1


LTE B41 20M Ch41490 1RB0 QPSK

H



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Horizontal
Mode : LTE Band 41 20M CH41490 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit	Margin Pol	
					dB/m	dB					
1	5355.00	-44.66	RMS	35.08	-44.30	0.53	-95.23	59.26	-25.00	-19.66	Horizontal
2	8025.00	-52.07	RMS	36.25	-42.05	0.64	-95.23	48.32	-25.00	-27.07	Horizontal
3	10680.00	-58.92	RMS	38.00	-40.47	0.58	-95.23	38.20	-25.00	-33.92	Horizontal



Site : 03CH07-HY
Condition: -25 1m SHF-EHF_9170251 Vertical
Mode : LTE Band 41 20M CH41490 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit	Margin Pol	
					dB/m	dB					
1	5355.00	-49.93	RMS	35.08	-44.30	0.53	-95.23	53.99	-25.00	-24.93	Vertical
2	8025.00	-55.54	RMS	36.25	-42.05	0.64	-95.23	44.85	-25.00	-30.54	Vertical
3	10680.00	-58.91	RMS	38.00	-40.47	0.58	-95.23	38.21	-25.00	-33.91	Vertical




Ant. 1

Part 27L Mode 2


LTE B4 20M Ch20050 1RB0 QPSK

L



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 4 20M CH20050 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3435.00	-61.72	RMS	33.13	-49.21	0.99	-95.23	48.60	-13.00	-48.72 Horizontal
2	5145.00	-57.50	RMS	34.66	-44.87	0.44	-95.23	47.50	-13.00	-44.50 Horizontal
3	6840.00	-61.14	RMS	36.00	-42.30	0.62	-95.23	39.77	-13.00	-48.14 Horizontal



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 4 20M CH20050 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3435.00	-63.19	RMS	33.13	-49.21	0.99	-95.23	47.13	-13.00	-50.19 Vertical
2	5145.00	-58.36	RMS	34.66	-44.87	0.44	-95.23	46.64	-13.00	-45.36 Vertical
3	6840.00	-60.84	RMS	36.00	-42.30	0.62	-95.23	40.07	-13.00	-47.84 Vertical




Ant. 1

Part 27L Mode 2


LTE B4 20M Ch20175 1RB0 QPSK

M



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 4 20M CH20175 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3445.00	-63.27	RMS	33.11	-49.20	0.99	-95.23	47.06	-13.00	-50.27 Horizontal
2	5175.00	-58.01	RMS	34.75	-44.78	0.43	-95.23	46.82	-13.00	-45.01 Horizontal
3	6890.00	-61.68	RMS	36.00	-42.37	0.59	-95.23	39.33	-13.00	-48.68 Horizontal



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 4 20M CH20175 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3445.00	-63.31	RMS	33.11	-49.20	0.99	-95.23	47.02	-13.00	-50.31 Vertical
2	5175.00	-58.47	RMS	34.75	-44.78	0.43	-95.23	46.36	-13.00	-45.47 Vertical
3	6890.00	-61.27	RMS	36.00	-42.37	0.59	-95.23	39.74	-13.00	-48.27 Vertical




Ant. 1

Part 27L Mode 2


LTE B4 20M Ch20300 1RB0 QPSK

H



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Horizontal
Mode : LTE Band 4 20M CH20300 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3470.00	-64.05	RMS	33.06	-49.18	0.98	-95.23	46.32	-13.00	-51.05 Horizontal
2	5220.00	-57.79	RMS	34.76	-44.66	0.44	-95.23	46.90	-13.00	-44.79 Horizontal
3	6940.00	-61.64	RMS	36.00	-42.44	0.55	-95.23	39.48	-13.00	-48.64 Horizontal



Site : 03CH07-HY
Condition: -13 3m HF_ANT_00075962 Vertical
Mode : LTE Band 4 20M CH20300 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3470.00	-63.96	RMS	33.06	-49.18	0.98	-95.23	46.41	-13.00	-50.96 Vertical
2	5220.00	-57.17	RMS	34.76	-44.66	0.44	-95.23	47.52	-13.00	-44.17 Vertical
3	6940.00	-61.33	RMS	36.00	-42.44	0.55	-95.23	39.79	-13.00	-48.33 Vertical




Ant. 0

Part 27M Mode 1

LTE B41 20M Ch41490 1RB0 QPSK

H




Site : 03CH07-HY

Condition: -25 3m Bilog_35419 Horizontal

Mode : LTE Band 41 20M CH41490 1RB0 QPSK

#1 is fundamental signal which can be ignored.

1	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	2672.00	19.98	RMS	32.80	9.19	0.00	-95.23	73.22	-25.00	44.98	Horizontal



Site : 03CH07-HY

Condition: -25 3m Bilog_35419 Vertical

Mode : LTE Band 41 20M CH41490 1RB0 QPSK

#1 is fundamental signal which can be ignored.

1	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	2672.00	15.05	RMS	32.80	9.19	0.00	-95.23	68.29	-25.00	40.05	Vertical