Mode	6	
	Harmonic	
	2400-2483.5_Bluetooth BR_FHSS_CH78_2480MHz	
ANT	6	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 VERTICAL
17G ~18G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 VERTICAL

Mode	7	
	Band Edge	
	2400-2483.5_Bluetooth BR_FHSS_CH00_2402MHz	
ANT	6	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 9120D_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2379.83 53.97 74.00 -20.03 43.10 27.20 6.63 33.08 10.12 223 187 Peak 2 2379.83 29.18 54.00 -24.82 -- -- -- -- -- -- -- AVERAGE	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2402.00 106.71 ------ ------ 95.67 27.32 6.66 33.06 10.12 223 187 Peak 2 2402.00 81.92 ------ ------ -- -- -- -- -- -- -- Average

Mode	7	
	Band Edge	
	2400-2483.5_Bluetooth BR_FHSS_CH00_2402MHz	
ANT	6	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 9120D_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2328.95 53.62 74.00 -20.38 42.86 27.20 6.56 33.12 10.12 367 176 Peak 2 2328.95 28.83 54.00 -25.17 -- -- -- -- -- -- -- AVERAGE	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2402.00 103.67 ------ ------ 92.63 27.32 6.66 33.06 10.12 367 176 Peak 2 2402.00 78.88 ------ ------ -- -- -- -- -- -- -- Average

Mode	7	
	Harmonic	
	2400-2483.5_Bluetooth BR_FHSS_CH00_2402MHz	
ANT	6	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4804.00 40.46 74.00 -33.54 64.07 32.32 10.29 67.17 0.95 -- -- Peak 2 4804.00 15.67 54.00 -38.33 -- -- -- -- -- -- -- Average	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4804.00 42.51 74.00 -31.49 66.12 32.32 10.29 67.17 0.95 136 360 Peak 2 4804.00 17.72 54.00 -36.28 -- -- -- -- -- -- -- Average

Mode	7	
	Harmonic	
	2400-2483.5_Bluetooth BR_FHSS_CH00_2402MHz	
ANT	6	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 VERTICAL
17G ~18G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 VERTICAL

Mode	8	
	Band Edge - L	
	2400-2483.5_Bluetooth BR_FHSS_CH39_2441MHz	
ANT	6	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 9120D_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2349.04 53.92 74.00 -20.08 43.11 27.20 6.59 33.10 10.12 223 186 Peak 2 2349.04 29.13 54.00 -24.87 -- -- -- -- -- -- -- AVERAGE	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2441.00 107.50 ------ ------ 96.19 27.50 6.72 33.03 10.12 223 186 Peak 2 2441.00 82.71 ------ ------ -- -- -- -- -- -- -- Average

Mode	8	
	Band Edge - R	
	2400-2483.5_Bluetooth BR_FHSS_CH39_2441MHz	
ANT	6	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 9120D_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2499.71 53.80 74.00 -20.20 42.07 27.80 6.80 32.99 10.12 223 186 Peak 2 2499.71 29.01 54.00 -24.99 -- -- -- -- -- -- -- AVERAGE	Blank

Mode	8	
	Band Edge - L	
	2400-2483.5_Bluetooth BR_FHSS_CH39_2441MHz	
ANT	6	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 9120D_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2361.09 53.49 74.00 -20.51 42.66 27.20 6.61 33.10 10.12 360 177 Peak 2 2361.09 28.70 54.00 -25.30 -- -- -- -- -- -- -- AVERAGE	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2441.00 105.78 ------ ------ 94.47 27.50 6.72 33.03 10.12 360 177 Peak 2 2441.00 80.99 ------ ------ -- -- -- -- -- -- -- Average

Mode	8	
	Band Edge - R	
	2400-2483.5_Bluetooth BR_FHSS_CH39_2441MHz	
ANT	6	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 9120D_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2495.93 54.03 74.00 -19.97 42.30 27.80 6.80 32.99 10.12 360 177 Peak 2 2495.93 29.24 54.00 -24.76 -- -- -- -- -- -- -- AVERAGE	Blank

Mode	8	
	Harmonic	
	2400-2483.5_Bluetooth BR_FHSS_CH39_2441MHz	
ANT	6	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4882.00 41.88 74.00 -32.12 64.73 32.63 10.68 67.11 0.95 -- -- Peak 2 4882.00 17.09 54.00 -36.91 -- -- -- -- -- -- -- Average 3 7323.00 42.77 74.00 -31.23 58.09 36.81 13.78 66.10 0.19 -- -- Peak 4 7323.00 17.98 54.00 -36.02 -- -- -- -- -- -- -- Average	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4882.00 42.64 74.00 -31.36 65.49 32.63 10.68 67.11 0.95 -- -- Peak 2 4882.00 17.84 54.00 -36.16 -- -- -- -- -- -- -- Average 3 7323.00 43.20 74.00 -30.80 58.52 36.81 13.78 66.10 0.19 -- -- Peak 4 7323.00 18.41 54.00 -35.59 -- -- -- -- -- -- -- Average

Mode	8	
	Harmonic	
	2400-2483.5_Bluetooth BR_FHSS_CH39_2441MHz	
ANT	6	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 VERTICAL
17G ~18G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 VERTICAL

Mode	9	
	Band Edge	
	2400-2483.5_Bluetooth BR_FHSS_CH78_2480MHz	
ANT	6	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 9120D_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.52 54.94 74.00 -19.06 43.37 27.67 6.78 33.00 10.12 210 184 Peak 2 2483.52 30.15 54.00 -23.85 -- -- -- -- -- -- -- AVERAGE	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 108.02 ------ ------ 96.53 27.60 6.78 33.01 10.12 210 184 Peak 2 2480.00 83.23 ------ ------ -- -- -- -- -- -- -- Average

Mode	9	
	Band Edge	
	2400-2483.5_Bluetooth BR_FHSS_CH78_2480MHz	
ANT	6	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 9120D_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.56 54.45 74.00 -19.55 42.88 27.67 6.78 33.00 10.12 351 178 Peak 2 2483.56 29.66 54.00 -24.34 -- -- -- -- -- -- -- AVERAGE	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 104.59 ------ ------ 93.10 27.60 6.78 33.01 10.12 351 178 Peak 2 2480.00 79.80 ------ ------ -- -- -- -- -- -- -- Average

Mode	9	
	Harmonic	
	2400-2483.5_Bluetooth BR_FHSS_CH78_2480MHz	
ANT	6	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4960.00 41.68 74.00 -32.32 63.77 32.94 11.06 67.05 0.96 -- -- Peak 2 4960.00 16.89 54.00 -37.11 -- -- -- -- -- -- -- Average 3 7440.00 43.64 74.00 -30.36 59.48 36.30 13.87 66.19 0.18 -- -- Peak 4 7440.00 18.85 54.00 -35.15 -- -- -- -- -- -- -- Average	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4960.00 41.32 74.00 -32.68 63.41 32.94 11.06 67.05 0.96 -- -- Peak 2 4960.00 16.53 54.00 -37.47 -- -- -- -- -- -- -- Average 3 7440.00 44.46 74.00 -29.54 60.30 36.30 13.87 66.19 0.18 -- -- Peak 4 7440.00 19.67 54.00 -34.33 -- -- -- -- -- -- -- Average

Mode	9	
	Harmonic	
	2400-2483.5_Bluetooth BR_FHSS_CH78_2480MHz	
ANT	6	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 VERTICAL
17G ~18G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 VERTICAL

Mode	10	
	LF	
	2400-2483.5_Bluetooth BR_FHSS_CH78_2480MHz	
ANT	6	
Pol.	Horizontal	Vertical
QP/ Peak	 Site : 03CH11-HY Condition: QP 3m Bilog_66925 & 24006_260412 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 30.97 24.15 40.00 -15.85 31.99 23.23 0.73 31.88 0.08 -- -- Peak 2 141.55 31.92 43.50 -11.58 45.16 17.23 1.57 32.07 0.03 -- -- Peak 3 243.40 25.03 46.00 -20.97 37.22 17.62 2.08 31.94 0.05 -- -- Peak 4 459.71 24.05 46.00 -21.95 29.95 23.09 2.91 31.99 0.09 -- -- Peak 5 727.43 29.69 46.00 -16.31 29.92 27.40 3.67 31.91 0.61 -- -- Peak 6 948.59 31.66 46.00 -14.34 27.07 30.77 4.14 30.72 0.40 -- -- Peak	 Site : 03CH11-HY Condition: QP 3m Bilog_66925 & 24006_260412 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 41.64 33.46 40.00 -6.54 45.97 18.64 0.87 32.06 0.04 -- -- Peak 2 140.58 28.16 43.50 -15.34 41.42 17.22 1.56 32.07 0.03 -- -- Peak 3 263.77 19.10 46.00 -26.90 28.51 20.28 2.17 31.93 0.07 -- -- Peak 4 500.45 23.40 46.00 -22.60 28.43 23.90 3.02 32.02 0.07 -- -- Peak 5 717.73 28.45 46.00 -17.55 29.25 26.85 3.64 31.93 0.64 -- -- Peak 6 945.68 31.77 46.00 -14.23 27.42 30.55 4.14 30.75 0.41 -- -- Peak

Mode	11	
	SHF	
	2400-2483.5_Bluetooth BR_FHSS_CH78_2480MHz	
ANT	6	
Pol.	Horizontal	Vertical
Peak	 Site : 03CH11-HY Condition: PEAK_74 1m SHF_1225_250702 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 26270.84 44.03 74.00 -29.97 40.87 39.64 26.53 53.47 -9.54 -- -- PEAK	 Site : 03CH11-HY Condition: PEAK_74 1m SHF_1225_250702 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 25403.14 43.60 74.00 -30.40 40.92 39.40 26.20 53.38 -9.54 -- -- PEAK

Mode	12	
	Band Edge	
	2400-2483.5_Bluetooth BR_FHSS_CH00_2402MHz	
ANT	7	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 9120D_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2376.79 53.55 74.00 -20.45 42.68 27.20 6.63 33.08 10.12 144 175 Peak 2 2376.79 28.76 54.00 -25.24 -- -- -- -- -- -- -- AVERAGE	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2402.00 104.24 ------ ------ 93.20 27.32 6.66 33.06 10.12 144 175 Peak 2 2402.00 79.45 ------ ------ -- -- -- -- -- -- -- Average

Mode	12	
	Band Edge	
	2400-2483.5_Bluetooth BR_FHSS_CH00_2402MHz	
ANT	7	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 9120D_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2323.98 53.37 74.00 -20.63 42.62 27.20 6.55 33.12 10.12 364 179 Peak 2 2323.98 28.58 54.00 -25.42 -- -- -- -- -- -- -- AVERAGE	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2402.00 102.33 ------ ------ 91.29 27.32 6.66 33.06 10.12 364 179 Peak 2 2402.00 77.54 ------ ------ -- -- -- -- -- -- -- Average

Mode	12	
	Harmonic	
	2400-2483.5_Bluetooth BR_FHSS_CH00_2402MHz	
ANT	7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4804.00 40.39 74.00 -33.61 64.00 32.32 10.29 67.17 0.95 -- -- Peak 2 4804.00 15.60 54.00 -38.40 -- -- -- -- -- -- -- Average	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4804.00 42.45 74.00 -31.55 66.06 32.32 10.29 67.17 0.95 -- -- Peak 2 4804.00 17.66 54.00 -36.34 -- -- -- -- -- -- -- Average

Mode	12	
	Harmonic	
	2400-2483.5_Bluetooth BR_FHSS_CH00_2402MHz	
ANT	7	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 VERTICAL
17G ~18G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 VERTICAL

Mode	13	
	Band Edge - L	
	2400-2483.5_Bluetooth BR_FHSS_CH39_2441MHz	
ANT	7	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 9120D_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2341.05 53.32 74.00 -20.68 42.53 27.20 6.58 33.11 10.12 139 176 Peak 2 2341.05 28.53 54.00 -25.47 -- -- -- -- -- -- -- AVERAGE	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2441.00 105.87 ------ ------ 94.56 27.50 6.72 33.03 10.12 139 176 Peak 2 2441.00 81.08 ------ ------ -- -- -- -- -- -- -- Average

Mode	13	
	Band Edge - R	
	2400-2483.5_Bluetooth BR_FHSS_CH39_2441MHz	
ANT	7	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 9120D_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2485.84 54.74 74.00 -19.26 43.12 27.72 6.78 33.00 10.12 139 176 Peak 2 2485.84 29.95 54.00 -24.05 -- -- -- -- -- -- -- AVERAGE	Blank

Mode	13	
	Band Edge - L	
	2400-2483.5_Bluetooth BR_FHSS_CH39_2441MHz	
ANT	7	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 9120D_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2388.08 53.05 74.00 -20.95 42.09 27.28 6.64 33.08 10.12 363 180 Peak 2 2388.08 28.26 54.00 -25.74 -- -- -- -- -- -- -- AVERAGE	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2441.00 103.05 ------ ------ 91.74 27.50 6.72 33.03 10.12 363 180 Peak 2 2441.00 78.26 ------ ------ -- -- -- -- -- -- -- Average

Mode	13	
	Band Edge - R	
	2400-2483.5_Bluetooth BR_FHSS_CH39_2441MHz	
ANT	7	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 9120D_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2493.86 54.28 74.00 -19.72 42.55 27.80 6.80 32.99 10.12 363 180 Peak 2 2493.86 29.49 54.00 -24.51 -- -- -- -- -- -- -- AVERAGE	Blank

Mode	13	
	Harmonic	
	2400-2483.5_Bluetooth BR_FHSS_CH39_2441MHz	
ANT	7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4882.00 42.12 74.00 -31.88 64.97 32.63 10.68 67.11 0.95 -- -- Peak 2 7323.00 44.00 74.00 -30.00 59.32 36.81 13.78 66.10 0.19 -- -- Peak	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4882.00 41.40 74.00 -32.60 64.25 32.63 10.68 67.11 0.95 -- -- Peak 2 7323.00 44.15 74.00 -29.85 59.47 36.81 13.78 66.10 0.19 -- -- Peak

Mode	13	
	Harmonic	
	2400-2483.5_Bluetooth BR_FHSS_CH39_2441MHz	
ANT	7	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 VERTICAL
17G ~18G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 VERTICAL

Mode	14	
	Band Edge	
	2400-2483.5_Bluetooth BR_FHSS_CH78_2480MHz	
ANT	7	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 9120D_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2499.92 54.95 74.00 -19.05 43.22 27.80 6.80 32.99 10.12 100 180 Peak 2 2499.92 30.16 54.00 -23.84 -- -- -- -- -- -- -- AVERAGE	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 104.32 ------ ------ 92.83 27.60 6.78 33.01 10.12 100 180 Peak 2 2480.00 79.53 ------ ------ -- -- -- -- -- -- -- Average

Mode	14	
	Band Edge	
	2400-2483.5_Bluetooth BR_FHSS_CH78_2480MHz	
ANT	7	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 9120D_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2496.70 54.42 74.00 -19.58 42.69 27.80 6.80 32.99 10.12 400 184 Peak 2 2496.70 29.63 54.00 -24.37 -- -- -- -- -- -- -- AVERAGE	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 102.25 ------ ------ 90.76 27.60 6.78 33.01 10.12 400 184 Peak 2 2480.00 77.46 ------ ------ -- -- -- -- -- -- -- Average

Mode	14	
	Harmonic	
	2400-2483.5_Bluetooth BR_FHSS_CH78_2480MHz	
ANT	7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4960.00 41.54 74.00 -32.46 63.63 32.94 11.06 67.05 0.96 -- -- Peak 2 7440.00 43.96 74.00 -30.04 59.80 36.30 13.87 66.19 0.18 -- -- Peak	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4960.00 41.81 74.00 -32.19 63.90 32.94 11.06 67.05 0.96 -- -- Peak 2 7440.00 45.36 74.00 -28.64 61.20 36.30 13.87 66.19 0.18 -- -- Peak

Mode	14	
	Harmonic	
	2400-2483.5_Bluetooth BR_FHSS_CH78_2480MHz	
ANT	7	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 VERTICAL
17G ~18G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 VERTICAL

Mode	15	
	Band Edge	
	2400-2483.5_Bluetooth BR_FHSS_CH00_2402MHz	
ANT	7	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 9120D_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2310.55 53.52 74.00 -20.48 42.80 27.20 6.53 33.13 10.12 148 177 Peak 2 2310.55 28.73 54.00 -25.27 -- -- -- -- -- -- -- AVERAGE	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2402.00 106.84 ------ ------ 95.80 27.32 6.66 33.06 10.12 148 177 Peak 2 2402.00 82.05 ------ ------ -- -- -- -- -- -- -- Average

Mode	15	
	Band Edge	
	2400-2483.5_Bluetooth BR_FHSS_CH00_2402MHz	
ANT	7	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 9120D_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2353.42 53.48 74.00 -20.52 42.67 27.20 6.59 33.10 10.12 365 182 Peak 2 2353.42 28.69 54.00 -25.31 -- -- -- -- -- -- -- AVERAGE	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2402.00 104.54 ------ ------ 93.50 27.32 6.66 33.06 10.12 365 182 Peak 2 2402.00 79.75 ------ ------ -- -- -- -- -- -- -- Average

Mode	15	
	Harmonic	
	2400-2483.5_Bluetooth BR_FHSS_CH00_2402MHz	
ANT	7	
Pol.	Horizontal	Vertical
Peak Avg	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 HORIZONTAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4804.00 40.22 74.00 -33.78 63.83 32.32 10.29 67.17 0.95 -- -- Peak	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 VERTICAL Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 4804.00 43.46 74.00 -30.54 67.07 32.32 10.29 67.17 0.95 -- -- Peak

Mode	15	
	Harmonic	
	2400-2483.5_Bluetooth BR_FHSS_CH00_2402MHz	
ANT	7	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 VERTICAL
17G ~18G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 9120D_01620_250915 VERTICAL

Mode	16	
	Band Edge - L	
	2400-2483.5_Bluetooth BR_FHSS_CH39_2441MHz	
ANT	7	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 9120D_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2346.29 53.41 74.00 -20.59 42.62 27.20 6.58 33.11 10.12 232 144 Peak 2 2346.29 28.62 54.00 -25.38 -- -- -- -- -- -- -- AVERAGE	 Site : 03CH11-HY Condition: PEAK_74 3m 9120D_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2441.00 107.63 ------ ------ 96.32 27.50 6.72 33.03 10.12 232 144 Peak 2 2441.00 82.84 ------ ------ -- -- -- -- -- -- -- Average

Mode	16	
	Band Edge - R	
	2400-2483.5_Bluetooth BR_FHSS_CH39_2441MHz	
ANT	7	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 9120D_01620_250915 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2494.40 53.95 74.00 -20.05 42.22 27.80 6.80 32.99 10.12 232 144 Peak 2 2494.40 29.16 54.00 -24.84 -- -- -- -- -- -- -- AVERAGE	Blank