





Mode	68	
	Harmonic	
	2400-2483.5_ Bluetooth-LE GSKF_CH19_2440MHz + U-NII-1_5.15-5.25_802.11ax HE160_CH50_Full RU_5250MHz	
ANT	6+7	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-05-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2026-05-17 Frequency (MHz) Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	69																																																																																																																																																																																					
	LF																																																																																																																																																																																					
	2400-2483.5_ Bluetooth-LE GSKF_CH19_2440MHz + U-NII-1_5.15-5.25_802.11ax HE160_CH50_Full RU_5250MHz																																																																																																																																																																																					
ANT	6+7																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																				
QPI Peak	Level (dBuV/m) Date: 2026-05-16 Site : 03CH22-HY Condition: QP 3m Bilog_63304_251126 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>43.58</td><td>23.01</td><td>40.00</td><td>-16.99</td><td>37.40</td><td>17.13</td><td>1.02</td><td>32.57</td><td>0.03 -- Peak</td></tr><tr><td>2</td><td>102.75</td><td>31.61</td><td>43.50</td><td>-11.89</td><td>46.12</td><td>16.29</td><td>1.66</td><td>32.52</td><td>0.06 -- Peak</td></tr><tr><td>3</td><td>226.91</td><td>23.54</td><td>46.00</td><td>-22.46</td><td>37.75</td><td>15.76</td><td>2.44</td><td>32.49</td><td>0.08 -- Peak</td></tr><tr><td>4</td><td>461.65</td><td>27.95</td><td>46.00</td><td>-18.05</td><td>33.58</td><td>23.26</td><td>3.62</td><td>32.62</td><td>0.11 -- Peak</td></tr><tr><td>5</td><td>741.01</td><td>34.47</td><td>46.00</td><td>-11.53</td><td>34.34</td><td>27.93</td><td>4.55</td><td>32.52</td><td>0.17 -- Peak</td></tr><tr><td>6</td><td>900.09</td><td>37.17</td><td>46.00</td><td>-8.83</td><td>34.79</td><td>28.94</td><td>4.94</td><td>31.72</td><td>0.22 100 140 QP</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	43.58	23.01	40.00	-16.99	37.40	17.13	1.02	32.57	0.03 -- Peak	2	102.75	31.61	43.50	-11.89	46.12	16.29	1.66	32.52	0.06 -- Peak	3	226.91	23.54	46.00	-22.46	37.75	15.76	2.44	32.49	0.08 -- Peak	4	461.65	27.95	46.00	-18.05	33.58	23.26	3.62	32.62	0.11 -- Peak	5	741.01	34.47	46.00	-11.53	34.34	27.93	4.55	32.52	0.17 -- Peak	6	900.09	37.17	46.00	-8.83	34.79	28.94	4.94	31.72	0.22 100 140 QP	Level (dBuV/m) Date: 2026-05-16 Site : 03CH22-HY Condition: QP 3m Bilog_63304_251126 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>44.55</td><td>30.09</td><td>40.00</td><td>-9.91</td><td>45.01</td><td>16.59</td><td>1.03</td><td>32.57</td><td>0.03 -- Peak</td></tr><tr><td>2</td><td>156.10</td><td>27.53</td><td>43.50</td><td>-15.97</td><td>41.18</td><td>16.75</td><td>2.08</td><td>32.56</td><td>0.08 -- Peak</td></tr><tr><td>3</td><td>260.86</td><td>19.92</td><td>46.00</td><td>-26.08</td><td>29.73</td><td>19.97</td><td>2.64</td><td>32.50</td><td>0.08 -- Peak</td></tr><tr><td>4</td><td>509.18</td><td>24.92</td><td>46.00</td><td>-21.08</td><td>29.63</td><td>24.11</td><td>3.69</td><td>32.66</td><td>0.15 -- Peak</td></tr><tr><td>5</td><td>730.34</td><td>39.18</td><td>46.00</td><td>-6.82</td><td>39.48</td><td>27.59</td><td>4.51</td><td>32.56</td><td>0.16 -- Peak</td></tr><tr><td>6</td><td>902.03</td><td>36.92</td><td>46.00</td><td>-9.08</td><td>34.51</td><td>28.95</td><td>4.94</td><td>31.70</td><td>0.22 122 360 QP</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	44.55	30.09	40.00	-9.91	45.01	16.59	1.03	32.57	0.03 -- Peak	2	156.10	27.53	43.50	-15.97	41.18	16.75	2.08	32.56	0.08 -- Peak	3	260.86	19.92	46.00	-26.08	29.73	19.97	2.64	32.50	0.08 -- Peak	4	509.18	24.92	46.00	-21.08	29.63	24.11	3.69	32.66	0.15 -- Peak	5	730.34	39.18	46.00	-6.82	39.48	27.59	4.51	32.56	0.16 -- Peak	6	902.03	36.92	46.00	-9.08	34.51	28.95	4.94	31.70	0.22 122 360 QP
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																																														
1	43.58	23.01	40.00	-16.99	37.40	17.13	1.02	32.57	0.03 -- Peak																																																																																																																																																																													
2	102.75	31.61	43.50	-11.89	46.12	16.29	1.66	32.52	0.06 -- Peak																																																																																																																																																																													
3	226.91	23.54	46.00	-22.46	37.75	15.76	2.44	32.49	0.08 -- Peak																																																																																																																																																																													
4	461.65	27.95	46.00	-18.05	33.58	23.26	3.62	32.62	0.11 -- Peak																																																																																																																																																																													
5	741.01	34.47	46.00	-11.53	34.34	27.93	4.55	32.52	0.17 -- Peak																																																																																																																																																																													
6	900.09	37.17	46.00	-8.83	34.79	28.94	4.94	31.72	0.22 100 140 QP																																																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																																														
1	44.55	30.09	40.00	-9.91	45.01	16.59	1.03	32.57	0.03 -- Peak																																																																																																																																																																													
2	156.10	27.53	43.50	-15.97	41.18	16.75	2.08	32.56	0.08 -- Peak																																																																																																																																																																													
3	260.86	19.92	46.00	-26.08	29.73	19.97	2.64	32.50	0.08 -- Peak																																																																																																																																																																													
4	509.18	24.92	46.00	-21.08	29.63	24.11	3.69	32.66	0.15 -- Peak																																																																																																																																																																													
5	730.34	39.18	46.00	-6.82	39.48	27.59	4.51	32.56	0.16 -- Peak																																																																																																																																																																													
6	902.03	36.92	46.00	-9.08	34.51	28.95	4.94	31.70	0.22 122 360 QP																																																																																																																																																																													



Mode	70																																																																																																											
	SHF																																																																																																											
	2400-2483.5_ Bluetooth-LE GSKF_CH19_2440MHz + U-NII-1_5.15-5.25_802.11ax HE160_CH50_Full RU_5250MHz																																																																																																											
ANT	6+7																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak	Level (dBuV/m) Date: 2026-05-17  Site : 03CH22-HY Condition: PEAK(UNII) 1m 88HA9170_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 39473.38</td><td>49.42</td><td>74.00</td><td>-24.58</td><td>40.14</td><td>46.11</td><td>34.71</td><td>62.00</td><td>-9.54</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 39473.38</td><td>40.22</td><td>54.00</td><td>-13.78</td><td>30.94</td><td>46.11</td><td>34.71</td><td>62.00</td><td>-9.54</td><td>--</td><td>-- Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 39473.38	49.42	74.00	-24.58	40.14	46.11	34.71	62.00	-9.54	--	-- PEAK	2 39473.38	40.22	54.00	-13.78	30.94	46.11	34.71	62.00	-9.54	--	-- Average	Level (dBuV/m) Date: 2026-05-17  Site : 03CH22-HY Condition: PEAK(UNII) 1m 88HA9170_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 39501.51</td><td>49.75</td><td>74.00</td><td>-24.25</td><td>40.55</td><td>46.00</td><td>34.74</td><td>62.00</td><td>-9.54</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 39501.51</td><td>40.01</td><td>54.00</td><td>-13.99</td><td>30.81</td><td>46.00</td><td>34.74</td><td>62.00</td><td>-9.54</td><td>--</td><td>-- Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 39501.51	49.75	74.00	-24.25	40.55	46.00	34.74	62.00	-9.54	--	-- PEAK	2 39501.51	40.01	54.00	-13.99	30.81	46.00	34.74	62.00	-9.54	--	-- Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1 39473.38	49.42	74.00	-24.58	40.14	46.11	34.71	62.00	-9.54	--	-- PEAK																																																																																																		
2 39473.38	40.22	54.00	-13.78	30.94	46.11	34.71	62.00	-9.54	--	-- Average																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1 39501.51	49.75	74.00	-24.25	40.55	46.00	34.74	62.00	-9.54	--	-- PEAK																																																																																																		
2 39501.51	40.01	54.00	-13.99	30.81	46.00	34.74	62.00	-9.54	--	-- Average																																																																																																		



Appendix B. Duty Cycle Plots

Antenna	Band	Duty Cycle (%)	T(us)	1/T(kHz)	VBW Setting
6	Bluetooth - LE for 2Mbps	38.43	206	4.85	5.1kHz
7	Bluetooth - LE for 2Mbps	38.43	206	4.85	5.1kHz
6+7	5GHz 802.11ax HE160 Full RU	98.84	1368	0.73	10Hz

