

Prepared by
SEM/CGVOHME NAOHIKO OTAKE
Contents responsible if other than preparer

Document number
1281-7791
Date
2014-12-11
Remarks

Revision
1

Approved by
SEM/CGVOHME TOORU KARASHIMA

This document is managed in SPACE.

Type number: RD-0100
FCC id: PY7-RD0100
IC id: 4170B-RD0100

Specification Label Content

Contents

1	General Information.....	1
1.1	SCOPE.....	1
1.2	LABEL INFORMATION	1
1.3	PRINTING INFORMATION	1
1.4	TESTS (optional).....	1
2	Targeted markets/regions.....	2
3	Input Voltage and Current specification	3
4	CONTENTS AND POSITIONING OF LABEL PRINTING for BKB10	3
4.1	CONTENTS for Model Number1 Marking.....	3
4.2	CONTENTS for Model Number 2 Marking.....	8
4.3	CONTENTS for Model Number 3 Marking.....	8
4.4	POSITIONING of Label	9

1 General Information

1.1 SCOPE

This document Label Specification for BKB10

Language	SOMC Space No.
US English	1280-5552

1.2 LABEL INFORMATION

This document specifies the label printing for BKB10

1.3 PRINTING INFORMATION

Color text: Written color: White Letters

Printing: All printing shall be sharp, well readable and permanent

Text height: Refer to the page explanation

Text font: Refer to the page explanation

1.4 TESTS (optional)

The label shall be tested and approved according to valid safety requirements.

2 Targeted markets/regions

Sweden,
Denmark,
Norway,
Finland,
Island,
Armenia,
Georgia,
Malaysia,
Poland,
Slovakia,
Austria,
Switzerland,
Belgium,
Check,
Greece,
Kuwait,
Bahrain,
Bulgaria,
Hungary,
Romania,
Serbia,
Slovenia,
Portugal,
Israel,
Netherlands,
UAE,
Saudi Arabia,
Egypt,
Bahrain,
Morocco,
South Africa,
US,
Vietnam,
Philippines,
Thailand,
China,
India,
Indonesia,
Korea,
Brazil,
Canada,
Luxemburg,
Turkey,
Croatia,
Andorra,
Czech Republic,
Hungary,
Romania,
Serbia,
Slovenia,
Singapore,
Australia,
New Zealand

3 Input Voltage and Current specification

Voltage : Max 5.25V / Nom 5.0V / Min 4.75V
Current type : DC

4 CONTENTS AND POSITIONING OF LABEL PRINTING for BKB10

4.1 CONTENTS for Model Number1 Marking

The label shall have the following content, Line and alignment may vary

Text/Note	ALIGN	TYPEFACE
SONY®	L=10	SONY LOGOTYPE
Model	H=1.5	SONY ID TYPE HR
MODELO	H=1.5	SONY ID TYPE HR
모델명	H=1.5	DATA REFERENCE
型号	H=2.0	簡体字
BKB10	H=1.5	SONY ID TYPE HR
Type RD-0100	H=1.5	SONY ID TYPE HR
1280-5552.1	H=1.5	SONY ID TYPE HR
입력	H=1.5	DATA REFERENCE
输入	H=2.0	簡体字
Input(Entrada)	H=1.5	SONY ID TYPE HR
5 V  500 mA	H=1.5	SONY ID TYPE HR
Bluetooth® Keyboard	H=1.5	SONY ID TYPE HR
蓝牙无线键盘	H=2.0	簡体字
Teclado Bluetooth®	H=1.5	SONY ID TYPE HR
Bluetooth® 키보드	H=1.5	DATA REFERENCE
	H=3.0	DATA REFERENCE
	H=5.0	DATA REFERENCE
	H=7.0	DATA REFERENCE
	H=3.0	DATA REFERENCE
CE0682	H=5	DATA REFERENCE
해당 무선설비는 운용 중 전파혼신 가능성이 있음.	H=1.5	DATA REFERENCE
상호명 : 소니코리아(주)	H=1.5	DATA REFERENCE
특정소출력 무선기기	H=1.5	DATA REFERENCE
(무선데이터통신시스템용 무선기기)	H=1.5	DATA REFERENCE
 MSIP-CRI-SOK-BKB10	H=5	DATA REFERENCE
고객센터 : 1588-0911	H=1.5	DATA REFERENCE

Ver1



Rev2



Rev.3

80.0

SONY®

型号/Model/모델명/MODELO BKB10
Type RD-0100

蓝牙无线键盘/Bluetooth® Keyboard
Bluetooth® 키보드/Teclado Bluetooth®

输入/입력/Input(Entrada): 5 V $\equiv$ 500 mA

CE 0682



XXX-XX-XXXX

해당 무선설비는 운용 중 전파혼신 가능성이 있음.

상호명: 소니코리아(주)

특정소출력 무선기기

(무선데이터통신시스템용 무선기기)



MSIP-CRI-SOK-BKB10

고객센터: 1588-0911

Este equipamento opera em caráter secundário,
isto é, não tem direito a proteção contra
interferência prejudicial, mesmo de estações
do mesmo tipo, e não pode causar interferência
a sistemas operando em caráter primário.

FCC ID: PY7-RD0100

IC: 4170B-RD0100

CMIIT ID: XXXXXXXXXXXX

XXXX/SDPPI/XXXX
XXXX/SDPPI/XXXX
2034

原产地: 中国 제조국가: 중국

制造商: 索尼移动通信公司

Сделано в Китае / MADE IN CHINA

제조 공장: PRIMAX ELECTRONICS (CQ) CORP.,LTD.

Производитель/Manufacturer/제조사


Sony Mobile Communications AB

1280-5552.3

60.0

4.2 **CONTENTS for Model Number 2 Marking**


Text/Note	ALIGN	TYPEFACE
生产日期:	H=2.0	簡体字
제조연월	H=1.5	DATA REFERENCE
製造日期	H=1.5	繁体字
Дата изготовления	H=1.5	DATA REFERENCE
Date of manufacture	H=1.5	SONY ID TYPE HR



4.3

CONTENTS for Model Number 3 Marking

Text/Note	ALIGN	TYPEFACE
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:(1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.	H=1.5	SONY ID TYPE HR



4.4 POSITIONING of Label

