



Prepared by
SEM/BNDH KAROLINA BREGÉ
Contents responsible if other than preparer

Approved by
SEM/BNDC (JOHAN LARSSON)

HBH-PV705 MARKING DRAWING

Contents

1	General Information	1
1.1	SCOPE	1
1.2	DOCUMENTATION	1
1.3	PRINTING INFORMATION	1
1.4	LANGUAGE (optional)	2
1.5	TESTS (optional)	2
2	CONTENTS AND POSITIONING OF LABEL PRINTING	2
2.1	CONTENTS	2
2.2	POSITIONING OF LABEL PRINTING	3
3	REVISION INFORMATION	3

1 General Information

1.1 SCOPE

This document specifies the label printing for HBH-PV705, KRY 101 1127

1.2 DOCUMENTATION

All documents are listed in the Document overview 1095- KRY 101 1127

1.3 PRINTING INFORMATION

- Color text: Grey
- Printing: All printing shall be sharp, well readable and permanent
- Text height: 0.8 mm minimum
- Text font: Arial or similar

Graphics; 1.5 mm height

- CE logo with number, according to SVF 930 182
- C-tic logo with number, according to SVF 930 2333
- Korean warning text: 당해 무선설비는 운용 중 전파혼신 가능성이 있음
- MIC logo according to SVF 191 204

Japanese TA number



Number will be filled in next revision!

Graphic; diameter 3 mm

**1.4 LANGUAGE**

Only English and Korean text shall be printed on the label according to specification in section 2 below.

1.5 TESTS

The label shall be tested and approved according to valid safety requirements.

2 CONTENTS AND POSITIONING OF LABEL PRINTING**2.1 CONTENTS**

The label shall have the following contents:

<u>LINE</u>	<u>TEXT</u>	<u>Column</u>	<u>ALIGN</u>	<u>NOTE</u>
Line 1:	Sony Ericsson trademark	1	Left, width 12 mm	note 1
Line 2:	당해 무선설비는 운용 중 전파혼신 가능성이 있음	1	Left	Korea safety test
Line 3:	MIC logo	1	Centred	
Line 4:	SOK-HBH-PV705	1	Centred	
Line 5:	Japanese TA		Centred	
Line 6:	Japanese TA		Centred	
Line 1:	KRY1011127 R1A	2	Left	
Line 2:	HBH-PV705	2	Left	
Line 3:	BDA number	2	Left	
Line 4:	Type: DDA-002006	2	Left	
Line 5:	IC:4170B-DDA2006	2	Left	
Line 6:	FCCID:PY7DDA-2006	2	Left	
Line 7:	CE logo 0682, C-tic logo N12878 Z354	2	Left	
Line 8:	Made in China	2	Left	
Vertical	YYWww			Placed vertically next to column 2

Note 1: Sony Ericsson trademark according to EN/LZT 108 5347.




2.2 POSITIONING OF LABEL PRINTING

The logotype, text and safety approval symbols mentioned shall be placed according to the following schematic sketch (only layout, no measurements).

Column 1

Column 2



3 REVISION INFORMATION

Rev. B Changes.