

TEST REPORT

Test report no.: 1-6965/13-19-14



Deutsche
Akkreditierungsstelle
D-PL-12076-01-01

Testing laboratory

CETECOM ICT Services GmbH

Untertuerkheimer Strasse 6 – 10

66117 Saarbruecken / Germany

Phone: + 49 681 5 98 - 0

Fax: + 49 681 5 98 - 9075

Internet: <http://www.cetecom.com>

e-mail: ict@cetecom.com

Accredited Testing Laboratory:

The testing laboratory (area of testing) is accredited according to DIN EN ISO/IEC 17025 (2005) by the Deutsche Akkreditierungsstelle GmbH (DAkkS)

The accreditation is valid for the scope of testing procedures as stated in the accreditation certificate with the registration number: D-PL-12076-01-01

Area of Testing:

Radio Communications & EMC (RCE)

Applicant

Sony Mobile Communications AB

Nya Vattentornet

22188 Lund / SWEDEN

Phone: +46 46 19 30 00

Fax: -/-

Contact: Mikael Nilsson

e-mail: Micke.nilsson@sonymobile.com

Phone: +46 7 03 22 75 03

Manufacturer

Sony Mobile Communications AB

Nya Vattentornet

22188 Lund / SWEDEN

Test standard/s

47 CFR Part 15

Title 47 of the Code of Federal Regulations; Chapter I; Part 15 - Radio frequency devices

For further applied test standards please refer to section 3 of this test report.

Test Item

Kind of test item:

Smart Phone GPRS/EGPRS 850/900/1800/1900; UMTS HSPA FDDI/III/V/VIII; LTE FDD1/2/3/5/7/8/28; WLAN b/g/n/a/ac; BT 4.0; RFID; A-GPS

FCC ID:

PY7PM-0751

IC:

-/-

Frequency:

UNII bands: 5150 MHz to 5250 MHz; 5250 MHz to 5350 MHz and 5470 MHz to 5725 MHz

Technology tested:

WLAN (OFDM/a – mode; n HT20 – mode; n HT40 – mode; n HT80 – mode)

Antenna:

Integrated antenna

Power supply:

4.2V DC by Li - polymer battery

Temperature range:

-30°C to +50°C

This test report is electronically signed and valid without handwriting signature. For verification of the electronic signatures, the public keys can be requested at the testing laboratory.

Test report authorised:

cn=Stefan Boes, o=CETECOM ICT Services GmbH, ou=BOE-111011, email=Stefan.Boes@cetecom.com, c=DE 2014.05.21 07:23:42 +02'00'

Stefan Böes
Senior Testing Manager

Test performed:

cn=Marco Bertolino, o=CETECOM ICT Services GmbH, ou=BTL-100826, email=marco.bertolino@cetecom.com, c=DE 2014.05.21 07:38:46 +02'00'

Marco Bertolino
Testing Manager

1 Table of contents

1	Table of contents	2
2	General information	3
2.1	Notes and disclaimer	3
2.2	Application details	3
3	Test standard/s	3
3.1	Measurement guidance	3
4	Test environment	4
5	Test item	4
5.1	Additional information	4
6	Test laboratories sub-contracted	4
7	Description of the test setup	5
7.1	Radiated measurements chamber F	5
7.2	Radiated measurements chamber C	6
7.3	Radiated measurements 12.75 GHz to 40 GHz	7
7.4	AC conducted	8
8	Summary of measurement results	9
9	Additional comments	10
10	Measurement results	11
10.1	Gain	11
10.2	Band edge compliance radiated	12
10.3	TX spurious emissions radiated	25
10.4	RX spurious emissions radiated	105
10.5	Spurious emissions radiated < 30 MHz	109
10.6	Spurious emissions conducted < 30 MHz	111
11	Test equipment and ancillaries used for tests	114
12	Observations	115
Annex A	Document history	116
Annex B	Further information	116
Annex C	Accreditation Certificate	117

2 General information

2.1 Notes and disclaimer

The test results of this test report relate exclusively to the test item specified in this test report. CETECOM ICT Services GmbH does not assume responsibility for any conclusions and generalizations drawn from the test results with regard to other specimens or samples of the type of the equipment represented by the test item.

The test report may only be reproduced or published in full. Reproduction or publication of extracts from the report requires the prior written approval of CETECOM ICT Services GmbH.

The testing service provided by CETECOM ICT Services GmbH has been rendered under the current "General Terms and Conditions for CETECOM ICT Services GmbH".

CETECOM ICT Services GmbH will not be liable for any loss or damage resulting from false, inaccurate, inappropriate or incomplete product information provided by the customer.

Under no circumstances does the CETECOM ICT Services GmbH test report include any endorsement or warranty regarding the functionality, quality or performance of any other product or service provided.

Under no circumstances does the CETECOM ICT Services GmbH test report include or imply any product or service warranties from CETECOM ICT Services GmbH, including, without limitation, any implied warranties of merchantability, fitness for purpose, or non-infringement, all of which are expressly disclaimed by CETECOM ICT Services GmbH.

All rights and remedies regarding vendor's products and services for which CETECOM ICT Services GmbH has prepared this test report shall be provided by the party offering such products or services and not by CETECOM ICT Services GmbH.

In no case this test report can be considered as a Letter of Approval.

This test report is electronically signed and valid without handwritten signature. For verification of the electronic signatures, the public keys can be requested at the testing laboratory.

2.2 Application details

Date of receipt of order:	2014-04-14
Date of receipt of test item:	2014-05-05
Start of test:	2014-05-06
End of test:	2014-05-19
Person(s) present during the test:	-/-

3 Test standard/s

Test standard	Date	Test standard description
47 CFR Part 15	-/-	Title 47 of the Code of Federal Regulations; Chapter I; Part 15 - Radio frequency devices

3.1 Measurement guidance

UNII: KDB 789033	2013-04	Guidelines for Compliance Testing of Unlicensed National Information Infrastructure (U-NII) Devices - Part 15, Subpart E
------------------	---------	--

4 Test environment

Temperature:	T_{nom}	+22 °C during room temperature tests
	T_{max}	+50 °C during high temperature tests
	T_{min}	-30 °C during low temperature tests
Relative humidity content:		39 %
Barometric pressure:		not relevant for this kind of testing
Power supply:	V_{nom}	4.2 V DC by Li - polymer battery
	V_{max}	4.2 V
	V_{min}	3.3 V

5 Test item

Kind of test item	:	Smart Phone GPRS/EGPRS 850/900/1800/1900; UMTS HSPA FDDI/II/V/VIII; LTE FDD1/2/3/5/7/8/28; WLAN b/g/n/a/ac; BT 4.0; RFID; A-GPS
S/N serial number	:	Radiated unit: CB5126Z4QB
HW hardware status	:	No information available!
SW software status	:	RF test software
Frequency band [MHz]	:	UNII bands: 5150 MHz to 5250 MHz; 5250 MHz to 5350 MHz and 5470 MHz to 5725 MHz (lowest channel 36 – 5180 MHz; highest channel 140 – 5700 MHz)
Type of radio transmission	:	OFDM
Use of frequency spectrum	:	
Type of modulation	:	BPSK, QPSK, 16 – QAM; 64 – QAM & 256 – QAM
Number of channels	:	19
Antenna	:	Integrated antenna
Power supply	:	4.2 V DC by Li - polymer battery
Temperature range	:	-30°C to +50 °C

5.1 Additional information

Test setup- and EUT-photos are included in test report: 1-6965/13-19-01_AnnexA
 1-6965/13-19-01_AnnexB
 1-6965/13-19-01_AnnexD


6 Test laboratories sub-contracted

None

7 Description of the test setup

7.1 Radiated measurements chamber F


The radiated measurements are performed in vertical and horizontal plane in the frequency range from 9 kHz to 1 GHz in semi-anechoic chambers. The EUT is positioned on a non-conductive support with a height of 0.80 m above a conductive ground plane that covers the whole chamber. The receiving antennas are confirmed with specifications ANSI C63. These antennas can be moved over the height range between 1.0 m and 4.0 m in order to search for maximum field strength emitted from EUT. The measurement distances between EUT and receiving antennas are indicated in the test setups for the various frequency ranges. For each measurement, the EUT is rotated in all three axes until the maximum field strength is received. The wanted and unwanted emissions are received by spectrum analyzers where the detector modes and resolution bandwidths over various frequency ranges are set according to requirement ANSI C63.



Equipment table:

Equipment	Type	Manufacturer	Serial No.	INV. No Cetecom
Switch-Unit	3488A	HP Meßtechnik	2719A14505	300000368
DC power supply, 60Vdc, 50A, 1200 W	6032A	HP Meßtechnik	2920A04466	300000580
EMI Test Receiver	ESCI 3	R&S	100083	300003312
Amplifier	JS42-00502650-28-5A	MITEQ	1084532	300003379
Antenna Tower	Model 2175	ETS-LINDGREN	64762	300003745
Positioning Controller	Model 2090	ETS-LINDGREN	64672	300003746
Turntable Interface-Box	Model 105637	ETS-LINDGREN	44583	300003747
TRILOG Broadband Test-Antenna 30 MHz - 3 GHz	VULB9163	Schwarzbeck	295	300003787


7.2 Radiated measurements chamber C



Equipment table:

Equipment	Type	Manufacturer	Serial No.	INV. No Cetecom
MXE EMI Receiver 20 Hz bis 26,5 GHz	N9038A	Agilent Technologies	MY51210197	300004405
Highpass Filter	WHKX7.0/18G-8SS	Wainwright	18	300003789
Double-Ridged Waveguide Horn Antenna 1-18.0GHz	3115	EMCO	8812-3088	300001032
Active Loop Antenna	6502	EMCO	8905-2342	300000256
Anechoic chamber	FAC 3/5m	MWB / TDK	87400/02	300000996
Switch / Control Unit	3488A	HP Meßtechnik	*	300000199
Switch / Control Unit	3488A	HP Meßtechnik	2719A15013	300001156
Isolating Transformer	MPL IEC625 Bus Regeltrenntravo	Erfi	91350	300001155
Three-Way Power Splitter, 50 Ohm	11850C	HP Meßtechnik		300000997
Amplifier	js42-00502650-28-5a	Parzich GMBH	928979	300003143


7.3 Radiated measurements 12.75 GHz to 40 GHz



Equipment table:

Equipment	Type	Manufacturer	Serial No.	INV. No Cetecom
Std. Gain Horn Antenna 12.4 to 18.0 GHz	639	Narda	8402	300000787
Std. Gain Horn Antenna 18.0 to 26.5 GHz	638	Narda	8205	300002442
Microwave System Amplifier, 0.5-26.5 GHz	83017A	HP Meßtechnik	00419	300002268
Std. Gain Horn Antenna 26.5-40.0 GHz	V637	Narda	7911	300001751
Broadband Low Noise Amplifier 18-50 GHz	CBL18503070-XX	CERNEX	19338	300004273
Signal Analyzer 40 GHz	FSV40	R&S	101042	300004517

7.4 AC conducted



Equipment table:

Equipment	Type	Manufacturer	Serial No.	INV. No Cetecom
MXE EMI Receiver 20 Hz bis 26,5 GHz	N9038A	Agilent Technologies	MY51210197	300004405
Isolating Transformer	MPL IEC625 Bus Regeltrenntravo	Erft	91350	300001155
Switch / Control Unit	3488A	HP Meßtechnik	*	300000199
Switch / Control Unit	3488A	HP Meßtechnik	2719A15013	300001168
Artificial Mains 9 kHz to 30 MHz	ESH3-Z5	R&S	828576/020	300001210

8 Summary of measurement results



No deviations from the technical specifications were ascertained



There were deviations from the technical specifications ascertained

TC Identifier	Description	Verdict	Date	Remark
RF-Testing	CFR Part 15	Passed	2014-05-21	Delta tests according to manufacturer test plan.

Test specification clause	Test case	Temperature conditions	Power source voltages	Pass	Fail	NA	NP	Remark
-/-	Output power verification (conducted)	Nominal	Nominal	☐	☐	☐	☐	-/-
-/-	Gain	Nominal	Nominal	☐	☐	☐	☐	Declared
U-NII Part 15	Duty cycle	Nominal	Nominal	☐	☐	☐	☐	-/-
§15.407(a)	Maximum output power (conducted & radiated)	Nominal	Nominal	☐	☐	☐	☒	-/-
§15.407(a)	Power spectral density	Nominal	Nominal	☐	☐	☐	☒	-/-
§15.407(a)	Spectrum bandwidth 26dB bandwidth	Nominal	Nominal	☐	☐	☐	☒	-/-
§15.407(a)	Peak excursion measurements	Nominal	Nominal	☐	☐	☐	☒	-/-
§15.205	Band edge compliance radiated	Nominal	Nominal	☒	☐	☐	☐	complies
§15.407(b)	TX spurious emissions radiated	Nominal	Nominal	☒	☐	☐	☐	complies
§15.109	RX spurious emissions radiated	Nominal	Nominal	☒	☐	☐	☐	complies
§15.209(a)	Spurious emissions radiated < 30 MHz	Nominal	Nominal	☒	☐	☐	☐	complies
§15.107(a) §15.207	Spurious emissions conducted emissions < 30 MHz	Nominal	Nominal	☒	☐	☐	☐	complies

Note: NA = Not Applicable; NP = Not Performed

9 Additional comments

Reference documents: Main test report: 1-6965/13-16-15-A (FCC ID: PY7PM-0750)

Special test descriptions: None

Configuration descriptions: None

Test mode: ☐ No test mode available.

☒ Special software is used.
EUT is transmitting pseudo random data by itself

10 Measurement results

10.1 Gain

Limits:

Antenna Gain
Maximum 6 dBi

Result:

OFDM Band 5150 MHz to 5250 MHz	Gain		
	Lowest 5180 MHz	-/-	Highest 5240 MHz
Channel			
Gain Declared by the manufacturer	-1.6	-/-	-1.5

OFDM Band 5250 MHz to 5350 MHz	Gain		
	Lowest 5260 MHz	-/-	Highest 5320 MHz
Channel			
Gain Declared by the manufacturer	-1.4	-/-	-1.6

OFDM Band 5470 MHz to 5725 MHz	Gain		
	Lowest 5500 MHz	Middle 5600 MHz	Highest 5700 MHz
Channel			
Gain Declared by the manufacturer	-2.7	-2.2	-2.2

Result: **Passed**

10.2 Band edge compliance radiated

Description:

Measurement of the radiated band edge compliance. The EUT is turned in the position that results in the maximum level at the band edge. Then a sweep over the corresponding restricted band is performed. The EUT is set to the lowest channel for the lower restricted band and to the highest channel for the upper restricted band. Measurement distance is 3m.

Measurement:



Measurement parameter	
Detector:	Peak / RMS
Sweep time:	Auto
Resolution bandwidth:	1 MHz
Video bandwidth:	10 Hz / 1 MHz
Span:	See plots!
Trace-Mode:	Max Hold



Limits:



Band Edge Compliance Radiated
In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement. Attenuation below the general limits specified in Section 15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in Section 15.205(a), must also comply with the radiated emission limits specified in Section 15.209(a) (see Section 5.205(c)).
74 dB μ V/m PEAK 54 dB μ V/m AVG



Result:



Scenario	Band Edge Compliance Radiated [dB μ V/m]
band edge	< 54 dB μ V/m (AVG) < 74 dB μ V/m (PEAK)
Measurement uncertainty	± 3 dB



Plots:**Plot 1:** lower band edge, vertical & horizontal polarization (a mode), channel 36, low data rate**Plot 2:** lower band edge, vertical & horizontal polarization (a mode), channel 36, high data rate



Plot 3: upper band edge, vertical & horizontal polarization (a mode), channel 64, low data rate**Plot 4:** upper band edge, vertical & horizontal polarization (a mode), channel 64, high data rate



Plot 5: lower band edge, vertical & horizontal polarization (a mode), channel 100, low data rate**Plot 6:** lower band edge, vertical & horizontal polarization (a mode), channel 100, high data rate



Plot 7: lower band edge, vertical & horizontal polarization (n HT 20 mode), channel 36, low data rate**Plot 8:** lower band edge, vertical & horizontal polarization (n HT 20 mode), channel 36, high data rate



Plot 9: upper band edge, vertical & horizontal polarization (n HT 20 mode), channel 64, low data rate**Plot 10:** upper band edge, vertical & horizontal polarization (n HT 20 mode), channel 64, high data rate



Plot 11: lower band edge, vertical & horizontal polarization (n HT 20 mode), channel 100, low data rate**Plot 12:** lower band edge, vertical & horizontal polarization (n HT 20 mode), channel 100, high data rate



Plot 13: lower band edge, vertical & horizontal polarization (n HT 40 mode), channel 38, low data rate**Plot 14:** lower band edge, vertical & horizontal polarization (n HT 40 mode), channel 38, high data rate

Plot 15: upper band edge, vertical & horizontal polarization (n HT 40 mode), channel 62, low data rate**Plot 16:** upper band edge, vertical & horizontal polarization (n HT 40 mode), channel 62, high data rate

Plot 17: lower band edge, vertical & horizontal polarization (n HT 40 mode), channel 102, low data rate**Plot 18:** lower band edge, vertical & horizontal polarization (n HT 40 mode), channel 102, high data rate

Plot 19: lower band edge, vertical & horizontal polarization (n HT 80 mode), channel 42, low data rate**Plot 20:** lower band edge, vertical & horizontal polarization (n HT 80 mode), channel 42, high data rate

Plot 21: upper band edge, vertical & horizontal polarization (n HT 80 mode), channel 58, low data rate**Plot 22:** upper band edge, vertical & horizontal polarization (n HT 80 mode), channel 58, high data rate

Plot 23: lower band edge, vertical & horizontal polarization (n HT 80 mode), channel 106, low data rate**Plot 24:** lower band edge, vertical & horizontal polarization (n HT 80 mode), channel 106, high data rate**Result:** Passed

10.3 TX spurious emissions radiated

Description:

Measurement of the radiated spurious emissions in transmit mode. The measurement is performed at lowest, middle and highest channel.

Measurement:

Measurement parameter	
Detector:	Quasi Peak below 1 GHz (alternative Peak) Peak above 1 GHz / RMS
Sweep time:	Auto
Resolution bandwidth:	F < 1 GHz: 100 kHz F > 1 GHz: 1 MHz
Video bandwidth:	F < 1 GHz: 100 kHz F > 1 GHz: ≥ 3 MHz / 10 Hz
Span:	30 MHz to 40 GHz
Trace-Mode:	Max Hold / Average with 100 counts + 20 log (1 / X) for duty cycle lower than 100 %

Limits:

TX Spurious Emissions Radiated		
§15.209		
Frequency (MHz)	Field Strength (dBμV/m)	Measurement distance
30 - 88	30.0	10
88 - 216	33.5	10
216 - 960	36.0	10
Above 960	54.0	3
§15.407		
Outside the restricted bands!	-27 dBm / MHz	

Results: OFDM / a – mode

TX Spurious Emissions Radiated [dBμV/m] / dBm								
OFDM a – mode								
Lowest 5180 MHz			-/-			Highest 5240 MHz		
F [MHz]	Detector	Level [dBμV/m]	F [MHz]	Detector	Level [dBμV/m]	F [MHz]	Detector	Level [dBμV/m]
For emissions below 1 GHz, please take a look at the table below the 1 GHz plot.			-/-			For emissions below 1 GHz, please take a look at the table below the 1 GHz plot.		
All detected peak emissions are below the average limit!						All detected peak emissions are below the average limit!		
Measurement uncertainty			± 3 dB					

TX Spurious Emissions Radiated [dBμV/m] / dBm								
OFDM a – mode								
Lowest 5260 MHz			-/-			Highest 5320 MHz		
F [MHz]	Detector	Level [dBμV/m]	F [MHz]	Detector	Level [dBμV/m]	F [MHz]	Detector	Level [dBμV/m]
For emissions below 1 GHz, please take a look at the table below the 1 GHz plot.			-/-			For emissions below 1 GHz, please take a look at the table below the 1 GHz plot.		
All detected peak emissions are below the average limit!						All detected peak emissions are below the average limit!		
Measurement uncertainty			± 3 dB					

TX Spurious Emissions Radiated [dBμV/m] / dBm								
OFDM a – mode								
Lowest 5500 MHz			Middle 5600 MHz			Highest 5700 MHz		
F [MHz]	Detector	Level [dBμV/m]	F [MHz]	Detector	Level [dBμV/m]	F [MHz]	Detector	Level [dBμV/m]
For emissions below 1 GHz, please take a look at the table below the 1 GHz plot.			For emissions below 1 GHz, please take a look at the table below the 1 GHz plot.			For emissions below 1 GHz, please take a look at the table below the 1 GHz plot.		
All detected peak emissions are below the average limit!			All detected peak emissions are below the average limit!			All detected peak emissions are below the average limit!		
Measurement uncertainty			± 3 dB					

Result: Passed

Results: OFDM / n – mode HT20

TX Spurious Emissions Radiated [dBμV/m] / dBm								
OFDM n – mode HT20								
Lowest 5180 MHz			-/-			Highest 5240 MHz		
F [MHz]	Detector	Level [dBμV/m]	F [MHz]	Detector	Level [dBμV/m]	F [MHz]	Detector	Level [dBμV/m]
For emissions below 1 GHz, please take a look at the table below the 1 GHz plot.			-/-			For emissions below 1 GHz, please take a look at the table below the 1 GHz plot.		
All detected peak emissions are below the average limit!						All detected peak emissions are below the average limit!		
Measurement uncertainty			± 3 dB					

TX Spurious Emissions Radiated [dBμV/m] / dBm								
OFDM n – mode HT20								
Lowest 5260 MHz			-/-			Highest 5320 MHz		
F [MHz]	Detector	Level [dBμV/m]	F [MHz]	Detector	Level [dBμV/m]	F [MHz]	Detector	Level [dBμV/m]
For emissions below 1 GHz, please take a look at the table below the 1 GHz plot.			-/-			For emissions below 1 GHz, please take a look at the table below the 1 GHz plot.		
All detected peak emissions are below the average limit!						All detected peak emissions are below the average limit!		
Measurement uncertainty			± 3 dB					

TX Spurious Emissions Radiated [dBμV/m] / dBm								
OFDM n – mode HT20								
Lowest 5500 MHz			Middle 5600 MHz			Highest 5700 MHz		
F [MHz]	Detector	Level [dBμV/m]	F [MHz]	Detector	Level [dBμV/m]	F [MHz]	Detector	Level [dBμV/m]
For emissions below 1 GHz, please take a look at the table below the 1 GHz plot.			For emissions below 1 GHz, please take a look at the table below the 1 GHz plot.			For emissions below 1 GHz, please take a look at the table below the 1 GHz plot.		
All detected peak emissions are below the average limit!			All detected peak emissions are below the average limit!			All detected peak emissions are below the average limit!		
Measurement uncertainty			± 3 dB					

Result: Passed

Results: OFDM / n – modeHT40

TX Spurious Emissions Radiated [dBμV/m] / dBm								
OFDM n – mode HT40								
Lowest 5190 MHz			Middle 5230 MHz			Highest 5270 MHz		
F [MHz]	Detector	Level [dBμV/m]	F [MHz]	Detector	Level [dBμV/m]	F [MHz]	Detector	Level [dBμV/m]
For emissions below 1 GHz, please take a look at the table below the 1 GHz plot.			For emissions below 1 GHz, please take a look at the table below the 1 GHz plot.			For emissions below 1 GHz, please take a look at the table below the 1 GHz plot.		
All detected peak emissions are below the average limit!			All detected peak emissions are below the average limit!			All detected peak emissions are below the average limit!		
Measurement uncertainty			± 3 dB					

TX Spurious Emissions Radiated [dBμV/m] / dBm								
OFDM n – mode HT40								
Lowest 5310 MHz			Middle 5510 MHz			Highest 5590 MHz		
F [MHz]	Detector	Level [dBμV/m]	F [MHz]	Detector	Level [dBμV/m]	F [MHz]	Detector	Level [dBμV/m]
For emissions below 1 GHz, please take a look at the table below the 1 GHz plot.			For emissions below 1 GHz, please take a look at the table below the 1 GHz plot.			For emissions below 1 GHz, please take a look at the table below the 1 GHz plot.		
All detected peak emissions are below the average limit!			All detected peak emissions are below the average limit!			All detected peak emissions are below the average limit!		
Measurement uncertainty			± 3 dB					

TX Spurious Emissions Radiated [dBμV/m] / dBm								
OFDM n – mode HT40								
Lowest 5670 MHz			-/-			-/-		
F [MHz]	Detector	Level [dBμV/m]	F [MHz]	Detector	Level [dBμV/m]	F [MHz]	Detector	Level [dBμV/m]
For emissions below 1 GHz, please take a look at the table below the 1 GHz plot.			-/-			-/-		
All detected peak emissions are below the average limit!								
Measurement uncertainty			± 3 dB					

Result: Passed


Results: OFDM / n – modeHT80

TX Spurious Emissions Radiated [dBμV/m] / dBm								
OFDM n – mode HT80								
Lowest 5210 MHz			-/-			Highest 5290 MHz		
F [MHz]	Detector	Level [dBμV/m]	F [MHz]	Detector	Level [dBμV/m]	F [MHz]	Detector	Level [dBμV/m]
For emissions below 1 GHz, please take a look at the table below the 1 GHz plot.			-/-			For emissions below 1 GHz, please take a look at the table below the 1 GHz plot.		
All detected peak emissions are below the average limit!						All detected peak emissions are below the average limit!		
Measurement uncertainty			± 3 dB					



TX Spurious Emissions Radiated [dBμV/m] / dBm								
OFDM n – mode HT80								
Lowest 5530 MHz			-/-			Highest 5610 MHz		
F [MHz]	Detector	Level [dBμV/m]	F [MHz]	Detector	Level [dBμV/m]	F [MHz]	Detector	Level [dBμV/m]
For emissions below 1 GHz, please take a look at the table below the 1 GHz plot.			-/-			For emissions below 1 GHz, please take a look at the table below the 1 GHz plot.		
All detected peak emissions are below the average limit!						All detected peak emissions are below the average limit!		
Measurement uncertainty			± 3 dB					



Result: Passed


Plots: OFDM / a – mode

Plot 1: 30 MHz to 1 GHz, 5180 MHz, vertical & horizontal polarization

Final result:



Frequency (MHz)	Quasi Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
39.184800	9.12	30.00	20.88	1000.0	120.000	163.0	V	80.0	13.4
41.669700	10.64	30.00	19.36	1000.0	120.000	100.0	V	181.0	13.4
721.365300	20.09	36.00	15.91	1000.0	120.000	126.0	V	190.0	23.0
754.105200	20.77	36.00	15.23	1000.0	120.000	170.0	V	280.0	23.7
902.298450	22.24	36.00	13.76	1000.0	120.000	106.0	V	190.0	25.2
985.394850	22.64	44.00	21.36	1000.0	120.000	98.0	V	10.0	25.7



Plot 2: 1 GHz to 12.75 GHz, 5180 MHz, vertical & horizontal polarization**Plot 3:** 12 GHz to 18 GHz, 5180 MHz, vertical & horizontal polarization


Plot 4: 18 GHz to 26 GHz, 5180 MHz, vertical & horizontal polarization**Plot 5:** 26 GHz to 40 GHz, 5180 MHz, vertical & horizontal polarization

Plot 6: 30 MHz to 1 GHz, 5240 MHz, vertical & horizontal polarization**Final result:**



Frequency (MHz)	Quasi Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
31.936200	10.05	30.00	19.95	1000.0	120.000	123.0	H	1.0	12.7
53.384700	9.54	30.00	20.46	1000.0	120.000	170.0	H	280.0	13.0
448.024500	16.09	36.00	19.91	1000.0	120.000	146.0	V	190.0	17.6
585.240450	17.56	36.00	18.44	1000.0	120.000	170.0	V	268.0	20.4
699.624150	19.62	36.00	16.38	1000.0	120.000	170.0	V	190.0	22.5
924.436950	22.17	36.00	13.83	1000.0	120.000	114.0	H	86.0	25.3



Plot 7: 1 GHz to 12.75 GHz, 5240 MHz, vertical & horizontal polarization**Plot 8:** 12 GHz to 18 GHz, 5240 MHz, vertical & horizontal polarization


Plot 9: 18 GHz to 26 GHz, 5240 MHz, vertical & horizontal polarization**Plot 10:** 26 GHz to 40 GHz, 5240 MHz, vertical & horizontal polarization

Plot 11: 30 MHz to 1 GHz, 5260 MHz, vertical & horizontal polarization**Final result:**

Frequency (MHz)	Quasi Peak (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
36.022650	11.76	30.00	18.24	1000.0	120.000	170.0	V	190.0	13.1
53.711550	9.29	30.00	20.71	1000.0	120.000	170.0	H	10.0	13.0
640.002000	18.41	36.00	17.59	1000.0	120.000	124.0	H	171.0	21.0
714.714150	19.98	36.00	16.02	1000.0	120.000	100.0	H	260.0	22.8
747.340350	20.68	36.00	15.32	1000.0	120.000	170.0	H	100.0	23.6
920.117550	22.08	36.00	13.92	1000.0	120.000	170.0	H	100.0	25.3


Plot 12: 1 GHz to 12.75 GHz, 5260 MHz, vertical & horizontal polarization**Plot 13:** 12 GHz to 18 GHz, 5260 MHz, vertical & horizontal polarization

Plot 14: 18 GHz to 26 GHz, 5260 MHz, vertical & horizontal polarization**Plot 15:** 26 GHz to 40 GHz, 5260 MHz, vertical & horizontal polarization


Plot 16: 30 MHz to 1 GHz, 5320 MHz, vertical & horizontal polarization**Final result:**



Frequency (MHz)	Quasi Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
40.538850	10.14	30.00	19.86	1000.0	120.000	170.0	V	86.0	13.4
51.101400	9.68	30.00	20.32	1000.0	120.000	98.0	H	280.0	13.3
650.803950	18.12	36.00	17.88	1000.0	120.000	170.0	H	170.0	21.1
719.640150	20.09	36.00	15.91	1000.0	120.000	170.0	H	274.0	23.0
910.437150	22.28	36.00	13.72	1000.0	120.000	170.0	V	181.0	25.2
959.150100	22.40	36.00	13.60	1000.0	120.000	170.0	H	91.0	25.4


Plot 17: 1 GHz to 12.75 GHz, 5320 MHz, vertical & horizontal polarization





Plot 18: 12 GHz to 18 GHz, 5320 MHz, vertical & horizontal polarization






Plot 19: 18 GHz to 26 GHz, 5320 MHz, vertical & horizontal polarization**Plot 20:** 26 GHz to 40 GHz, 5320 MHz, vertical & horizontal polarization

Plot 21: 30 MHz to 1 GHz, 5500 MHz, vertical & horizontal polarization**Final result:**



Frequency (MHz)	Quasi Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
45.359100	9.31	30.00	20.69	1000.0	120.000	170.0	H	3.0	13.3
51.352650	10.02	30.00	19.98	1000.0	120.000	101.0	V	280.0	13.2
658.109550	18.44	36.00	17.56	1000.0	120.000	164.0	V	100.0	21.3
731.812650	20.40	36.00	15.60	1000.0	120.000	157.0	H	181.0	23.2
852.953100	21.74	36.00	14.26	1000.0	120.000	170.0	H	261.0	24.6
945.278100	22.32	36.00	13.68	1000.0	120.000	170.0	H	280.0	25.3



Plot 22: 1 GHz to 12.75 GHz, 5500 MHz, vertical & horizontal polarization**Plot 23:** 12 GHz to 18 GHz, 5500 MHz, vertical & horizontal polarization


Plot 24: 18 GHz to 26 GHz, 5500 MHz, vertical & horizontal polarization**Plot 25:** 26 GHz to 40 GHz, 5500 MHz, vertical & horizontal polarization

Plot 26: 30 MHz to 1 GHz, 5600 MHz, vertical & horizontal polarization**Final result:**



Frequency (MHz)	Quasi Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
37.105650	10.24	30.00	19.76	1000.0	120.000	170.0	H	190.0	13.2
46.609500	10.16	30.00	19.84	1000.0	120.000	170.0	H	-2.0	13.3
731.582250	20.37	36.00	15.63	1000.0	120.000	170.0	H	3.0	23.2
758.295000	20.71	36.00	15.29	1000.0	120.000	170.0	V	181.0	23.7
793.629750	20.73	36.00	15.27	1000.0	120.000	170.0	V	1.0	23.8
875.173050	22.13	36.00	13.87	1000.0	120.000	170.0	V	-7.0	24.9



Plot 27: 1 GHz to 12.75 GHz, 5600 MHz, vertical & horizontal polarization**Plot 28:** 12 GHz to 18 GHz, 5600 MHz, vertical & horizontal polarization

Plot 29: 18 GHz to 26 GHz, 5600 MHz, vertical & horizontal polarization**Plot 30:** 26 GHz to 40 GHz, 5600 MHz, vertical & horizontal polarization

Plot 31: 30 MHz to 1 GHz, 5700 MHz, vertical & horizontal polarization**Final result:**


Frequency (MHz)	Quasi Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
31.889400	10.25	30.00	19.75	1000.0	120.000	157.0	V	91.0	12.7
41.145600	10.32	30.00	19.68	1000.0	120.000	170.0	H	280.0	13.4
734.243400	20.39	36.00	15.61	1000.0	120.000	164.0	H	83.0	23.3
792.696900	20.72	36.00	15.28	1000.0	120.000	170.0	V	100.0	23.8
867.738150	21.96	36.00	14.04	1000.0	120.000	170.0	H	261.0	24.8
907.793700	22.17	36.00	13.83	1000.0	120.000	170.0	H	173.0	25.2

Plot 32: 1 GHz to 12.75 GHz, 5700 MHz, vertical & horizontal polarization**Plot 33:** 12 GHz to 18 GHz, 5700 MHz, vertical & horizontal polarization

Plot 34: 18 GHz to 26 GHz, 5700 MHz, vertical & horizontal polarization**Plot 35:** 26 GHz to 40 GHz, 5700 MHz, vertical & horizontal polarization



Plots: OFDM / n – mode HT20



Plot 1: 30 MHz to 1 GHz, 5180 MHz, vertical & horizontal polarization




Final result:



Frequency (MHz)	Quasi Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
38.508300	9.64	30.00	20.36	1000.0	120.000	170.0	V	269.0	13.3
46.414350	10.12	30.00	19.88	1000.0	120.000	170.0	V	-9.0	13.3
52.692300	9.93	30.00	20.07	1000.0	120.000	170.0	H	261.0	13.1
597.880950	17.80	36.00	18.20	1000.0	120.000	144.0	V	10.0	20.7
749.719050	20.68	36.00	15.32	1000.0	120.000	170.0	H	173.0	23.6
912.998850	22.18	36.00	13.82	1000.0	120.000	170.0	H	-7.0	25.2



Plot 2: 1 GHz to 12.75 GHz, 5180 MHz, vertical & horizontal polarization**Plot 3:** 12 GHz to 18 GHz, 5180 MHz, vertical & horizontal polarization


Plot 4: 18 GHz to 26 GHz, 5180 MHz, vertical & horizontal polarization**Plot 5:** 26 GHz to 40 GHz, 5180 MHz, vertical & horizontal polarization

Plot 6: 30 MHz to 1 GHz, 5240 MHz, vertical & horizontal polarization**Final result:**



Frequency (MHz)	Quasi Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
41.488050	10.60	30.00	19.40	1000.0	120.000	161.0	V	86.0	13.4
47.191950	10.17	30.00	19.83	1000.0	120.000	162.0	H	271.0	13.3
55.580100	8.72	30.00	21.28	1000.0	120.000	170.0	H	263.0	12.7
622.898700	18.06	36.00	17.94	1000.0	120.000	101.0	V	91.0	20.9
733.611150	20.38	36.00	15.62	1000.0	120.000	170.0	V	170.0	23.3
914.373900	22.20	36.00	13.80	1000.0	120.000	105.0	V	86.0	25.2



Plot 7: 1 GHz to 12.75 GHz, 5240 MHz, vertical & horizontal polarization**Plot 8:** 12 GHz to 18 GHz, 5240 MHz, vertical & horizontal polarization


Plot 9: 18 GHz to 26 GHz, 5240 MHz, vertical & horizontal polarization**Plot 10:** 26 GHz to 40 GHz, 5240 MHz, vertical & horizontal polarization

Plot 11: 30 MHz to 1 GHz, 5260 MHz, vertical & horizontal polarization**Final result:**



Frequency (MHz)	Quasi Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
38.153400	9.47	30.00	20.53	1000.0	120.000	170.0	H	93.0	13.3
43.301400	9.30	30.00	20.70	1000.0	120.000	157.0	V	10.0	13.3
50.383200	9.34	30.00	20.66	1000.0	120.000	170.0	V	260.0	13.3
645.906450	18.15	36.00	17.85	1000.0	120.000	170.0	H	280.0	21.1
759.825900	20.75	36.00	15.25	1000.0	120.000	145.0	H	280.0	23.7
902.256300	22.29	36.00	13.71	1000.0	120.000	106.0	V	280.0	25.2



Plot 12: 1 GHz to 12.75 GHz, 5260 MHz, vertical & horizontal polarization**Plot 13:** 12 GHz to 18 GHz, 5260 MHz, vertical & horizontal polarization


Plot 14: 18 GHz to 26 GHz, 5260 MHz, vertical & horizontal polarization**Plot 15:** 26 GHz to 40 GHz, 5260 MHz, vertical & horizontal polarization

Plot 16: 30 MHz to 1 GHz, 5320 MHz, vertical & horizontal polarization**Final result:**



Frequency (MHz)	Quasi Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
36.524250	10.48	30.00	19.52	1000.0	120.000	165.0	V	100.0	13.2
43.437150	9.20	30.00	20.80	1000.0	120.000	170.0	V	178.0	13.3
51.706650	9.93	30.00	20.07	1000.0	120.000	170.0	H	100.0	13.2
706.753500	19.80	36.00	16.20	1000.0	120.000	170.0	V	-9.0	22.7
813.804000	20.97	36.00	15.03	1000.0	120.000	170.0	H	171.0	24.0
901.389750	22.18	36.00	13.82	1000.0	120.000	170.0	H	100.0	25.2



Plot 17: 1 GHz to 12.75 GHz, 5320 MHz, vertical & horizontal polarization**Plot 18:** 12 GHz to 18 GHz, 5320 MHz, vertical & horizontal polarization


Plot 19: 18 GHz to 26 GHz, 5320 MHz, vertical & horizontal polarization**Plot 20:** 26 GHz to 40 GHz, 5320 MHz, vertical & horizontal polarization

Plot 21: 30 MHz to 1 GHz, 5500 MHz, vertical & horizontal polarization**Final result:**



Frequency (MHz)	Quasi Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
35.594400	9.64	30.00	20.36	1000.0	120.000	170.0	H	10.0	13.1
40.153950	9.64	30.00	20.36	1000.0	120.000	170.0	H	184.0	13.4
51.463950	9.88	30.00	20.12	1000.0	120.000	170.0	H	190.0	13.2
713.673900	20.01	36.00	15.99	1000.0	120.000	105.0	V	173.0	22.8
742.490850	20.63	36.00	15.37	1000.0	120.000	147.0	H	-10.0	23.5
935.348250	22.32	36.00	13.68	1000.0	120.000	170.0	H	-10.0	25.3



Plot 22: 1 GHz to 12.75 GHz, 5500 MHz, vertical & horizontal polarization**Plot 23:** 12 GHz to 18 GHz, 5500 MHz, vertical & horizontal polarization


Plot 24: 18 GHz to 26 GHz, 5500 MHz, vertical & horizontal polarization**Plot 25:** 26 GHz to 40 GHz, 5500 MHz, vertical & horizontal polarization

Plot 26: 30 MHz to 1 GHz, 5600 MHz, vertical & horizontal polarization**Final result:**



Frequency (MHz)	Quasi Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
40.321050	9.76	30.00	20.24	1000.0	120.000	170.0	H	100.0	13.4
49.336350	9.07	30.00	20.93	1000.0	120.000	170.0	V	176.0	13.4
693.010500	19.40	36.00	16.60	1000.0	120.000	170.0	V	1.0	22.3
736.296750	20.49	36.00	15.51	1000.0	120.000	122.0	V	-2.0	23.3
866.211450	21.94	36.00	14.06	1000.0	120.000	170.0	H	80.0	24.8
995.194650	22.66	44.00	21.34	1000.0	120.000	170.0	H	190.0	25.8



Plot 27: 1 GHz to 12.75 GHz, 5600 MHz, vertical & horizontal polarization**Plot 28:** 12 GHz to 18 GHz, 5600 MHz, vertical & horizontal polarization

Plot 29: 18 GHz to 26 GHz, 5600 MHz, vertical & horizontal polarization**Plot 30:** 26 GHz to 40 GHz, 5600 MHz, vertical & horizontal polarization

Plot 31: 30 MHz to 1 GHz, 5700 MHz, vertical & horizontal polarization**Final result:**


Frequency (MHz)	Quasi Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
37.965750	12.08	30.00	17.92	1000.0	120.000	145.0	V	91.0	13.3
50.510100	9.37	30.00	20.63	1000.0	120.000	170.0	V	170.0	13.3
711.517800	19.96	36.00	16.04	1000.0	120.000	101.0	H	280.0	22.8
741.912150	20.63	36.00	15.37	1000.0	120.000	170.0	V	100.0	23.5
879.314700	22.08	36.00	13.92	1000.0	120.000	170.0	H	273.0	24.9
934.305300	22.34	36.00	13.66	1000.0	120.000	170.0	V	10.0	25.3

Plot 32: 1 GHz to 12.75 GHz, 5700 MHz, vertical & horizontal polarization**Plot 33:** 12 GHz to 18 GHz, 5700 MHz, vertical & horizontal polarization

Plot 34: 18 GHz to 26 GHz, 5700 MHz, vertical & horizontal polarization**Plot 35:** 26 GHz to 40 GHz, 5700 MHz, vertical & horizontal polarization



Plots: OFDM / n – mode HT40



Plot 1: 30 MHz to 1 GHz, 5190 MHz, vertical & horizontal polarization




Final result:



Frequency (MHz)	Quasi Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
31.930650	10.03	30.00	19.97	1000.0	120.000	170.0	H	261.0	12.7
47.146800	10.20	30.00	19.80	1000.0	120.000	170.0	V	178.0	13.3
535.547250	15.92	36.00	20.08	1000.0	120.000	170.0	V	80.0	19.2
735.572550	20.43	36.00	15.57	1000.0	120.000	170.0	V	-9.0	23.3
772.133550	20.71	36.00	15.29	1000.0	120.000	170.0	V	280.0	23.7
879.447150	22.10	36.00	13.90	1000.0	120.000	170.0	H	170.0	24.9
947.559150	22.27	36.00	13.73	1000.0	120.000	135.0	H	-4.0	25.3



Plot 2: 1 GHz to 12.75 GHz, 5190 MHz, vertical & horizontal polarization**Plot 3:** 12 GHz to 18 GHz, 5190 MHz, vertical & horizontal polarization


Plot 4: 18 GHz to 26 GHz, 5190 MHz, vertical & horizontal polarization**Plot 5:** 26 GHz to 40 GHz, 5190 MHz, vertical & horizontal polarization

Plot 6: 30 MHz to 1 GHz, 5230 MHz, vertical & horizontal polarization**Final result:**



Frequency (MHz)	Quasi Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
40.713300	10.09	30.00	19.91	1000.0	120.000	170.0	H	268.0	13.4
42.701400	9.82	30.00	20.18	1000.0	120.000	170.0	V	88.0	13.3
686.982000	19.21	36.00	16.79	1000.0	120.000	170.0	H	190.0	22.1
718.873650	20.08	36.00	15.92	1000.0	120.000	170.0	V	86.0	22.9
812.434050	20.94	36.00	15.06	1000.0	120.000	170.0	V	10.0	24.0
946.380450	22.33	36.00	13.67	1000.0	120.000	170.0	V	88.0	25.3



Plot 7: 1 GHz to 12.75 GHz, 5230 MHz, vertical & horizontal polarization**Plot 8:** 12 GHz to 18 GHz, 5230 MHz, vertical & horizontal polarization


Plot 9: 18 GHz to 26 GHz, 5230 MHz, vertical & horizontal polarization**Plot 10:** 26 GHz to 40 GHz, 5230 MHz, vertical & horizontal polarization

Plot 11: 30 MHz to 1 GHz, 5270 MHz, vertical & horizontal polarization

Final result:



Frequency (MHz)	Quasi Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
43.057500	9.57	30.00	20.43	1000.0	120.000	170.0	V	100.0	13.3
53.607300	9.50	30.00	20.50	1000.0	120.000	170.0	V	190.0	13.0
734.183850	20.38	36.00	15.62	1000.0	120.000	170.0	H	261.0	23.3
768.872850	20.61	36.00	15.39	1000.0	120.000	170.0	V	91.0	23.7
860.932200	21.82	36.00	14.18	1000.0	120.000	114.0	H	181.0	24.7
942.813000	22.21	36.00	13.79	1000.0	120.000	170.0	V	94.0	25.3



Plot 12: 1 GHz to 12.75 GHz, 5270 MHz, vertical & horizontal polarization**Plot 13:** 12 GHz to 18 GHz, 5270 MHz, vertical & horizontal polarization


Plot 14: 18 GHz to 26 GHz, 5270 MHz, vertical & horizontal polarization**Plot 15:** 26 GHz to 40 GHz, 5270 MHz, vertical & horizontal polarization

Plot 16: 30 MHz to 1 GHz, 5310 MHz, vertical & horizontal polarization**Final result:**



Frequency (MHz)	Quasi Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
41.792700	10.28	30.00	19.72	1000.0	120.000	170.0	H	-10.0	13.4
53.676450	9.28	30.00	20.72	1000.0	120.000	170.0	H	-9.0	13.0
660.729600	18.45	36.00	17.55	1000.0	120.000	170.0	H	280.0	21.4
722.116650	20.03	36.00	15.97	1000.0	120.000	135.0	H	93.0	23.0
840.904050	21.47	36.00	14.53	1000.0	120.000	106.0	V	10.0	24.4
925.054350	22.18	36.00	13.82	1000.0	120.000	170.0	H	263.0	25.3



Plot 17: 1 GHz to 12.75 GHz, 5310 MHz, vertical & horizontal polarization**Plot 18:** 12 GHz to 18 GHz, 5310 MHz, vertical & horizontal polarization


Plot 19: 18 GHz to 26 GHz, 5310 MHz, vertical & horizontal polarization**Plot 20:** 26 GHz to 40 GHz, 5310 MHz, vertical & horizontal polarization

Plot 21: 30 MHz to 1 GHz, 5510 MHz, vertical & horizontal polarization**Final result:**



Frequency (MHz)	Quasi Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
36.993750	12.64	30.00	17.36	1000.0	120.000	170.0	V	10.0	13.2
40.515900	9.92	30.00	20.08	1000.0	120.000	170.0	H	1.0	13.4
673.506000	18.76	36.00	17.24	1000.0	120.000	170.0	V	100.0	21.8
808.415550	20.88	36.00	15.12	1000.0	120.000	170.0	H	190.0	23.9
843.543150	21.50	36.00	14.50	1000.0	120.000	107.0	V	190.0	24.5
896.784150	22.16	36.00	13.84	1000.0	120.000	129.0	H	10.0	25.2



Plot 22: 1 GHz to 12.75 GHz, 5510 MHz, vertical & horizontal polarization**Plot 23:** 12 GHz to 18 GHz, 5510 MHz, vertical & horizontal polarization


Plot 24: 18 GHz to 26 GHz, 5510 MHz, vertical & horizontal polarization**Plot 25:** 26 GHz to 40 GHz, 5510 MHz, vertical & horizontal polarization

Plot 26: 30 MHz to 1 GHz, 5590 MHz, vertical & horizontal polarization**Final result:**



Frequency (MHz)	Quasi Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
41.143650	10.28	30.00	19.72	1000.0	120.000	166.0	H	271.0	13.4
51.765450	9.95	30.00	20.05	1000.0	120.000	170.0	H	-9.0	13.2
480.036450	15.42	36.00	20.58	1000.0	120.000	170.0	V	-2.0	18.3
728.685150	20.19	36.00	15.81	1000.0	120.000	170.0	H	280.0	23.2
749.265900	20.63	36.00	15.37	1000.0	120.000	170.0	V	182.0	23.6
887.737950	22.16	36.00	13.84	1000.0	120.000	105.0	V	170.0	25.0



Plot 27: 1 GHz to 12.75 GHz, 5590 MHz, vertical & horizontal polarization**Plot 28:** 12 GHz to 18 GHz, 5590 MHz, vertical & horizontal polarization

Plot 29: 18 GHz to 26 GHz, 5590 MHz, vertical & horizontal polarization**Plot 30:** 26 GHz to 40 GHz, 5590 MHz, vertical & horizontal polarization

Plot 31: 30 MHz to 1 GHz, 5670 MHz, vertical & horizontal polarization**Final result:**


Frequency (MHz)	Quasi Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
40.981350	10.26	30.00	19.74	1000.0	120.000	170.0	V	-10.0	13.4
635.998650	18.04	36.00	17.96	1000.0	120.000	170.0	V	261.0	21.0
724.577100	20.15	36.00	15.85	1000.0	120.000	170.0	V	190.0	23.1
796.579050	20.69	36.00	15.31	1000.0	120.000	170.0	H	10.0	23.8
916.530750	22.25	36.00	13.75	1000.0	120.000	117.0	H	280.0	25.3
993.817950	22.64	44.00	21.36	1000.0	120.000	170.0	H	83.0	25.7

Plot 32: 1 GHz to 12.75 GHz, 5670 MHz, vertical & horizontal polarization**Plot 33:** 12 GHz to 18 GHz, 5670 MHz, vertical & horizontal polarization

Plot 34: 18 GHz to 26 GHz, 5670 MHz, vertical & horizontal polarization**Plot 35:** 26 GHz to 40 GHz, 5670 MHz, vertical & horizontal polarization



Plots: OFDM / n – mode HT80



Plot 36: 30 MHz to 1 GHz, 5210 MHz, vertical & horizontal polarization




Final result:



Frequency (MHz)	Quasi Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
31.578300	9.82	30.00	20.18	1000.0	120.000	146.0	H	183.0	12.7
41.187450	10.46	30.00	19.54	1000.0	120.000	170.0	V	10.0	13.4
719.830500	20.09	36.00	15.91	1000.0	120.000	170.0	V	10.0	23.0
827.890350	21.30	36.00	14.70	1000.0	120.000	170.0	V	266.0	24.2
926.595450	22.22	36.00	13.78	1000.0	120.000	170.0	H	280.0	25.3
992.226450	22.62	44.00	21.38	1000.0	120.000	118.0	V	190.0	25.7



Plot 37: 1 GHz to 12.75 GHz, 5210 MHz, vertical & horizontal polarization**Plot 38:** 12 GHz to 18 GHz, 5210 MHz, vertical & horizontal polarization


Plot 39: 18 GHz to 26 GHz, 5210 MHz, vertical & horizontal polarization**Plot 40:** 26 GHz to 40 GHz, 5210 MHz, vertical & horizontal polarization

Plot 41: 30 MHz to 1 GHz, 5290 MHz, vertical & horizontal polarization**Final result:**



Frequency (MHz)	Quasi Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
41.042400	10.21	30.00	19.79	1000.0	120.000	170.0	H	263.0	13.4
47.484300	10.05	30.00	19.95	1000.0	120.000	170.0	V	280.0	13.3
729.759750	20.26	36.00	15.74	1000.0	120.000	170.0	H	190.0	23.2
746.295150	20.62	36.00	15.38	1000.0	120.000	98.0	H	171.0	23.6
828.364050	21.26	36.00	14.74	1000.0	120.000	170.0	V	171.0	24.2
940.938600	22.24	36.00	13.76	1000.0	120.000	164.0	H	2.0	25.3



Plot 42: 1 GHz to 12.75 GHz, 5290 MHz, vertical & horizontal polarization**Plot 43:** 12 GHz to 18 GHz, 5290 MHz, vertical & horizontal polarization


Plot 44: 18 GHz to 26 GHz, 5290 MHz, vertical & horizontal polarization**Plot 45:** 26 GHz to 40 GHz, 5290 MHz, vertical & horizontal polarization

Plot 46: 30 MHz to 1 GHz, 5530 MHz, vertical & horizontal polarization**Final result:**



Frequency (MHz)	Quasi Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
38.013750	12.53	30.00	17.47	1000.0	120.000	170.0	V	100.0	13.3
47.457900	10.03	30.00	19.97	1000.0	120.000	170.0	H	10.0	13.3
732.420450	20.37	36.00	15.63	1000.0	120.000	101.0	V	81.0	23.3
838.351800	21.44	36.00	14.56	1000.0	120.000	163.0	H	262.0	24.4
882.702900	22.15	36.00	13.85	1000.0	120.000	116.0	H	-9.0	25.0
979.952700	22.59	44.00	21.41	1000.0	120.000	170.0	V	173.0	25.6



Plot 47: 1 GHz to 12.75 GHz, 5530 MHz, vertical & horizontal polarization**Plot 48:** 12 GHz to 18 GHz, 5530 MHz, vertical & horizontal polarization

Plot 49: 18 GHz to 26 GHz, 5530 MHz, vertical & horizontal polarization**Plot 50:** 26 GHz to 40 GHz, 5530 MHz, vertical & horizontal polarization

Plot 51: 30 MHz to 1 GHz, 5610 MHz, vertical & horizontal polarization**Final result:**

Frequency (MHz)	Quasi Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
36.166200	10.35	30.00	19.65	1000.0	120.000	170.0	V	190.0	13.1
41.412750	10.36	30.00	19.64	1000.0	120.000	113.0	H	179.0	13.4
62.222850	7.83	30.00	22.17	1000.0	120.000	170.0	V	280.0	11.1
591.756300	17.67	36.00	18.33	1000.0	120.000	164.0	H	-7.0	20.6
729.278850	20.24	36.00	15.76	1000.0	120.000	134.0	V	86.0	23.2
951.661950	22.37	36.00	13.63	1000.0	120.000	170.0	H	190.0	25.4

Plot 52: 1 GHz to 12.75 GHz, 5610 MHz, vertical & horizontal polarization**Plot 53:** 12 GHz to 18 GHz, 5610 MHz, vertical & horizontal polarization

Plot 54: 18 GHz to 26 GHz, 5610 MHz, vertical & horizontal polarization**Plot 55:** 26 GHz to 40 GHz, 5610 MHz, vertical & horizontal polarization

10.4 RX spurious emissions radiated

Description:

Measurement of the radiated spurious emissions in idle/receive mode.

Measurement:

Measurement parameter	
Detector:	Quasi Peak below 1 GHz (alternative Peak) Peak above 1 GHz / RMS
Sweep time:	Auto
Resolution bandwidth:	F < 1 GHz: 100 kHz F > 1 GHz: 1 MHz
Video bandwidth:	F < 1 GHz: 100 kHz F > 1 GHz: ≥ 3 MHz / 10 Hz
Span:	30 MHz to 40 GHz
Trace-Mode:	Max Hold / Average with 100 counts + 20 log (1 / X) for duty cycle lower than 100 %

Limits:


RX Spurious Emissions Radiated		
Frequency (MHz)	Field Strength (dB μ V/m)	Measurement distance
30 - 88	30.0	10
88 - 216	33.5	10
216 - 960	36.0	10
Above 960	54.0	3

Results:



RX Spurious Emissions Radiated [dB μ V/m]		
F [MHz]	Detector	Level [dB μ V/m]
No peaks found		
Measurement uncertainty	± 3 dB	



Result: **Passed**

Note: The limit was recalculated with 20 dB / decade (Part 15.31) for all radiated spurious emissions 30 MHz to 1 GHz from 3 meter limit to a 10 meter distance. (40dB/decade for emissions < 30MHz)

Plots: RX / Idle – mode
Plot 1: 30 MHz to 1 GHz, vertical & horizontal polarization

Final result:

Frequency (MHz)	Quasi Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
37.951500	11.48	30.00	18.52	1000.0	120.000	164.0	V	90.0	13.3
47.871900	9.98	30.00	20.02	1000.0	120.000	101.0	V	181.0	13.4
59.886600	7.71	30.00	22.29	1000.0	120.000	112.0	H	3.0	11.7
605.387550	17.02	36.00	18.98	1000.0	120.000	98.0	V	183.0	19.9
743.245800	19.50	36.00	16.50	1000.0	120.000	98.0	V	86.0	22.4
905.499750	21.17	36.00	14.83	1000.0	120.000	170.0	H	10.0	24.1

Plot 2: 1 GHz to 12.75 GHz, vertical & horizontal polarization**Plot 3:** 12 GHz to 18 GHz, vertical & horizontal polarization

Plot 4: 18 GHz to 26 GHz, vertical & horizontal polarization**Plot 5:** 26 GHz to 40 GHz, vertical & horizontal polarization

10.5 Spurious emissions radiated < 30 MHz

Description:

Measurement of the radiated spurious emissions in transmit mode and receive mode below 30 MHz. The EUT is set first to middle channel. This measurement is representative for all channels and modes. If peaks are found the lowest channel and the highest channel will be measured too. Then the EUT is set to receive or idle mode. The limits are recalculated to a measurement distance of 3 m with 40 dB/decade according CFR Part 2.

Measurement:

Measurement parameter	
Detector:	Peak / Quasi Peak
Sweep time:	Auto
Video bandwidth:	F < 150 kHz: 200 Hz F > 150 kHz: 9 kHz
Resolution bandwidth:	F < 150 kHz: 1 kHz F > 150 kHz: 100 kHz
Span:	9 kHz to 30 MHz
Trace-Mode:	Max Hold

Limits:



Spurious Emissions Radiated < 30 MHz		
Frequency (MHz)	Field Strength (dB μ V/m)	Measurement distance
0.009 – 0.490	2400/F(kHz)	300
0.490 – 1.705	24000/F(kHz)	30
1.705 – 30.0	30	30

Results:

Spurious Emissions Radiated < 30 MHz [dB μ V/m]		
F [MHz]	Detector	Level [dB μ V/m]
No peaks detected.		
Measurement uncertainty	± 3 dB	

Result: **Passed**

Note: The limit was recalculated with 20 dB / decade (Part 15.31) for all radiated spurious emissions 30 MHz to 1 GHz from 3 meter limit to a 10 meter distance. (40dB/decade for emissions < 30MHz)

Plots:**Plot 1:** 9 kHz to 30 MHz, TX mode**Plot 2:** 9 kHz to 30 MHz, RX mode

10.6 Spurious emissions conducted < 30 MHz

Description:

Measurement of the conducted spurious emissions in transmit mode below 30 MHz. The EUT is set to middle channel. If peaks are found the lowest channel and the highest channel will be measured too. Both power lines, phase and neutral line, are measured. Found peaks are remeasured with average and quasi peak detection to show compliance to the limits.

Measurement:

Measurement parameter	
Detector:	Peak - Quasi Peak / Average
Sweep time:	Auto
Video bandwidth:	F > 150 kHz: 9 kHz
Resolution bandwidth:	F > 150 kHz: 100 kHz
Span:	150 kHz to 30 MHz
Trace-Mode:	Max Hold

Limits:



Spurious Emissions Conducted < 30 MHz		
Frequency (MHz)	Quasi-Peak (dB μ V/m)	Average (dB μ V/m)
0.15 – 0.5	66 to 56*	56 to 46*
0.5 – 5	56	46
5 – 30.0	60	50



*Decreases with the logarithm of the frequency

Results:

Spurious Emissions Conducted < 30 MHz [dB μ V/m]		
F [MHz]	Detector	Level [dB μ V/m]
No peaks detected.		
Measurement uncertainty	± 3 dB	

Result: Passed

Plots:**Plot 1:** 150 kHz to 30 MHz / phase Line, TX mode**Plot 2:** 150 kHz to 30 MHz / neutral Line, TX mode

Plot 3: 150 kHz to 30 MHz / phase Line, RX mode**Plot 4:** 150 kHz to 30 MHz / neutral Line, RX mode

11 Test equipment and ancillaries used for tests

Typically, the calibrations of the test apparatus are commissioned to and performed by an accredited calibration laboratory. The calibration intervals are determined in accordance with the DIN EN ISO/IEC 17025. In addition to the external calibrations, the laboratory executes comparison measurements with other calibrated test systems or effective verifications. Weekly chamber inspections and range calibrations are performed. Where possible, rf-generating and signalling equipment as well as measuring receivers and analyzers are connected to an external high-precision 10 MHz reference (GPS-based or rubidium frequency standard).

In order to simplify the identification of the equipment used at some special tests, some items of test equipment and ancillaries can be provided with an identifier or number in the equipment list below (Lab/Item).

No.	Lab / Item	Equipment	Type	Manufact.	Serial No.	INV. No Cetecom	Kind of Calibration	Last Calibration	Next Calibration
1	45	Switch-Unit	3488A	HP Meßtechnik	2719A14505	300000368	g		
2	50	DC power supply, 60Vdc, 50A, 1200 W	6032A	HP Meßtechnik	2920A04466	300000580	ne		
3	n. a.	EMI Test Receiver	ESCI 3	R&S	100083	300003312	k	27.01.2014	27.01.2015
4	n. a.	Funkstörmessempfänger 20Hz-26,5GHz	ESU26	R&S	100037	300003555	k	28.02.2014	28.02.2015
5	n. a.	Antenna Tower	Model 2175	ETS-LINDGREN	64762	300003745	izw		
6	n. a.	Positioning Controller	Model 2090	ETS-LINDGREN	64672	300003746	izw		
7	n. a.	Turntable Interface-Box	Model 105637	ETS-LINDGREN	44583	300003747	izw		
8	n. a.	TRILOG Broadband Test-Antenna 30 MHz - 3 GHz	VULB9163	Schwarzbeck	295	300003787	k	22.04.2014	22.04.2016
9	n. a.	Double-Ridged Waveguide Horn Antenna 1-18.0GHz	3115	EMCO	8812-3088	300001032	viKI!	08.05.2013	08.05.2015
10	n. a.	Anechoic chamber	FAC 3/5m	MWB / TDK	87400/02	300000996	ev		
11	n. a.	Switch / Control Unit	3488A	HP Meßtechnik	*	300000199	ne		
12	9	Isolating Transformer	MPL IEC625 Bus Regeltrennt ravo	Erfi	91350	300001155	ne		
13	90	Active Loop Antenna 10 kHz to 30 MHz	6502	Kontron Psychotech	8905-2342	300000256	k	13.06.2013	13.06.2015
14	n. a.	Amplifier	js42-00502650-28-5a	Parzich GMBH	928979	300003143	ne		
15	n. a.	TRILOG Broadband Test-Antenna 30 MHz - 3 GHz	VULB9163	Schwarzbeck	371	300003854	viKI!	14.10.2011	14.10.2014
16	n. a.	MXE EMI Receiver 20 Hz bis 26,5 GHz	N9038A	Agilent Technologies	MY51210197	300004405	k	13.03.2014	13.03.2015
17	11b	Microwave System Amplifier, 0.5-26.5 GHz	83017A	HP Meßtechnik	00419	300002268	ev		
18	A026	Std. Gain Horn Antenna 12.4 to 18.0 GHz	639	Narda	8402	300000787	k	22.07.2013	22.07.2015
19	A029	Std. Gain Horn Antenna 18.0 to 26.5 GHz	638	Narda	8205	300002442	k	19.07.2013	19.07.2015
20	A031	Std. Gain Horn Antenna 26.5 to 40.0 GHz	637	Narda		300000510	k	19.07.2013	19.07.2015
21	n. a.	Broadband Low Noise Amplifier 18-50 GHz	CBL18503 070-XX	CERNEX	19338	300004273	ne		
22	n. a.	Signal Analyzer 40 GHz	FSV40	R&S	101042	300004517	k	21.01.2014	21.01.2015

Agenda: Kind of Calibration

k	calibration / calibrated	EK	limited calibration
ne	not required (k, ev, izw, zw not required)	zw	cyclical maintenance (external cyclical maintenance)
ev	periodic self verification	izw	internal cyclical maintenance
Ve	long-term stability recognized	g	blocked for accredited testing
vlk!	Attention: extended calibration interval		
NK!	Attention: not calibrated	*)	next calibration ordered / currently in progress

12 Observations

No observations exceeding those reported with the single test cases have been made.

Annex A Document history

Version	Applied changes	Date of release
	Initial release	2014-05-21

Annex B Further information**Glossary**

AVG	-	Average
DUT	-	Device under test
EMC	-	Electromagnetic Compatibility
EN	-	European Standard
EUT	-	Equipment under test
ETSI	-	European Telecommunications Standard Institute
FCC	-	Federal Communication Commission
FCC ID	-	Company Identifier at FCC
HW	-	Hardware
IC	-	Industry Canada
Inv. No.	-	Inventory number
N/A	-	Not applicable
PP	-	Positive peak
QP	-	Quasi peak
S/N	-	Serial number
SW	-	Software

Annex C Accreditation Certificate

Front side of certificate

Back side of certificate



Deutsche Akkreditierungsstelle GmbH

Befehlens gemäß § 8 Absatz 1 AkkStelleG i.V.m. § 1 Absatz 1 AkkStelleGBV
Unterzeichnerin der Multilateralen Abkommen
von EA, ILAC und IAF zur gegenseitigen Anerkennung

Akkreditierung



Die Deutsche Akkreditierungsstelle GmbH bestätigt hiermit, dass das Prüflaboratorium

CETECOM ICT Services GmbH
Untertürkheimer Straße 6-10, 66117 Saarbrücken

die Kompetenz nach DIN EN ISO/IEC 17025:2005 besitzt, Prüfungen in folgenden Bereichen durchzuführen:

Drahtgebundene Kommunikation einschließlich xDSL
VoIP und DECT
Akustik
Funk einschließlich WLAN
Short Range Devices (SRD)
RFID
WiMax und Richtfunk
Mobilfunk (GSM / DCS, Over the Air (OTA) Performance)
Elektromagnetische Verträglichkeit (EMV) einschließlich Automotive
Produktsicherheit
SAR und Hearing Aid Compatibility (HAC)
Umweltsimulation
Smart Card Terminals
Bluetooth
Wi-Fi Services

Die Akkreditierungspunkte gilt nur in Verbindung mit dem Bescheid vom 07.03.2014 mit der
Akkreditierungsnummer D-PL-12076-01 und ist gültig 17.01.2018. Sie besteht aus diesem Deckblatt, der
Rückseite des Deckblatts und der folgenden Anlage mit insgesamt 77 Seiten.

Registrierungsnummer der Urkunde: D-PL-12076-01-00

Frankfurt am Main, 07.03.2014

Zurückseite der Urkunde

Im Auftrag D-PL-12076-01-00
Hildegard

Deutsche Akkreditierungsstelle GmbH

Standort Berlin
Spittelmarkt 10
10117 Berlin

Standort Frankfurt am Main
Gartenstraße 6
60504 Frankfurt am Main

Standort Braunschweig
Bundesallee 100
38116 Braunschweig

Die auszugsweise Veröffentlichung der Akkreditierungsurkunde beschränkt sich auf den schriftlichen
Zustimmung der Deutsche Akkreditierungsstelle GmbH (DAkkS). Ausgenommen davon ist die separate
Weiterverbreitung des Deckblattes durch die unten genannte Kontaktpersonen der DAkkS in
unveränderter Form.

Es darf nicht der Anschein erweckt werden, dass sich die Akkreditierung auch auf Bereiche erstreckt,
die über den durch die DAkkS bestätigten Akkreditierungsbereich hinausgehen.

Die Akkreditierung erfolgt gemäß des Geschäfts über die Akkreditierungsstelle (AkkStelleG) vom
21. Juli 2009 (BGBl. I S. 2025) sowie der Verordnung (EG) Nr. 765/2008 des Europäischen Parlaments
und des Rates vom 9. Juli 2008 über die Vorschriften für die Akkreditierung und Marktüberwachung
im Zusammenhang mit der Vermarktung von Produkten (Abk. 238 vom 9. Juli 2008; S. 30).
Die DAkkS ist Teilnehmerin der Multilateralen Abkommen zur gegenseitigen Anerkennung der
Europäische Organisation für Akkreditation (EAC), der International Accreditation Forum (IAF) und
der International Laboratory Accreditation Cooperation (ILAC). Die Unterzeichner dieser Abkommen
erkennen ihre Akkreditierungen gegenseitig an.

Der aktuelle Stand der Mitgliedschaft kann folgenden Webseiten entnommen werden:
EAC: www.eurasianmetro.org
IAF: www.iaf.org
ILAC: www.ilac.org

Note:

The current certificate including annex is published on our website (see link below) or may be received from CETECOM ICT Services on request.

<http://www.cetecom.com/eu/de/cetecom-group/europa/deutschland-saarbruecken/akkreditierungen.html>