




























































Small RU&Large RU&Puncturing mode:

Maximum conducted output power

Test Result

Test Mode	Antenna	Channel	MRU Size	MRU Index	Set Power	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11BE20MIMO	Ant1	5955	52+26_OFDMA	1	-0.5	-1.99	99.56	0.02	-1.97	1.22	-0.75	≤24.00	PASS
			106+26_OFDMA	1	1.5	0.22	98.29	0.07	0.29	1.22	1.51	≤24.00	PASS
	Ant2	5955	52+26_OFDMA	1	-0.5	-2.44	99.56	0.02	-2.42	1.57	-0.85	≤24.00	PASS
			106+26_OFDMA	1	1.5	-0.01	99.31	0.03	0.02	1.57	1.59	≤24.00	PASS
	total	5955	52+26_OFDMA	1	---	---	---	---	0.82	1.57	2.39	≤24.00	PASS
			106+26_OFDMA	1	---	---	---	---	3.17	1.57	4.74	≤24.00	PASS
	Ant1	6435	52+26_OFDMA	1	-0.5	-1.38	99.56	0.02	-1.36	1.37	0.01	≤24.00	PASS
			106+26_OFDMA	1	1.5	0.69	99.31	0.03	0.72	1.37	2.09	≤24.00	PASS
	Ant2	6435	52+26_OFDMA	1	-0.5	-1.71	99.56	0.02	-1.69	1.54	-0.15	≤24.00	PASS
			106+26_OFDMA	1	1.5	0.81	97.96	0.09	0.90	1.54	2.44	≤24.00	PASS
	total	6435	52+26_OFDMA	1	---	---	---	---	1.49	1.54	3.03	≤24.00	PASS
			106+26_OFDMA	1	---	---	---	---	3.82	1.54	5.36	≤24.00	PASS
	Ant1	6535	52+26_OFDMA	1	0	-1.80	99.78	0.01	-1.79	1.10	-0.69	≤24.00	PASS
			106+26_OFDMA	1	2	0.27	99.31	0.03	0.30	1.10	1.40	≤24.00	PASS
	Ant2	6535	52+26_OFDMA	1	0	-1.04	99.56	0.02	-1.02	1.31	0.29	≤24.00	PASS
			106+26_OFDMA	1	2	1.20	98.29	0.07	1.27	1.31	2.58	≤24.00	PASS
	total	6535	52+26_OFDMA	1	---	---	---	---	1.62	1.31	2.93	≤24.00	PASS
			106+26_OFDMA	1	---	---	---	---	3.82	1.31	5.13	≤24.00	PASS
	Ant1	7095	52+26_OFDMA	3	0.5	-1.35	98.69	0.06	-1.29	0.94	-0.35	≤24.00	PASS
			106+26_OFDMA	2	2.5	0.63	99.31	0.03	0.66	0.94	1.60	≤24.00	PASS
	Ant2	7095	52+26_OFDMA	3	0.5	-0.45	99.78	0.01	-0.44	1.11	0.67	≤24.00	PASS
			106+26_OFDMA	2	2.5	1.52	99.31	0.03	1.55	1.11	2.66	≤24.00	PASS
	total	7095	52+26_OFDMA	3	---	---	---	---	2.17	1.11	3.28	≤24.00	PASS
			106+26_OFDMA	2	---	---	---	---	4.14	1.11	5.25	≤24.00	PASS
11BE80MIMO	Ant1	5985	Large RU 484+242	4	7.5	7.67	94.83	0.23	7.90	1.22	9.12	≤24.00	PASS
			Puncturing 20M	4	7.5	7.55	99.82	0.01	7.56	1.22	8.78	≤24.00	PASS
	Ant2	5985	Large RU 484+242	4	7.5	7.95	98.21	0.08	8.03	1.57	9.60	≤24.00	PASS
			Puncturing 20M	4	7.5	7.96	99.63	0.02	7.98	1.57	9.55	≤24.00	PASS



	total	5985	Large RU 484+242	4	---	---	---	---	10.98	1.57	12.55	≤24.00	PASS
			Puncturing 20M	4	---	---	---	---	10.79	1.57	12.36	≤24.00	PASS
	Ant1	7025	Large RU 484+242	1	9.5	9.07	95.69	0.19	9.26	0.94	10.20	≤24.00	PASS
			Puncturing 20M	1	9	8.74	99.63	0.02	8.76	0.94	9.70	≤24.00	PASS
	Ant2	7025	Large RU 484+242	1	9.5	9.47	98.21	0.08	9.55	1.11	10.66	≤24.00	PASS
			Puncturing 20M	1	9	9.10	99.63	0.02	9.12	1.11	10.23	≤24.00	PASS
	total	7025	Large RU 484+242	1	---	---	---	---	12.42	1.11	13.53	≤24.00	PASS
			Puncturing 20M	1	---	---	---	---	11.95	1.11	13.06	≤24.00	PASS
	Ant1	6025	Large RU 996+484	4	11	10.90	97.87	0.09	10.99	1.22	12.21	≤24.00	PASS
			Puncturing 40M	4	11.5	11.36	99.63	0.02	11.38	1.22	12.60	≤24.00	PASS
			Puncturing 20M	8	11.5	11.33	99.63	0.02	11.35	1.22	12.57	≤24.00	PASS
11BE160MIMO	Ant2	6025	Large RU 996+484	4	11	11.66	93.88	0.27	11.93	1.57	13.50	≤24.00	PASS
			Puncturing 40M	4	11.5	12.11	99.63	0.02	12.13	1.57	13.70	≤24.00	PASS
			Puncturing 20M	8	11.5	12.09	99.63	0.02	12.11	1.57	13.68	≤24.00	PASS
	total	6025	Large RU 996+484	4	---	---	---	---	14.50	1.57	16.07	≤24.00	PASS
			Puncturing 40M	4	---	---	---	---	14.78	1.57	16.35	≤24.00	PASS
			Puncturing 20M	8	---	---	---	---	14.76	1.57	16.33	≤24.00	PASS
	Ant1	6985	Large RU 996+484	1	11.5	11.07	97.87	0.09	11.16	0.94	12.10	≤24.00	PASS
			Puncturing 40M	1	11.5	11.06	99.82	0.01	11.07	0.94	12.01	≤24.00	PASS
			Puncturing 20M	1	11.5	11.45	99.82	0.01	11.46	0.94	12.40	≤24.00	PASS
	Ant2	6985	Large RU 996+484	1	11.5	11.65	97.87	0.09	11.74	1.11	12.85	≤24.00	PASS
			Puncturing 40M	1	11.5	11.65	99.63	0.02	11.67	1.11	12.78	≤24.00	PASS
			Puncturing 20M	1	11.5	12.04	99.63	0.02	12.06	1.11	13.17	≤24.00	PASS
	total	6985	Large RU 996+484	1	---	---	---	---	14.47	1.11	15.58	≤24.00	PASS
			Puncturing 40M	1	---	---	---	---	14.39	1.11	15.50	≤24.00	PASS
			Puncturing 20M	1	---	---	---	---	14.78	1.11	15.89	≤24.00	PASS
11BE320MIMO	Ant1	6105	Large RU 996*2+484	6	13	12.82	98.31	0.07	12.89	1.22	14.11	≤24.00	PASS
			Large RU 996*3	4	13.5	13.19	98.00	0.09	13.28	1.22	14.50	≤24.00	PASS



			Large RU 996*3+484	8	14	13.85	95.56	0.20	14.05	1.22	15.27	≤24.00	PASS
			Puncturing 80M+40M	6	12.5	12.49	99.63	0.02	12.51	1.22	13.73	≤24.00	PASS
			Puncturing 80M	4	13.5	13.30	99.63	0.02	13.32	1.22	14.54	≤24.00	PASS
			Puncturing 40M	8	14	14.07	99.63	0.02	14.09	1.22	15.31	≤24.00	PASS
	Ant2	6105	Large RU 996*2+484	6	13	13.99	98.31	0.07	14.06	1.57	15.63	≤24.00	PASS
			Large RU 996*3	4	13.5	14.47	96.00	0.18	14.65	1.57	16.22	≤24.00	PASS
			Large RU 996*3+484	8	14	14.90	95.45	0.20	15.10	1.57	16.67	≤24.00	PASS
			Puncturing 80M+40M	6	12.5	13.65	99.63	0.02	13.67	1.57	15.24	≤24.00	PASS
			Puncturing 80M	4	13.5	14.58	99.63	0.02	14.60	1.57	16.17	≤24.00	PASS
			Puncturing 40M	8	14	15.14	99.82	0.01	15.15	1.57	16.72	≤24.00	PASS
	total	6105	Large RU 996*2+484	6	---	---	---	---	16.52	1.57	18.09	≤24.00	PASS
			Large RU 996*3	4	---	---	---	---	17.03	1.57	18.60	≤24.00	PASS
			Large RU 996*3+484	8	---	---	---	---	17.62	1.57	19.19	≤24.00	PASS
			Puncturing 80M+40M	6	---	---	---	---	16.14	1.57	17.71	≤24.00	PASS
			Puncturing 80M	4	---	---	---	---	17.02	1.57	18.59	≤24.00	PASS
			Puncturing 40M	8	---	---	---	---	17.66	1.57	19.23	≤24.00	PASS
	Ant1	6905	Large RU 996*2+484	7	12	11.57	96.61	0.15	11.72	1.10	12.82	≤24.00	PASS
			Large RU 996*3	1	13	12.68	96.00	0.18	12.86	1.10	13.96	≤24.00	PASS
			Large RU 996*3+484	1	13	12.91	95.56	0.20	13.11	1.10	14.21	≤24.00	PASS
			Puncturing 80M+40M	7	12	12.00	99.63	0.02	12.02	1.10	13.12	≤24.00	PASS
			Puncturing 80M	1	13	12.95	99.82	0.01	12.96	1.10	14.06	≤24.00	PASS
			Puncturing 40M	1	13	13.19	99.63	0.02	13.21	1.10	14.31	≤24.00	PASS
	Ant2	6905	Large RU 996*2+484	7	12	12.32	96.67	0.15	12.47	1.31	13.78	≤24.00	PASS
			Large RU 996*3	1	13	13.25	96.00	0.18	13.43	1.31	14.74	≤24.00	PASS
			Large RU 996*3+484	1	13	13.44	95.56	0.20	13.64	1.31	14.95	≤24.00	PASS
			Puncturing	7	12	12.53	99.63	0.02	12.55	1.31	13.86	≤24.00	PASS



			80M+40M										
			Puncturing 80M	1	13	13.52	99.82	0.01	13.53	1.31	14.84	≤24.00	PASS
			Puncturing 40M	1	13	13.78	99.63	0.02	13.80	1.31	15.11	≤24.00	PASS
	total	6905	Large RU 996*2+484	7	---	---	---	---	15.12	1.31	16.43	≤24.00	PASS
			Large RU 996*3	1	---	---	---	---	16.16	1.31	17.47	≤24.00	PASS
			Large RU 996*3+484	1	---	---	---	---	16.39	1.31	17.70	≤24.00	PASS
			Puncturing 80M+40M	7	---	---	---	---	15.30	1.31	16.61	≤24.00	PASS
			Puncturing 80M	1	---	---	---	---	16.26	1.31	17.57	≤24.00	PASS
			Puncturing 40M	1	---	---	---	---	16.53	1.31	17.84	≤24.00	PASS

Note: The Duty Cycle Factor is compensated in the graph.



Maximum power spectral density

Test Result

Test Mode	Antenna	Channel	MRU Size	MRU Index	Result [dBm/MHz]	Limit [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20MIMO	Ant1	5955	52+26_OFDMA	1	-10.16	≤-2.22	1.22	-8.94	≤-1.00	PASS
			106+26_OFDMA	1	-9.74	≤-2.22	1.22	-8.52	≤-1.00	PASS
	Ant2	5955	52+26_OFDMA	1	-10.61	≤-2.57	1.57	-9.04	≤-1.00	PASS
			106+26_OFDMA	1	-10.32	≤-2.57	1.57	-8.75	≤-1.00	PASS
	total	5955	52+26_OFDMA	1	-7.37	≤-5.41	4.41	-2.96	≤-1.00	PASS
			106+26_OFDMA	1	-7.01	≤-5.41	4.41	-2.60	≤-1.00	PASS
	Ant1	6435	52+26_OFDMA	1	-9.47	≤-2.37	1.37	-8.10	≤-1.00	PASS
			106+26_OFDMA	1	-9.57	≤-2.37	1.37	-8.20	≤-1.00	PASS
	Ant2	6435	52+26_OFDMA	1	-10.39	≤-2.54	1.54	-8.85	≤-1.00	PASS
			106+26_OFDMA	1	-10.10	≤-2.54	1.54	-8.56	≤-1.00	PASS
	total	6435	52+26_OFDMA	1	-6.90	≤-5.47	4.47	-2.43	≤-1.00	PASS
			106+26_OFDMA	1	-6.82	≤-5.47	4.47	-2.35	≤-1.00	PASS
	Ant1	6535	52+26_OFDMA	1	-9.89	≤-2.10	1.10	-8.79	≤-1.00	PASS
			106+26_OFDMA	1	-9.82	≤-2.10	1.10	-8.72	≤-1.00	PASS
	Ant2	6535	52+26_OFDMA	1	-9.22	≤-2.31	1.31	-7.91	≤-1.00	PASS
			106+26_OFDMA	1	-9.13	≤-2.31	1.31	-7.82	≤-1.00	PASS
	total	6535	52+26_OFDMA	1	-6.53	≤-5.22	4.22	-2.31	≤-1.00	PASS
			106+26_OFDMA	1	-6.45	≤-5.22	4.22	-2.23	≤-1.00	PASS
	Ant1	7095	52+26_OFDMA	3	-10.54	≤-1.94	0.94	-9.60	≤-1.00	PASS
			106+26_OFDMA	2	-10.40	≤-1.94	0.94	-9.46	≤-1.00	PASS
	Ant2	7095	52+26_OFDMA	3	-9.65	≤-2.11	1.11	-8.54	≤-1.00	PASS
			106+26_OFDMA	2	-9.72	≤-2.11	1.11	-8.61	≤-1.00	PASS
	total	7095	52+26_OFDMA	3	-7.06	≤-5.04	4.04	-3.02	≤-1.00	PASS
			106+26_OFDMA	2	-7.04	≤-5.04	4.04	-3.00	≤-1.00	PASS
11BE80MIMO	Ant1	5985	Large RU 484+242	4	-9.33	≤-2.22	1.22	-8.11	≤-1.00	PASS
			Puncturing 20M	4	-9.58	≤-2.22	1.22	-8.36	≤-1.00	PASS
	Ant2	5985	Large RU 484+242	4	-9.71	≤-2.57	1.57	-8.14	≤-1.00	PASS
			Puncturing 20M	4	-9.51	≤-2.57	1.57	-7.94	≤-1.00	PASS
	total	5985	Large RU 484+242	4	-6.51	≤-5.41	4.41	-2.10	≤-1.00	PASS
			Puncturing 20M	4	-6.53	≤-5.41	4.41	-2.12	≤-1.00	PASS



	Ant1	7025	Large RU 484+242	1	-8.57	≤-1.94	0.94	-7.63	≤-1.00	PASS
			Puncturing 20M	1	-8.83	≤-1.94	0.94	-7.89	≤-1.00	PASS
	Ant2	7025	Large RU 484+242	1	-9.29	≤-2.11	1.11	-8.18	≤-1.00	PASS
			Puncturing 20M	1	-9.48	≤-2.11	1.11	-8.37	≤-1.00	PASS
	total	7025	Large RU 484+242	1	-5.90	≤-5.04	4.04	-1.86	≤-1.00	PASS
			Puncturing 20M	1	-6.13	≤-5.04	4.04	-2.09	≤-1.00	PASS
11BE160MIMO	Ant1	6025	Large RU 996+484	4	-9.64	≤-2.22	1.22	-8.42	≤-1.00	PASS
			Puncturing 40M	4	-9.35	≤-2.22	1.22	-8.13	≤-1.00	PASS
			Puncturing 20M	8	-9.77	≤-2.22	1.22	-8.55	≤-1.00	PASS
	Ant2	6025	Large RU 996+484	4	-8.82	≤-2.57	1.57	-7.25	≤-1.00	PASS
			Puncturing 40M	4	-8.76	≤-2.57	1.57	-7.19	≤-1.00	PASS
			Puncturing 20M	8	-8.94	≤-2.57	1.57	-7.37	≤-1.00	PASS
	total	6025	Large RU 996+484	4	-6.20	≤-5.41	4.41	-1.79	≤-1.00	PASS
			Puncturing 40M	4	-6.03	≤-5.41	4.41	-1.62	≤-1.00	PASS
			Puncturing 20M	8	-6.32	≤-5.41	4.41	-1.91	≤-1.00	PASS
	Ant1	6985	Large RU 996+484	1	-9.17	≤-1.94	0.94	-8.23	≤-1.00	PASS
			Puncturing 40M	1	-9.06	≤-1.94	0.94	-8.12	≤-1.00	PASS
			Puncturing 20M	1	-9.67	≤-1.94	0.94	-8.73	≤-1.00	PASS
	Ant2	6985	Large RU 996+484	1	-9.55	≤-2.11	1.11	-8.44	≤-1.00	PASS
			Puncturing 40M	1	-9.45	≤-2.11	1.11	-8.34	≤-1.00	PASS
			Puncturing 20M	1	-9.43	≤-2.11	1.11	-8.32	≤-1.00	PASS
	total	6985	Large RU 996+484	1	-6.35	≤-5.04	4.04	-2.31	≤-1.00	PASS
			Puncturing 40M	1	-6.24	≤-5.04	4.04	-2.20	≤-1.00	PASS
			Puncturing 20M	1	-6.54	≤-5.04	4.04	-2.50	≤-1.00	PASS
11BE320MIMO	Ant1	6105	Large RU 996*2+484	6	-9.97	≤-2.22	1.22	-8.75	≤-1.00	PASS
			Large RU 996*3	4	-10.28	≤-2.22	1.22	-9.06	≤-1.00	PASS
			Large RU 996*3+484	8	-10.32	≤-2.22	1.22	-9.10	≤-1.00	PASS
			Puncturing	6	-10.09	≤-2.22	1.22	-8.87	≤-1.00	PASS



			80M+40M							
			Puncturing 80M	4	-10.08	≤-2.22	1.22	-8.86	≤-1.00	PASS
			Puncturing 40M	8	-10.14	≤-2.22	1.22	-8.92	≤-1.00	PASS
	Ant2	6105	Large RU 996*2+484	6	-9.14	≤-2.57	1.57	-7.57	≤-1.00	PASS
			Large RU 996*3	4	-9.47	≤-2.57	1.57	-7.90	≤-1.00	PASS
			Large RU 996*3+484	8	-9.54	≤-2.57	1.57	-7.97	≤-1.00	PASS
			Puncturing 80M+40M	6	-9.28	≤-2.57	1.57	-7.71	≤-1.00	PASS
			Puncturing 80M	4	-9.25	≤-2.57	1.57	-7.68	≤-1.00	PASS
			Puncturing 40M	8	-9.39	≤-2.57	1.57	-7.82	≤-1.00	PASS
			Puncturing 40M	8	-9.39	≤-2.57	1.57	-7.82	≤-1.00	PASS
	total	6105	Large RU 996*2+484	6	-6.52	≤-5.41	4.41	-2.11	≤-1.00	PASS
			Large RU 996*3	4	-6.85	≤-5.41	4.41	-2.44	≤-1.00	PASS
			Large RU 996*3+484	8	-6.90	≤-5.41	4.41	-2.49	≤-1.00	PASS
			Puncturing 80M+40M	6	-6.66	≤-5.41	4.41	-2.25	≤-1.00	PASS
			Puncturing 80M	4	-6.63	≤-5.41	4.41	-2.22	≤-1.00	PASS
			Puncturing 40M	8	-6.74	≤-5.41	4.41	-2.33	≤-1.00	PASS
	Ant1	6905	Large RU 996*2+484	7	-9.81	≤-2.10	1.10	-8.71	≤-1.00	PASS
			Large RU 996*3	1	-9.73	≤-2.10	1.10	-8.63	≤-1.00	PASS
			Large RU 996*3+484	1	-9.63	≤-2.10	1.10	-8.53	≤-1.00	PASS
			Puncturing 80M+40M	7	-9.51	≤-2.10	1.10	-8.41	≤-1.00	PASS
			Puncturing 80M	1	-9.64	≤-2.10	1.10	-8.54	≤-1.00	PASS
			Puncturing 40M	1	-9.44	≤-2.10	1.10	-8.34	≤-1.00	PASS
	Ant2	6905	Large RU 996*2+484	7	-10.30	≤-2.31	1.31	-8.99	≤-1.00	PASS
			Large RU 996*3	1	-10.11	≤-2.31	1.31	-8.80	≤-1.00	PASS
			Large RU 996*3+484	1	-10.03	≤-2.31	1.31	-8.72	≤-1.00	PASS
			Puncturing 80M+40M	7	-9.92	≤-2.31	1.31	-8.61	≤-1.00	PASS
			Puncturing 80M	1	-9.78	≤-2.31	1.31	-8.47	≤-1.00	PASS
			Puncturing 40M	1	-9.66	≤-2.31	1.31	-8.35	≤-1.00	PASS






	total	6905	Large RU 996*2+484	7	-7.04	≤ -5.22	4.22	-2.82	≤ -1.00	PASS
			Large RU 996*3	1	-6.91	≤ -5.22	4.22	-2.69	≤ -1.00	PASS
			Large RU 996*3+484	1	-6.82	≤ -5.22	4.22	-2.60	≤ -1.00	PASS
			Puncturing 80M+40M	7	-6.70	≤ -5.22	4.22	-2.48	≤ -1.00	PASS
			Puncturing 80M	1	-6.70	≤ -5.22	4.22	-2.48	≤ -1.00	PASS
			Puncturing 40M	1	-6.54	≤ -5.22	4.22	-2.32	≤ -1.00	PASS



Note: 1. The Duty Cycle Factor and RBW Factor is compensated in the graph.







Test Graphs

































































11BE320MIMO_Ant1_6105_Large RU 996*2+484_6




11BE320MIMO_Ant1_6105_Large RU 996*3_4








11BE320MIMO_Ant1_6105_Large RU 996*3+484_8




11BE320MIMO_Ant1_6105_Puncturing 80M+40M_6








11BE320MIMO_Ant2_6105_Large RU 996*2+484_6




11BE320MIMO_Ant2_6105_Large RU 996*3_4








11BE320MIMO_Ant2_6105_Large RU 996*3+484_8




11BE320MIMO_Ant2_6105_Puncturing 80M+40M_6











11BE320MIMO_Ant1_6905_Large RU 996*2+484_7



11BE320MIMO_Ant1_6905_Large RU 996*3_1














11BE320MIMO_Ant2_6905_Large RU 996*2+484_7



11BE320MIMO_Ant2_6905_Large RU 996*3_1









In-Band Emissions

Test Result

TestMode	Antenna	Channel	MRU Size	MRU Index	Result	Limit	Verdict
11BE20MIMO	Ant1	5955	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant2	5955	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant1	6435	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant2	6435	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant1	6535	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant2	6535	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant1	7095	52+26_OFDMA	3	See test graph	See test graph	PASS
			106+26_OFDMA	2	See test graph	See test graph	PASS
	Ant2	7095	52+26_OFDMA	3	See test graph	See test graph	PASS
			106+26_OFDMA	2	See test graph	See test graph	PASS
11BE80MIMO	Ant1	5985	Large RU 484+242	4	See test graph	See test graph	PASS
			Puncturing 20M	4	See test graph	See test graph	PASS
	Ant2	5985	Large RU 484+242	4	See test graph	See test graph	PASS
			Puncturing 20M	4	See test graph	See test graph	PASS
	Ant1	7025	Large RU 484+242	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS
11BE160MIMO	Ant1	6025	Large RU 996+484	4	See test graph	See test graph	PASS
			Puncturing 40M	4	See test graph	See test graph	PASS
			Puncturing 20M	8	See test graph	See test graph	PASS
	Ant2	6025	Large RU 996+484	4	See test graph	See test graph	PASS
			Puncturing 40M	4	See test graph	See test graph	PASS
			Puncturing 20M	8	See test graph	See test graph	PASS
	Ant1	6985	Large RU 996+484	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS



11BE320MIMO	Ant2	6985	Large RU 996+484	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS
	Ant1	6105	Large RU 996*2+484	6	See test graph	See test graph	PASS
			Large RU 996*3	4	See test graph	See test graph	PASS
			Large RU 996*3+484	8	See test graph	See test graph	PASS
			Puncturing 80M+40M	6	See test graph	See test graph	PASS
			Puncturing 80M	4	See test graph	See test graph	PASS
			Puncturing 40M	8	See test graph	See test graph	PASS
	Ant2	6105	Large RU 996*2+484	6	See test graph	See test graph	PASS
			Large RU 996*3	4	See test graph	See test graph	PASS
			Large RU 996*3+484	8	See test graph	See test graph	PASS
			Puncturing 80M+40M	6	See test graph	See test graph	PASS
			Puncturing 80M	4	See test graph	See test graph	PASS
			Puncturing 40M	8	See test graph	See test graph	PASS
	Ant1	6905	Large RU 996*2+484	7	See test graph	See test graph	PASS
			Large RU 996*3	1	See test graph	See test graph	PASS
			Large RU 996*3+484	1	See test graph	See test graph	PASS
			Puncturing 80M+40M	7	See test graph	See test graph	PASS
			Puncturing 80M	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS
	Ant2	6905	Large RU 996*2+484	7	See test graph	See test graph	PASS
			Large RU 996*3	1	See test graph	See test graph	PASS
			Large RU 996*3+484	1	See test graph	See test graph	PASS
			Puncturing 80M+40M	7	See test graph	See test graph	PASS
			Puncturing 80M	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS



Test Graphs

