



































11BE160MIMO_Ant1_6025_Puncturing 20M_8






Date: 4.NOV.2025 16:05:16


11BE160MIMO_Ant2_6025_Large RU 996+484_4




Date: 4.NOV.2025 13:30:55













11BE320MIMO_Ant1_6105_Large RU 996*2+484_6



Date: 4.NOV.2025 14:08:11


11BE320MIMO_Ant1_6105_Large RU 996*3_4



Date: 4.NOV.2025 14:15:32




11BE320MIMO_Ant1_6105_Large RU 996*3+484_8





Date: 4.NOV.2025 14:27:58

11BE320MIMO_Ant1_6105_Puncturing 80M+40M_6




Date: 4.NOV.2025 16:25:23






11BE320MIMO_Ant2_6105_Large RU 996*2+484_6



Date: 4.NOV.2025 14:08:53


11BE320MIMO_Ant2_6105_Large RU 996*3_4



Date: 4.NOV.2025 14:16:22




11BE320MIMO_Ant2_6105_Large RU 996*3+484_8



Date: 4.NOV.2025 14:29:32


11BE320MIMO_Ant2_6105_Puncturing 80M+40M_6



Date: 4.NOV.2025 16:26:17




11BE320MIMO_Ant2_6105_Puncturing 80M_4



Date: 4.NOV.2025 16:32:16


11BE320MIMO_Ant2_6105_Puncturing 40M_8



Date: 4.NOV.2025 16:40:01




11BE320MIMO_Ant1_6905_Large RU 996*2+484_7



Date: 4.NOV.2025 14:46:56


11BE320MIMO_Ant1_6905_Large RU 996*3_1




Date: 4.NOV.2025 15:04:48



11BE320MIMO_Ant1_6905_Large RU 996*3+484_1




11BE320MIMO_Ant1_6905_Puncturing 80M+40M_7






11BE320MIMO_Ant1_6905_Puncturing 80M_1



Date: 4.NOV.2025 17:19:01


11BE320MIMO_Ant1_6905_Puncturing 40M_1



Date: 4.NOV.2025 17:23:05




11BE320MIMO_Ant2_6905_Large RU 996*2+484_7




Date: 4.NOV.2025 14:47:42

11BE320MIMO_Ant2_6905_Large RU 996*3_1




Date: 4.NOV.2025 15:05:45






11BE320MIMO_Ant2_6905_Puncturing 80M_1



Date: 4.NOV.2025 17:19:42


11BE320MIMO_Ant2_6905_Puncturing 40M_1




Date: 4.NOV.2025 17:23:46



Appendix B. AC Conducted Emission Test Results



Test Engineer :	Amos Zhang	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 24+80 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.188	34.56	-29.55	64.11	23.91	0.24	10.41	QP
2	0.188	21.46	-32.65	54.11	10.81	0.24	10.41	Average
3	0.253	34.54	-27.10	61.64	23.90	0.27	10.37	QP
4	0.253	27.24	-24.40	51.64	16.60	0.27	10.37	Average
5	0.489	35.87	-20.32	56.19	25.30	0.34	10.23	QP
6	0.489	22.77	-23.42	46.19	12.20	0.34	10.23	Average
7	0.604	37.04	-18.96	56.00	26.50	0.36	10.18	QP
8	0.604	26.64	-19.36	46.00	16.10	0.36	10.18	Average
9 *	0.804	37.37	-18.63	56.00	26.90	0.36	10.11	QP
10	0.804	25.27	-20.73	46.00	14.80	0.36	10.11	Average
11	0.953	37.15	-18.86	56.00	26.71	0.35	10.09	QP
12	0.953	26.35	-19.65	46.00	15.91	0.35	10.09	Average
13	2.155	33.77	-22.23	56.00	23.30	0.39	10.08	QP
14	2.155	22.67	-23.33	46.00	12.20	0.39	10.08	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Jerry Xu	Relative Humidity :	50%
		Temperature :	20°C~22°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	CDD1+2	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	CDD1+2	802.11a	45	6175	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	CDD1+2	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-6	6.425-6.525	CDD1+2	802.11a	97	6435	6Mbps	-	-
Mode 5	U-NII-6	6.425-6.525	CDD1+2	802.11a	105	6475	6Mbps	-	-
Mode 6	U-NII-6	6.425-6.525	CDD1+2	802.11a	113	6515	6Mbps	-	-
Mode 7	U-NII-7	6.525-6.875	CDD1+2	802.11a	117	6535	6Mbps	-	-
Mode 8	U-NII-7	6.525-6.875	CDD1+2	802.11a	149	6695	6Mbps	-	-
Mode 9	U-NII-7	6.525-6.875	CDD1+2	802.11a	181	6855	6Mbps	-	-
Mode 10	U-NII-8	6.875-7.125	CDD1+2	802.11a	189	6895	6Mbps	-	-
Mode 11	U-NII-8	6.875-7.125	CDD1+2	802.11a	209	6995	6Mbps	-	-
Mode 12	U-NII-8	6.875-7.125	CDD1+2	802.11a	229	7095	6Mbps	-	-
Mode 13	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT20	1	5955	MCS0	Full	-
Mode 14	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT20	49	6195	MCS0	Full	-
Mode 15	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT20	93	6415	MCS0	Full	-
Mode 16	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT20	97	6435	MCS0	Full	-
Mode 17	U-NII-6	6.425-6.525	CDD1+2	802.11be EHT20	105	6475	MCS0	Full	-
Mode 18	U-NII-6	6.425-6.525	CDD1+2	802.11be EHT20	113	6515	MCS0	Full	-
Mode 19	U-NII-7	6.525-6.875	CDD1+2	802.11be EHT20	117	6535	MCS0	Full	-
Mode 20	U-NII-7	6.525-6.875	CDD1+2	802.11be EHT20	149	6695	MCS0	Full	-
Mode 21	U-NII-7	6.525-6.875	CDD1+2	802.11be EHT20	181	6875	MCS0	Full	-
Mode 22	U-NII-8	6.875-7.125	CDD1+2	802.11be EHT20	189	6855	MCS0	Full	-
Mode 23	U-NII-8	6.875-7.125	CDD1+2	802.11be EHT20	209	6995	MCS0	Full	-
Mode 24	U-NII-8	6.875-7.125	CDD1+2	802.11be EHT20	229	7095	MCS0	Full	-
Mode 25	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT40	3	5965	MCS0	Full	-
Mode 26	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT40	51	6205	MCS0	Full	-
Mode 27	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT40	91	6405	MCS0	Full	-
Mode 28	U-NII-6	6.425-6.525	CDD1+2	802.11be EHT40	99	6445	MCS0	Full	-
Mode 29	U-NII-6	6.425-6.525	CDD1+2	802.11be EHT40	107	6485	MCS0	Full	-
Mode 30	U-NII-7	6.525-6.875	CDD1+2	802.11be EHT40	123	6565	MCS0	Full	-
Mode 31	U-NII-7	6.525-6.875	CDD1+2	802.11be EHT40	147	6685	MCS0	Full	-



Mode 32	U-NII-7	6.525-6.875	CDD1+2	802.11be EHT40	179	6845	MCS0	Full	-
Mode 33	U-NII-8	6.875-7.125	CDD1+2	802.11be EHT40	195	6925	MCS0	Full	-
Mode 34	U-NII-8	6.875-7.125	CDD1+2	802.11be EHT40	203	6965	MCS0	Full	-
Mode 35	U-NII-8	6.875-7.125	CDD1+2	802.11be EHT40	227	7085	MCS0	Full	-
Mode 36	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT80	7	5985	MCS0	Full	-
Mode 37	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT80	55	6225	MCS0	Full	-
Mode 38	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT80	87	6385	MCS0	Full	-
Mode 39	U-NII-6	6.425-6.525	CDD1+2	802.11be EHT80	103	6465	MCS0	Full	-
Mode 40	U-NII-7	6.525-6.875	CDD1+2	802.11be EHT80	135	6625	MCS0	Full	-
Mode 41	U-NII-7	6.525-6.875	CDD1+2	802.11be EHT80	151	6705	MCS0	Full	-
Mode 42	U-NII-7	6.525-6.875	CDD1+2	802.11be EHT80	167	6785	MCS0	Full	-
Mode 43	U-NII-8	6.875-7.125	CDD1+2	802.11be EHT80	199	6945	MCS0	Full	-
Mode 44	U-NII-8	6.875-7.125	CDD1+2	802.11be EHT80	215	7025	MCS0	Full	-
Mode 45	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT160	15	6025	MCS0	Full	-
Mode 46	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT160	47	6185	MCS0	Full	-
Mode 47	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT160	79	6345	MCS0	Full	-
Mode 48	U-NII-7	6.525-6.875	CDD1+2	802.11be EHT160	143	6665	MCS0	Full	-
Mode 49	U-NII-8	6.875-7.125	CDD1+2	802.11be EHT160	207	6985	MCS0	Full	-
Mode 50	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT320	31	6105	MCS0	Full	-
Mode 51	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT320	63	6265	MCS0	Full	-
Mode 52	U-NII-7	6.525-6.875	CDD1+2	802.11be EHT20	185	6875	MCS0	Full	-
Mode 53	U-NII-7	6.875-7.125	CDD1+2	802.11be EHT40	187	6885	MCS0	Full	-
Mode 54	U-NII-7	6.525-6.875	CDD1+2	802.11be EHT80	183	6865	MCS0	Full	-
Mode 55	U-NII-7	6.875-7.125	CDD1+2	802.11be EHT160	175	6825	MCS0	Full	-
Mode 56	U-NII-7	6.875-7.125	CDD1+2	802.11be EHT320	159	6745	MCS0	Full	-
Mode 57	U-NII-8	6.875-7.125	CDD1+2	802.11be EHT320	191	6905	MCS0	Full	-
Mode 58	U-NII-6	6.425-6.525	CDD1+2	802.11be EHT40	115	-	MCS0	-	-
Mode 59	U-NII-6	6.425-6.525	CDD1+2	802.11be EHT80	119	6545	MCS0	Full	-
Mode 60	U-NII-6	6.425-6.525	CDD1+2	802.11be EHT160	111	6505	MCS0	Full	-
Mode 61	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT320	95	6425	MCS0	Full	-
Mode 62	U-NII-6	6.425-6.525	CDD1+2	802.11be EHT320	127	6585	MCS0	Full	-
Mode 63	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT20	1	5955	MCS0	RU 26/0	-
Mode 64	U-NII-8	6.875-7.125	CDD1+2	802.11be EHT20	229	7095	MCS0	RU 26/8	-
Mode 65	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT20	1	5955	MCS0	Index 38+1	-
Mode 66	U-NII-8	6.875-7.125	CDD1+2	802.11be EHT20	229	7095	MCS0	Index 54+4	-
Mode 67	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT80	7	5985	MCS0	Puncturing 20M ④	-
Mode 68	U-NII-8	6.875-7.125	CDD1+2	802.11be EHT80	215	7025	MCS0	Puncturing 20M ①	-
Mode 69	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT160	15	6025	MCS0	Puncturing 40M ④	-
Mode 70	U-NII-8	6.875-7.125	CDD1+2	802.11be EHT160	207	6985	MCS0	Puncturing 40M ①	-



Mode 71	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT160	15	6025	MCS0	Puncturing 20M ⑧	-
Mode 72	U-NII-8	6.875-7.125	CDD1+2	802.11be EHT160	207	6985	MCS0	Puncturing 20M ①	-
Mode 73	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT320	31	6105	MCS0	Puncturing 80M+40M ⑤	-
Mode 74	U-NII-8	6.875-7.125	CDD1+2	802.11be EHT320	191	6905	MCS0	Puncturing 80M+40M ⑧	-
Mode 75	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT320	31	6105	MCS0	Puncturing 80M ④	-
Mode 76	U-NII-8	6.875-7.125	CDD1+2	802.11be EHT320	191	6905	MCS0	Puncturing 80M ①	-
Mode 77	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT320	31	6105	MCS0	Puncturing 40M ⑧	-
Mode 78	U-NII-8	6.875-7.125	CDD1+2	802.11be EHT320	191	6905	MCS0	Puncturing 40M ①	-
Mode 79	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT80	7	5985	MCS0	Large RU 484+242 ④	-
Mode 80	U-NII-8	6.875-7.125	CDD1+2	802.11be EHT80	215	7025	MCS0	Large RU 484+242 ②	-
Mode 81	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT160	15	6025	MCS0	Large RU 996+484 ④	-
Mode 82	U-NII-8	6.875-7.125	CDD1+2	802.11be EHT160	207	6985	MCS0	Large RU 996+484 ③	-
Mode 83	U-NII-8	6.875-7.125	CDD1+2	802.11be EHT320	31	6105	MCS0	Large RU 996*2+484 ⑥	-
Mode 84	U-NII-8	6.875-7.125	CDD1+2	802.11be EHT320	191	6905	MCS0	Large RU 996*2+484 ⑥	-
Mode 85	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT320	31	6105	MCS0	Large RU 996*3 ④	-
Mode 86	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT320	191	6905	MCS0	Large RU 996*3 ④	-
Mode 87	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT320	31	6105	MCS0	Large RU 996*3+484 ⑧	-
Mode 88	U-NII-5	5.925-6.425	CDD1+2	802.11be EHT320	191	6905	MCS0	Large RU 996*3+484 ⑧	-

Co-location mode:

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 89	2400-2483.5	2400-2483.5	1	Bluetooth-LE_GSKF	38	2478	2Mbps	-	-
	U-NII-8	6.875-7.125	CDD 1+2	802.11be EHT80	215	7025	MCS0	Full	-
Mode 90	2400-2483.5	2400-2483.5	CDD 1+2	802.11b	01	2412	1Mbps	-	-
	U-NII-8	6.875-7.125	CDD 1+2	802.11be EHT80	215	7025	MCS0	Full	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5922.37	53.80	68.20	-14.40	V	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	45.44	74.00	-28.56	H	PEAK	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12350.00	45.88	74.00	-28.12	H	PEAK	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	46.71	88.20	-41.49	V	PEAK	Pass	Harmonic
4	802.11a	97	-	-	-	-	-	-	-	Band Edge
4	802.11a	97	12870.00	47.01	88.20	-41.19	H	PEAK	Pass	Harmonic
5	802.11a	105	-	-	-	-	-	-	-	Band Edge
5	802.11a	105	12950.00	48.18	88.20	-40.02	V	PEAK	Pass	Harmonic
6	802.11a	113	-	-	-	-	-	-	-	Band Edge
6	802.11a	113	13030.00	49.66	88.20	-38.54	V	PEAK	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.00	39.50	68.20	-28.70	V	AVERAGE	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	46.65	74.00	-27.35	V	PEAK	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13710.00	47.30	88.20	-40.90	V	PEAK	Pass	Harmonic
10	802.11a	189	-	-	-	-	-	-	-	Band Edge
10	802.11a	189	13790.00	47.43	88.20	-40.77	V	PEAK	Pass	Harmonic
11	802.11a	209	-	-	-	-	-	-	-	Band Edge
11	802.11a	209	13990.00	47.75	88.20	-40.45	V	PEAK	Pass	Harmonic
12	802.11a	229	7127.08	54.02	68.20	-14.18	V	AVERAGE	Pass	Band Edge
12	802.11a	229	14190.00	48.60	88.20	-39.60	V	PEAK	Pass	Harmonic
13	802.11be EHT20	1	5924.06	49.89	68.20	-18.31	V	AVERAGE	Pass	Band Edge
13	802.11be EHT20	1	11910.00	46.82	74.00	-27.18	V	PEAK	Pass	Harmonic
14	802.11be EHT20	49	-	-	-	-	-	-	-	Band Edge
14	802.11be EHT20	49	12390.00	45.52	74.00	-28.48	V	PEAK	Pass	Harmonic
15	802.11be EHT20	93	-	-	-	-	-	-	-	Band Edge
15	802.11be EHT20	93	12830.00	47.69	88.20	-40.51	H	PEAK	Pass	Harmonic
16	802.11be EHT20	97	-	-	-	-	-	-	-	Band Edge
16	802.11be EHT20	97	12870.00	46.92	88.20	-41.28	H	PEAK	Pass	Harmonic
17	802.11be EHT20	105	-	-	-	-	-	-	-	Band Edge
17	802.11be EHT20	105	12950.00	47.75	88.20	-40.45	V	PEAK	Pass	Harmonic
18	802.11be EHT20	113	-	-	-	-	-	-	-	Band Edge



18	802.11be EHT20	113	13030.00	47.95	88.20	-40.25	V	PEAK	Pass	Harmonic
19	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
19	802.11be EHT20	117	13070.00	49.24	88.20	-38.96	V	PEAK	Pass	Harmonic
20	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
20	802.11be EHT20	149	13390.00	46.49	74.00	-27.51	V	PEAK	Pass	Harmonic
21	802.11be EHT20	181	-	-	-	-	-	-	-	Band Edge
21	802.11be EHT20	181	13750.00	46.84	88.20	-41.36	H	PEAK	Pass	Harmonic
22	802.11be EHT20	189	-	-	-	-	-	-	-	Band Edge
22	802.11be EHT20	189	13710.00	46.59	88.20	-41.61	H	PEAK	Pass	Harmonic
23	802.11be EHT20	209	-	-	-	-	-	-	-	Band Edge
23	802.11be EHT20	209	13990.00	47.15	88.20	-41.05	V	PEAK	Pass	Harmonic
24	802.11be EHT20	229	7125.00	60.68	68.20	-7.52	V	AVERAGE	Pass	Band Edge
24	802.11be EHT20	229	14190.00	46.87	88.20	-41.33	V	PEAK	Pass	Harmonic
25	802.11be EHT40	3	5919.08	54.01	68.20	-14.19	V	AVERAGE	Pass	Band Edge
25	802.11be EHT40	3	11930.00	45.24	74.00	-28.76	V	PEAK	Pass	Harmonic
26	802.11be EHT40	51	-	-	-	-	-	-	-	Band Edge
26	802.11be EHT40	51	12410.00	46.04	74.00	-27.96	V	PEAK	Pass	Harmonic
27	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
27	802.11be EHT40	91	12810.00	46.70	88.20	-41.50	V	PEAK	Pass	Harmonic
28	802.11be EHT40	99	-	-	-	-	-	-	-	Band Edge
28	802.11be EHT40	99	12890.00	46.20	88.20	-42.00	H	PEAK	Pass	Harmonic
29	802.11be EHT40	107	-	-	-	-	-	-	-	Band Edge
29	802.11be EHT40	107	12970.00	47.60	88.20	-40.60	H	PEAK	Pass	Harmonic
30	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
30	802.11be EHT40	123	13130.00	46.52	88.20	-41.68	V	PEAK	Pass	Harmonic
31	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
31	802.11be EHT40	147	13370.00	47.95	74.00	-26.05	V	PEAK	Pass	Harmonic
32	802.11be EHT40	179	-	-	-	-	-	-	-	Band Edge
32	802.11be EHT40	179	13690.00	46.11	88.20	-42.09	V	PEAK	Pass	Harmonic
33	802.11be EHT40	195	-	-	-	-	-	-	-	Band Edge
33	802.11be EHT40	195	13850.00	46.47	88.20	-41.73	V	PEAK	Pass	Harmonic
34	802.11be EHT40	203	-	-	-	-	-	-	-	Band Edge
34	802.11be EHT40	203	13930.00	46.75	88.20	-41.45	V	PEAK	Pass	Harmonic
35	802.11be EHT40	227	7126.28	51.59	68.20	-16.61	V	AVERAGE	Pass	Band Edge
35	802.11be EHT40	227	14170.00	47.54	88.20	-40.66	V	PEAK	Pass	Harmonic
36	802.11be EHT80	7	5915.72	60.06	68.20	-8.14	V	AVERAGE	Pass	Band Edge
36	802.11be EHT80	7	11970.00	44.50	74.00	-29.50	V	PEAK	Pass	Harmonic
37	802.11be EHT80	55	-	-	-	-	-	-	-	Band Edge
37	802.11be EHT80	55	12450.00	45.47	74.00	-28.53	V	PEAK	Pass	Harmonic



38	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
38	802.11be EHT80	87	12770.00	45.34	88.20	-42.86	V	PEAK	Pass	Harmonic
39	802.11be EHT80	103	-	-	-	-	-	-	-	Band Edge
39	802.11be EHT80	103	12930.00	46.20	88.20	-42.00	V	PEAK	Pass	Harmonic
40	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
40	802.11be EHT80	135	13250.00	45.88	74.00	-28.12	H	PEAK	Pass	Harmonic
41	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge
41	802.11be EHT80	151	13410.00	46.17	88.20	-42.03	H	PEAK	Pass	Harmonic
42	802.11be EHT80	167	-	-	-	-	-	-	-	Band Edge
42	802.11be EHT80	167	13570.00	46.46	88.20	-41.74	V	PEAK	Pass	Harmonic
43	802.11be EHT80	199	-	-	-	-	-	-	-	Band Edge
43	802.11be EHT80	199	13890.00	45.99	88.20	-42.21	H	PEAK	Pass	Harmonic
44	802.11be EHT80	215	7125.32	32.6	68.20	-5.60	V	AVERAGE	Pass	Band Edge
44	802.11be EHT80	215	14050.00	46.19	88.20	-42.01	H	PEAK	Pass	Harmonic
45	802.11be EHT160	15	5833.00	55.23	68.20	-12.97	V	AVERAGE	Pass	Band Edge
45	802.11be EHT160	15	12050.00	45.41	74.00	-28.59	H	PEAK	Pass	Harmonic
46	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge
46	802.11be EHT160	47	12370.00	45.32	74.00	-28.68	H	PEAK	Pass	Harmonic
47	802.11be EHT160	79	-	-	-	-	-	-	-	Band Edge
47	802.11be EHT160	79	12690.00	45.40	74.00	-28.60	V	PEAK	Pass	Harmonic
48	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
48	802.11be EHT160	143	13330.00	46.03	74.00	-27.97	H	PEAK	Pass	Harmonic
49	802.11be EHT160	207	7143.40	57.11	68.20	-11.09	V	AVERAGE	Pass	Band Edge
49	802.11be EHT160	207	13970.00	45.54	88.20	-42.66	H	PEAK	Pass	Harmonic
50	802.11be EHT320	31	5814.12	63.57	68.20	-4.63	V	AVERAGE	Pass	Band Edge
50	802.11be EHT320	31	12210.00	45.45	74.00	-28.55	H	PEAK	Pass	Harmonic
51	802.11be EHT320	63	-	-	-	-	-	-	-	Band Edge
51	802.11be EHT320	63	12530.00	46.03	74.00	-27.97	V	PEAK	Pass	Harmonic
52	802.11be EHT20	185	-	-	-	-	-	-	-	Band Edge
52	802.11be EHT20	185	13750.00	46.87	88.20	-41.33	V	PEAK	Pass	Harmonic
53	802.11be EHT40	187	-	-	-	-	-	-	-	Band Edge
53	802.11be EHT40	187	13770.00	47.25	88.20	-40.95	H	PEAK	Pass	Harmonic
54	802.11be EHT80	183	-	-	-	-	-	-	-	Band Edge
54	802.11be EHT80	183	13730.00	45.94	88.20	-42.26	H	PEAK	Pass	Harmonic
55	802.11be EHT160	175	-	-	-	-	-	-	-	Band Edge
55	802.11be EHT160	175	13650.00	46.31	88.20	-41.89	H	PEAK	Pass	Harmonic
56	802.11be EHT320	159	-	-	-	-	-	-	-	Band Edge
56	802.11be EHT320	159	13490.00	47.09	88.20	-41.11	H	PEAK	Pass	Harmonic
57	802.11be EHT320	191	7292.20	50.83	54.00	-3.17	V	AVERAGE	Pass	Band Edge



57	802.11be EHT320	191	13810.00	46.24	88.20	-41.96	H	PEAK	Pass	Harmonic
58	802.11be EHT40	115	-	-	-	-	-	-	-	Band Edge
58	802.11be EHT40	115	13050.00	48.38	88.20	-39.82	V	PEAK	Pass	Harmonic
59	802.11be EHT80	119	-	-	-	-	-	-	-	Band Edge
59	802.11be EHT80	119	13090.00	46.39	88.20	-41.81	V	PEAK	Pass	Harmonic
60	802.11be EHT160	111	-	-	-	-	-	-	-	Band Edge
60	802.11be EHT160	111	13010.00	46.43	88.20	-41.77	H	PEAK	Pass	Harmonic
61	802.11be EHT320	95	-	-	-	-	-	-	-	Band Edge
61	802.11be EHT320	95	12850.00	45.98	88.20	-42.22	V	PEAK	Pass	Harmonic
62	802.11be EHT320	127	-	-	-	-	-	-	-	Band Edge
62	802.11be EHT320	127	13170.00	46.24	88.20	-41.96	V	PEAK	Pass	Harmonic
63	802.11be EHT20	1	5912.36	59.77	68.20	-8.43	H	AVERAGE	Pass	Band Edge
63	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
64	802.11be EHT20	229	7198.44	39.94	68.20	-28.26	V	AVERAGE	Pass	Band Edge
64	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
65	802.11be EHT20	1	5924.97	44.21	68.20	-23.99	V	AVERAGE	Pass	Band Edge
65	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
66	802.11be EHT20	229	7125.00	62.32	68.20	-5.88	H	AVERAGE	Pass	Band Edge
66	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT80	7	5917.32	61.18	68.20	-7.02	V	AVERAGE	Pass	Band Edge
67	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
68	802.11be EHT80	215	7125.10	50.56	68.20	-17.64	H	AVERAGE	Pass	Band Edge
68	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
69	802.11be EHT160	15	5913.00	57.90	68.20	-10.30	V	AVERAGE	Pass	Band Edge
69	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT160	207	7125.16	51.27	68.20	-16.93	H	AVERAGE	Pass	Band Edge
70	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT160	15	5912.20	57.88	68.20	-10.32	V	AVERAGE	Pass	Band Edge
71	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT160	207	7125.16	52.63	68.20	-15.57	H	AVERAGE	Pass	Band Edge
72	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT320	31	5875.56	64.38	68.20	-3.82	V	AVERAGE	Pass	Band Edge
73	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT320	191	7267.00	48.99	54.00	-5.01	V	AVERAGE	Pass	Band Edge
74	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
75	802.11be EHT320	31	5917.48	64.82	68.20	-3.38	V	AVERAGE	Pass	Band Edge
75	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
76	802.11be EHT320	191	7287.16	46.14	54.00	-7.86	V	AVERAGE	Pass	Band Edge
76	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic







77	802.11be EHT320	31	5874.28	64.33	68.20	-3.87	V	AVERAGE	Pass	Band Edge
77	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
78	802.11be EHT320	191	7351.96	45.03	54.00	-8.97	V	AVERAGE	Pass	Band Edge
78	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
79	802.11be EHT80	7	5922.44	61.29	68.20	-6.91	H	AVERAGE	Pass	Band Edge
79	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
80	802.11be EHT80	215	7126.42	57.47	68.20	-10.73	H	AVERAGE	Pass	Band Edge
80	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
81	802.11be EHT160	15	5917.00	58.31	68.20	-9.89	V	AVERAGE	Pass	Band Edge
81	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
82	802.11be EHT160	207	7183.96	58.91	68.20	-9.29	V	AVERAGE	Pass	Band Edge
82	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
83	802.11be EHT320	31	5852.52	64.30	68.20	-3.90	V	AVERAGE	Pass	Band Edge
83	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
84	802.11be EHT320	191	7250.44	47.50	54.00	-6.50	V	AVERAGE	Pass	Band Edge
84	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
85	802.11be EHT320	31	5912.36	63.62	68.20	-4.58	V	AVERAGE	Pass	Band Edge
85	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
86	802.11be EHT320	191	7272.76	50.79	54.00	-3.21	V	AVERAGE	Pass	Band Edge
86	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
87	802.11be EHT320	31	5797.48	64.69	68.20	-3.51	V	AVERAGE	Pass	Band Edge
87	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
88	802.11be EHT320	191	7261.96	42.70	54.00	-11.30	H	AVERAGE	Pass	Band Edge
88	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic





Co-location mode:

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
Mode 89	Bluetooth-LE_GSKF	38	7434.00	41.95	74.00	-32.05	H	PEAK	Pass	Harmonic
	802.11be EHT80	215	14050.00	44.51	88.20	-43.69	H	PEAK	Pass	Harmonic
Mode 90	802.11b	01	4824.00	39.95	74.00	-34.05	H	PEAK	Pass	Harmonic
	802.11be EHT80	215	14050.00	46.01	88.20	-42.19	H	PEAK	Pass	Harmonic





Mode	1																																																							
	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																							
ANT	CDD1+2																																																							
Pol.	Horizontal																																																							
Peak	Fundamental																																																							
																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.77</td><td>54.29</td><td>88.20</td><td>-33.91</td><td>45.13</td><td>35.28</td><td>11.55</td><td>37.67</td><td>0.00</td><td>177</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.77	54.29	88.20	-33.91	45.13	35.28	11.55	37.67	0.00	177	0 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5919.77	54.29	88.20	-33.91	45.13	35.28	11.55	37.67	0.00	177	0 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.71</td><td>45.43</td><td>68.20</td><td>-22.77</td><td>36.24</td><td>35.30</td><td>11.55</td><td>37.66</td><td>0.00</td><td>177</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.71	45.43	68.20	-22.77	36.24	35.30	11.55	37.66	0.00	177	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5924.71	45.43	68.20	-22.77	36.24	35.30	11.55	37.66	0.00	177	0 AVERAGE																																													
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>109.24</td><td>-----</td><td>-----</td><td>99.89</td><td>35.40</td><td>11.57</td><td>37.62</td><td>0.00</td><td>177</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.24	-----	-----	99.89	35.40	11.57	37.62	0.00	177	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5955.00	109.24	-----	-----	99.89	35.40	11.57	37.62	0.00	177	0 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>100.03</td><td>-----</td><td>-----</td><td>90.68</td><td>35.40</td><td>11.57</td><td>37.62</td><td>0.00</td><td>177</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	100.03	-----	-----	90.68	35.40	11.57	37.62	0.00	177	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5955.00	100.03	-----	-----	90.68	35.40	11.57	37.62	0.00	177	0 AVERAGE																																													





Mode	1																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																			
ANT	CDD1+2																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.19</td><td>64.85</td><td>88.20</td><td>-23.35</td><td>55.66</td><td>35.30</td><td>11.55</td><td>37.66</td><td>0.00</td><td>104</td><td>40 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.19	64.85	88.20	-23.35	55.66	35.30	11.55	37.66	0.00	104	40 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>115.07</td><td>-----</td><td>-----</td><td>105.72</td><td>35.40</td><td>11.57</td><td>37.62</td><td>0.00</td><td>104</td><td>40 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	115.07	-----	-----	105.72	35.40	11.57	37.62	0.00	104
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.19	64.85	88.20	-23.35	55.66	35.30	11.55	37.66	0.00	104	40 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	115.07	-----	-----	105.72	35.40	11.57	37.62	0.00	104	40 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.37</td><td>53.80</td><td>68.20</td><td>-14.40</td><td>44.62</td><td>35.29</td><td>11.55</td><td>37.66</td><td>0.00</td><td>104</td><td>40 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.37	53.80	68.20	-14.40	44.62	35.29	11.55	37.66	0.00	104	40 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>106.84</td><td>-----</td><td>-----</td><td>97.49</td><td>35.40</td><td>11.57</td><td>37.62</td><td>0.00</td><td>104</td><td>40 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	106.84	-----	-----	97.49	35.40	11.57	37.62	0.00	104
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5922.37	53.80	68.20	-14.40	44.62	35.29	11.55	37.66	0.00	104	40 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	106.84	-----	-----	97.49	35.40	11.57	37.62	0.00	104	40 AVERAGE																																																																																									





Mode	1																																																										
	Harmonic																																																										
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																										
ANT	CDD1+2																																																										
Pol.	Horizontal						Vertical																																																				
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.44</td><td>74.00</td><td>-28.56</td><td>55.97</td><td>39.01</td><td>16.42</td><td>65.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	45.44	74.00	-28.56	55.97	39.01	16.42	65.96	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11910.00	45.44	74.00	-28.56	55.97	39.01	16.42	65.96	0.00	---	---	PEAK																																															
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.43</td><td>74.00</td><td>-28.57</td><td>55.96</td><td>39.01</td><td>16.42</td><td>65.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	45.43	74.00	-28.57	55.96	39.01	16.42	65.96	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11910.00	45.43	74.00	-28.57	55.96	39.01	16.42	65.96	0.00	---	---	PEAK																																															





Mode	2																																																																																																							
	Harmonic																																																																																																							
	U-NII-5_5.925-6.425_802.11a_CH45_6175MHz																																																																																																							
ANT	CDD1+2																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>45.88</td><td>74.00</td><td>-28.12</td><td>56.09</td><td>39.10</td><td>16.77</td><td>66.08</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	45.88	74.00	-28.12	56.09	39.10	16.77	66.08	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>45.63</td><td>74.00</td><td>-28.37</td><td>55.84</td><td>39.10</td><td>16.77</td><td>66.08</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	45.63	74.00	-28.37	55.84	39.10	16.77	66.08	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	12350.00	45.88	74.00	-28.12	56.09	39.10	16.77	66.08	0.00	---	---	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	12350.00	45.63	74.00	-28.37	55.84	39.10	16.77	66.08	0.00	---	---	PEAK																																																																																												





Mode	3																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																									
ANT	CDD1+2																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.14</td><td>88.20</td><td>-42.06</td><td>55.03</td><td>39.50</td><td>17.15</td><td>65.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	46.14	88.20	-42.06	55.03	39.50	17.15	65.54	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.71</td><td>88.20</td><td>-41.49</td><td>55.60</td><td>39.50</td><td>17.15</td><td>65.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	46.71	88.20	-41.49	55.60	39.50	17.15	65.54	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12830.00	46.14	88.20	-42.06	55.03	39.50	17.15	65.54	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12830.00	46.71	88.20	-41.49	55.60	39.50	17.15	65.54	0.00	---	---	PEAK																																																																																														





Mode	4																																																																																																									
	Harmonic																																																																																																									
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz																																																																																																									
ANT	CDD1+2																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>47.01</td><td>88.20</td><td>-41.19</td><td>55.78</td><td>39.50</td><td>17.19</td><td>65.46</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12870.00	47.01	88.20	-41.19	55.78	39.50	17.19	65.46	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>46.08</td><td>88.20</td><td>-42.12</td><td>54.85</td><td>39.50</td><td>17.19</td><td>65.46</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12870.00	46.08	88.20	-42.12	54.85	39.50	17.19	65.46	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12870.00	47.01	88.20	-41.19	55.78	39.50	17.19	65.46	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12870.00	46.08	88.20	-42.12	54.85	39.50	17.19	65.46	0.00	---	---	PEAK																																																																																														





Mode	5																																																																																																									
	Harmonic																																																																																																									
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																																																									
ANT	CDD1+2																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>47.91</td><td>88.20</td><td>-40.29</td><td>56.51</td><td>39.45</td><td>17.25</td><td>65.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12950.00	47.91	88.20	-40.29	56.51	39.45	17.25	65.30	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>48.18</td><td>88.20</td><td>-40.02</td><td>56.78</td><td>39.45</td><td>17.25</td><td>65.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12950.00	48.18	88.20	-40.02	56.78	39.45	17.25	65.30	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12950.00	47.91	88.20	-40.29	56.51	39.45	17.25	65.30	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12950.00	48.18	88.20	-40.02	56.78	39.45	17.25	65.30	0.00	---	---	PEAK																																																																																														





Mode	6																																																												
	Harmonic																																																												
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																												
ANT	CDD1+2																																																												
Pol.	Horizontal						Vertical																																																						
Peak Avg																																																													
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																			
<table><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>13030.00</td><td>49.19</td><td>88.20</td><td>-39.01</td><td>57.69</td><td>39.34</td><td>17.31</td><td>65.15</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13030.00	49.19	88.20	-39.01	57.69	39.34	17.31	65.15	0.00	---	---	PEAK	<table><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>13030.00</td><td>49.66</td><td>88.20</td><td>-38.54</td><td>58.16</td><td>39.34</td><td>17.31</td><td>65.15</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13030.00	49.66	88.20	-38.54	58.16	39.34	17.31	65.15	0.00	---	---	PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	13030.00	49.19	88.20	-39.01	57.69	39.34	17.31	65.15	0.00	---	---	PEAK																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	13030.00	49.66	88.20	-38.54	58.16	39.34	17.31	65.15	0.00	---	---	PEAK																																																	





Mode	7																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																																																					
ANT	CDD1+2																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																															
Peak Avg																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>48.04</td><td>88.20</td><td>-40.16</td><td>56.54</td><td>39.26</td><td>17.33</td><td>65.09</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13070.00	48.04	88.20	-40.16	56.54	39.26	17.33	65.09	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>50.08</td><td>88.20</td><td>-38.12</td><td>58.58</td><td>39.26</td><td>17.33</td><td>65.09</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>13070.00</td><td>39.50</td><td>68.20</td><td>-28.70</td><td>47.99</td><td>39.26</td><td>17.33</td><td>65.08</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13070.00	50.08	88.20	-38.12	58.58	39.26	17.33	65.09	0.00	100	0	PEAK	2	13070.00	39.50	68.20	-28.70	47.99	39.26	17.33	65.08	0.00	100	0
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	13070.00	48.04	88.20	-40.16	56.54	39.26	17.33	65.09	0.00	---	---	PEAK																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	13070.00	50.08	88.20	-38.12	58.58	39.26	17.33	65.09	0.00	100	0	PEAK																																																																																																										
2	13070.00	39.50	68.20	-28.70	47.99	39.26	17.33	65.08	0.00	100	0	AVERAGE																																																																																																										





Mode	8																																																																																																								
	Harmonic																																																																																																								
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																								
ANT	CDD1+2																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>46.00</td><td>74.00</td><td>-28.00</td><td>53.55</td><td>39.50</td><td>17.53</td><td>64.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13390.00	46.00	74.00	-28.00	53.55	39.50	17.53	64.58	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>46.65</td><td>74.00</td><td>-27.35</td><td>54.20</td><td>39.50</td><td>17.53</td><td>64.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13390.00	46.65	74.00	-27.35	54.20	39.50	17.53	64.58	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	13390.00	46.00	74.00	-28.00	53.55	39.50	17.53	64.58	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	13390.00	46.65	74.00	-27.35	54.20	39.50	17.53	64.58	0.00	---	---	PEAK																																																																																													





Mode	9																																																																																																								
	Harmonic																																																																																																								
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																																																								
ANT	CDD1+2																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>46.16</td><td>88.20</td><td>-42.04</td><td>53.80</td><td>39.20</td><td>17.73</td><td>64.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13710.00	46.16	88.20	-42.04	53.80	39.20	17.73	64.57	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.30</td><td>88.20</td><td>-40.90</td><td>54.94</td><td>39.20</td><td>17.73</td><td>64.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13710.00	47.30	88.20	-40.90	54.94	39.20	17.73	64.57	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	13710.00	46.16	88.20	-42.04	53.80	39.20	17.73	64.57	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	13710.00	47.30	88.20	-40.90	54.94	39.20	17.73	64.57	0.00	---	---	PEAK																																																																																													







Mode	10																																																																																																								
	Harmonic																																																																																																								
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																																																								
ANT	CDD1+2																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>46.77</td><td>88.20</td><td>-41.43</td><td>54.42</td><td>39.20</td><td>17.78</td><td>64.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13790.00	46.77	88.20	-41.43	54.42	39.20	17.78	64.63	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>47.43</td><td>88.20</td><td>-40.77</td><td>55.08</td><td>39.20</td><td>17.78</td><td>64.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13790.00	47.43	88.20	-40.77	55.08	39.20	17.78	64.63	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	13790.00	46.77	88.20	-41.43	54.42	39.20	17.78	64.63	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	13790.00	47.43	88.20	-40.77	55.08	39.20	17.78	64.63	0.00	---	---	PEAK																																																																																													







		11																																																									
Mode		Harmonic																																																									
		U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																									
ANT		CDD1+2																																																									
Pol.																																																											
Peak Avg	Horizontal																																																										
																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>46.98</td><td>88.20</td><td>-41.22</td><td>54.48</td><td>39.39</td><td>17.90</td><td>64.79</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13990.00	46.98	88.20	-41.22	54.48	39.39	17.90	64.79	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	13990.00	46.98	88.20	-41.22	54.48	39.39	17.90	64.79	0.00	---	---	PEAK																																															
	Vertical																																																										
																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>47.75</td><td>88.20</td><td>-40.45</td><td>55.25</td><td>39.39</td><td>17.90</td><td>64.79</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13990.00	47.75	88.20	-40.45	55.25	39.39	17.90	64.79	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	13990.00	47.75	88.20	-40.45	55.25	39.39	17.90	64.79	0.00	---	---	PEAK																																															



Mode	12																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																						
ANT	CDD1+2																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7133.16</td><td>62.15</td><td>88.20</td><td>-26.05</td><td>50.60</td><td>36.40</td><td>12.57</td><td>37.42</td><td>0.00</td><td>138</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7133.16	62.15	88.20	-26.05	50.60	36.40	12.57	37.42	0.00	138	360	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>107.85</td><td>-----</td><td>-----</td><td>96.36</td><td>36.37</td><td>12.55</td><td>37.43</td><td>0.00</td><td>138</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	107.85	-----	-----	96.36	36.37	12.55	37.43	0.00	138	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7133.16	62.15	88.20	-26.05	50.60	36.40	12.57	37.42	0.00	138	360	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7095.00	107.85	-----	-----	96.36	36.37	12.55	37.43	0.00	138	360	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>52.38</td><td>68.20</td><td>-15.82</td><td>40.84</td><td>36.40</td><td>12.56</td><td>37.42</td><td>0.00</td><td>138</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	52.38	68.20	-15.82	40.84	36.40	12.56	37.42	0.00	138	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>99.10</td><td>-----</td><td>-----</td><td>87.61</td><td>36.37</td><td>12.55</td><td>37.43</td><td>0.00</td><td>138</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	99.10	-----	-----	87.61	36.37	12.55	37.43	0.00	138	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7125.00	52.38	68.20	-15.82	40.84	36.40	12.56	37.42	0.00	138	360	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7095.00	99.10	-----	-----	87.61	36.37	12.55	37.43	0.00	138	360	AVERAGE																																																																																											







	12																																																																																																																						
Mode	Band Edge																																																																																																																						
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																																						
ANT	CDD1+2																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7126.28</td><td>63.06</td><td>88.20</td><td>-25.14</td><td>51.52</td><td>36.40</td><td>12.56</td><td>37.42</td><td>0.00</td><td>288</td><td>0 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7126.28	63.06	88.20	-25.14	51.52	36.40	12.56	37.42	0.00	288	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>110.95</td><td>-----</td><td>-----</td><td>99.46</td><td>36.37</td><td>12.55</td><td>37.43</td><td>0.00</td><td>288</td><td>0 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7095.00	110.95	-----	-----	99.46	36.37	12.55	37.43	0.00	288
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	7126.28	63.06	88.20	-25.14	51.52	36.40	12.56	37.42	0.00	288	0 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	7095.00	110.95	-----	-----	99.46	36.37	12.55	37.43	0.00	288	0 PEAK																																																																																																												
Avg																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7127.08</td><td>54.02</td><td>68.20</td><td>-14.18</td><td>42.48</td><td>36.40</td><td>12.56</td><td>37.42</td><td>0.00</td><td>288</td><td>0 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7127.08	54.02	68.20	-14.18	42.48	36.40	12.56	37.42	0.00	288	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>101.71</td><td>-----</td><td>-----</td><td>90.22</td><td>36.37</td><td>12.55</td><td>37.43</td><td>0.00</td><td>288</td><td>0 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7095.00	101.71	-----	-----	90.22	36.37	12.55	37.43	0.00	288
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	7127.08	54.02	68.20	-14.18	42.48	36.40	12.56	37.42	0.00	288	0 AVERAGE																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	7095.00	101.71	-----	-----	90.22	36.37	12.55	37.43	0.00	288	0 AVERAGE																																																																																																												







Mode	12																																																																																																								
	Harmonic																																																																																																								
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																								
ANT	CDD1+2																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>46.13</td><td>88.20</td><td>-42.07</td><td>53.58</td><td>39.49</td><td>18.05</td><td>64.99</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14190.00	46.13	88.20	-42.07	53.58	39.49	18.05	64.99	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>48.60</td><td>88.20</td><td>-39.60</td><td>56.05</td><td>39.49</td><td>18.05</td><td>64.99</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14190.00	48.60	88.20	-39.60	56.05	39.49	18.05	64.99	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	14190.00	46.13	88.20	-42.07	53.58	39.49	18.05	64.99	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	14190.00	48.60	88.20	-39.60	56.05	39.49	18.05	64.99	0.00	---	---	PEAK																																																																																													



Mode	13																																																																																																						
	Band Edge																																																																																																						
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full_5955MHz																																																																																																						
ANT	CDD1+2																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5896.11</td><td>58.87</td><td>88.20</td><td>-29.33</td><td>49.85</td><td>35.19</td><td>11.53</td><td>37.70</td><td>0.00</td><td>144</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5896.11	58.87	88.20	-29.33	49.85	35.19	11.53	37.70	0.00	144	360	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>107.92</td><td>-----</td><td>-----</td><td>98.57</td><td>35.40</td><td>11.57</td><td>37.62</td><td>0.00</td><td>144</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	107.92	-----	-----	98.57	35.40	11.57	37.62	0.00	144	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5896.11	58.87	88.20	-29.33	49.85	35.19	11.53	37.70	0.00	144	360	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	107.92	-----	-----	98.57	35.40	11.57	37.62	0.00	144	360	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5918.08</td><td>47.47</td><td>68.20</td><td>-20.73</td><td>38.33</td><td>35.27</td><td>11.54</td><td>37.67</td><td>0.00</td><td>144</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.08	47.47	68.20	-20.73	38.33	35.27	11.54	37.67	0.00	144	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>98.45</td><td>-----</td><td>-----</td><td>89.10</td><td>35.40</td><td>11.57</td><td>37.62</td><td>0.00</td><td>144</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	98.45	-----	-----	89.10	35.40	11.57	37.62	0.00	144	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5918.08	47.47	68.20	-20.73	38.33	35.27	11.54	37.67	0.00	144	360	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	98.45	-----	-----	89.10	35.40	11.57	37.62	0.00	144	360	AVERAGE																																																																																											



		13																																																																																												
Mode		Band Edge																																																																																												
		U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full_5955MHz																																																																																												
ANT		CDD1+2																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	62.31	88.20	-25.89	53.12	35.30	11.55	37.66	0.00	100	41 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>114.18</td><td>-----</td><td>-----</td><td>104.74</td><td>35.47</td><td>11.58</td><td>37.61</td><td>0.00</td><td>100</td><td>41 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	114.18	-----	-----	104.74	35.47	11.58	37.61	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5924.97	62.31	88.20	-25.89	53.12	35.30	11.55	37.66	0.00	100	41 PEAK																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5955.00	114.18	-----	-----	104.74	35.47	11.58	37.61	0.00	100	41 PEAK																																																																																			
Avg																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.06	49.89	68.20	-18.31	40.70	35.30	11.55	37.66	0.00	100	41 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>104.47</td><td>-----</td><td>-----</td><td>95.03</td><td>35.47</td><td>11.58</td><td>37.61</td><td>0.00</td><td>100</td><td>41 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	104.47	-----	-----	95.03	35.47	11.58	37.61	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5924.06	49.89	68.20	-18.31	40.70	35.30	11.55	37.66	0.00	100	41 AVERAGE																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5955.00	104.47	-----	-----	95.03	35.47	11.58	37.61	0.00	100	41 AVERAGE																																																																																			



		13																																																									
Mode		Harmonic																																																									
		U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full_5955MHz																																																									
ANT		CDD1+2																																																									
Pol.																																																											
Peak Avg	Horizontal																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>11910.00</td><td>46.40</td><td>74.00</td><td>-27.60</td><td>56.93</td><td>39.01</td><td>16.42</td><td>65.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	46.40	74.00	-27.60	56.93	39.01	16.42	65.96	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11910.00	46.40	74.00	-27.60	56.93	39.01	16.42	65.96	0.00	---	---	PEAK																																															
Peak Avg	Vertical																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>11910.00</td><td>46.82</td><td>74.00</td><td>-27.18</td><td>57.35</td><td>39.01</td><td>16.42</td><td>65.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	46.82	74.00	-27.18	57.35	39.01	16.42	65.96	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11910.00	46.82	74.00	-27.18	57.35	39.01	16.42	65.96	0.00	---	---	PEAK																																															