










Mode	62																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20MHz 5775MHz																																																																																																																																			
ANT	CDD 1+2																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5643.60</td><td>58.06</td><td>68.20</td><td>-10.14</td><td>49.18</td><td>34.90</td><td>11.21</td><td>37.23</td><td>0.00</td><td>300</td><td>56 PEAK</td></tr><tr><td>2 5650.00</td><td>57.51</td><td>68.20</td><td>-10.69</td><td>48.65</td><td>34.90</td><td>11.22</td><td>37.26</td><td>0.00</td><td>300</td><td>56 PEAK</td></tr><tr><td>3 5704.00</td><td>59.62</td><td>106.42</td><td>-46.80</td><td>50.88</td><td>34.91</td><td>11.30</td><td>37.47</td><td>0.00</td><td>300</td><td>56 PEAK</td></tr><tr><td>4 5720.00</td><td>60.32</td><td>110.90</td><td>-50.58</td><td>51.59</td><td>34.94</td><td>11.32</td><td>37.53</td><td>0.00</td><td>300</td><td>56 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5643.60	58.06	68.20	-10.14	49.18	34.90	11.21	37.23	0.00	300	56 PEAK	2 5650.00	57.51	68.20	-10.69	48.65	34.90	11.22	37.26	0.00	300	56 PEAK	3 5704.00	59.62	106.42	-46.80	50.88	34.91	11.30	37.47	0.00	300	56 PEAK	4 5720.00	60.32	110.90	-50.58	51.59	34.94	11.32	37.53	0.00	300	56 PEAK	 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5775.00</td><td>103.92</td><td>-----</td><td>-----</td><td>95.21</td><td>35.06</td><td>11.42</td><td>37.77</td><td>0.00</td><td>300</td><td>56 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	103.92	-----	-----	95.21	35.06	11.42	37.77	0.00	300	56 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5643.60	58.06	68.20	-10.14	49.18	34.90	11.21	37.23	0.00	300	56 PEAK																																																																																																																										
2 5650.00	57.51	68.20	-10.69	48.65	34.90	11.22	37.26	0.00	300	56 PEAK																																																																																																																										
3 5704.00	59.62	106.42	-46.80	50.88	34.91	11.30	37.47	0.00	300	56 PEAK																																																																																																																										
4 5720.00	60.32	110.90	-50.58	51.59	34.94	11.32	37.53	0.00	300	56 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	103.92	-----	-----	95.21	35.06	11.42	37.77	0.00	300	56 PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5775.00</td><td>94.13</td><td>-----</td><td>-----</td><td>85.41</td><td>35.03</td><td>11.39</td><td>37.70</td><td>0.00</td><td>300</td><td>56 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	94.13	-----	-----	85.41	35.03	11.39	37.70	0.00	300	56 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	94.13	-----	-----	85.41	35.03	11.39	37.70	0.00	300	56 AVERAGE																																																																																																																										




Mode	62																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20MHz 5775MHz																																																																																											
ANT	CDD 1+2																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5854.00</td><td>57.64</td><td>111.36</td><td>-53.72</td><td>48.00</td><td>35.11</td><td>11.49</td><td>37.76</td><td>0.00</td><td>300</td><td>56 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>57.93</td><td>105.36</td><td>-47.43</td><td>49.00</td><td>35.15</td><td>11.51</td><td>37.73</td><td>0.00</td><td>300</td><td>56 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>56.07</td><td>68.94</td><td>-12.87</td><td>46.88</td><td>35.30</td><td>11.55</td><td>37.66</td><td>0.00</td><td>300</td><td>56 PEAK</td></tr><tr><td>4</td><td>5945.00</td><td>58.76</td><td>68.20</td><td>-9.44</td><td>49.44</td><td>35.38</td><td>11.57</td><td>37.63</td><td>0.00</td><td>300</td><td>56 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5854.00	57.64	111.36	-53.72	48.00	35.11	11.49	37.76	0.00	300	56 PEAK	2	5874.00	57.93	105.36	-47.43	49.00	35.15	11.51	37.73	0.00	300	56 PEAK	3	5924.00	56.07	68.94	-12.87	46.88	35.30	11.55	37.66	0.00	300	56 PEAK	4	5945.00	58.76	68.20	-9.44	49.44	35.38	11.57	37.63	0.00	300	56 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																				
1	5854.00	57.64	111.36	-53.72	48.00	35.11	11.49	37.76	0.00	300	56 PEAK																																																																																	
2	5874.00	57.93	105.36	-47.43	49.00	35.15	11.51	37.73	0.00	300	56 PEAK																																																																																	
3	5924.00	56.07	68.94	-12.87	46.88	35.30	11.55	37.66	0.00	300	56 PEAK																																																																																	
4	5945.00	58.76	68.20	-9.44	49.44	35.38	11.57	37.63	0.00	300	56 PEAK																																																																																	







Mode	62																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20MHz 5775MHz																																																																																																																																								
ANT	CDD 1+2																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue trace with peaks at 5623.60, 5658.40, 5783.20, and 5720.00 MHz. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5623.60</td><td>60.47</td><td>68.20</td><td>-7.73</td><td>51.62</td><td>34.90</td><td>11.18</td><td>37.23</td><td>0.00</td><td>100</td><td>37 PEAK</td></tr><tr><td>2</td><td>5658.40</td><td>58.64</td><td>68.50</td><td>-9.86</td><td>49.78</td><td>34.90</td><td>11.22</td><td>37.26</td><td>0.00</td><td>100</td><td>37 PEAK</td></tr><tr><td>3</td><td>5783.20</td><td>70.79</td><td>106.20</td><td>-35.41</td><td>62.04</td><td>34.91</td><td>11.30</td><td>37.46</td><td>0.00</td><td>100</td><td>37 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>64.85</td><td>110.90</td><td>-46.05</td><td>56.12</td><td>34.94</td><td>11.32</td><td>37.53</td><td>0.00</td><td>100</td><td>37 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5623.60	60.47	68.20	-7.73	51.62	34.90	11.18	37.23	0.00	100	37 PEAK	2	5658.40	58.64	68.50	-9.86	49.78	34.90	11.22	37.26	0.00	100	37 PEAK	3	5783.20	70.79	106.20	-35.41	62.04	34.91	11.30	37.46	0.00	100	37 PEAK	4	5720.00	64.85	110.90	-46.05	56.12	34.94	11.32	37.53	0.00	100	37 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue trace with a peak at 5775.00 MHz. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>113.12</td><td>-----</td><td>-----</td><td>104.41</td><td>35.10</td><td>11.45</td><td>37.84</td><td>0.00</td><td>100</td><td>37 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	113.12	-----	-----	104.41	35.10	11.45	37.84	0.00	100	37 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5623.60	60.47	68.20	-7.73	51.62	34.90	11.18	37.23	0.00	100	37 PEAK																																																																																																																														
2	5658.40	58.64	68.50	-9.86	49.78	34.90	11.22	37.26	0.00	100	37 PEAK																																																																																																																														
3	5783.20	70.79	106.20	-35.41	62.04	34.91	11.30	37.46	0.00	100	37 PEAK																																																																																																																														
4	5720.00	64.85	110.90	-46.05	56.12	34.94	11.32	37.53	0.00	100	37 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5775.00	113.12	-----	-----	104.41	35.10	11.45	37.84	0.00	100	37 PEAK																																																																																																																														
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue trace with a peak at 5775.00 MHz. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>102.15</td><td>-----</td><td>-----</td><td>93.44</td><td>35.06</td><td>11.42</td><td>37.77</td><td>0.00</td><td>100</td><td>37 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	102.15	-----	-----	93.44	35.06	11.42	37.77	0.00	100	37 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5775.00	102.15	-----	-----	93.44	35.06	11.42	37.77	0.00	100	37 AVERAGE																																																																																																																														





Mode	62																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20MHz 5775MHz																																																																																															
ANT	CDD 1+2																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>63.62</td><td>111.36</td><td>-47.74</td><td>54.78</td><td>35.11</td><td>11.49</td><td>37.76</td><td>0.00</td><td>100</td><td>37</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>62.94</td><td>105.36</td><td>-42.42</td><td>54.01</td><td>35.15</td><td>11.51</td><td>37.73</td><td>0.00</td><td>100</td><td>37</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>57.56</td><td>68.35</td><td>-10.79</td><td>48.37</td><td>35.30</td><td>11.55</td><td>37.66</td><td>0.00</td><td>100</td><td>37</td><td>PEAK</td></tr><tr><td>4</td><td>5932.00</td><td>59.78</td><td>68.20</td><td>-8.42</td><td>50.54</td><td>35.33</td><td>11.56</td><td>37.65</td><td>0.00</td><td>100</td><td>37</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	63.62	111.36	-47.74	54.78	35.11	11.49	37.76	0.00	100	37	PEAK	2	5874.00	62.94	105.36	-42.42	54.01	35.15	11.51	37.73	0.00	100	37	PEAK	3	5924.00	57.56	68.35	-10.79	48.37	35.30	11.55	37.66	0.00	100	37	PEAK	4	5932.00	59.78	68.20	-8.42	50.54	35.33	11.56	37.65	0.00	100	37	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5854.00	63.62	111.36	-47.74	54.78	35.11	11.49	37.76	0.00	100	37	PEAK																																																																																				
2	5874.00	62.94	105.36	-42.42	54.01	35.15	11.51	37.73	0.00	100	37	PEAK																																																																																				
3	5924.00	57.56	68.35	-10.79	48.37	35.30	11.55	37.66	0.00	100	37	PEAK																																																																																				
4	5932.00	59.78	68.20	-8.42	50.54	35.33	11.56	37.65	0.00	100	37	PEAK																																																																																				







		63																																																																																								
Mode		Band Edge - L																																																																																								
		U-NII-1_5.15-5.35_802.11be EHT160_CH50_Puncturing 20MHz 5250MHz																																																																																								
ANT		CDD 1+2																																																																																								
Pol.		Horizontal					Fundamental																																																																																			
Peak																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5112.00	59.67	74.00	-14.33	51.91	34.60	10.61	37.45	0.00	100	45 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>95.19</td><td>-----</td><td>-----</td><td>87.16</td><td>34.75</td><td>10.70</td><td>37.42</td><td>0.00</td><td>100</td><td>45 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	95.19	-----	-----	87.16	34.75	10.70	37.42	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5112.00	59.67	74.00	-14.33	51.91	34.60	10.61	37.45	0.00	100	45 PEAK																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5250.00	95.19	-----	-----	87.16	34.75	10.70	37.42	0.00	100	45 PEAK																																																																															
Avg																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.75	48.63	54.00	-5.37	40.81	34.60	10.65	37.43	0.00	100	45 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>86.47</td><td>-----</td><td>-----</td><td>78.36</td><td>34.80</td><td>10.72</td><td>37.41</td><td>0.00</td><td>100</td><td>45 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	86.47	-----	-----	78.36	34.80	10.72	37.41	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5149.75	48.63	54.00	-5.37	40.81	34.60	10.65	37.43	0.00	100	45 AVERAGE																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5250.00	86.47	-----	-----	78.36	34.80	10.72	37.41	0.00	100	45 AVERAGE																																																																															



Mode	63																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.35_802.11be EHT160_CH50_Puncturing 20M 5250MHz																																																							
ANT	CDD 1+2																																																							
Pol.	Horizontal							Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.70</td><td>57.35</td><td>74.00</td><td>-16.65</td><td>48.70</td><td>34.99</td><td>10.96</td><td>37.30</td><td>0.00</td><td>100</td><td>45 PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.70	57.35	74.00	-16.65	48.70	34.99	10.96	37.30	0.00	100	45 PEAK	Blank			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5453.70	57.35	74.00	-16.65	48.70	34.99	10.96	37.30	0.00	100	45 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5391.96</td><td>46.22</td><td>54.00</td><td>-7.78</td><td>37.79</td><td>34.88</td><td>10.88</td><td>37.33</td><td>0.00</td><td>100</td><td>45 AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5391.96	46.22	54.00	-7.78	37.79	34.88	10.88	37.33	0.00	100	45 AVERAGE	Blank			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5391.96	46.22	54.00	-7.78	37.79	34.88	10.88	37.33	0.00	100	45 AVERAGE																																													







Mode	63																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-1_5.15-5.35_802.11be EHT160_CH50_Puncturing 20M①5250MHz																																																																																																	
ANT	CDD 1+2																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5125.50</td><td>61.50</td><td>74.00</td><td>-12.50</td><td>53.72</td><td>34.60</td><td>10.63</td><td>37.45</td><td>0.00</td><td>120</td><td>58 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5125.50	61.50	74.00	-12.50	53.72	34.60	10.63	37.45	0.00	120	58 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5250.00</td><td>101.03</td><td>-----</td><td>-----</td><td>92.89</td><td>34.80</td><td>10.74</td><td>37.40</td><td>0.00</td><td>120</td><td>58 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5250.00	101.03	-----	-----	92.89	34.80	10.74	37.40	0.00	120
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5125.50	61.50	74.00	-12.50	53.72	34.60	10.63	37.45	0.00	120	58 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5250.00	101.03	-----	-----	92.89	34.80	10.74	37.40	0.00	120	58 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5150.00</td><td>50.27</td><td>54.00</td><td>-3.73</td><td>42.45</td><td>34.60</td><td>10.65</td><td>37.43</td><td>0.00</td><td>120</td><td>58 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5150.00	50.27	54.00	-3.73	42.45	34.60	10.65	37.43	0.00	120	58 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5250.00</td><td>91.74</td><td>-----</td><td>-----</td><td>83.60</td><td>34.80</td><td>10.74</td><td>37.40</td><td>0.00</td><td>120</td><td>58 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5250.00	91.74	-----	-----	83.60	34.80	10.74	37.40	0.00	120
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5150.00	50.27	54.00	-3.73	42.45	34.60	10.65	37.43	0.00	120	58 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5250.00	91.74	-----	-----	83.60	34.80	10.74	37.40	0.00	120	58 AVERAGE																																																																																								





Mode	63																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.35_802.11be EHT160_CH50_Puncturing 20M ① 5250MHz																																																							
ANT	CDD 1+2																																																							
Pol.	Vertical										Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5421.99</td><td>57.55</td><td>74.00</td><td>-16.45</td><td>49.01</td><td>34.94</td><td>10.92</td><td>37.32</td><td>0.00</td><td>120</td><td>58 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5421.99	57.55	74.00	-16.45	49.01	34.94	10.92	37.32	0.00	120	58 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5421.99	57.55	74.00	-16.45	49.01	34.94	10.92	37.32	0.00	120	58 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.38</td><td>46.99</td><td>54.00</td><td>-7.01</td><td>38.70</td><td>34.80</td><td>10.84</td><td>37.35</td><td>0.00</td><td>120</td><td>58 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.38	46.99	54.00	-7.01	38.70	34.80	10.84	37.35	0.00	120	58 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.38	46.99	54.00	-7.01	38.70	34.80	10.84	37.35	0.00	120	58 AVERAGE																																													







Mode	64																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-1_5.15-5.35_802.11be EHT160_CH50_Puncturing 20MHz 5250MHz																																																																																																			
ANT	CDD 1+2																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5126.50</td><td>60.71</td><td>74.00</td><td>-13.29</td><td>52.92</td><td>34.60</td><td>10.63</td><td>37.44</td><td>0.00</td><td>100</td><td>37 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5126.50	60.71	74.00	-13.29	52.92	34.60	10.63	37.44	0.00	100	37 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>97.14</td><td>-----</td><td>-----</td><td>89.01</td><td>34.80</td><td>10.73</td><td>37.40</td><td>0.00</td><td>100</td><td>37 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	97.14	-----	-----	89.01	34.80	10.73	37.40	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5126.50	60.71	74.00	-13.29	52.92	34.60	10.63	37.44	0.00	100	37 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5250.00	97.14	-----	-----	89.01	34.80	10.73	37.40	0.00	100	37 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5130.00</td><td>48.91</td><td>54.00</td><td>-5.09</td><td>41.12</td><td>34.60</td><td>10.63</td><td>37.44</td><td>0.00</td><td>100</td><td>37 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5130.00	48.91	54.00	-5.09	41.12	34.60	10.63	37.44	0.00	100	37 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>87.77</td><td>-----</td><td>-----</td><td>79.66</td><td>34.80</td><td>10.72</td><td>37.41</td><td>0.00</td><td>100</td><td>37 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	87.77	-----	-----	79.66	34.80	10.72	37.41	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5130.00	48.91	54.00	-5.09	41.12	34.60	10.63	37.44	0.00	100	37 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5250.00	87.77	-----	-----	79.66	34.80	10.72	37.41	0.00	100	37 AVERAGE																																																																																									



Mode	64																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.35_802.11be EHT160_CH50_Puncturing 20MHz 5250MHz																																																							
ANT	CDD 1+2																																																							
Pol.	Horizontal										Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5442.78</td><td>57.42</td><td>74.00</td><td>-16.58</td><td>48.79</td><td>34.99</td><td>10.95</td><td>37.31</td><td>0.00</td><td>100</td><td>37 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5442.78	57.42	74.00	-16.58	48.79	34.99	10.95	37.31	0.00	100	37 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5442.78	57.42	74.00	-16.58	48.79	34.99	10.95	37.31	0.00	100	37 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.06</td><td>46.26</td><td>54.00</td><td>-7.74</td><td>37.61</td><td>34.99</td><td>10.96</td><td>37.30</td><td>0.00</td><td>100</td><td>37 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.06	46.26	54.00	-7.74	37.61	34.99	10.96	37.30	0.00	100	37 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5457.06	46.26	54.00	-7.74	37.61	34.99	10.96	37.30	0.00	100	37 AVERAGE																																													



Mode	64																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-1_5.15-5.35_802.11be EHT160_CH50_Puncturing 20MHz 5250MHz																																																																																																	
ANT	CDD 1+2																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5114.25</td><td>61.78</td><td>74.00</td><td>-12.22</td><td>54.01</td><td>34.60</td><td>10.62</td><td>37.45</td><td>0.00</td><td>121 62 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5114.25	61.78	74.00	-12.22	54.01	34.60	10.62	37.45	0.00	121 62 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>103.26</td><td>-----</td><td>-----</td><td>95.15</td><td>34.80</td><td>10.72</td><td>37.41</td><td>0.00</td><td>121 62 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	103.26	-----	-----	95.15	34.80	10.72	37.41	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5114.25	61.78	74.00	-12.22	54.01	34.60	10.62	37.45	0.00	121 62 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5250.00	103.26	-----	-----	95.15	34.80	10.72	37.41	0.00	121 62 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5135.25</td><td>50.19</td><td>54.00</td><td>-3.81</td><td>42.39</td><td>34.60</td><td>10.64</td><td>37.44</td><td>0.00</td><td>121 62 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5135.25	50.19	54.00	-3.81	42.39	34.60	10.64	37.44	0.00	121 62 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>93.94</td><td>-----</td><td>-----</td><td>85.80</td><td>34.80</td><td>10.74</td><td>37.40</td><td>0.00</td><td>121 62 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	93.94	-----	-----	85.80	34.80	10.74	37.40	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5135.25	50.19	54.00	-3.81	42.39	34.60	10.64	37.44	0.00	121 62 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5250.00	93.94	-----	-----	85.80	34.80	10.74	37.40	0.00	121 62 AVERAGE																																																																																								



Mode	64																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.35_802.11be EHT160_CH50_Puncturing 20MHz 5250MHz																																																					
ANT	CDD 1+2																																																					
Pol.	Vertical										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.64</td><td>59.32</td><td>74.00</td><td>-14.68</td><td>51.03</td><td>34.00</td><td>10.84</td><td>37.35</td><td>0.00</td><td>121</td><td>62 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.64	59.32	74.00	-14.68	51.03	34.00	10.84	37.35	0.00	121	62 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5351.64	59.32	74.00	-14.68	51.03	34.00	10.84	37.35	0.00	121	62 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.17</td><td>48.72</td><td>54.00</td><td>-5.28</td><td>40.43</td><td>34.00</td><td>10.84</td><td>37.35</td><td>0.00</td><td>121</td><td>62 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.17	48.72	54.00	-5.28	40.43	34.00	10.84	37.35	0.00	121	62 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.17	48.72	54.00	-5.28	40.43	34.00	10.84	37.35	0.00	121	62 AVERAGE																																											







		65									
Mode	Band Edge - L										
	U-NII-1_5.15-5.35_802.11be EHT160_CH50_Puncturing 40M 5250MHz										
ANT	CDD 1+2										
Pol.	Horizontal										
Peak	Fundamental										
	Fundamental										
Peak	Fundamental										
	Fundamental										
Avg	Fundamental										
	Fundamental										





Mode	65										
	Band Edge - R										
	U-NII-1_5.15-5.35_802.11be EHT160_CH50_Puncturing 40M① 5250MHz										
ANT	CDD 1+2										
Pol.	Horizontal										
Peak	Level (dBuV/m) <										







		65																																																																																																													
Mode		Band Edge - L																																																																																																													
		U-NII-1_5.15-5.35_802.11be EHT160_CH50_Puncturing 40M ①5250MHz																																																																																																													
ANT		CDD 1+2																																																																																																													
Pol.		Vertical					Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.50</td><td>60.41</td><td>74.00</td><td>-13.59</td><td>52.60</td><td>34.60</td><td>10.65</td><td>37.44</td><td>0.00</td><td>100</td><td>40 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.50	60.41	74.00	-13.59	52.60	34.60	10.65	37.44	0.00	100	40 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>103.06</td><td>-----</td><td>-----</td><td>94.91</td><td>34.76</td><td>10.77</td><td>37.38</td><td>0.00</td><td>100</td><td>40 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	103.06	-----	-----	94.91	34.76	10.77	37.38	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5148.50	60.41	74.00	-13.59	52.60	34.60	10.65	37.44	0.00	100	40 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5250.00	103.06	-----	-----	94.91	34.76	10.77	37.38	0.00	100	40 PEAK																																																																																																				
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.00</td><td>49.55</td><td>54.00</td><td>-4.45</td><td>41.74</td><td>34.60</td><td>10.65</td><td>37.44</td><td>0.00</td><td>100</td><td>40 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.00	49.55	54.00	-4.45	41.74	34.60	10.65	37.44	0.00	100	40 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>93.37</td><td>-----</td><td>-----</td><td>85.24</td><td>34.80</td><td>10.73</td><td>37.40</td><td>0.00</td><td>100</td><td>40 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	93.37	-----	-----	85.24	34.80	10.73	37.40	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5147.00	49.55	54.00	-4.45	41.74	34.60	10.65	37.44	0.00	100	40 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5250.00	93.37	-----	-----	85.24	34.80	10.73	37.40	0.00	100	40 AVERAGE																																																																																																				



Mode	65																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.35_802.11be EHT160_CH50_Puncturing 40M① 5250MHz																																																							
ANT	CDD 1+2																																																							
Pol.	Vertical						Fundamental																																																	
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5356.47</td><td>58.38</td><td>74.00</td><td>-15.62</td><td>50.06</td><td>34.81</td><td>10.85</td><td>37.34</td><td>0.00</td><td>100</td><td>40 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.47	58.38	74.00	-15.62	50.06	34.81	10.85	37.34	0.00	100	40 PEAK	Blank				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5356.47	58.38	74.00	-15.62	50.06	34.81	10.85	37.34	0.00	100	40 PEAK																																													
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5352.27</td><td>47.45</td><td>54.00</td><td>-6.55</td><td>39.16</td><td>34.80</td><td>10.84</td><td>37.35</td><td>0.00</td><td>100</td><td>40 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.27	47.45	54.00	-6.55	39.16	34.80	10.84	37.35	0.00	100	40 AVERAGE	Blank				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5352.27	47.45	54.00	-6.55	39.16	34.80	10.84	37.35	0.00	100	40 AVERAGE																																													







		66																																																					
Mode		Band Edge - L																																																					
		U-NII-1_5.15-5.35_802.11be EHT160_CH50_Puncturing 40M 5250MHz																																																					
ANT		CDD 1+2																																																					
Pol.		Horizontal					Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5126.75</td><td>58.99</td><td>74.00</td><td>-15.01</td><td>51.20</td><td>34.60</td><td>10.63</td><td>37.44</td><td>0.00</td><td>100</td><td>47 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5126.75	58.99	74.00	-15.01	51.20	34.60	10.63	37.44	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5126.75	58.99	74.00	-15.01	51.20	34.60	10.63	37.44	0.00	100	47 PEAK																																												
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5105.75</td><td>47.77</td><td>54.00</td><td>-6.23</td><td>40.01</td><td>34.60</td><td>10.61</td><td>37.45</td><td>0.00</td><td>100</td><td>47 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5105.75	47.77	54.00	-6.23	40.01	34.60	10.61	37.45	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5105.75	47.77	54.00	-6.23	40.01	34.60	10.61	37.45	0.00	100	47 AVERAGE																																												
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>95.53</td><td>-----</td><td>-----</td><td>87.40</td><td>34.80</td><td>10.73</td><td>37.40</td><td>0.00</td><td>100</td><td>47 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	95.53	-----	-----	87.40	34.80	10.73	37.40	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5250.00	95.53	-----	-----	87.40	34.80	10.73	37.40	0.00	100	47 PEAK																																												
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>86.56</td><td>-----</td><td>-----</td><td>78.45</td><td>34.80</td><td>10.72</td><td>37.41</td><td>0.00</td><td>100</td><td>47 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	86.56	-----	-----	78.45	34.80	10.72	37.41	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5250.00	86.56	-----	-----	78.45	34.80	10.72	37.41	0.00	100	47 AVERAGE																																												





Mode	66																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.35_802.11be EHT160_CH50_Puncturing 40M ① 5250MHz																																																					
ANT	CDD 1+2																																																					
Pol.	Horizontal										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5443.83</td><td>57.28</td><td>74.00</td><td>-16.72</td><td>48.65</td><td>34.99</td><td>10.95</td><td>37.31</td><td>0.00</td><td>100</td><td>47 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5443.83	57.28	74.00	-16.72	48.65	34.99	10.95	37.31	0.00	100	47 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5443.83	57.28	74.00	-16.72	48.65	34.99	10.95	37.31	0.00	100	47 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.53</td><td>45.93</td><td>54.00</td><td>-8.07</td><td>37.28</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>100</td><td>47 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.53	45.93	54.00	-8.07	37.28	34.98	10.97	37.30	0.00	100	47 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5458.53	45.93	54.00	-8.07	37.28	34.98	10.97	37.30	0.00	100	47 AVERAGE																																											







Mode	66																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.35_802.11be EHT160_CH50_Puncturing 40M①5250MHz																																																																																																		
ANT	CDD 1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5120.25</td><td>59.27</td><td>74.00</td><td>-14.73</td><td>51.50</td><td>34.60</td><td>10.62</td><td>37.45</td><td>0.00</td><td>122 58 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5120.25	59.27	74.00	-14.73	51.50	34.60	10.62	37.45	0.00	122 58 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>100.66</td><td>-----</td><td>-----</td><td>92.51</td><td>34.76</td><td>10.77</td><td>37.38</td><td>0.00</td><td>122 58 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	100.66	-----	-----	92.51	34.76	10.77	37.38	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5120.25	59.27	74.00	-14.73	51.50	34.60	10.62	37.45	0.00	122 58 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5250.00	100.66	-----	-----	92.51	34.76	10.77	37.38	0.00	122 58 PEAK																																																																																									
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5145.25</td><td>48.31</td><td>54.00</td><td>-5.69</td><td>40.50</td><td>34.60</td><td>10.65</td><td>37.44</td><td>0.00</td><td>122 58 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.25	48.31	54.00	-5.69	40.50	34.60	10.65	37.44	0.00	122 58 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>92.13</td><td>-----</td><td>-----</td><td>83.99</td><td>34.80</td><td>10.74</td><td>37.40</td><td>0.00</td><td>122 58 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	92.13	-----	-----	83.99	34.80	10.74	37.40	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5145.25	48.31	54.00	-5.69	40.50	34.60	10.65	37.44	0.00	122 58 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5250.00	92.13	-----	-----	83.99	34.80	10.74	37.40	0.00	122 58 AVERAGE																																																																																									




Mode	66																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.35_802.11be EHT160_CH50_Puncturing 40M 5250MHz																																																							
ANT	CDD 1+2																																																							
Pol.	Vertical										Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5409.18</td><td>57.94</td><td>74.00</td><td>-16.06</td><td>49.44</td><td>34.92</td><td>10.90</td><td>37.32</td><td>0.00</td><td>122</td><td>58 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5409.18	57.94	74.00	-16.06	49.44	34.92	10.90	37.32	0.00	122	58 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5409.18	57.94	74.00	-16.06	49.44	34.92	10.90	37.32	0.00	122	58 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>46.29</td><td>54.00</td><td>-7.71</td><td>37.64</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>122</td><td>58 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	46.29	54.00	-7.71	37.64	34.98	10.97	37.30	0.00	122	58 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5460.00	46.29	54.00	-7.71	37.64	34.98	10.97	37.30	0.00	122	58 AVERAGE																																													







Mode	67																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 20M①5570MHz																																																																																																																																			
ANT	CDD 1+2																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5421.94</td><td>57.48</td><td>74.00</td><td>-16.52</td><td>48.94</td><td>34.94</td><td>10.92</td><td>37.32</td><td>0.00</td><td>107</td><td>313 PEAK</td></tr><tr><td>2</td><td>5463.52</td><td>56.74</td><td>68.20</td><td>-11.46</td><td>48.10</td><td>34.97</td><td>10.97</td><td>37.30</td><td>0.00</td><td>107</td><td>313 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5421.94	57.48	74.00	-16.52	48.94	34.94	10.92	37.32	0.00	107	313 PEAK	2	5463.52	56.74	68.20	-11.46	48.10	34.97	10.97	37.30	0.00	107	313 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>99.29</td><td>-----</td><td>-----</td><td>90.43</td><td>34.90</td><td>11.19</td><td>37.23</td><td>0.00</td><td>107</td><td>313 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5570.00	99.29	-----	-----	90.43	34.90	11.19	37.23	0.00	107	313 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5421.94	57.48	74.00	-16.52	48.94	34.94	10.92	37.32	0.00	107	313 PEAK																																																																																																																									
2	5463.52	56.74	68.20	-11.46	48.10	34.97	10.97	37.30	0.00	107	313 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																									
1	5570.00	99.29	-----	-----	90.43	34.90	11.19	37.23	0.00	107	313 PEAK																																																																																																																									
Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>46.65</td><td>54.00</td><td>-7.35</td><td>38.00</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>107</td><td>313 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5460.00	46.65	54.00	-7.35	38.00	34.98	10.97	37.30	0.00	107	313 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>89.48</td><td>-----</td><td>-----</td><td>80.76</td><td>34.90</td><td>11.08</td><td>37.26</td><td>0.00</td><td>107</td><td>313 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5570.00	89.48	-----	-----	80.76	34.90	11.08	37.26	0.00	107	313 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																									
1	5460.00	46.65	54.00	-7.35	38.00	34.98	10.97	37.30	0.00	107	313 AVERAGE																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																									
1	5570.00	89.48	-----	-----	80.76	34.90	11.08	37.26	0.00	107	313 AVERAGE																																																																																																																									




Mode	67																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 20MHz 5570MHz																																																						
ANT	CDD 1+2																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.32</td><td>57.79</td><td>68.20</td><td>-10.41</td><td>49.06</td><td>34.96</td><td>11.34</td><td>37.57</td><td>0.00</td><td>107</td><td>313</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.32	57.79	68.20	-10.41	49.06	34.96	11.34	37.57	0.00	107	313	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5729.32	57.79	68.20	-10.41	49.06	34.96	11.34	37.57	0.00	107	313	PEAK																																											







Mode	67																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 20M①5570MHz																																																																																																															
ANT	CDD 1+2																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5431.62</td><td>58.97</td><td>74.00</td><td>-15.03</td><td>50.39</td><td>34.96</td><td>10.93</td><td>37.31</td><td>0.00</td><td>100</td><td>38 PEAK</td></tr><tr><td>2</td><td>5467.04</td><td>57.85</td><td>68.20</td><td>-10.35</td><td>49.20</td><td>34.97</td><td>10.98</td><td>37.30</td><td>0.00</td><td>100</td><td>38 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5431.62	58.97	74.00	-15.03	50.39	34.96	10.93	37.31	0.00	100	38 PEAK	2	5467.04	57.85	68.20	-10.35	49.20	34.97	10.98	37.30	0.00	100	38 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>103.58</td><td>-----</td><td>-----</td><td>94.78</td><td>34.90</td><td>11.14</td><td>37.24</td><td>0.00</td><td>100</td><td>38 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	103.58	-----	-----	94.78	34.90	11.14	37.24	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5431.62	58.97	74.00	-15.03	50.39	34.96	10.93	37.31	0.00	100	38 PEAK																																																																																																					
2	5467.04	57.85	68.20	-10.35	49.20	34.97	10.98	37.30	0.00	100	38 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	103.58	-----	-----	94.78	34.90	11.14	37.24	0.00	100	38 PEAK																																																																																																					
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.50</td><td>48.30</td><td>54.00</td><td>-5.70</td><td>39.65</td><td>34.99</td><td>10.96</td><td>37.30</td><td>0.00</td><td>100</td><td>38 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.50	48.30	54.00	-5.70	39.65	34.99	10.96	37.30	0.00	100	38 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>93.59</td><td>-----</td><td>-----</td><td>84.86</td><td>34.90</td><td>11.09</td><td>37.26</td><td>0.00</td><td>100</td><td>38 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	93.59	-----	-----	84.86	34.90	11.09	37.26	0.00	100	38 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5454.50	48.30	54.00	-5.70	39.65	34.99	10.96	37.30	0.00	100	38 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	93.59	-----	-----	84.86	34.90	11.09	37.26	0.00	100	38 AVERAGE																																																																																																					




Mode	67																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 20MHz 5570MHz																																																						
ANT	CDD 1+2																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5735.75</td><td>58.71</td><td>68.20</td><td>-9.49</td><td>49.98</td><td>34.97</td><td>11.35</td><td>37.59</td><td>0.00</td><td>100</td><td>38</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5735.75	58.71	68.20	-9.49	49.98	34.97	11.35	37.59	0.00	100	38	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5735.75	58.71	68.20	-9.49	49.98	34.97	11.35	37.59	0.00	100	38	PEAK																																											







Mode	68																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 20M 5570MHz																																																																																																			
ANT	CDD 1+2																																																																																																			
Pol.	Horizontal					Fundamental																																																																																														
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5422.16</td><td>57.67</td><td>74.00</td><td>-16.33</td><td>49.13</td><td>34.94</td><td>10.92</td><td>37.32</td><td>102 316 PEAK</td></tr><tr><td>2</td><td>5460.22</td><td>59.65</td><td>68.20</td><td>-8.55</td><td>51.00</td><td>34.98</td><td>10.97</td><td>37.30</td><td>102 316 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5422.16	57.67	74.00	-16.33	49.13	34.94	10.92	37.32	102 316 PEAK	2	5460.22	59.65	68.20	-8.55	51.00	34.98	10.97	37.30	102 316 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5570.00</td><td>98.98</td><td>-----</td><td>-----</td><td>90.24</td><td>34.90</td><td>11.10</td><td>37.26</td><td>102 316 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5570.00	98.98	-----	-----	90.24	34.90	11.10	37.26	102 316 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																											
1	5422.16	57.67	74.00	-16.33	49.13	34.94	10.92	37.32	102 316 PEAK																																																																																											
2	5460.22	59.65	68.20	-8.55	51.00	34.98	10.97	37.30	102 316 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																											
1	5570.00	98.98	-----	-----	90.24	34.90	11.10	37.26	102 316 PEAK																																																																																											
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5460.00</td><td>47.27</td><td>54.00</td><td>-6.73</td><td>38.62</td><td>34.98</td><td>10.97</td><td>37.30</td><td>102 316 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5460.00	47.27	54.00	-6.73	38.62	34.98	10.97	37.30	102 316 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5570.00</td><td>89.64</td><td>-----</td><td>-----</td><td>80.88</td><td>34.90</td><td>11.11</td><td>37.25</td><td>102 316 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5570.00	89.64	-----	-----	80.88	34.90	11.11	37.25	102 316 AVERAGE										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																											
1	5460.00	47.27	54.00	-6.73	38.62	34.98	10.97	37.30	102 316 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																											
1	5570.00	89.64	-----	-----	80.88	34.90	11.11	37.25	102 316 AVERAGE																																																																																											



Mode	68																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 20MHz 5570MHz																																																							
ANT	CDD 1+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5738.09</td><td>58.03</td><td>68.20</td><td>-10.17</td><td>49.30</td><td>34.98</td><td>11.35</td><td>37.60</td><td>0.00</td><td>102</td><td>316</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5738.09	58.03	68.20	-10.17	49.30	34.98	11.35	37.60	0.00	102	316	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5738.09	58.03	68.20	-10.17	49.30	34.98	11.35	37.60	0.00	102	316	PEAK																																												







		68																																																																																																																										
Mode		Band Edge - L																																																																																																																										
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 20MHz 5570MHz																																																																																																																										
ANT		CDD 1+2																																																																																																																										
Pol.		Vertical					Fundamental																																																																																																																					
Peak																																																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.84	59.75	74.00	-14.25	51.10	34.99	10.96	37.30	0.00	100	40 PEAK	2	5468.36	58.44	68.20	-9.76	49.80	34.96	10.98	37.30	0.00	100	40 PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	104.06	-----	-----	95.36	34.90	11.07	37.27	0.00	100	40 PEAK	Avg																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5453.84	59.75	74.00	-14.25	51.10	34.99	10.96	37.30	0.00	100	40 PEAK																																																																																																																	
2	5468.36	58.44	68.20	-9.76	49.80	34.96	10.98	37.30	0.00	100	40 PEAK																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5570.00	104.06	-----	-----	95.36	34.90	11.07	37.27	0.00	100	40 PEAK																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.08	49.46	54.00	-4.54	40.80	35.00	10.96	37.30	0.00	100	40 AVERAGE		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	95.43	-----	-----	86.63	34.90	11.14	37.24	0.00	100	40 AVERAGE																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5452.08	49.46	54.00	-4.54	40.80	35.00	10.96	37.30	0.00	100	40 AVERAGE																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5570.00	95.43	-----	-----	86.63	34.90	11.14	37.24	0.00	100	40 AVERAGE																																																																																																																	




Mode	68																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 20MHz 5570MHz																																																					
ANT	CDD 1+2																																																					
Pol.	Vertical						Fundamental																																															
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.73</td><td>60.36</td><td>68.20</td><td>-7.84</td><td>51.62</td><td>34.96</td><td>11.34</td><td>37.56</td><td>0.00</td><td>100</td><td>40 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.73	60.36	68.20	-7.84	51.62	34.96	11.34	37.56	0.00	100	40 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5726.73	60.36	68.20	-7.84	51.62	34.96	11.34	37.56	0.00	100	40 PEAK																																											







Mode	69																																																																			
	Band Edge - L																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 40M①5570MHz																																																																			
ANT	CDD 1+2																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5367.82</td><td>57.11</td><td>74.00</td><td>-16.89</td><td>48.75</td><td>34.84</td><td>10.86</td><td>37.34</td><td>0.00</td><td>100</td><td>314 PEAK</td></tr><tr><td>2</td><td>5467.26</td><td>57.41</td><td>68.20</td><td>-10.79</td><td>48.76</td><td>34.97</td><td>10.98</td><td>37.30</td><td>0.00</td><td>100</td><td>314 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5367.82	57.11	74.00	-16.89	48.75	34.84	10.86	37.34	0.00	100	314 PEAK	2	5467.26	57.41	68.20	-10.79	48.76	34.97	10.98	37.30	0.00	100	314 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5367.82	57.11	74.00	-16.89	48.75	34.84	10.86	37.34	0.00	100	314 PEAK																																																									
2	5467.26	57.41	68.20	-10.79	48.76	34.97	10.98	37.30	0.00	100	314 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>98.80</td><td>-----</td><td>-----</td><td>89.99</td><td>34.90</td><td>11.15</td><td>37.24</td><td>0.00</td><td>100</td><td>314 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	98.80	-----	-----	89.99	34.90	11.15	37.24	0.00	100	314 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5570.00	98.80	-----	-----	89.99	34.90	11.15	37.24	0.00	100	314 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>46.78</td><td>54.00</td><td>-7.22</td><td>38.13</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>100</td><td>314 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	46.78	54.00	-7.22	38.13	34.98	10.97	37.30	0.00	100	314 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5460.00	46.78	54.00	-7.22	38.13	34.98	10.97	37.30	0.00	100	314 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>89.83</td><td>-----</td><td>-----</td><td>81.07</td><td>34.90</td><td>11.11</td><td>37.25</td><td>0.00</td><td>100</td><td>314 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	89.83	-----	-----	81.07	34.90	11.11	37.25	0.00	100	314 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5570.00	89.83	-----	-----	81.07	34.90	11.11	37.25	0.00	100	314 AVERAGE																																																									




Mode	69																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 40M①5570MHz																																																								
ANT	CDD 1+2																																																								
Pol.	Horizontal						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.46</td><td>57.63</td><td>68.20</td><td>-10.57</td><td>48.90</td><td>34.96</td><td>11.34</td><td>37.57</td><td>0.00</td><td>100</td><td>314</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5731.46	57.63	68.20	-10.57	48.90	34.96	11.34	37.57	0.00	100	314	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5731.46	57.63	68.20	-10.57	48.90	34.96	11.34	37.57	0.00	100	314	PEAK																																													







		69																																																						
Mode		Band Edge - L																																																						
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 40M①5570MHz																																																						
ANT		CDD 1+2																																																						
Pol.		Vertical					Fundamental																																																	
Peak																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.20	58.49	74.00	-15.51	50.20	34.80	10.84	37.35	0.00	100	39 PEAK	2	5465.28	59.66	68.20	-8.54	51.02	34.97	10.97	37.30	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5352.20	58.49	74.00	-15.51	50.20	34.80	10.84	37.35	0.00	100	39 PEAK																																													
2	5465.28	59.66	68.20	-8.54	51.02	34.97	10.97	37.30	0.00	100	39 PEAK																																													
Avg																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.40	48.67	54.00	-5.33	40.02	34.99	10.96	37.30	0.00	100	39 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5453.40	48.67	54.00	-5.33	40.02	34.99	10.96	37.30	0.00	100	39 AVERAGE																																													
Peak																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	106.29	-----	-----	97.56	34.90	11.09	37.26	0.00	100	39 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5570.00	106.29	-----	-----	97.56	34.90	11.09	37.26	0.00	100	39 PEAK																																													
Avg																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	95.51	-----	-----	86.71	34.90	11.14	37.24	0.00	100	39 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5570.00	95.51	-----	-----	86.71	34.90	11.14	37.24	0.00	100	39 AVERAGE																																													



Mode	69																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 40M①5570MHz																																													
ANT	CDD 1+2																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5764.61</td><td>59.10</td><td>68.20</td><td>-9.10</td><td>50.30</td><td>35.03</td><td>11.39</td><td>37.70</td><td>0.00</td><td>100</td><td>39</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5764.61	59.10	68.20	-9.10	50.30	35.03	11.39	37.70	0.00	100	39	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5764.61	59.10	68.20	-9.10	50.30	35.03	11.39	37.70	0.00	100	39	PEAK																																		







Mode	70																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 40M①5570MHz																																																																																																			
ANT	CDD 1+2																																																																																																			
Pol.	Horizontal					Fundamental																																																																																														
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5431.40</td><td>58.82</td><td>74.00</td><td>-15.18</td><td>50.24</td><td>34.96</td><td>10.93</td><td>37.31</td><td>0.00</td></tr><tr><td>2</td><td>5462.64</td><td>59.29</td><td>68.20</td><td>-8.91</td><td>50.65</td><td>34.97</td><td>10.97</td><td>37.30</td><td>0.00</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5431.40	58.82	74.00	-15.18	50.24	34.96	10.93	37.31	0.00	2	5462.64	59.29	68.20	-8.91	50.65	34.97	10.97	37.30	0.00	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5570.00</td><td>99.29</td><td>-----</td><td>-----</td><td>90.48</td><td>34.90</td><td>11.15</td><td>37.24</td><td>0.00</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5570.00	99.29	-----	-----	90.48	34.90	11.15	37.24	0.00
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																											
1	5431.40	58.82	74.00	-15.18	50.24	34.96	10.93	37.31	0.00																																																																																											
2	5462.64	59.29	68.20	-8.91	50.65	34.97	10.97	37.30	0.00																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																											
1	5570.00	99.29	-----	-----	90.48	34.90	11.15	37.24	0.00																																																																																											
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5445.26</td><td>47.24</td><td>54.00</td><td>-6.76</td><td>38.61</td><td>34.99</td><td>10.95</td><td>37.31</td><td>0.00</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5445.26	47.24	54.00	-6.76	38.61	34.99	10.95	37.31	0.00	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5570.00</td><td>90.75</td><td>-----</td><td>-----</td><td>81.99</td><td>34.90</td><td>11.11</td><td>37.25</td><td>0.00</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5570.00	90.75	-----	-----	81.99	34.90	11.11	37.25	0.00										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																											
1	5445.26	47.24	54.00	-6.76	38.61	34.99	10.95	37.31	0.00																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																											
1	5570.00	90.75	-----	-----	81.99	34.90	11.11	37.25	0.00																																																																																											




Mode	70																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 40M①5570MHz																																																							
ANT	CDD 1+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5750.18</td><td>58.53</td><td>68.20</td><td>-9.67</td><td>49.81</td><td>35.00</td><td>11.37</td><td>37.65</td><td>0.00</td><td>100</td><td>316</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5750.18	58.53	68.20	-9.67	49.81	35.00	11.37	37.65	0.00	100	316	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5750.18	58.53	68.20	-9.67	49.81	35.00	11.37	37.65	0.00	100	316	PEAK																																												







Mode	70																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 40M①5570MHz																																																																																																																
ANT	CDD 1+2																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.38</td><td>60.92</td><td>74.00</td><td>-13.08</td><td>52.27</td><td>34.99</td><td>10.96</td><td>37.30</td><td>0.00</td><td>101</td><td>39 PEAK</td></tr><tr><td>2</td><td>5468.80</td><td>60.73</td><td>68.20</td><td>-7.47</td><td>52.08</td><td>34.96</td><td>10.98</td><td>37.29</td><td>0.00</td><td>101</td><td>39 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.38	60.92	74.00	-13.08	52.27	34.99	10.96	37.30	0.00	101	39 PEAK	2	5468.80	60.73	68.20	-7.47	52.08	34.96	10.98	37.29	0.00	101	39 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>106.17</td><td>-----</td><td>-----</td><td>97.44</td><td>34.90</td><td>11.09</td><td>37.26</td><td>0.00</td><td>101</td><td>39 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	106.17	-----	-----	97.44	34.90	11.09	37.26	0.00	101	39 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5455.38	60.92	74.00	-13.08	52.27	34.99	10.96	37.30	0.00	101	39 PEAK																																																																																																						
2	5468.80	60.73	68.20	-7.47	52.08	34.96	10.98	37.29	0.00	101	39 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	106.17	-----	-----	97.44	34.90	11.09	37.26	0.00	101	39 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5435.36</td><td>49.88</td><td>54.00</td><td>-4.12</td><td>41.28</td><td>34.97</td><td>10.94</td><td>37.31</td><td>0.00</td><td>101</td><td>39 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5435.36	49.88	54.00	-4.12	41.28	34.97	10.94	37.31	0.00	101	39 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>96.38</td><td>-----</td><td>-----</td><td>87.58</td><td>34.90</td><td>11.14</td><td>37.24</td><td>0.00</td><td>101</td><td>39 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	96.38	-----	-----	87.58	34.90	11.14	37.24	0.00	101	39 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5435.36	49.88	54.00	-4.12	41.28	34.97	10.94	37.31	0.00	101	39 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	96.38	-----	-----	87.58	34.90	11.14	37.24	0.00	101	39 AVERAGE																																																																																																						





Mode	70																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Puncturing 40M①5570MHz																																																							
ANT	CDD 1+2																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5738.87</td><td>59.00</td><td>68.20</td><td>-9.12</td><td>50.35</td><td>34.98</td><td>11.35</td><td>37.60</td><td>0.00</td><td>101</td><td>39</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5738.87	59.00	68.20	-9.12	50.35	34.98	11.35	37.60	0.00	101	39	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5738.87	59.00	68.20	-9.12	50.35	34.98	11.35	37.60	0.00	101	39	PEAK																																												







	71																																																																																																	
Mode	Band Edge - L																																																																																																	
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Large RU 484+242①5210MHz																																																																																																	
ANT	CDD 1+2																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5108.00</td><td>58.85</td><td>74.00</td><td>-15.15</td><td>51.09</td><td>34.60</td><td>10.61</td><td>37.45</td><td>0.00</td><td>100</td><td>38 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5108.00	58.85	74.00	-15.15	51.09	34.60	10.61	37.45	0.00	100	38 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5210.00</td><td>101.67</td><td>-----</td><td>-----</td><td>93.56</td><td>34.80</td><td>10.72</td><td>37.41</td><td>0.00</td><td>100</td><td>38 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5210.00	101.67	-----	-----	93.56	34.80	10.72	37.41	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5108.00	58.85	74.00	-15.15	51.09	34.60	10.61	37.45	0.00	100	38 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5210.00	101.67	-----	-----	93.56	34.80	10.72	37.41	0.00	100	38 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5144.00</td><td>48.55</td><td>54.00</td><td>-5.45</td><td>40.74</td><td>34.60</td><td>10.65</td><td>37.44</td><td>0.00</td><td>100</td><td>38 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5144.00	48.55	54.00	-5.45	40.74	34.60	10.65	37.44	0.00	100	38 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5210.00</td><td>91.16</td><td>-----</td><td>-----</td><td>83.23</td><td>34.68</td><td>10.68</td><td>37.43</td><td>0.00</td><td>100</td><td>38 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5210.00	91.16	-----	-----	83.23	34.68	10.68	37.43	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5144.00	48.55	54.00	-5.45	40.74	34.60	10.65	37.44	0.00	100	38 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5210.00	91.16	-----	-----	83.23	34.68	10.68	37.43	0.00	100	38 AVERAGE																																																																																								





Mode	71																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Large RU 484+242①5210MHz																																																						
ANT	CDD 1+2																																																						
Pol.	Horizontal							Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5309.92</td><td>56.52</td><td>74.00</td><td>-17.48</td><td>48.09</td><td>34.88</td><td>10.88</td><td>37.33</td><td>0.00</td><td>100</td><td>38</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5309.92	56.52	74.00	-17.48	48.09	34.88	10.88	37.33	0.00	100	38	PEAK	Blank			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5309.92	56.52	74.00	-17.48	48.09	34.88	10.88	37.33	0.00	100	38	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.46</td><td>46.04</td><td>54.00</td><td>-7.96</td><td>37.73</td><td>34.81</td><td>10.84</td><td>37.34</td><td>0.00</td><td>100</td><td>38</td><td>AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.46	46.04	54.00	-7.96	37.73	34.81	10.84	37.34	0.00	100	38	AVERAGE	Blank			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5354.46	46.04	54.00	-7.96	37.73	34.81	10.84	37.34	0.00	100	38	AVERAGE																																											







Mode	71																																																						
	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Large RU 484+242①5210MHz																																																						
ANT	CDD 1+2																																																						
Pol.	Vertical																																																						
Peak	Fundamental																																																						
																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.52</td><td>59.49</td><td>74.00</td><td>-14.51</td><td>51.68</td><td>34.60</td><td>10.65</td><td>37.44</td><td>0.00</td><td>136 58 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.52	59.49	74.00	-14.51	51.68	34.60	10.65	37.44	0.00	136 58 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5147.52	59.49	74.00	-14.51	51.68	34.60	10.65	37.44	0.00	136 58 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>105.72</td><td>-----</td><td>-----</td><td>97.76</td><td>34.70</td><td>10.68</td><td>37.42</td><td>0.00</td><td>136 58 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	105.72	-----	-----	97.76	34.70	10.68	37.42	0.00	136 58 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5210.00	105.72	-----	-----	97.76	34.70	10.68	37.42	0.00	136 58 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.64</td><td>49.35</td><td>54.00</td><td>-4.65</td><td>41.53</td><td>34.60</td><td>10.65</td><td>37.43</td><td>0.00</td><td>136 58 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.64	49.35	54.00	-4.65	41.53	34.60	10.65	37.43	0.00	136 58 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5148.64	49.35	54.00	-4.65	41.53	34.60	10.65	37.43	0.00	136 58 AVERAGE																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>96.89</td><td>-----</td><td>-----</td><td>88.93</td><td>34.70</td><td>10.68</td><td>37.42</td><td>0.00</td><td>136 58 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	96.89	-----	-----	88.93	34.70	10.68	37.42	0.00	136 58 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5210.00	96.89	-----	-----	88.93	34.70	10.68	37.42	0.00	136 58 AVERAGE																																													



Mode	71																																														
	Band Edge - R																																														
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Large RU 484+242①5210MHz																																														
ANT	CDD 1+2																																														
Pol.	Vertical	Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.64</td><td>57.13</td><td>74.00</td><td>-16.87</td><td>48.82</td><td>34.81</td><td>10.84</td><td>37.34</td><td>0.00</td><td>136</td><td>58 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.64	57.13	74.00	-16.87	48.82	34.81	10.84	37.34	0.00	136	58 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5354.64	57.13	74.00	-16.87	48.82	34.81	10.84	37.34	0.00	136	58 PEAK																																				
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5363.64</td><td>46.61</td><td>54.00</td><td>-7.39</td><td>38.27</td><td>34.83</td><td>10.85</td><td>37.34</td><td>0.00</td><td>136</td><td>58 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5363.64	46.61	54.00	-7.39	38.27	34.83	10.85	37.34	0.00	136	58 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5363.64	46.61	54.00	-7.39	38.27	34.83	10.85	37.34	0.00	136	58 AVERAGE																																				







		72																																																																																																													
Mode		Band Edge - L																																																																																																													
		U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Large RU 484+242 ② 5290MHz																																																																																																													
ANT		CDD 1+2																																																																																																													
Pol.		Horizontal					Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5114.40</td><td>58.51</td><td>74.00</td><td>-15.49</td><td>50.74</td><td>34.60</td><td>10.62</td><td>37.45</td><td>0.00</td><td>113</td><td>38 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5114.40	58.51	74.00	-15.49	50.74	34.60	10.62	37.45	0.00	113	38 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>103.17</td><td>-----</td><td>-----</td><td>95.02</td><td>34.79</td><td>10.75</td><td>37.39</td><td>0.00</td><td>113</td><td>38 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	103.17	-----	-----	95.02	34.79	10.75	37.39	0.00	113
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5114.40	58.51	74.00	-15.49	50.74	34.60	10.62	37.45	0.00	113	38 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	103.17	-----	-----	95.02	34.79	10.75	37.39	0.00	113	38 PEAK																																																																																																				
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5118.24</td><td>47.60</td><td>54.00</td><td>-6.40</td><td>39.83</td><td>34.60</td><td>10.62</td><td>37.45</td><td>0.00</td><td>113</td><td>38 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5118.24	47.60	54.00	-6.40	39.83	34.60	10.62	37.45	0.00	113	38 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>93.45</td><td>-----</td><td>-----</td><td>85.30</td><td>34.79</td><td>10.75</td><td>37.39</td><td>0.00</td><td>113</td><td>38 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	93.45	-----	-----	85.30	34.79	10.75	37.39	0.00	113
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5118.24	47.60	54.00	-6.40	39.83	34.60	10.62	37.45	0.00	113	38 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	93.45	-----	-----	85.30	34.79	10.75	37.39	0.00	113	38 AVERAGE																																																																																																				





Mode	72																																												
	Band Edge - R																																												
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Large RU 484+242② 5290MHz																																												
ANT	CDD 1+2																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5364.00</td><td>60.45</td><td>74.00</td><td>-13.55</td><td>52.11</td><td>34.83</td><td>10.85</td><td>37.34</td><td>0.00</td><td>113</td><td>38 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5364.00	60.45	74.00	-13.55	52.11	34.83	10.85	37.34	0.00	113	38 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5364.00	60.45	74.00	-13.55	52.11	34.83	10.85	37.34	0.00	113	38 PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5371.30</td><td>46.89</td><td>54.00</td><td>-7.11</td><td>38.53</td><td>34.84</td><td>10.86</td><td>37.34</td><td>0.00</td><td>113</td><td>38 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5371.30	46.89	54.00	-7.11	38.53	34.84	10.86	37.34	0.00	113	38 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5371.30	46.89	54.00	-7.11	38.53	34.84	10.86	37.34	0.00	113	38 AVERAGE																																		







		72																																																																																																		
Mode		Band Edge - L																																																																																																		
		U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Large RU 484+242 5290MHz																																																																																																		
ANT		CDD 1+2																																																																																																		
Pol.		Vertical					Fundamental																																																																																													
Peak																																																																																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.20	59.54	74.00	-14.46	51.73	34.60	10.65	37.44	0.00	167	65 PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	108.74	-----	-----	100.61	34.71	10.79	37.37	0.00	167	65 PEAK										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5143.20	59.54	74.00	-14.46	51.73	34.60	10.65	37.44	0.00	167	65 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5290.00	108.74	-----	-----	100.61	34.71	10.79	37.37	0.00	167	65 PEAK																																																																																									
Avg																																																																																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.48	48.68	54.00	-5.32	40.88	34.60	10.64	37.44	0.00	167	65 AVERAGE		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	99.22	-----	-----	91.07	34.79	10.75	37.39	0.00	167	65 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5136.48	48.68	54.00	-5.32	40.88	34.60	10.64	37.44	0.00	167	65 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5290.00	99.22	-----	-----	91.07	34.79	10.75	37.39	0.00	167	65 AVERAGE																																																																																									




Mode	72																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Large RU 484+242 ② 5290MHz																																																					
ANT	CDD 1+2																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.30</td><td>67.08</td><td>74.00</td><td>-6.92</td><td>50.76</td><td>34.81</td><td>10.85</td><td>37.34</td><td>0.00</td><td>167</td><td>65 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.30	67.08	74.00	-6.92	50.76	34.81	10.85	37.34	0.00	167	65 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5355.30	67.08	74.00	-6.92	50.76	34.81	10.85	37.34	0.00	167	65 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.40</td><td>50.70</td><td>54.00</td><td>-3.30</td><td>42.40</td><td>34.81</td><td>10.84</td><td>37.35</td><td>0.00</td><td>167</td><td>65 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.40	50.70	54.00	-3.30	42.40	34.81	10.84	37.35	0.00	167	65 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5353.40	50.70	54.00	-3.30	42.40	34.81	10.84	37.35	0.00	167	65 AVERAGE																																											



		73																																																																		
Mode		Band Edge - L																																																																		
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Large RU 484+242④ 5530MHz																																																																		
ANT		CDD 1+2																																																																		
Pol.		Horizontal																																																																		
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5366.80</td><td>56.51</td><td>74.00</td><td>-17.49</td><td>48.16</td><td>34.83</td><td>10.86</td><td>37.34</td><td>0.00</td><td>107</td><td>317 PEAK</td></tr><tr><td>2</td><td>5462.48</td><td>58.51</td><td>68.20</td><td>-9.69</td><td>49.86</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>107</td><td>317 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5366.80	56.51	74.00	-17.49	48.16	34.83	10.86	37.34	0.00	107	317 PEAK	2	5462.48	58.51	68.20	-9.69	49.86	34.98	10.97	37.30	0.00	107
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5366.80	56.51	74.00	-17.49	48.16	34.83	10.86	37.34	0.00	107	317 PEAK																																																									
2	5462.48	58.51	68.20	-9.69	49.86	34.98	10.97	37.30	0.00	107	317 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>101.37</td><td>-----</td><td>-----</td><td>92.65</td><td>34.90</td><td>11.08</td><td>37.26</td><td>0.00</td><td>107</td><td>317 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	101.37	-----	-----	92.65	34.90	11.08	37.26	0.00	107	317 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5530.00	101.37	-----	-----	92.65	34.90	11.08	37.26	0.00	107	317 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.28</td><td>47.00</td><td>54.00</td><td>-7.00</td><td>38.35</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>107</td><td>317 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.28	47.00	54.00	-7.00	38.35	34.98	10.97	37.30	0.00	107	317 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5459.28	47.00	54.00	-7.00	38.35	34.98	10.97	37.30	0.00	107	317 AVERAGE																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>92.42</td><td>-----</td><td>-----</td><td>83.71</td><td>34.90</td><td>11.07</td><td>37.26</td><td>0.00</td><td>107</td><td>317 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	92.42	-----	-----	83.71	34.90	11.07	37.26	0.00	107	317 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5530.00	92.42	-----	-----	83.71	34.90	11.07	37.26	0.00	107	317 AVERAGE																																																									




Mode	73																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Large RU 484+242④5530MHz																																																							
ANT	CDD 1+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5736.36</td><td>57.75</td><td>68.20</td><td>-10.45</td><td>49.02</td><td>34.97</td><td>11.35</td><td>37.59</td><td>0.00</td><td>107</td><td>317</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5736.36	57.75	68.20	-10.45	49.02	34.97	11.35	37.59	0.00	107	317	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5736.36	57.75	68.20	-10.45	49.02	34.97	11.35	37.59	0.00	107	317	PEAK																																												







		73																																																																																																																				
Mode		Band Edge - L																																																																																																																				
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Large RU 484+242④ 5530MHz																																																																																																																				
ANT		CDD 1+2																																																																																																																				
Pol.		Vertical					Fundamental																																																																																																															
Peak																																																																																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.08</td><td>60.63</td><td>74.00</td><td>-13.37</td><td>51.98</td><td>34.99</td><td>10.96</td><td>37.30</td><td>0.00</td><td>108 38 PEAK</td></tr><tr><td>2</td><td>5465.36</td><td>59.60</td><td>68.20</td><td>-8.60</td><td>50.96</td><td>34.97</td><td>10.97</td><td>37.30</td><td>0.00</td><td>108 38 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.08	60.63	74.00	-13.37	51.98	34.99	10.96	37.30	0.00	108 38 PEAK	2	5465.36	59.60	68.20	-8.60	50.96	34.97	10.97	37.30	0.00	108 38 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>107.38</td><td>-----</td><td>-----</td><td>98.68</td><td>34.90</td><td>11.07</td><td>37.27</td><td>0.00</td><td>108 38 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	107.38	-----	-----	98.68	34.90	11.07	37.27
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5456.08	60.63	74.00	-13.37	51.98	34.99	10.96	37.30	0.00	108 38 PEAK																																																																																																												
2	5465.36	59.60	68.20	-8.60	50.96	34.97	10.97	37.30	0.00	108 38 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5530.00	107.38	-----	-----	98.68	34.90	11.07	37.27	0.00	108 38 PEAK																																																																																																												
Avg																																																																																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.24</td><td>50.70</td><td>54.00</td><td>-3.30</td><td>42.05</td><td>34.99</td><td>10.96</td><td>37.30</td><td>0.00</td><td>108 38 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.24	50.70	54.00	-3.30	42.05	34.99	10.96	37.30	0.00	108 38 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>98.12</td><td>-----</td><td>-----</td><td>89.42</td><td>34.90</td><td>11.07</td><td>37.27</td><td>0.00</td><td>108 38 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	98.12	-----	-----	89.42	34.90	11.07	37.27	0.00	108 38 AVERAGE									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5456.24	50.70	54.00	-3.30	42.05	34.99	10.96	37.30	0.00	108 38 AVERAGE																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5530.00	98.12	-----	-----	89.42	34.90	11.07	37.27	0.00	108 38 AVERAGE																																																																																																												




Mode	73																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Large RU 484+242④5530MHz																																																							
ANT	CDD 1+2																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5733.96</td><td>58.79</td><td>68.20</td><td>-9.41</td><td>58.07</td><td>34.96</td><td>11.34</td><td>37.58</td><td>0.00</td><td>108</td><td>38</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5733.96	58.79	68.20	-9.41	58.07	34.96	11.34	37.58	0.00	108	38	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5733.96	58.79	68.20	-9.41	58.07	34.96	11.34	37.58	0.00	108	38	PEAK																																												







Mode	74																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Large RU 484+242② 5610MHz																																																																																																																
ANT	CDD 1+2																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5361.68</td><td>56.82</td><td>74.00</td><td>-17.18</td><td>48.49</td><td>34.82</td><td>10.85</td><td>37.34</td><td>0.00</td><td>100</td><td>314 PEAK</td></tr><tr><td>2</td><td>5462.64</td><td>57.95</td><td>68.20</td><td>-10.25</td><td>49.31</td><td>34.97</td><td>10.97</td><td>37.30</td><td>0.00</td><td>100</td><td>314 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5361.68	56.82	74.00	-17.18	48.49	34.82	10.85	37.34	0.00	100	314 PEAK	2	5462.64	57.95	68.20	-10.25	49.31	34.97	10.97	37.30	0.00	100	314 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>103.18</td><td>-----</td><td>-----</td><td>94.32</td><td>34.90</td><td>11.19</td><td>37.23</td><td>0.00</td><td>100</td><td>314 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	103.18	-----	-----	94.32	34.90	11.19	37.23	0.00	100	314 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5361.68	56.82	74.00	-17.18	48.49	34.82	10.85	37.34	0.00	100	314 PEAK																																																																																																						
2	5462.64	57.95	68.20	-10.25	49.31	34.97	10.97	37.30	0.00	100	314 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	103.18	-----	-----	94.32	34.90	11.19	37.23	0.00	100	314 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.44</td><td>45.97</td><td>54.00</td><td>-8.03</td><td>37.32</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>100</td><td>314 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	45.97	54.00	-8.03	37.32	34.98	10.97	37.30	0.00	100	314 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>93.36</td><td>-----</td><td>-----</td><td>84.57</td><td>34.90</td><td>11.13</td><td>37.24</td><td>0.00</td><td>100</td><td>314 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	93.36	-----	-----	84.57	34.90	11.13	37.24	0.00	100	314 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.44	45.97	54.00	-8.03	37.32	34.98	10.97	37.30	0.00	100	314 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	93.36	-----	-----	84.57	34.90	11.13	37.24	0.00	100	314 AVERAGE																																																																																																						




Mode	74																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Large RU 484+242②5610MHz																																													
ANT	CDD 1+2																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5763.96</td><td>58.06</td><td>68.20</td><td>-10.14</td><td>49.34</td><td>35.03</td><td>11.39</td><td>37.70</td><td>0.00</td><td>100</td><td>314</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5763.96	58.06	68.20	-10.14	49.34	35.03	11.39	37.70	0.00	100	314	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5763.96	58.06	68.20	-10.14	49.34	35.03	11.39	37.70	0.00	100	314	PEAK																																		






Mode	74																																																																	
	Band Edge - L																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Large RU 484+242②5610MHz																																																																	
ANT	CDD 1+2																																																																	
Pol.	Vertical																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5426.80</td><td>57.71</td><td>74.00</td><td>-16.29</td><td>49.15</td><td>34.95</td><td>10.92</td><td>37.31</td><td>0.00</td><td>110 36 PEAK</td></tr><tr><td>2</td><td>5462.48</td><td>59.69</td><td>68.20</td><td>-8.51</td><td>51.04</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>110 36 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5426.80	57.71	74.00	-16.29	49.15	34.95	10.92	37.31	0.00	110 36 PEAK	2	5462.48	59.69	68.20	-8.51	51.04	34.98	10.97	37.30	0.00	110 36 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5426.80	57.71	74.00	-16.29	49.15	34.95	10.92	37.31	0.00	110 36 PEAK																																																								
2	5462.48	59.69	68.20	-8.51	51.04	34.98	10.97	37.30	0.00	110 36 PEAK																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>109.76</td><td>-----</td><td>-----</td><td>100.91</td><td>34.90</td><td>11.18</td><td>37.23</td><td>0.00</td><td>110 36 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	109.76	-----	-----	100.91	34.90	11.18	37.23	0.00	110 36 PEAK											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5610.00	109.76	-----	-----	100.91	34.90	11.18	37.23	0.00	110 36 PEAK																																																								
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.40</td><td>47.89</td><td>54.00</td><td>-6.11</td><td>39.24</td><td>34.99</td><td>10.96</td><td>37.30</td><td>0.00</td><td>110 36 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.40	47.89	54.00	-6.11	39.24	34.99	10.96	37.30	0.00	110 36 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5456.40	47.89	54.00	-6.11	39.24	34.99	10.96	37.30	0.00	110 36 AVERAGE																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>100.10</td><td>-----</td><td>-----</td><td>91.26</td><td>34.90</td><td>11.17</td><td>37.23</td><td>0.00</td><td>110 36 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	100.10	-----	-----	91.26	34.90	11.17	37.23	0.00	110 36 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5610.00	100.10	-----	-----	91.26	34.90	11.17	37.23	0.00	110 36 AVERAGE																																																								




Mode	74																																														
	Band Edge - R																																														
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Large RU 484+242②5610MHz																																														
ANT	CDD 1+2																																														
Pol.	Vertical	Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.96</td><td>59.81</td><td>68.20</td><td>-8.39</td><td>51.09</td><td>35.01</td><td>11.38</td><td>37.67</td><td>0.00</td><td>110</td><td>36 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.96	59.81	68.20	-8.39	51.09	35.01	11.38	37.67	0.00	110	36 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5755.96	59.81	68.20	-8.39	51.09	35.01	11.38	37.67	0.00	110	36 PEAK																																				



Mode	75																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242①5775MHz																																																																																																																																								
ANT	CDD 1+2																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5639.60</td><td>53.64</td><td>68.20</td><td>-14.56</td><td>44.75</td><td>34.90</td><td>11.21</td><td>37.22</td><td>0.00</td><td>104</td><td>42 PEAK</td></tr><tr><td>2</td><td>5653.60</td><td>56.10</td><td>70.88</td><td>-14.78</td><td>47.24</td><td>34.90</td><td>11.23</td><td>37.27</td><td>0.00</td><td>104</td><td>42 PEAK</td></tr><tr><td>3</td><td>5711.20</td><td>60.74</td><td>108.44</td><td>-47.70</td><td>52.01</td><td>34.92</td><td>11.31</td><td>37.50</td><td>0.00</td><td>104</td><td>42 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>56.60</td><td>111.81</td><td>-55.21</td><td>47.87</td><td>34.94</td><td>11.32</td><td>37.53</td><td>0.00</td><td>104</td><td>42 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5639.60	53.64	68.20	-14.56	44.75	34.90	11.21	37.22	0.00	104	42 PEAK	2	5653.60	56.10	70.88	-14.78	47.24	34.90	11.23	37.27	0.00	104	42 PEAK	3	5711.20	60.74	108.44	-47.70	52.01	34.92	11.31	37.50	0.00	104	42 PEAK	4	5720.40	56.60	111.81	-55.21	47.87	34.94	11.32	37.53	0.00	104	42 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>102.82</td><td>-----</td><td>-----</td><td>94.10</td><td>34.98</td><td>11.35</td><td>37.61</td><td>0.00</td><td>104</td><td>42 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	102.82	-----	-----	94.10	34.98	11.35	37.61	0.00	104	42 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5639.60	53.64	68.20	-14.56	44.75	34.90	11.21	37.22	0.00	104	42 PEAK																																																																																																																														
2	5653.60	56.10	70.88	-14.78	47.24	34.90	11.23	37.27	0.00	104	42 PEAK																																																																																																																														
3	5711.20	60.74	108.44	-47.70	52.01	34.92	11.31	37.50	0.00	104	42 PEAK																																																																																																																														
4	5720.40	56.60	111.81	-55.21	47.87	34.94	11.32	37.53	0.00	104	42 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5775.00	102.82	-----	-----	94.10	34.98	11.35	37.61	0.00	104	42 PEAK																																																																																																																														
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>93.19</td><td>-----</td><td>-----</td><td>84.46</td><td>34.97</td><td>11.34</td><td>37.58</td><td>0.00</td><td>104</td><td>42 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	93.19	-----	-----	84.46	34.97	11.34	37.58	0.00	104	42 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5775.00	93.19	-----	-----	84.46	34.97	11.34	37.58	0.00	104	42 AVERAGE																																																																																																																														




Mode	75																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242①5775MHz																																																																														
ANT	CDD 1+2																																																																														
Pol.	Horizontal	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.80</td><td>53.05</td><td>111.36</td><td>-58.31</td><td>44.21</td><td>35.11</td><td>11.49</td><td>37.76</td><td>0.00</td><td>104</td><td>42 PEAK</td></tr><tr><td>2 5873.60</td><td>51.66</td><td>105.69</td><td>-54.03</td><td>42.73</td><td>35.15</td><td>11.51</td><td>37.73</td><td>0.00</td><td>104</td><td>42 PEAK</td></tr><tr><td>3 5923.60</td><td>48.02</td><td>69.23</td><td>-21.21</td><td>38.84</td><td>35.29</td><td>11.55</td><td>37.66</td><td>0.00</td><td>104</td><td>42 PEAK</td></tr><tr><td>4 5933.20</td><td>49.80</td><td>68.20</td><td>-18.40</td><td>40.56</td><td>35.33</td><td>11.56</td><td>37.65</td><td>0.00</td><td>104</td><td>42 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.80	53.05	111.36	-58.31	44.21	35.11	11.49	37.76	0.00	104	42 PEAK	2 5873.60	51.66	105.69	-54.03	42.73	35.15	11.51	37.73	0.00	104	42 PEAK	3 5923.60	48.02	69.23	-21.21	38.84	35.29	11.55	37.66	0.00	104	42 PEAK	4 5933.20	49.80	68.20	-18.40	40.56	35.33	11.56	37.65	0.00	104	42 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1 5854.80	53.05	111.36	-58.31	44.21	35.11	11.49	37.76	0.00	104	42 PEAK																																																																					
2 5873.60	51.66	105.69	-54.03	42.73	35.15	11.51	37.73	0.00	104	42 PEAK																																																																					
3 5923.60	48.02	69.23	-21.21	38.84	35.29	11.55	37.66	0.00	104	42 PEAK																																																																					
4 5933.20	49.80	68.20	-18.40	40.56	35.33	11.56	37.65	0.00	104	42 PEAK																																																																					



		75																																																																																					
Mode		Band Edge - L																																																																																					
		U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242①5775MHz																																																																																					
ANT		CDD 1+2																																																																																					
Pol.		Vertical					Fundamental																																																																																
Peak																																																																																							
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5636.40</td><td>58.62</td><td>68.20</td><td>-9.58</td><td>49.74</td><td>34.90</td><td>11.20</td><td>37.22</td><td>0.00</td><td>100</td><td>30 PEAK</td></tr><tr><td>2 5658.00</td><td>55.94</td><td>68.20</td><td>-12.26</td><td>47.08</td><td>34.90</td><td>11.22</td><td>37.26</td><td>0.00</td><td>100</td><td>30 PEAK</td></tr><tr><td>3 5701.20</td><td>63.51</td><td>105.64</td><td>-42.13</td><td>54.78</td><td>34.90</td><td>11.29</td><td>37.46</td><td>0.00</td><td>100</td><td>30 PEAK</td></tr><tr><td>4 5720.00</td><td>65.00</td><td>110.90</td><td>-45.90</td><td>56.27</td><td>34.94</td><td>11.32</td><td>37.53</td><td>0.00</td><td>100</td><td>30 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5636.40	58.62	68.20	-9.58	49.74	34.90	11.20	37.22	0.00	100	30 PEAK	2 5658.00	55.94	68.20	-12.26	47.08	34.90	11.22	37.26	0.00	100	30 PEAK	3 5701.20	63.51	105.64	-42.13	54.78	34.90	11.29	37.46	0.00	100	30 PEAK	4 5720.00	65.00	110.90	-45.90	56.27	34.94	11.32	37.53	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5636.40	58.62	68.20	-9.58	49.74	34.90	11.20	37.22	0.00	100	30 PEAK																																																																													
2 5658.00	55.94	68.20	-12.26	47.08	34.90	11.22	37.26	0.00	100	30 PEAK																																																																													
3 5701.20	63.51	105.64	-42.13	54.78	34.90	11.29	37.46	0.00	100	30 PEAK																																																																													
4 5720.00	65.00	110.90	-45.90	56.27	34.94	11.32	37.53	0.00	100	30 PEAK																																																																													
Avg																																																																																							
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>111.86</td><td>-----</td><td>-----</td><td>103.14</td><td>34.98</td><td>11.35</td><td>37.61</td><td>0.00</td><td>100</td><td>30 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	111.86	-----	-----	103.14	34.98	11.35	37.61	0.00	100	30 PEAK																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5775.00	111.86	-----	-----	103.14	34.98	11.35	37.61	0.00	100	30 PEAK																																																																													





Mode	75																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242①5775MHz																																																																																						
ANT	CDD 1+2																																																																																						
Pol.	Vertical	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>61.87</td><td>111.36</td><td>-49.49</td><td>53.03</td><td>35.11</td><td>11.49</td><td>37.76</td><td>0.00</td><td>100</td><td>30</td><td>PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>60.25</td><td>106.25</td><td>-46.00</td><td>51.34</td><td>35.14</td><td>11.51</td><td>37.74</td><td>0.00</td><td>100</td><td>30</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>52.62</td><td>68.35</td><td>-15.73</td><td>43.43</td><td>35.30</td><td>11.55</td><td>37.66</td><td>0.00</td><td>100</td><td>30</td><td>PEAK</td></tr><tr><td>4</td><td>5928.00</td><td>53.43</td><td>68.20</td><td>-14.77</td><td>44.21</td><td>35.32</td><td>11.55</td><td>37.65</td><td>0.00</td><td>100</td><td>30</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	61.87	111.36	-49.49	53.03	35.11	11.49	37.76	0.00	100	30	PEAK	2	5871.60	60.25	106.25	-46.00	51.34	35.14	11.51	37.74	0.00	100	30	PEAK	3	5924.00	52.62	68.35	-15.73	43.43	35.30	11.55	37.66	0.00	100	30	PEAK	4	5928.00	53.43	68.20	-14.77	44.21	35.32	11.55	37.65	0.00	100	30	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5854.00	61.87	111.36	-49.49	53.03	35.11	11.49	37.76	0.00	100	30	PEAK																																																																											
2	5871.60	60.25	106.25	-46.00	51.34	35.14	11.51	37.74	0.00	100	30	PEAK																																																																											
3	5924.00	52.62	68.35	-15.73	43.43	35.30	11.55	37.66	0.00	100	30	PEAK																																																																											
4	5928.00	53.43	68.20	-14.77	44.21	35.32	11.55	37.65	0.00	100	30	PEAK																																																																											







		76																																																																																																		
Mode		Band Edge - L																																																																																																		
		U-NII-1_5.15-5.35_802.11be EHT160_CH50_Large RU 996+484①5250MHz																																																																																																		
ANT		CDD 1+2																																																																																																		
Pol.		Horizontal					Fundamental																																																																																													
Peak																																																																																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5132.25	59.71	74.00	-14.29	51.91	34.60	10.64	37.44	0.00	100	28 PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	97.82	-----	-----	89.76	34.78	10.70	37.42	0.00	100	28 PEAK	Avg									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5132.25	59.71	74.00	-14.29	51.91	34.60	10.64	37.44	0.00	100	28 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5250.00	97.82	-----	-----	89.76	34.78	10.70	37.42	0.00	100	28 PEAK																																																																																									
<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5132.00</td><td>49.29</td><td>54.00</td><td>-4.71</td><td>41.49</td><td>34.60</td><td>10.64</td><td>37.44</td><td>0.00</td><td>100</td><td>28 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5132.00	49.29	54.00	-4.71	41.49	34.60	10.64	37.44	0.00	100	28 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>87.83</td><td>-----</td><td>-----</td><td>79.70</td><td>34.80</td><td>10.73</td><td>37.40</td><td>0.00</td><td>100</td><td>28 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	87.83	-----	-----	79.70	34.80	10.73	37.40	0.00	100	28 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5132.00	49.29	54.00	-4.71	41.49	34.60	10.64	37.44	0.00	100	28 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5250.00	87.83	-----	-----	79.70	34.80	10.73	37.40	0.00	100	28 AVERAGE																																																																																									



Mode	76																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.35_802.11be EHT160_CH50_Large RU 996+484①5250MHz																																																							
ANT	CDD 1+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5444.46</td><td>57.01</td><td>74.00</td><td>-16.99</td><td>48.38</td><td>34.99</td><td>10.95</td><td>37.31</td><td>0.00</td><td>100</td><td>28</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5444.46	57.01	74.00	-16.99	48.38	34.99	10.95	37.31	0.00	100	28	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5444.46	57.01	74.00	-16.99	48.38	34.99	10.95	37.31	0.00	100	28	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.80</td><td>46.72</td><td>54.00</td><td>-7.28</td><td>38.07</td><td>34.99</td><td>10.96</td><td>37.30</td><td>0.00</td><td>100</td><td>28</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.80	46.72	54.00	-7.28	38.07	34.99	10.96	37.30	0.00	100	28	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5455.80	46.72	54.00	-7.28	38.07	34.99	10.96	37.30	0.00	100	28	AVERAGE																																												



		76																																																																																																		
Mode	Band Edge - L																																																																																																			
	U-NII-1_5.15-5.35_802.11be EHT160_CH50_Large RU 996+484①5250MHz																																																																																																			
ANT	CDD 1+2																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5132.50</td><td>61.77</td><td>74.00</td><td>-12.23</td><td>53.97</td><td>34.60</td><td>10.64</td><td>37.44</td><td>0.00</td><td>165</td><td>66 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5132.50	61.77	74.00	-12.23	53.97	34.60	10.64	37.44	0.00	165	66 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>103.24</td><td>-----</td><td>-----</td><td>95.10</td><td>34.80</td><td>10.74</td><td>37.40</td><td>0.00</td><td>165</td><td>66 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	103.24	-----	-----	95.10	34.80	10.74	37.40	0.00	165
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5132.50	61.77	74.00	-12.23	53.97	34.60	10.64	37.44	0.00	165	66 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5250.00	103.24	-----	-----	95.10	34.80	10.74	37.40	0.00	165	66 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5132.25</td><td>50.62</td><td>54.00</td><td>-3.38</td><td>42.82</td><td>34.60</td><td>10.64</td><td>37.44</td><td>0.00</td><td>165</td><td>66 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5132.25	50.62	54.00	-3.38	42.82	34.60	10.64	37.44	0.00	165	66 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>93.86</td><td>-----</td><td>-----</td><td>85.71</td><td>34.79</td><td>10.75</td><td>37.39</td><td>0.00</td><td>165</td><td>66 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	93.86	-----	-----	85.71	34.79	10.75	37.39	0.00	165
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5132.25	50.62	54.00	-3.38	42.82	34.60	10.64	37.44	0.00	165	66 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5250.00	93.86	-----	-----	85.71	34.79	10.75	37.39	0.00	165	66 AVERAGE																																																																																									




Mode	76																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.35_802.11be EHT160_CH50_Large RU 996+484①5250MHz																																																						
ANT	CDD 1+2																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.69</td><td>57.83</td><td>74.00</td><td>-16.17</td><td>49.53</td><td>34.81</td><td>10.84</td><td>37.35</td><td>0.00</td><td>165</td><td>66</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.69	57.83	74.00	-16.17	49.53	34.81	10.84	37.35	0.00	165	66	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5352.69	57.83	74.00	-16.17	49.53	34.81	10.84	37.35	0.00	165	66	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.01</td><td>48.26</td><td>54.00</td><td>-5.74</td><td>39.97</td><td>34.80</td><td>10.84</td><td>37.35</td><td>0.00</td><td>165</td><td>66</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.01	48.26	54.00	-5.74	39.97	34.80	10.84	37.35	0.00	165	66	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5351.01	48.26	54.00	-5.74	39.97	34.80	10.84	37.35	0.00	165	66	AVERAGE																																											







		77									
Mode	Band Edge - L										
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484①5570MHz										
ANT	CDD 1+2										
Pol.	Horizontal										
Peak	Fundamental										
	Horizontal										
Peak	Fundamental										
	Horizontal										
Avg	Fundamental										
	Horizontal										
Avg	Fundamental										
	Horizontal										




Mode	77																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484① 5570MHz																																																					
ANT	CDD 1+2																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5763.83</td><td>57.38</td><td>68.20</td><td>-10.82</td><td>48.66</td><td>35.03</td><td>11.39</td><td>37.70</td><td>0.00</td><td>105</td><td>311 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5763.83	57.38	68.20	-10.82	48.66	35.03	11.39	37.70	0.00	105	311 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5763.83	57.38	68.20	-10.82	48.66	35.03	11.39	37.70	0.00	105	311 PEAK																																											



	77																																																																																																												
Mode	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484①5570MHz																																																																																																												
ANT	CDD 1+2																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.78</td><td>58.23</td><td>74.00</td><td>-15.77</td><td>49.58</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>114 43 PEAK</td></tr><tr><td>2</td><td>5465.06</td><td>57.77</td><td>68.20</td><td>-10.43</td><td>49.13</td><td>34.97</td><td>10.97</td><td>37.30</td><td>0.00</td><td>114 43 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.78	58.23	74.00	-15.77	49.58	34.98	10.97	37.30	0.00	114 43 PEAK	2	5465.06	57.77	68.20	-10.43	49.13	34.97	10.97	37.30	0.00	114 43 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>103.91</td><td>-----</td><td>-----</td><td>95.14</td><td>34.90</td><td>11.12</td><td>37.25</td><td>0.00</td><td>114 43 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	103.91	-----	-----	95.14	34.90	11.12	37.25	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5459.78	58.23	74.00	-15.77	49.58	34.98	10.97	37.30	0.00	114 43 PEAK																																																																																																			
2	5465.06	57.77	68.20	-10.43	49.13	34.97	10.97	37.30	0.00	114 43 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5570.00	103.91	-----	-----	95.14	34.90	11.12	37.25	0.00	114 43 PEAK																																																																																																			
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5436.90</td><td>48.83</td><td>54.00</td><td>-5.17</td><td>40.23</td><td>34.97</td><td>10.94</td><td>37.31</td><td>0.00</td><td>114 43 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5436.90	48.83	54.00	-5.17	40.23	34.97	10.94	37.31	0.00	114 43 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>94.85</td><td>-----</td><td>-----</td><td>86.05</td><td>34.90</td><td>11.14</td><td>37.24</td><td>0.00</td><td>114 43 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	94.85	-----	-----	86.05	34.90	11.14	37.24	0.00	114 43 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5436.90	48.83	54.00	-5.17	40.23	34.97	10.94	37.31	0.00	114 43 AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5570.00	94.85	-----	-----	86.05	34.90	11.14	37.24	0.00	114 43 AVERAGE																																																																																																			





Mode	77																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484① 5570MHz																																																						
ANT	CDD 1+2																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5757.40</td><td>58.36</td><td>68.20</td><td>-9.84</td><td>49.64</td><td>35.01</td><td>11.38</td><td>37.67</td><td>0.00</td><td>114</td><td>43</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5757.40	58.36	68.20	-9.84	49.64	35.01	11.38	37.67	0.00	114	43	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5757.40	58.36	68.20	-9.84	49.64	35.01	11.38	37.67	0.00	114	43	PEAK																																											





Co-location mode:

Mode	78																																																																																																											
	Harmonic																																																																																																											
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH38_2478MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Horizontal						Vertical																																																																																																					
Peak Avg																																																																																																												
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>39.14</td><td>74.00</td><td>-34.86</td><td>60.84</td><td>33.90</td><td>10.44</td><td>66.04</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4956.00	39.14	74.00	-34.86	60.84	33.90	10.44	66.04	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>40.15</td><td>74.00</td><td>-33.85</td><td>61.85</td><td>33.90</td><td>10.44</td><td>66.04</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4956.00	40.15	74.00	-33.85	61.85	33.90	10.44	66.04	0.00	---	---	PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	4956.00	39.14	74.00	-34.86	60.84	33.90	10.44	66.04	0.00	---	---	PEAK																																																																																																
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	4956.00	40.15	74.00	-33.85	61.85	33.90	10.44	66.04	0.00	---	---	PEAK																																																																																																





Mode	78																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_5755MHz																																																																																																								
ANT	CDD 1+2																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>43.55</td><td>74.00</td><td>-30.45</td><td>55.99</td><td>38.11</td><td>16.13</td><td>66.68</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	43.55	74.00	-30.45	55.99	38.11	16.13	66.68	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>44.07</td><td>74.00</td><td>-29.93</td><td>56.51</td><td>38.11</td><td>16.13</td><td>66.68</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	44.07	74.00	-29.93	56.51	38.11	16.13	66.68	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11510.00	43.55	74.00	-30.45	55.99	38.11	16.13	66.68	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11510.00	44.07	74.00	-29.93	56.51	38.11	16.13	66.68	0.00	---	---	PEAK																																																																																													



Mode	79																																																																																																								
	Harmonic																																																																																																								
	2400-2483.5_2400-2483.5_802.11b_CH01_2412MHz																																																																																																								
ANT	CDD 1+2																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>40.41</td><td>74.00</td><td>-33.59</td><td>62.27</td><td>33.80</td><td>10.29</td><td>65.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	40.41	74.00	-33.59	62.27	33.80	10.29	65.95	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>40.33</td><td>74.00</td><td>-33.67</td><td>62.19</td><td>33.80</td><td>10.29</td><td>65.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	40.33	74.00	-33.67	62.19	33.80	10.29	65.95	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	4824.00	40.41	74.00	-33.59	62.27	33.80	10.29	65.95	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	4824.00	40.33	74.00	-33.67	62.19	33.80	10.29	65.95	0.00	---	---	PEAK																																																																																													



		79																																																										
Mode		Harmonic																																																										
		U-NII-3_5.725-5.85_802.11be EHT40_CH151_5755MHz																																																										
ANT		CDD 1+2																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>43.23</td><td>74.00</td><td>-30.77</td><td>55.67</td><td>38.11</td><td>16.13</td><td>66.68</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	43.23	74.00	-30.77	55.67	38.11	16.13	66.68	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11510.00	43.23	74.00	-30.77	55.67	38.11	16.13	66.68	0.00	---	---	PEAK																																																
																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>44.23</td><td>74.00</td><td>-29.77</td><td>56.67</td><td>38.11</td><td>16.13</td><td>66.68</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	44.23	74.00	-29.77	56.67	38.11	16.13	66.68	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11510.00	44.23	74.00	-29.77	56.67	38.11	16.13	66.68	0.00	---	---	PEAK																																																


Note: For the co-location modes, the frequency points over limit line are fundamental signals, which can be ignored.

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.53	-	-	10Hz
802.11be EHT20	100	-	-	10Hz
802.11be EHT40	100	-	-	10Hz
802.11be EHT80	100	-	-	10Hz
802.11be EHT160	100	-	-	10Hz
802.11be EHT20 RU 26/0	100	-	-	10Hz
802.11be EHT20 RU 52/40	100	-	-	10 Hz
802.11be EHT20 RU 106+54	100	-	-	10 Hz
802.11be EHT20 Small RU	100	-	-	10 Hz
802.11be EHT80 Puncturing 20M	100	-	-	10 Hz
802.11be EHT80 Large 484+242	98.14	-	-	1KHz
802.11be EHT160 Puncturing 20M	100	-	-	10 Hz
802.11be EHT160 Puncturing 40M	100	-	-	10 Hz
802.11be EHT160 Large 996+484	97.35	0.92	1.087	1.1KHz



802.11a




802.11be EHT20






802.11be EHT40




802.11be EHT80






802.11be EHT160




802.11be EHT20 RU26/0






802.11be EHT20 RU52/40




802.11be EHT20 RU106/54






802.11be EHT20 Small RU




802.11be EHT80 Puncturing 20M







802.11be EHT80 Large 484+242



802.11be EHT160 Puncturing 20M



802.11be EHT160 Puncturing 40M



802.11be EHT160 Large 996+484

