


Test Result

Main Antenna

Project Number: P-CC26060546

Test Time: 2026-07-24_23.11.25

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 ax20 CH1 P=2
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5620.275	57.19	3.59	88.2	31.01	Peak	187.00	150	Vertical	Pass
1**	5620.275	46.74	3.59	68.2	21.46	AV	187.00	150	Vertical	Pass
2	5880.163	59.25	5.53	88.2	28.95	Peak	1.00	150	Vertical	Pass
2**	5880.163	48.21	5.53	68.2	19.99	AV	1.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-24_23.12.54

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 ax20 CH1 P=2
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5671.912	58.51	4.31	88.2	29.69	Peak	44.00	150	Horizontal	Pass
1**	5671.912	47.24	4.31	68.2	20.96	AV	44.00	150	Horizontal	Pass
2	5897.163	59.60	6.16	88.2	28.60	Peak	123.00	150	Horizontal	Pass
2**	5897.163	48.73	6.16	68.2	19.47	AV	123.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-26_14.04.59

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 ax20 CH93 P=2
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5570.337	57.37	3.80	88.2	30.83	Peak	315.00	150	Vertical	Pass
1**	5570.337	45.64	3.80	68.2	22.56	AV	315.00	150	Vertical	Pass
2	5719.938	58.69	4.50	88.2	29.51	Peak	231.00	150	Vertical	Pass
2**	5719.938	46.64	4.50	68.2	21.56	AV	231.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-26_14.02.37

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 ax20 CH93 P=2
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5682.113	58.39	4.32	88.2	29.81	Peak	360.00	150	Horizontal	Pass
1**	5682.113	46.56	4.32	68.2	21.64	AV	360.00	150	Horizontal	Pass
2	5916.287	59.60	6.43	88.2	28.60	Peak	13.00	150	Horizontal	Pass
2**	5916.287	47.60	6.43	68.2	20.60	AV	13.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-24_23.09.54

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 ax40 CH3 P=4
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5634.087	58.83	3.70	88.2	29.37	Peak	0.00	150	Vertical	Pass
1**	5634.087	46.83	3.70	68.2	21.37	AV	0.00	150	Vertical	Pass
2	5904.813	60.17	6.22	88.2	28.03	Peak	0.00	150	Vertical	Pass
2**	5904.813	48.63	6.22	68.2	19.57	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-24_23.08.37

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 ax40 CH3 P=4
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5586.700	57.57	3.50	88.2	30.63	Peak	105.00	150	Horizontal	Pass
1**	5586.700	46.79	3.50	68.2	21.41	AV	105.00	150	Horizontal	Pass
2	5912.888	59.80	6.27	88.2	28.40	Peak	280.00	150	Horizontal	Pass
2**	5912.888	48.79	6.27	68.2	19.41	AV	280.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-26_14.10.51

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 ax40 CH91 P=4
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5546.962	56.97	3.65	88.2	31.23	Peak	26.00	150	Vertical	Pass
1**	5546.962	45.45	3.65	68.2	22.75	AV	26.00	150	Vertical	Pass
2	5666.812	57.46	4.18	88.2	30.74	Peak	31.00	150	Vertical	Pass
2**	5666.812	46.37	4.18	68.2	21.83	AV	31.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-26_14.12.36

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 ax40 CH91 P=4
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5568.425	56.83	3.79	88.2	31.37	Peak	7.00	150	Horizontal	Pass
1**	5568.425	45.59	3.79	68.2	22.61	AV	7.00	150	Horizontal	Pass
2	5823.638	59.68	5.36	88.2	28.52	Peak	102.00	150	Horizontal	Pass
2**	5823.638	46.85	5.36	68.2	21.35	AV	102.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-24_23.05.15

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 ax80 CH7 P=7
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5663.837	58.04	4.06	88.2	30.16	Peak	346.00	150	Vertical	Pass
1**	5663.837	47.14	4.06	68.2	21.06	AV	346.00	150	Vertical	Pass
2	5918.837	59.87	6.52	88.2	28.33	Peak	166.00	150	Vertical	Pass
2**	5918.837	49.07	6.52	68.2	19.13	AV	166.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-24_23.07.03

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 ax80 CH7 P=7
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5580.325	57.15	3.47	88.2	31.05	Peak	0.00	150	Horizontal	Pass
1**	5580.325	46.55	3.47	68.2	21.65	AV	0.00	150	Horizontal	Pass
2	5912.888	59.80	6.27	88.2	28.40	Peak	62.00	150	Horizontal	Pass
2**	5912.888	48.97	6.27	68.2	19.23	AV	62.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-26_14.27.14

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 ax80 CH87 P=7
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5530.812	56.80	3.70	88.2	31.40	Peak	158.00	150	Vertical	Pass
1**	5530.812	45.34	3.70	68.2	22.86	AV	158.00	150	Vertical	Pass
2	5701.025	57.65	4.00	88.2	30.55	Peak	102.00	150	Vertical	Pass
2**	5701.025	46.27	4.00	68.2	21.93	AV	102.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-26_14.25.03

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 ax80 CH87 P=7
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5584.787	56.81	3.49	88.2	31.39	Peak	16.00	150	Horizontal	Pass
1**	5584.787	45.83	3.49	68.2	22.37	AV	16.00	150	Horizontal	Pass
2	5785.388	58.84	4.94	88.2	29.36	Peak	2.00	150	Horizontal	Pass
2**	5785.388	46.46	4.94	68.2	21.74	AV	2.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-26_16.39.14

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax20 CH185 P=2
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7179.125	60.83	7.33	88.2	27.37	Peak	156.00	150	Vertical	Pass
1**	7179.125	49.78	7.33	68.2	18.42	AV	156.00	150	Vertical	Pass
2	7215.125	61.67	8.69	88.2	26.53	Peak	340.00	150	Vertical	Pass
2**	7215.125	50.42	8.69	68.2	17.78	AV	340.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-26_16.33.38

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax20 CH185 P=2
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7184.062	61.75	7.37	88.2	26.45	Peak	3.00	150	Horizontal	Pass
1**	7184.062	49.48	7.37	68.2	18.72	AV	3.00	150	Horizontal	Pass
2	7213.188	62.00	8.70	88.2	26.20	Peak	91.00	150	Horizontal	Pass
2**	7213.188	50.36	8.70	68.2	17.84	AV	91.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-26_16.42.17

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax20 CH229 P=2
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7193.500	61.79	7.62	88.2	26.41	Peak	161.00	150	Vertical	Pass
1**	7193.500	50.01	7.62	68.2	18.19	AV	161.00	150	Vertical	Pass
2	7217.812	61.82	8.67	88.2	26.38	Peak	9.00	150	Vertical	Pass
2**	7217.812	50.42	8.67	68.2	17.78	AV	9.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-26_16.45.31

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax20 CH229 P=2
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7174.312	60.77	7.39	88.2	27.43	Peak	0.00	150	Horizontal	Pass
1**	7174.312	49.93	7.39	68.2	18.27	AV	0.00	150	Horizontal	Pass
2	7208.250	62.60	8.63	88.2	25.60	Peak	139.00	150	Horizontal	Pass
2**	7208.250	50.51	8.63	68.2	17.69	AV	139.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-26_19.46.24

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax20 CH233 P=-5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	67.40	6.92	88.2	20.80	Peak	71.00	150	Vertical	Pass
1**	7125.000	60.48	6.92	68.2	7.72	AV	71.00	150	Vertical	Pass
2	7125.063	66.79	6.92	88.2	21.41	Peak	127.00	150	Vertical	Pass
2**	7125.063	59.83	6.92	68.2	8.37	AV	127.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-26_19.44.47

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax20 CH233 P=-5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	71.10	6.92	88.2	17.10	Peak	280.00	150	Horizontal	Pass
1**	7125.000	63.74	6.92	68.2	4.46	AV	280.00	150	Horizontal	Pass
2	7125.063	71.41	6.92	88.2	16.79	Peak	270.00	150	Horizontal	Pass
2**	7125.063	62.44	6.92	68.2	5.76	AV	270.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-26_17.18.38

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax40 CH187 P=4
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7170.563	61.09	7.36	88.2	27.11	Peak	132.00	150	Vertical	Pass
1**	7170.563	49.78	7.36	68.2	18.42	AV	132.00	150	Vertical	Pass
2	7216.437	62.08	8.68	88.2	26.12	Peak	45.00	150	Vertical	Pass
2**	7216.437	50.43	8.68	68.2	17.77	AV	45.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-26_17.14.35

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax40 CH187 P=4
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7179.438	61.48	7.33	88.2	26.72	Peak	271.00	150	Horizontal	Pass
1**	7179.438	49.61	7.33	68.2	18.59	AV	271.00	150	Horizontal	Pass
2	7203.937	61.90	8.31	88.2	26.30	Peak	2.00	150	Horizontal	Pass
2**	7203.937	50.57	8.31	68.2	17.63	AV	2.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-26_17.21.44

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax40 CH227 P=4
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7185.125	60.50	7.38	88.2	27.70	Peak	104.00	150	Vertical	Pass
1**	7185.125	49.66	7.38	68.2	18.54	AV	104.00	150	Vertical	Pass
2	7224.250	61.92	8.47	88.2	26.28	Peak	332.00	150	Vertical	Pass
2**	7224.250	50.10	8.47	68.2	18.10	AV	332.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-26_17.25.52

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax40 CH227 P=4
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7127.938	61.88	6.97	88.2	26.32	Peak	285.00	150	Horizontal	Pass
1**	7127.938	49.34	6.97	68.2	18.86	AV	285.00	150	Horizontal	Pass
2	7174.063	61.30	7.39	88.2	26.90	Peak	322.00	150	Horizontal	Pass
2**	7174.063	49.57	7.39	68.2	18.63	AV	322.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-26_17.34.20

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax80 CH183 P=7
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7154.250	60.66	6.98	88.2	27.54	Peak	0.00	150	Vertical	Pass
1**	7154.250	49.34	6.98	68.2	18.86	AV	0.00	150	Vertical	Pass
2	7216.688	62.04	8.68	88.2	26.16	Peak	0.00	150	Vertical	Pass
2**	7216.688	50.26	8.68	68.2	17.94	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-26_17.30.50

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax80 CH183 P=7
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7160.000	61.10	7.01	88.2	27.10	Peak	270.00	150	Horizontal	Pass
1**	7160.000	49.26	7.01	68.2	18.94	AV	270.00	150	Horizontal	Pass
2	7215.938	61.93	8.68	88.2	26.27	Peak	360.00	150	Horizontal	Pass
2**	7215.938	50.30	8.68	68.2	17.90	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-26_17.42.01

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax80 CH215 P=7
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7154.062	60.84	6.99	88.2	27.36	Peak	86.00	150	Vertical	Pass
1**	7154.062	49.50	6.99	68.2	18.70	AV	86.00	150	Vertical	Pass
2	7210.250	62.12	8.74	88.2	26.08	Peak	74.00	150	Vertical	Pass
2**	7210.250	50.50	8.74	68.2	17.70	AV	74.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-26_17.45.39

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax80 CH215 P=7
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7148.938	60.94	6.75	88.2	27.26	Peak	250.00	150	Horizontal	Pass
1**	7148.938	49.12	6.75	68.2	19.08	AV	250.00	150	Horizontal	Pass
2	7192.750	61.29	7.58	88.2	26.91	Peak	0.00	150	Horizontal	Pass
2**	7192.750	49.85	7.58	68.2	18.35	AV	0.00	150	Horizontal	Pass


Aux. Antenna

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-24_22:54.53

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 ax20 CH1 P=2
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5681.688	57.82	4.33	88.2	30.38	Peak	210.00	150	Vertical	Pass
1**	5681.688	47.23	4.33	68.2	20.97	AV	210.00	150	Vertical	Pass
2	5903.112	60.19	6.23	88.2	28.01	Peak	301.00	150	Vertical	Pass
2**	5903.112	48.62	6.23	68.2	19.58	AV	301.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-24_22.53.26

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 ax20 CH1 P=2
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5719.725	59.10	4.49	88.2	29.10	Peak	360.00	150	Horizontal	Pass
1**	5719.725	47.52	4.49	68.2	20.68	AV	360.00	150	Horizontal	Pass
2	5902.688	60.78	6.23	88.2	27.42	Peak	62.00	150	Horizontal	Pass
2**	5902.688	48.56	6.23	68.2	19.64	AV	62.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-26_14.30.38

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 ax20 CH93 P=2
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5571.825	56.87	3.75	88.2	31.33	Peak	198.00	150	Vertical	Pass
1**	5571.825	45.90	3.75	68.2	22.30	AV	198.00	150	Vertical	Pass
2	5915.863	59.25	6.42	88.2	28.95	Peak	334.00	150	Vertical	Pass
2**	5915.863	47.64	6.42	68.2	20.56	AV	334.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-26_14.32.26

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 ax20 CH93 P=2
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5584.362	57.78	3.48	88.2	30.42	Peak	89.00	150	Horizontal	Pass
1**	5584.362	45.61	3.48	68.2	22.59	AV	89.00	150	Horizontal	Pass
2	5674.675	57.99	4.35	88.2	30.21	Peak	224.00	150	Horizontal	Pass
2**	5674.675	46.46	4.35	68.2	21.74	AV	224.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-24_22.56.32

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 ax40 CH3 P=4
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5593.075	57.76	3.62	88.2	30.44	Peak	2.00	150	Vertical	Pass
1**	5593.075	46.85	3.62	68.2	21.35	AV	2.00	150	Vertical	Pass
2	5903.538	60.50	6.22	88.2	27.70	Peak	255.00	150	Vertical	Pass
2**	5903.538	48.61	6.22	68.2	19.59	AV	255.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-24_22:58:04

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 ax40 CH3 P=4
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5527.625	58.23	3.70	88.2	29.97	Peak	125.00	150	Horizontal	Pass
1**	5527.625	46.40	3.70	68.2	21.80	AV	125.00	150	Horizontal	Pass
2	5906.937	60.25	6.20	88.2	27.95	Peak	206.00	150	Horizontal	Pass
2**	5906.937	48.71	6.20	68.2	19.49	AV	206.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-26_14.38.41

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 ax40 CH91 P=4
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5590.312	57.32	3.57	88.2	30.88	Peak	353.00	150	Vertical	Pass
1**	5590.312	45.96	3.57	68.2	22.24	AV	353.00	150	Vertical	Pass
2	5725.250	58.79	4.30	88.2	29.41	Peak	0.00	150	Vertical	Pass
2**	5725.250	46.52	4.30	68.2	21.68	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-26_14.35.38

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 ax40 CH91 P=4
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5604.975	57.72	3.67	88.2	30.48	Peak	110.00	150	Horizontal	Pass
1**	5604.975	45.77	3.67	68.2	22.43	AV	110.00	150	Horizontal	Pass
2	5727.162	57.34	4.24	88.2	30.86	Peak	360.00	150	Horizontal	Pass
2**	5727.162	46.36	4.24	68.2	21.84	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-24_23.02.29

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 ax80 CH7 P=7
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5654.275	59.27	3.85	88.2	28.93	Peak	199.00	150	Vertical	Pass
1**	5654.275	47.03	3.85	68.2	21.17	AV	199.00	150	Vertical	Pass
2	5895.037	60.09	6.05	88.2	28.11	Peak	0.00	150	Vertical	Pass
2**	5895.037	48.62	6.05	68.2	19.58	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-24_23.01.05

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 ax80 CH7 P=7
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5652.788	58.46	3.82	88.2	29.74	Peak	9.00	150	Horizontal	Pass
1**	5652.788	47.19	3.82	68.2	21.01	AV	9.00	150	Horizontal	Pass
2	5898.862	60.47	6.23	88.2	27.73	Peak	237.00	150	Horizontal	Pass
2**	5898.862	48.77	6.23	68.2	19.43	AV	237.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-26_14.42.35

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 ax80 CH87 P=7
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5588.825	57.56	3.54	88.2	30.64	Peak	175.00	150	Vertical	Pass
1**	5588.825	45.55	3.54	68.2	22.65	AV	175.00	150	Vertical	Pass
2	5757.763	58.84	4.56	88.2	29.36	Peak	192.00	150	Vertical	Pass
2**	5757.763	46.73	4.56	68.2	21.47	AV	192.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-26_14.46.18

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 ax80 CH87 P=7
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5546.962	57.38	3.65	88.2	30.82	Peak	0.00	150	Horizontal	Pass
1**	5546.962	45.58	3.65	68.2	22.62	AV	0.00	150	Horizontal	Pass
2	5678.075	57.47	4.36	88.2	30.73	Peak	267.00	150	Horizontal	Pass
2**	5678.075	46.29	4.36	68.2	21.91	AV	267.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-26_18.48.47

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax20 CH185 P=2
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7168.437	61.39	7.29	88.2	26.81	Peak	197.00	150	Vertical	Pass
1**	7168.437	49.83	7.29	68.2	18.37	AV	197.00	150	Vertical	Pass
2	7218.500	61.92	8.67	88.2	26.28	Peak	9.00	150	Vertical	Pass
2**	7218.500	50.48	8.67	68.2	17.72	AV	9.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-26_17.49.52

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax20 CH185 P=2
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7165.813	61.03	7.20	88.2	27.17	Peak	360.00	150	Horizontal	Pass
1**	7165.813	49.67	7.20	68.2	18.53	AV	360.00	150	Horizontal	Pass
2	7197.500	61.84	7.82	88.2	26.36	Peak	14.00	150	Horizontal	Pass
2**	7197.500	50.08	7.82	68.2	18.12	AV	14.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-26_18.55.06

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax20 CH229 P=2
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7185.625	61.02	7.39	88.2	27.18	Peak	318.00	150	Vertical	Pass
1**	7185.625	49.94	7.39	68.2	18.26	AV	318.00	150	Vertical	Pass
2	7217.312	62.04	8.68	88.2	26.16	Peak	50.00	150	Vertical	Pass
2**	7217.312	50.87	8.68	68.2	17.33	AV	50.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-26_18.57.24

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax20 CH229 P=2
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7190.312	61.01	7.46	88.2	27.19	Peak	182.00	150	Horizontal	Pass
1**	7190.312	49.85	7.46	68.2	18.35	AV	182.00	150	Horizontal	Pass
2	7222.875	61.96	8.54	88.2	26.24	Peak	352.00	150	Horizontal	Pass
2**	7222.875	50.12	8.54	68.2	18.08	AV	352.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-26_19.56.40

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax20 CH233 P=-5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	66.65	6.92	88.2	21.55	Peak	62.00	150	Vertical	Pass
1**	7125.000	60.03	6.92	68.2	8.17	AV	62.00	150	Vertical	Pass
2	7125.250	67.33	6.92	88.2	20.87	Peak	65.00	150	Vertical	Pass
2**	7125.250	56.81	6.92	68.2	11.39	AV	65.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-26_19.52.35

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax20 CH233 P=-5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	73.27	6.92	88.2	14.93	Peak	360.00	150	Horizontal	Pass
1**	7125.000	63.70	6.92	68.2	4.50	AV	360.00	150	Horizontal	Pass
2	7125.437	71.68	6.92	88.2	16.52	Peak	360.00	150	Horizontal	Pass
2**	7125.437	56.61	6.92	68.2	11.59	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-26_19.05.29

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax40 CH187 P=4
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7180.625	61.51	7.33	88.2	26.69	Peak	303.00	150	Vertical	Pass
1**	7180.625	49.73	7.33	68.2	18.47	AV	303.00	150	Vertical	Pass
2	7237.437	62.07	8.15	88.2	26.13	Peak	223.00	150	Vertical	Pass
2**	7237.437	50.26	8.15	68.2	17.94	AV	223.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-26_19.10.18

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax40 CH187 P=4
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7169.438	61.71	7.33	88.2	26.49	Peak	25.00	150	Horizontal	Pass
1**	7169.438	49.57	7.33	68.2	18.63	AV	25.00	150	Horizontal	Pass
2	7215.125	61.98	8.69	88.2	26.22	Peak	37.00	150	Horizontal	Pass
2**	7215.125	50.43	8.69	68.2	17.77	AV	37.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-26_19.03.11

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax40 CH229 P=4
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7167.625	61.35	7.27	88.2	26.85	Peak	227.00	150	Vertical	Pass
1**	7167.625	50.01	7.27	68.2	18.19	AV	227.00	150	Vertical	Pass
2	7207.938	61.85	8.61	88.2	26.35	Peak	65.00	150	Vertical	Pass
2**	7207.938	50.40	8.61	68.2	17.80	AV	65.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-26_18.59.53

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax40 CH227 P=4
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7174.000	61.01	7.39	88.2	27.19	Peak	65.00	150	Horizontal	Pass
1**	7174.000	49.66	7.39	68.2	18.54	AV	65.00	150	Horizontal	Pass
2	7207.375	61.96	8.57	88.2	26.24	Peak	137.00	150	Horizontal	Pass
2**	7207.375	50.53	8.57	68.2	17.67	AV	137.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-26_19.15.40

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax80 CH183 P=7
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7177.375	60.81	7.34	88.2	27.39	Peak	158.00	150	Vertical	Pass
1**	7177.375	49.73	7.34	68.2	18.47	AV	158.00	150	Vertical	Pass
2	7210.375	62.06	8.74	88.2	26.14	Peak	248.00	150	Vertical	Pass
2**	7210.375	50.66	8.74	68.2	17.54	AV	248.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-26_19.13.16

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax80 CH183 P=7
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7157.938	61.21	7.01	88.2	26.99	Peak	139.00	150	Horizontal	Pass
1**	7157.938	49.49	7.01	68.2	18.71	AV	139.00	150	Horizontal	Pass
2	7229.250	61.83	8.18	88.2	26.37	Peak	282.00	150	Horizontal	Pass
2**	7229.250	50.12	8.18	68.2	18.08	AV	282.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-26_19.18.17

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax80 CH215 P=7
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7154.687	61.32	6.98	88.2	26.88	Peak	169.00	150	Vertical	Pass
1**	7154.687	49.43	6.98	68.2	18.77	AV	169.00	150	Vertical	Pass
2	7197.687	61.74	7.83	88.2	26.46	Peak	46.00	150	Vertical	Pass
2**	7197.687	50.41	7.83	68.2	17.79	AV	46.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-26_19.22.12

EUT Name:	Mobile Computer	Temp.(°C):	22.6
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 ax80 CH215 P=7
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A11+数据线: A45 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7161.312	61.41	7.03	88.2	26.79	Peak	311.00	150	Horizontal	Pass
1**	7161.312	49.37	7.03	68.2	18.83	AV	311.00	150	Horizontal	Pass
2	7210.438	62.21	8.74	88.2	25.99	Peak	0.00	150	Horizontal	Pass
2**	7210.438	50.47	8.74	68.2	17.73	AV	0.00	150	Horizontal	Pass