


Main Antenna

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_14.43.22

EUT Name:	Mobile Computer	Temp.(°C):	23
Model Number:	RS20	Humidity (%RH):	58
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11a CH36 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A58 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.16	5.46	74.0	16.84	Peak	82.98	150	Vertical	Pass
1**	5150.000	46.46	5.46	54.0	7.54	AV	82.98	150	Vertical	Pass
2	5026.500	59.01	5.17	74.0	14.99	Peak	10.00	150	Vertical	Pass
2**	5026.500	46.23	5.17	54.0	7.77	AV	10.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_14.41.04

EUT Name:	Mobile Computer	Temp.(°C):	23
Model Number:	RS20	Humidity (%RH):	58
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11a CH36 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A58 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.66	5.46	74.0	17.34	Peak	233.00	150	Horizontal	Pass
1**	5150.000	47.91	5.46	54.0	6.09	AV	233.00	150	Horizontal	Pass
2	5149.025	58.27	5.47	74.0	15.73	Peak	241.00	150	Horizontal	Pass
2**	5149.025	47.89	5.47	54.0	6.11	AV	241.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_14.47.37

EUT Name:	Mobile Computer	Temp.(°C):	23
Model Number:	RS20	Humidity (%RH):	58
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11a CH48 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A58 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.59	5.65	74.0	17.41	Peak	324.00	150	Vertical	Pass
1**	5350.000	46.54	5.65	54.0	7.46	AV	324.00	150	Vertical	Pass
2	5437.634	59.55	5.94	74.0	14.58	Peak	296.00	150	Vertical	Pass
2**	5437.634	46.93	5.94	54.0	7.07	AV	296.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_14.50.06

EUT Name:	Mobile Computer	Temp.(°C):	23
Model Number:	RS20	Humidity (%RH):	58
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11a CH48 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A58 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.61	5.65	74.0	16.39	Peak	296.00	150	Horizontal	Pass
1**	5350.000	46.67	5.65	54.0	7.33	AV	296.00	150	Horizontal	Pass
2	5432.500	58.70	6.07	74.0	15.30	Peak	153.00	150	Horizontal	Pass
2**	5432.500	46.81	6.07	54.0	7.19	AV	153.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_14.59.16

EUT Name:	Mobile Computer	Temp.(°C):	23
Model Number:	RS20	Humidity (%RH):	58
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11n20 CH36 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A58 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.81	5.46	74.0	17.19	Peak	350.87	150	Vertical	Pass
1**	5150.000	46.81	5.46	54.0	7.19	AV	350.87	150	Vertical	Pass
2	5069.400	58.35	5.64	74.0	15.65	Peak	235.00	150	Vertical	Pass
2**	5069.400	47.08	5.64	54.0	6.92	AV	235.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_15.01.24

EUT Name:	Mobile Computer	Temp.(°C):	23
Model Number:	RS20	Humidity (%RH):	58
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11n20 CH36 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A58 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.58	5.46	74.0	17.55	Peak	250.99	150	Horizontal	Pass
1**	5150.000	47.80	5.46	54.0	6.20	AV	250.99	150	Horizontal	Pass
2	5100.925	58.85	5.33	74.0	15.15	Peak	249.00	150	Horizontal	Pass
2**	5100.925	46.54	5.33	54.0	7.46	AV	249.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_14.55.46

EUT Name:	Mobile Computer	Temp.(°C):	23
Model Number:	RS20	Humidity (%RH):	58
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11n20 CH48 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A58 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.07	5.65	74.0	16.93	Peak	347.00	150	Vertical	Pass
1**	5350.000	46.34	5.65	54.0	7.66	AV	347.00	150	Vertical	Pass
2	5419.850	58.79	6.08	74.0	15.21	Peak	281.00	150	Vertical	Pass
2**	5419.850	46.94	6.08	54.0	7.06	AV	281.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_14.54.15

EUT Name:	Mobile Computer	Temp.(°C):	23
Model Number:	RS20	Humidity (%RH):	58
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11n20 CH48 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A58 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.01	5.65	74.0	15.99	Peak	76.00	150	Horizontal	Pass
1**	5350.000	46.47	5.65	54.0	7.53	AV	76.00	150	Horizontal	Pass
2	5438.733	59.30	5.91	74.0	14.70	Peak	359.00	150	Horizontal	Pass
2**	5438.733	46.94	5.91	54.0	7.06	AV	359.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_15.08.18

EUT Name:	Mobile Computer	Temp.(°C):	23
Model Number:	RS20	Humidity (%RH):	58
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11n40 CH38 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A58 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.79	5.46	74.0	17.21	Peak	14.10	150	Vertical	Pass
1**	5150.000	46.71	5.46	54.0	7.29	AV	14.10	150	Vertical	Pass
2	5087.275	57.91	5.50	74.0	16.09	Peak	9.00	150	Vertical	Pass
2**	5087.275	46.40	5.50	54.0	7.60	AV	9.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_15.05.59

EUT Name:	Mobile Computer	Temp.(°C):	23
Model Number:	RS20	Humidity (%RH):	58
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11n40 CH38 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A58 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.82	5.46	74.0	17.18	Peak	263.00	150	Horizontal	Pass
1**	5150.000	48.98	5.46	54.0	5.02	AV	263.00	150	Horizontal	Pass
2	5148.700	59.48	5.47	74.0	14.52	Peak	237.00	150	Horizontal	Pass
2**	5148.700	48.56	5.47	54.0	5.44	AV	237.00	150	Horizontal	Pass
3	5149.025	57.17	5.47	74.0	16.83	Peak	261.00	150	Horizontal	Pass
3**	5149.025	49.40	5.47	54.0	4.60	AV	261.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_15.13.03

EUT Name:	Mobile Computer	Temp.(°C):	23
Model Number:	RS20	Humidity (%RH):	58
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11n40 CH46 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A58 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.97	5.65	74.0	17.03	Peak	218.00	150	Vertical	Pass
1**	5350.000	46.50	5.65	54.0	7.50	AV	218.00	150	Vertical	Pass
2	5437.634	58.73	5.94	74.0	15.27	Peak	98.00	150	Vertical	Pass
2**	5437.634	46.96	5.94	54.0	7.04	AV	98.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_15.14.11

EUT Name:	Mobile Computer	Temp.(°C):	23
Model Number:	RS20	Humidity (%RH):	58
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11n40 CH46 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A58 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.25	5.65	74.0	16.75	Peak	49.00	150	Horizontal	Pass
1**	5350.000	46.56	5.65	54.0	7.44	AV	49.00	150	Horizontal	Pass
2	5438.183	59.07	5.92	74.0	14.93	Peak	211.00	150	Horizontal	Pass
2**	5438.183	46.93	5.92	54.0	7.07	AV	211.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_15.31.32

EUT Name:	Mobile Computer	Temp.(°C):	23
Model Number:	RS20	Humidity (%RH):	58
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11ac80 CH42 P=13.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A58 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.54	5.46	74.0	17.46	Peak	78.10	150	Vertical	Pass
1**	5150.000	47.20	5.46	54.0	6.80	AV	78.10	150	Vertical	Pass
2	5005.375	58.54	4.98	74.0	15.46	Peak	152.00	150	Vertical	Pass
2**	5005.375	46.40	4.98	54.0	7.60	AV	152.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_15.29.44

EUT Name:	Mobile Computer	Temp.(°C):	23
Model Number:	RS20	Humidity (%RH):	58
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11ac80 CH42 P=13.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A58 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.21	5.46	74.0	13.79	Peak	244.01	150	Horizontal	Pass
1**	5150.000	50.98	5.46	54.0	3.02	AV	244.01	150	Horizontal	Pass
2	5116.200	60.15	5.58	74.0	13.85	Peak	262.00	150	Horizontal	Pass
2**	5116.200	48.40	5.58	54.0	5.60	AV	262.00	150	Horizontal	Pass
3	5149.350	59.27	5.47	74.0	14.73	Peak	258.00	150	Horizontal	Pass
3**	5149.350	50.82	5.47	54.0	3.18	AV	258.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_15.38.24

EUT Name:	Mobile Computer	Temp.(°C):	23
Model Number:	RS20	Humidity (%RH):	58
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11ax20 CH36 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A58 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.58	5.46	74.0	17.55	Peak	180.96	150	Vertical	Pass
1**	5150.000	46.59	5.46	54.0	7.41	AV	180.96	150	Vertical	Pass
2	5143.500	57.69	5.47	74.0	16.31	Peak	141.00	150	Vertical	Pass
2**	5143.500	46.46	5.47	54.0	7.54	AV	141.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_15.39.58

EUT Name:	Mobile Computer	Temp.(°C):	23
Model Number:	RS20	Humidity (%RH):	58
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11ax20 CH36 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A58 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.23	5.46	74.0	17.77	Peak	284.98	150	Horizontal	Pass
1**	5150.000	47.58	5.46	54.0	6.42	AV	284.98	150	Horizontal	Pass
2	5149.350	58.57	5.47	74.0	15.43	Peak	252.00	150	Horizontal	Pass
2**	5149.350	47.66	5.47	54.0	6.34	AV	252.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_15.48.35

EUT Name:	Mobile Computer	Temp.(°C):	23
Model Number:	RS20	Humidity (%RH):	58
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11ax20 CH48 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A58 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.69	5.65	74.0	17.31	Peak	148.00	150	Vertical	Pass
1**	5350.000	46.46	5.65	54.0	7.54	AV	148.00	150	Vertical	Pass
2	5419.117	59.23	6.07	74.0	14.77	Peak	199.00	150	Vertical	Pass
2**	5419.117	47.01	6.07	54.0	6.99	AV	199.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_15.58.44

EUT Name:	Mobile Computer	Temp.(°C):	23
Model Number:	RS20	Humidity (%RH):	58
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11ax20 CH48 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A58 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.92	5.65	74.0	17.08	Peak	92.00	150	Horizontal	Pass
1**	5350.000	46.60	5.65	54.0	7.40	AV	92.00	150	Horizontal	Pass
2	5417.650	59.15	6.03	74.0	14.85	Peak	320.00	150	Horizontal	Pass
2**	5417.650	46.91	6.03	54.0	7.09	AV	320.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_16.00.53

EUT Name:	Mobile Computer	Temp.(°C):	23
Model Number:	RS20	Humidity (%RH):	58
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11ax40 CH38 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A58 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.28	5.46	74.0	17.72	Peak	92.09	150	Vertical	Pass
1**	5150.000	46.97	5.46	54.0	7.03	AV	92.09	150	Vertical	Pass
2	5093.580	58.52	5.40	74.0	15.48	Peak	254.00	150	Vertical	Pass
2**	5093.580	46.72	5.40	54.0	7.28	AV	254.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_15.58.21

EUT Name:	Mobile Computer	Temp.(°C):	23
Model Number:	RS20	Humidity (%RH):	58
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11ax40 CH38 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A58 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.09	5.46	74.0	16.91	Peak	255.00	150	Horizontal	Pass
1**	5150.000	49.17	5.46	54.0	4.83	AV	255.00	150	Horizontal	Pass
2	5158.125	58.57	5.47	74.0	15.43	Peak	244.00	150	Horizontal	Pass
2**	5158.125	48.06	5.47	54.0	5.94	AV	244.00	150	Horizontal	Pass
3	5149.025	57.47	5.47	74.0	16.53	Peak	259.00	150	Horizontal	Pass
3**	5149.025	49.36	5.47	54.0	4.64	AV	259.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_15.53.16

EUT Name:	Mobile Computer	Temp.(°C):	23
Model Number:	RS20	Humidity (%RH):	58
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11ax40 CH46 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A58 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.25	5.65	74.0	16.75	Peak	309.00	150	Vertical	Pass
1**	5350.000	46.46	5.65	54.0	7.54	AV	309.00	150	Vertical	Pass
2	5396.567	59.20	5.77	74.0	14.80	Peak	338.00	150	Vertical	Pass
2**	5396.567	46.55	5.77	54.0	7.58	AV	338.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_15.54.57

EUT Name:	Mobile Computer	Temp.(°C):	23
Model Number:	RS20	Humidity (%RH):	58
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11ax40 CH46 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A58 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.19	5.65	74.0	16.81	Peak	236.00	150	Horizontal	Pass
1**	5350.000	46.61	5.65	54.0	7.39	AV	236.00	150	Horizontal	Pass
2	5435.617	58.49	5.99	74.0	15.51	Peak	274.00	150	Horizontal	Pass
2**	5435.617	46.97	5.99	54.0	7.03	AV	274.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_16.19.26

EUT Name:	Mobile Computer	Temp.(°C):	23
Model Number:	RS20	Humidity (%RH):	58
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11ax80 CH42 P=13.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A58 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.53	5.46	74.0	17.47	Peak	351.92	150	Vertical	Pass
1**	5150.000	46.97	5.46	54.0	7.03	AV	351.92	150	Vertical	Pass
2	5117.500	58.19	5.59	74.0	15.81	Peak	299.00	150	Vertical	Pass
2**	5117.500	46.86	5.59	54.0	7.14	AV	299.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_16.16.17

EUT Name:	Mobile Computer	Temp.(°C):	23
Model Number:	RS20	Humidity (%RH):	58
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11ax80 CH42 P=13.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A58 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.81	5.46	74.0	14.19	Peak	241.00	150	Horizontal	Pass
1**	5150.000	50.97	5.46	54.0	3.03	AV	241.00	150	Horizontal	Pass
2	5144.475	61.30	5.47	74.0	12.70	Peak	269.00	150	Horizontal	Pass
2**	5144.475	49.20	5.47	54.0	4.80	AV	269.00	150	Horizontal	Pass
3	5149.350	59.74	5.47	74.0	14.26	Peak	256.00	150	Horizontal	Pass
3**	5149.350	50.99	5.47	54.0	3.01	AV	256.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_04.33.01

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH52 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.09	3.82	74.0	18.91	Peak	247.99	150	Vertical	Pass
1**	5150.000	45.09	3.82	54.0	8.91	AV	247.99	150	Vertical	Pass
2	4935.500	56.44	3.73	74.0	17.56	Peak	360.00	150	Vertical	Pass
2**	4935.500	44.31	3.73	54.0	9.69	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_04.31.22

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH52 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.76	3.82	74.0	18.24	Peak	319.01	150	Horizontal	Pass
1**	5150.000	47.45	3.82	54.0	6.55	AV	319.01	150	Horizontal	Pass
2	5131.150	58.77	3.85	74.0	15.23	Peak	87.00	150	Horizontal	Pass
2**	5131.150	45.30	3.85	54.0	8.70	AV	87.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_19.59.47

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11a CH64 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.70	5.65	74.0	17.30	Peak	360.00	150	Vertical	Pass
1**	5350.000	46.44	5.65	54.0	7.56	AV	360.00	150	Vertical	Pass
2	5419.666	59.09	6.08	74.0	14.91	Peak	100.00	150	Vertical	Pass
2**	5419.666	46.86	6.08	54.0	7.14	AV	100.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_20.01.00

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11a CH64 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.92	5.65	74.0	17.08	Peak	3.00	150	Horizontal	Pass
1**	5350.000	47.03	5.65	54.0	6.97	AV	3.00	150	Horizontal	Pass
2	5435.800	59.93	5.98	74.0	14.07	Peak	349.00	150	Horizontal	Pass
2**	5435.800	46.89	5.98	54.0	7.11	AV	349.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-25_04.36.12

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH52 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.30	3.82	74.0	18.70	Peak	320.95	150	Vertical	Pass
1**	5150.000	45.19	3.82	54.0	8.81	AV	320.95	150	Vertical	Pass
2	4973.850	56.21	3.67	74.0	17.79	Peak	3.00	150	Vertical	Pass
2**	4973.850	44.63	3.67	54.0	9.37	AV	3.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-25_04.38.29

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n20 CH52 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.78	3.82	74.0	18.22	Peak	64.05	150	Horizontal	Pass
1**	5150.000	45.63	3.82	54.0	8.37	AV	64.05	150	Horizontal	Pass
2	5098.650	56.95	3.87	74.0	17.05	Peak	12.00	150	Horizontal	Pass
2**	5098.650	45.40	3.87	54.0	8.60	AV	12.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_20.05.24

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11n20 CH64 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.46	5.65	74.0	16.54	Peak	12.00	150	Vertical	Pass
1**	5350.000	46.48	5.65	54.0	7.52	AV	12.00	150	Vertical	Pass
2	5432.683	58.93	6.07	74.0	15.07	Peak	300.00	150	Vertical	Pass
2**	5432.683	46.75	6.07	54.0	7.25	AV	300.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_20.04.11

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11n20 CH64 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.67	5.65	74.0	17.33	Peak	236.00	150	Horizontal	Pass
1**	5350.000	46.79	5.65	54.0	7.21	AV	236.00	150	Horizontal	Pass
2	5424.800	58.77	6.11	74.0	15.23	Peak	312.00	150	Horizontal	Pass
2**	5424.800	46.84	6.11	54.0	7.16	AV	312.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_04.43.33

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH52 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.65	3.82	74.0	19.35	Peak	228.02	150	Vertical	Pass
1**	5150.000	44.83	3.82	54.0	9.17	AV	228.02	150	Vertical	Pass
2	4959.550	56.23	3.99	74.0	17.77	Peak	101.00	150	Vertical	Pass
2**	4959.550	44.43	3.99	54.0	9.57	AV	101.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_04.41.44

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH52 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.85	3.82	74.0	17.15	Peak	0.00	150	Horizontal	Pass
1**	5150.000	45.58	3.82	54.0	8.42	AV	0.00	150	Horizontal	Pass
2	5062.250	56.68	3.72	74.0	17.32	Peak	136.00	150	Horizontal	Pass
2**	5062.250	44.76	3.72	54.0	9.24	AV	136.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_20.07.57

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11n40 CH62 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.35	5.65	74.0	17.65	Peak	140.00	150	Vertical	Pass
1**	5350.000	46.32	5.65	54.0	7.68	AV	140.00	150	Vertical	Pass
2	5418.383	58.83	6.05	74.0	15.17	Peak	95.00	150	Vertical	Pass
2**	5418.383	46.99	6.05	54.0	7.01	AV	95.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_20.09.12

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11n40 CH62 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.46	5.65	74.0	16.54	Peak	244.00	150	Horizontal	Pass
1**	5350.000	47.19	5.65	54.0	6.81	AV	244.00	150	Horizontal	Pass
2	5415.817	58.96	5.99	74.0	15.04	Peak	192.00	150	Horizontal	Pass
2**	5415.817	46.76	5.99	54.0	7.24	AV	192.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_20.14.31

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11ac80 CH58 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.93	5.65	74.0	17.07	Peak	283.00	150	Vertical	Pass
1**	5350.000	47.01	5.65	54.0	6.99	AV	283.00	150	Vertical	Pass
2	5434.334	58.81	6.02	74.0	15.19	Peak	283.00	150	Vertical	Pass
2**	5434.334	46.79	6.02	54.0	7.21	AV	283.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_20.12.35

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11ac80 CH58 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.66	5.65	74.0	13.34	Peak	233.00	150	Horizontal	Pass
1**	5350.000	50.44	5.65	54.0	3.56	AV	233.00	150	Horizontal	Pass
2	5376.033	61.98	5.78	74.0	12.02	Peak	249.00	150	Horizontal	Pass
2**	5376.033	49.04	5.78	54.0	4.96	AV	249.00	150	Horizontal	Pass
3	5350.183	61.09	5.65	74.0	12.91	Peak	237.00	150	Horizontal	Pass
3**	5350.183	50.84	5.65	54.0	3.16	AV	237.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_04.54.59

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax20 CH52 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.10	3.82	74.0	18.90	Peak	350.00	150	Vertical	Pass
1**	5150.000	44.90	3.82	54.0	9.10	AV	350.00	150	Vertical	Pass
2	4986.850	56.03	3.53	74.0	17.97	Peak	62.00	150	Vertical	Pass
2**	4986.850	44.41	3.53	54.0	9.59	AV	62.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_04.53.19

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11xa20 CH52 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.37	3.82	74.0	18.63	Peak	0.07	150	Horizontal	Pass
1**	5150.000	45.74	3.82	54.0	8.26	AV	0.07	150	Horizontal	Pass
2	4932.900	56.60	3.58	74.0	17.40	Peak	218.00	150	Horizontal	Pass
2**	4932.900	44.24	3.58	54.0	9.76	AV	218.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_04.58.10

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax20 CH64 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.48	4.04	74.0	18.52	Peak	133.00	150	Vertical	Pass
1**	5350.000	45.09	4.04	54.0	8.91	AV	133.00	150	Vertical	Pass
2	5399.610	56.86	4.15	74.0	17.14	Peak	83.00	150	Vertical	Pass
2**	5399.610	44.70	4.15	54.0	9.30	AV	83.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_04.59.35

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax20 CH64 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.16	4.04	74.0	16.84	Peak	323.00	150	Horizontal	Pass
1**	5350.000	47.65	4.04	54.0	6.35	AV	323.00	150	Horizontal	Pass
2	5354.950	58.63	4.14	74.0	15.37	Peak	335.00	150	Horizontal	Pass
2**	5354.950	47.43	4.14	54.0	6.57	AV	335.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_04.47.42

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax40 CH54 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.81	3.82	74.0	19.19	Peak	46.04	150	Vertical	Pass
1**	5150.000	45.15	3.82	54.0	8.85	AV	46.04	150	Vertical	Pass
2	4962.150	56.45	3.95	74.0	17.55	Peak	90.00	150	Vertical	Pass
2**	4962.150	44.41	3.95	54.0	9.59	AV	90.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_04.49.51

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ax40 CH54 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.38	3.82	74.0	18.62	Peak	359.99	150	Horizontal	Pass
1**	5150.000	45.57	3.82	54.0	8.43	AV	359.99	150	Horizontal	Pass
2	4948.500	56.19	3.92	74.0	17.81	Peak	344.00	150	Horizontal	Pass
2**	4948.500	44.42	3.92	54.0	9.58	AV	344.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_20.33.24

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11ax40 CH62 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.75	5.65	74.0	17.25	Peak	320.00	150	Vertical	Pass
1**	5350.000	46.48	5.65	54.0	7.52	AV	320.00	150	Vertical	Pass
2	5415.817	59.24	5.99	74.0	14.76	Peak	222.00	150	Vertical	Pass
2**	5415.817	46.81	5.99	54.0	7.19	AV	222.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_20.34.48

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11ax40 CH62 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.12	5.65	74.0	16.88	Peak	245.00	150	Horizontal	Pass
1**	5350.000	46.78	5.65	54.0	7.22	AV	245.00	150	Horizontal	Pass
2	5424.250	58.98	6.11	74.0	15.02	Peak	29.00	150	Horizontal	Pass
2**	5424.250	46.88	6.11	54.0	7.12	AV	29.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_20.18.53

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11ax80 CH58 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.90	5.65	74.0	15.10	Peak	1.00	150	Vertical	Pass
1**	5350.000	47.38	5.65	54.0	6.62	AV	1.00	150	Vertical	Pass
2	5385.383	59.05	5.85	74.0	14.95	Peak	347.00	150	Vertical	Pass
2**	5385.383	46.50	5.85	54.0	7.50	AV	347.00	150	Vertical	Pass
3	5377.500	57.73	5.81	74.0	16.27	Peak	357.00	150	Vertical	Pass
3**	5377.500	47.73	5.81	54.0	6.27	AV	357.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_20.23.46

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11ax80 CH58 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.44	5.65	74.0	13.56	Peak	230.00	150	Horizontal	Pass
1**	5350.000	50.69	5.65	54.0	3.31	AV	230.00	150	Horizontal	Pass
2	5379.700	63.35	5.86	74.0	10.65	Peak	229.00	150	Horizontal	Pass
2**	5379.700	49.10	5.86	54.0	4.90	AV	229.00	150	Horizontal	Pass
3	5350.550	60.37	5.65	74.0	13.63	Peak	212.00	150	Horizontal	Pass
3**	5350.550	50.73	5.65	54.0	3.27	AV	212.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_09.35.04

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH100 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.45	3.78	68.2	13.75	Peak	132.24	150	Vertical	Pass
1**	5460.000	44.54	3.78	54.0	9.46	AV	132.24	150	Vertical	Pass
2	5461.360	56.84	3.82	68.2	11.36	Peak	12.00	150	Vertical	Pass
2**	5461.360	44.73	3.82	--	-44.73	AV	12.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_09.36.24

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH100 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.87	3.78	68.2	12.33	Peak	320.65	150	Horizontal	Pass
1**	5460.000	45.97	3.78	54.0	8.03	AV	320.65	150	Horizontal	Pass
2	5469.400	57.68	4.08	68.2	10.52	Peak	308.00	150	Horizontal	Pass
2**	5469.400	46.48	4.08	--	-46.48	AV	308.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-25_09.39.03

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH140 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.35	4.31	68.2	11.85	Peak	150.00	150	Vertical	Pass
2	5806.125	58.12	4.84	68.2	10.08	Peak	272.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_09.37.47

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH140 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.59	4.31	68.2	9.61	Peak	341.00	150	Horizontal	Pass
2	5735.500	57.88	4.22	68.2	10.32	Peak	5.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_09.40.44

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH100 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.80	3.78	68.2	13.40	Peak	166.60	150	Vertical	Pass
1**	5460.000	44.64	3.78	54.0	9.36	AV	166.60	150	Vertical	Pass
2	5463.280	56.24	3.88	68.2	11.96	Peak	360.00	150	Vertical	Pass
2**	5463.280	44.78	3.88	--	-44.78	AV	360.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_09.41.57

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH100 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.16	3.78	68.2	13.04	Peak	329.67	150	Horizontal	Pass
1**	5460.000	46.11	3.78	54.0	7.89	AV	329.67	150	Horizontal	Pass
2	5469.160	57.21	4.07	68.2	10.99	Peak	304.00	150	Horizontal	Pass
2**	5469.160	46.52	4.07	--	-46.52	AV	304.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-25_09.44.39

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH140 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.12	4.31	68.2	11.08	Peak	243.00	150	Vertical	Pass
2	5845.625	58.11	5.29	68.2	10.09	Peak	215.00	150	Vertical	Pass


Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_09.43.28

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH140 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1

Bandedge_FCC-WIFI_5G_Band3_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.54	4.31	68.2	11.66	Peak	18.00	150	Horizontal	Pass
2	5758.625	58.28	4.59	68.2	9.92	Peak	37.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_09.46.10

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH102 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.69	3.78	68.2	13.51	Peak	324.61	150	Vertical	Pass
1**	5460.000	44.53	3.78	54.0	9.47	AV	324.61	150	Vertical	Pass
2	5464.480	55.80	3.92	68.2	12.40	Peak	106.00	150	Vertical	Pass
2**	5464.480	45.02	3.92	--	-45.02	AV	106.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_09.47.22

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH102 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.57	3.78	68.2	11.63	Peak	338.33	150	Horizontal	Pass
1**	5460.000	46.38	3.78	54.0	7.62	AV	338.33	150	Horizontal	Pass
2	5468.320	59.72	4.05	68.2	8.48	Peak	314.00	150	Horizontal	Pass
2**	5468.320	47.15	4.05	--	-47.15	AV	314.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-25_09.50.00

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH134 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.95	4.31	68.2	12.25	Peak	0.00	150	Vertical	Pass
2	5818.250	57.99	5.29	68.2	10.21	Peak	126.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_09.48.49

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH134 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.61	4.31	68.2	11.59	Peak	360.00	150	Horizontal	Pass
2	5777.000	57.69	4.98	68.2	10.51	Peak	353.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_09.51.37

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH106 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.19	3.78	68.2	13.01	Peak	155.85	150	Vertical	Pass
1**	5460.000	45.06	3.78	54.0	8.94	AV	155.85	150	Vertical	Pass
2	5467.720	57.17	4.03	68.2	11.03	Peak	39.00	150	Vertical	Pass
2**	5467.720	45.66	4.03	--	-45.66	AV	39.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_09.52.47

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH106 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	58.53	3.78	68.2	9.67	Peak	237.42	150	Horizontal	Pass
1**	5460.000	48.17	3.78	54.0	5.83	AV	237.42	150	Horizontal	Pass
2	5468.920	62.49	4.07	68.2	5.71	Peak	308.00	150	Horizontal	Pass
2**	5468.920	51.22	4.07	--	-51.22	AV	308.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-25_09.55.56

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH122 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.80	4.31	68.2	11.40	Peak	124.00	150	Vertical	Pass
2	5796.500	58.65	4.75	68.2	9.55	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-25_09.54.16

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH122 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.44	4.31	68.2	11.76	Peak	331.00	150	Horizontal	Pass
2	5808.250	57.62	4.88	68.2	10.58	Peak	235.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_09.58.01

EUT Name: Mobile Computer

Temp.(°C): 22.8

Model Number: RS20

Humidity (%RH): 53

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ax20 CH100

P=15.5

Test Site: 966#2


Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A11+数据线: A45

ANT1

Bandedge_FCC-WIFI_5G_Band3_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.36	3.78	68.2	13.84	Peak	92.08	150	Vertical	Pass
1**	5460.000	44.58	3.78	54.0	9.42	AV	92.08	150	Vertical	Pass
2	5463.160	56.06	3.88	68.2	12.14	Peak	272.00	150	Vertical	Pass
2**	5463.160	44.82	3.88	--	-44.82	AV	272.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_09.59.06

EUT Name: Mobile Computer

Temp.(°C): 22.8

Model Number: RS20

Humidity (%RH): 53

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ax20 CH100
P=15.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A11+数据线: A45
ANT1

Bandedge_FCC-WIFI_5G_Band3_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.81	3.78	68.2	12.39	Peak	324.94	150	Horizontal	Pass
1**	5460.000	46.22	3.78	54.0	7.78	AV	324.94	150	Horizontal	Pass
2	5464.480	57.95	3.92	68.2	10.25	Peak	347.00	150	Horizontal	Pass
2**	5464.480	46.31	3.92	--	-46.31	AV	347.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.02.07

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH140 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.88	4.31	68.2	11.32	Peak	0.00	150	Vertical	Pass
2	5755.000	60.06	4.38	68.2	8.14	Peak	190.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-25_10.00.30

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH140 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.19	4.31	68.2	11.01	Peak	319.00	150	Horizontal	Pass
2	5727.625	58.64	4.23	68.2	9.56	Peak	332.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.03.55

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH102 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.50	3.78	68.2	13.70	Peak	355.99	150	Vertical	Pass
1**	5460.000	44.74	3.78	54.0	9.26	AV	355.99	150	Vertical	Pass
2	5467.120	56.71	4.01	68.2	11.49	Peak	7.00	150	Vertical	Pass
2**	5467.120	45.11	4.01	--	-45.11	AV	7.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.05.10

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH102 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	57.07	3.78	68.2	11.13	Peak	317.35	150	Horizontal	Pass
1**	5460.000	47.08	3.78	54.0	6.92	AV	317.35	150	Horizontal	Pass
2	5469.640	60.03	4.08	68.2	8.17	Peak	320.00	150	Horizontal	Pass
2**	5469.640	48.49	4.08	--	-48.49	AV	320.00	150	Horizontal	N/A

	辐射边带 Radiated Bandedge	文件编号(No.):	ECTR4-R21
		版本(Version):	V1.0


Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.07.47

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH134 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1

Bandedge_FCC-WIFI_5G_Band3_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.00	4.31	68.2	12.20	Peak	216.00	150	Vertical	Pass
2	5810.375	58.18	4.93	68.2	10.02	Peak	294.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-25_10.06.38

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH134 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.46	4.31	68.2	11.74	Peak	95.00	150	Horizontal	Pass
2	5759.000	58.50	4.61	68.2	9.70	Peak	353.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_04.09.35

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH106 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.11	3.78	68.2	13.09	Peak	21.31	150	Vertical	Pass
1**	5460.000	45.51	3.78	54.0	8.49	AV	21.31	150	Vertical	Pass
2	5466.640	57.34	4.00	68.2	10.86	Peak	0.00	150	Vertical	Pass
2**	5466.640	46.55	4.00	--	-46.55	AV	0.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_04.11.40

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH106 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	61.51	3.78	68.2	6.69	Peak	319.02	150	Horizontal	Pass
1**	5460.000	49.52	3.78	54.0	4.48	AV	319.02	150	Horizontal	Pass
2	5464.720	64.67	3.93	68.2	3.53	Peak	316.00	150	Horizontal	Pass
2**	5464.720	50.85	3.93	--	-50.85	AV	316.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-25_10.11.04

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH122 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.76	4.31	68.2	11.44	Peak	20.00	150	Vertical	Pass
2	5757.875	57.80	4.57	68.2	10.40	Peak	209.00	150	Vertical	Pass


Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.09.50

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH122 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1

Bandedge_FCC-WIFI_5G_Band3_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.25	4.31	68.2	11.95	Peak	41.00	150	Horizontal	Pass
2	5768.750	57.98	4.67	68.2	10.22	Peak	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.14.00

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.80	3.81	68.2	12.40	Peak	181.18	150	Vertical	Pass
2	5641.875	57.08	3.74	68.2	11.12	Peak	60.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.15.15

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.56	3.81	68.2	12.64	Peak	205.15	150	Horizontal	Pass
2	5640.250	57.35	3.74	68.2	10.85	Peak	325.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.17.46

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.78	6.44	68.2	11.42	Peak	5.23	150	Vertical	Pass
2	5964.000	58.26	6.21	68.2	9.94	Peak	292.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.16.42

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.09	6.44	68.2	11.11	Peak	331.68	150	Horizontal	Pass
2	5949.000	58.97	6.20	68.2	9.23	Peak	357.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.19.55

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac20 CH149 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.21	3.81	68.2	11.99	Peak	72.10	150	Vertical	Pass
2	5640.375	57.32	3.74	68.2	10.88	Peak	95.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.20.58

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac20 CH149 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.88	3.81	68.2	12.32	Peak	27.97	150	Horizontal	Pass
2	5628.000	56.88	3.66	68.2	11.32	Peak	297.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-25_10.23.21

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac20 CH165 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.98	6.44	68.2	11.22	Peak	10.24	150	Vertical	Pass
2	5941.350	58.90	6.07	68.2	9.30	Peak	76.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.22.17

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac20 CH165 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.93	6.44	68.2	11.27	Peak	359.67	150	Horizontal	Pass
2	5986.200	58.47	6.23	68.2	9.73	Peak	119.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.24.51

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac40 CH151 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.42	3.81	68.2	12.78	Peak	357.00	150	Vertical	Pass
2	5637.625	57.37	3.73	68.2	10.83	Peak	288.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.26.15

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac40 CH151 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.11	3.81	68.2	12.09	Peak	279.76	150	Horizontal	Pass
2	5642.000	57.09	3.74	68.2	11.11	Peak	264.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.28.54

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac40 CH159 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.36	6.44	68.2	10.84	Peak	139.83	150	Vertical	Pass
2	5934.150	58.90	6.21	68.2	9.30	Peak	160.00	150	Vertical	Pass


Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.27.42

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac40 CH159 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1

Bandedge_FCC-WIFI_5G_Band4_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.75	6.44	68.2	11.45	Peak	359.55	150	Horizontal	Pass
2	5979.300	58.88	6.05	68.2	9.32	Peak	119.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.30.45

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac80 CH155 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.09	3.81	68.2	11.11	Peak	49.00	150	Vertical	Pass
2	5636.500	57.21	3.71	68.2	10.99	Peak	51.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.31.55

EUT Name: Mobile Computer

Temp.(°C): 22.8

Model Number: RS20

Humidity (%RH): 53

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ac80 CH155 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A11+数据线: A45
ANT1

Bandedge_FCC-WIFI_5G_Band4_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	60.28	3.81	68.2	7.92	Peak	326.01	150	Horizontal	Pass
2	5626.625	61.39	3.64	68.2	6.81	Peak	328.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.35.00

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH149 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.90	3.81	68.2	12.30	Peak	308.78	150	Vertical	Pass
2	5635.250	56.79	3.71	68.2	11.41	Peak	328.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.33.56

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH149 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.68	3.81	68.2	11.52	Peak	359.98	150	Horizontal	Pass
2	5631.375	56.93	3.69	68.2	11.27	Peak	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.37.14

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH165 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.93	6.44	68.2	11.27	Peak	96.22	150	Vertical	Pass
2	5940.450	58.02	6.06	68.2	10.18	Peak	256.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.38.24

EUT Name: Mobile Computer

Temp.(°C): 22.8

Model Number: RS20

Humidity (%RH): 53

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ax20 CH165 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A11+数据线: A45
ANT1

Bandedge_FCC-WIFI_5G_Band4_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.22	6.44	68.2	10.98	Peak	333.89	150	Horizontal	Pass
2	5936.850	58.58	6.12	68.2	9.62	Peak	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.41.24

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH151 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.79	3.81	68.2	12.41	Peak	89.08	150	Vertical	Pass
2	5643.875	57.82	3.76	68.2	10.38	Peak	224.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.39.53

EUT Name: Mobile Computer

Temp.(°C): 22.8

Model Number: RS20

Humidity (%RH): 53

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ax40 CH151 P=17

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A11+数据线: A45
ANT1

Bandedge_FCC-WIFI_5G_Band4_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.41	3.81	68.2	11.79	Peak	75.29	150	Horizontal	Pass
2	5640.750	57.50	3.74	68.2	10.70	Peak	214.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.42.46

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH159 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.93	6.44	68.2	11.27	Peak	4.46	150	Vertical	Pass
2	5944.200	58.71	6.13	68.2	9.49	Peak	123.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.43.55

EUT Name: Mobile Computer

Temp.(°C): 22.8

Model Number: RS20

Humidity (%RH): 53

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ax40 CH159 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A11+数据线: A45
ANT1

Bandedge_FCC-WIFI_5G_Band4_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.97	6.44	68.2	10.23	Peak	88.89	150	H	Pass
2	5961.150	58.73	6.12	68.2	9.47	Peak	323.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.46.26

EUT Name: Mobile Computer

Temp.(°C): 22.8

Model Number: RS20

Humidity (%RH): 53

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ax80 CH155 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A11+数据线: A45
ANT1

Bandedge_FCC-WIFI_5G_Band4_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.64	3.81	68.2	12.56	Peak	264.77	150	Vertical	Pass
2	5628.875	56.93	3.67	68.2	11.27	Peak	3.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.45.20

EUT Name: Mobile Computer

Temp.(°C): 22.8

Model Number: RS20

Humidity (%RH): 53

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ax80 CH155 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A11+数据线: A45
ANT1

Bandedge_FCC-WIFI_5G_Band4_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.89	3.81	68.2	9.31	Peak	311.99	150	Horizontal	Pass
2	5646.875	62.15	3.79	68.2	6.05	Peak	312.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_15.26.53

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH144 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.48	3.78	68.2	13.72	Peak	135.99	150	Vertical	Pass
1**	5460.000	44.33	3.78	54.0	9.67	AV	135.99	150	Vertical	Pass
2	5460.640	56.16	3.80	68.2	12.04	Peak	223.00	150	Vertical	Pass
2**	5460.640	44.54	3.80	--	-44.54	AV	223.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_15.25.44

EUT Name: Mobile Computer

Temp.(°C): 23.1

Model Number: RS20

Humidity (%RH): 50

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11a CH144 P=8.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A11+数据线 ANT1

Bandedge_FCC-WIFI_5G_Band3_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.50	3.78	68.2	13.70	Peak	112.60	150	Horizontal	Pass
1**	5460.000	44.49	3.78	54.0	9.51	AV	112.60	150	Horizontal	Pass
2	5467.120	55.51	4.01	68.2	12.69	Peak	140.00	150	Horizontal	Pass
2**	5467.120	44.65	4.01	--	-44.65	AV	140.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_15.19.45

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH144 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	53.88	3.78	68.2	14.32	Peak	91.34	150	Vertical	Pass
1**	5460.000	44.36	3.78	54.0	9.64	AV	91.34	150	Vertical	Pass
2	5463.040	55.77	3.87	68.2	12.43	Peak	360.00	150	Vertical	Pass
2**	5463.040	44.47	3.87	--	-44.47	AV	360.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_15.21.50

EUT Name: Mobile Computer

Temp.(°C): 23.1

Model Number: RS20

Humidity (%RH): 50

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11n20 CH144 P=8.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A11+数据线 ANT1

Bandedge_FCC-WIFI_5G_Band3_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.65	3.78	68.2	13.55	Peak	267.80	150	Horizontal	Pass
1**	5460.000	44.52	3.78	54.0	9.48	AV	267.80	150	Horizontal	Pass
2	5465.080	56.08	3.94	68.2	12.12	Peak	241.00	150	Horizontal	Pass
2**	5465.080	44.50	3.94	--	-44.50	AV	241.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.53.15

EUT Name: Mobile Computer

Temp.(°C): 23.1

Model Number: RS20

Humidity (%RH): 50

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11n40 CH142 P=8.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A11+数据线 ANT1

Bandedge_FCC-WIFI_5G_Band3_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.05	3.78	68.2	14.15	Peak	28.73	150	Vertical	Pass
1**	5460.000	44.48	3.78	54.0	9.52	AV	28.73	150	Vertical	Pass
2	5467.120	55.94	4.01	68.2	12.26	Peak	12.00	150	Vertical	Pass
2**	5467.120	44.86	4.01	--	-44.86	AV	12.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.52.08

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH142 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.17	3.78	68.2	14.03	Peak	336.62	150	Horizontal	Pass
1**	5460.000	44.40	3.78	54.0	9.60	AV	336.62	150	Horizontal	Pass
2	5467.120	55.89	4.01	68.2	12.31	Peak	180.00	150	Horizontal	Pass
2**	5467.120	44.48	4.01	--	-44.48	AV	180.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.56.43

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac20 CH144 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.96	3.78	68.2	13.24	Peak	245.71	150	Vertical	Pass
1**	5460.000	44.46	3.78	54.0	9.54	AV	245.71	150	Vertical	Pass
2	5464.000	56.03	3.90	68.2	12.17	Peak	285.00	150	Vertical	Pass
2**	5464.000	44.52	3.90	--	-44.52	AV	285.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.59.04

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac20 CH144 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.27	3.78	68.2	12.93	Peak	201.22	150	Horizontal	Pass
1**	5460.000	44.46	3.78	54.0	9.54	AV	201.22	150	Horizontal	Pass
2	5465.800	56.38	3.97	68.2	11.82	Peak	360.00	150	Horizontal	Pass
2**	5465.800	44.73	3.97	--	-44.73	AV	360.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.35.12

EUT Name: Mobile Computer

Temp.(°C): 23.1

Model Number: RS20

Humidity (%RH): 50

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ac40 CH142 P=8.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A11+数据线 ANT1

Bandedge_FCC-WIFI_5G_Band3_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.49	3.78	68.2	13.71	Peak	175.73	150	Vertical	Pass
1**	5460.000	44.45	3.78	54.0	9.55	AV	175.73	150	Vertical	Pass
2	5464.720	55.95	3.93	68.2	12.25	Peak	62.00	150	Vertical	Pass
2**	5464.720	44.64	3.93	--	-44.64	AV	62.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.34.00

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac40 CH142 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.44	3.78	68.2	13.76	Peak	87.71	150	Horizontal	Pass
1**	5460.000	44.48	3.78	54.0	9.52	AV	87.71	150	Horizontal	Pass
2	5465.680	55.82	3.96	68.2	12.38	Peak	106.00	150	Horizontal	Pass
2**	5465.680	44.57	3.96	--	-44.57	AV	106.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.29.02

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH138 P=9
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.91	3.78	68.2	13.29	Peak	114.54	150	Vertical	Pass
1**	5460.000	44.42	3.78	54.0	9.58	AV	114.54	150	Vertical	Pass
2	5464.960	56.24	3.94	68.2	11.96	Peak	5.00	150	Vertical	Pass
2**	5464.960	44.48	3.94	--	-44.48	AV	5.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.30.01

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH138 P=9
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.35	3.78	68.2	12.85	Peak	200.54	150	Horizontal	Pass
1**	5460.000	44.43	3.78	54.0	9.57	AV	200.54	150	Horizontal	Pass
2	5464.360	56.00	3.92	68.2	12.20	Peak	321.00	150	Horizontal	Pass
2**	5464.360	44.65	3.92	--	-44.65	AV	321.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_13.45.34

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH144 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.55	3.78	68.2	13.65	Peak	172.96	150	Vertical	Pass
1**	5460.000	44.61	3.78	54.0	9.39	AV	172.96	150	Vertical	Pass
2	5466.640	56.39	4.00	68.2	11.81	Peak	99.00	150	Vertical	Pass
2**	5466.640	44.70	4.00	--	-44.70	AV	99.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_13.42.22

EUT Name: Mobile Computer

Temp.(°C): 23.1

Model Number: RS20

Humidity (%RH): 50

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ax20 CH144 P=8.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A11+数据线 ANT1

Bandedge_FCC-WIFI_5G_Band3_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.47	3.78	68.2	13.73	Peak	191.28	150	Horizontal	Pass
1**	5460.000	44.49	3.78	54.0	9.51	AV	191.28	150	Horizontal	Pass
2	5465.920	56.09	3.97	68.2	12.11	Peak	5.00	150	Horizontal	Pass
2**	5465.920	44.76	3.97	--	-44.76	AV	5.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.03.31

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH142 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.26	3.78	68.2	12.94	Peak	45.76	150	Vertical	Pass
1**	5460.000	44.38	3.78	54.0	9.62	AV	45.76	150	Vertical	Pass
2	5466.760	55.76	4.00	68.2	12.44	Peak	163.00	150	Vertical	Pass
2**	5466.760	44.58	4.00	--	-44.58	AV	163.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.05.11

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH142 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.84	3.78	68.2	13.36	Peak	336.28	150	Horizontal	Pass
1**	5460.000	44.57	3.78	54.0	9.43	AV	336.28	150	Horizontal	Pass
2	5466.520	56.06	3.99	68.2	12.14	Peak	280.00	150	Horizontal	Pass
2**	5466.520	44.81	3.99	--	-44.81	AV	280.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.13.14

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH138 P=9
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.29	3.78	68.2	13.91	Peak	334.95	150	Vertical	Pass
1**	5460.000	44.42	3.78	54.0	9.58	AV	334.95	150	Vertical	Pass
2	5466.400	56.39	3.99	68.2	11.81	Peak	360.00	150	Vertical	Pass
2**	5466.400	44.76	3.99	--	-44.76	AV	360.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.11.36

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH138 P=9
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.41	3.78	68.2	13.79	Peak	166.16	150	Horizontal	Pass
1**	5460.000	44.33	3.78	54.0	9.67	AV	166.16	150	Horizontal	Pass
2	5468.080	55.59	4.05	68.2	12.61	Peak	357.00	150	Horizontal	Pass
2**	5468.080	44.89	4.05	--	-44.89	AV	357.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_15.15.40

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH144 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.72	6.44	68.2	11.48	Peak	69.36	150	Vertical	Pass
2	5969.550	59.16	6.32	68.2	9.04	Peak	345.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_15.14.32

EUT Name: Mobile Computer

Temp.(°C): 23.1

Model Number: RS20

Humidity (%RH): 50

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11a CH144 P=8.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A11+数据线 ANT1

Bandedge_FCC-WIFI_5G_Band4_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.80	6.44	68.2	11.40	Peak	359.93	150	Horizontal	Pass
2	5984.400	59.05	6.19	68.2	9.15	Peak	212.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_15.09.17

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH144 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.66	6.44	68.2	11.54	Peak	17.06	150	Vertical	Pass
2	5968.500	58.49	6.31	68.2	9.71	Peak	1.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_15.10.40

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH144 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.59	6.44	68.2	10.61	Peak	114.16	150	Horizontal	Pass
2	5963.400	58.80	6.18	68.2	9.40	Peak	314.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.45.31

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH142 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.14	6.44	68.2	11.06	Peak	204.83	150	Vertical	Pass
2	5982.150	59.07	6.12	68.2	9.13	Peak	356.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.49.13

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH142 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.87	6.44	68.2	11.33	Peak	53.39	150	Horizontal	Pass
2	5950.350	58.50	6.22	68.2	9.70	Peak	263.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_15.05.12

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac20 CH144 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.47	6.44	68.2	11.73	Peak	0.24	150	Vertical	Pass
2	5950.950	58.39	6.21	68.2	9.81	Peak	301.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_15.04.04

EUT Name: Mobile Computer

Temp.(°C): 23.1

Model Number: RS20

Humidity (%RH): 50

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ac20 CH144 P=8.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A11+数据线 ANT1

Bandedge_FCC-WIFI_5G_Band4_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.65	6.44	68.2	11.55	Peak	267.03	150	Horizontal	Pass
2	5935.050	59.13	6.18	68.2	9.07	Peak	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.43.19

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac40 CH142 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.16	6.44	68.2	11.04	Peak	0.02	150	Vertical	Pass
2	5946.750	58.67	6.17	68.2	9.53	Peak	194.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.40.47

EUT Name: Mobile Computer

Temp.(°C): 23.1

Model Number: RS20

Humidity (%RH): 50

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ac40 CH142 P=8.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A11+数据线 ANT1

Bandedge_FCC-WIFI_5G_Band4_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.79	6.44	68.2	11.41	Peak	60.13	150	Horizontal	Pass
2	5974.050	58.91	6.22	68.2	9.29	Peak	117.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.25.29

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH138 P=9
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.45	6.44	68.2	10.75	Peak	333.03	150	Vertical	Pass
2	5993.250	58.95	6.43	68.2	9.25	Peak	84.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.24.25

EUT Name: Mobile Computer

Temp.(°C): 23.1

Model Number: RS20

Humidity (%RH): 50

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ac80 CH138 P=9


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A11+数据线 ANT1

Bandedge_FCC-WIFI_5G_Band4_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.46	6.44	68.2	11.74	Peak	0.28	150	Horizontal	Pass
2	5969.250	59.35	6.32	68.2	8.85	Peak	26.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_13.48.55

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH144 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.99	6.44	68.2	11.21	Peak	69.91	150	Vertical	Pass
2	5967.000	59.04	6.26	68.2	9.16	Peak	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_13.51.22

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH144 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.61	6.44	68.2	10.59	Peak	359.87	150	Horizontal	Pass
2	5956.350	58.73	6.13	68.2	9.47	Peak	280.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.00.02

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH142 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.20	6.44	68.2	11.00	Peak	0.20	150	Vertical	Pass
2	5969.850	59.05	6.33	68.2	9.15	Peak	10.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_13.55.48

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH142 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.42	6.44	68.2	10.78	Peak	35.17	150	Horizontal	Pass
2	5953.050	58.42	6.17	68.2	9.78	Peak	96.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.16.58

EUT Name: Mobile Computer

Temp.(°C): 23.1

Model Number: RS20

Humidity (%RH): 50

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ax80 CH138 P=9


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A11+数据线 ANT1

Bandedge_FCC-WIFI_5G_Band4_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.18	6.44	68.2	11.02	Peak	0.00	150	Vertical	Pass
2	5975.550	59.12	6.16	68.2	9.08	Peak	197.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.18.34

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH138 P=9
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.16	6.44	68.2	11.04	Peak	359.78	150	Horizontal	Pass
2	5989.650	58.72	6.38	68.2	9.48	Peak	153.00	150	Horizontal	Pass


Aux. Antenna

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_16.37.17

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11a CH36 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.47	5.46	74.0	17.53	Peak	344.88	150	Vertical	Pass
1**	5150.000	46.83	5.46	54.0	7.17	AV	344.88	150	Vertical	Pass
2	5148.700	58.74	5.47	74.0	15.26	Peak	129.00	150	Vertical	Pass
2**	5148.700	46.74	5.47	54.0	7.26	AV	129.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_16.35.13

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11a CH36 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.87	5.46	74.0	17.13	Peak	340.91	150	Horizontal	Pass
1**	5150.000	46.76	5.46	54.0	7.24	AV	340.91	150	Horizontal	Pass
2	5075.900	57.71	5.64	74.0	16.29	Peak	307.00	150	Horizontal	Pass
2**	5075.900	46.36	5.64	54.0	7.64	AV	307.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_16.41.18

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11a CH48 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.45	5.65	74.0	16.55	Peak	297.00	150	Vertical	Pass
1**	5350.000	46.44	5.65	54.0	7.56	AV	297.00	150	Vertical	Pass
2	5421.683	59.03	6.10	74.0	14.97	Peak	321.00	150	Vertical	Pass
2**	5421.683	47.09	6.10	54.0	6.91	AV	321.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_16.44.29

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11a CH48 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.35	5.65	74.0	16.65	Peak	186.00	150	Horizontal	Pass
1**	5350.000	46.62	5.65	54.0	7.38	AV	186.00	150	Horizontal	Pass
2	5378.967	59.22	5.84	74.0	14.78	Peak	349.00	150	Horizontal	Pass
2**	5378.967	46.17	5.84	54.0	7.83	AV	349.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_16.56.58

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11n20 CH36 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.93	5.46	74.0	18.07	Peak	69.98	150	Vertical	Pass
1**	5150.000	46.76	5.46	54.0	7.24	AV	69.98	150	Vertical	Pass
2	5090.850	57.78	5.43	74.0	16.22	Peak	53.00	150	Vertical	Pass
2**	5090.850	46.46	5.43	54.0	7.54	AV	53.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_16.58.27

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11n20 CH36 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.40	5.46	74.0	17.60	Peak	117.03	150	Horizontal	Pass
1**	5150.000	47.08	5.46	54.0	6.92	AV	117.03	150	Horizontal	Pass
2	5069.725	58.83	5.64	74.0	15.17	Peak	148.00	150	Horizontal	Pass
2**	5069.725	46.72	5.64	54.0	7.28	AV	148.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_16.50.37

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11n20 CH48 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.64	5.65	74.0	16.36	Peak	131.00	150	Vertical	Pass
1**	5350.000	46.45	5.65	54.0	7.55	AV	131.00	150	Vertical	Pass
2	5414.533	58.81	5.96	74.0	15.19	Peak	112.00	150	Vertical	Pass
2**	5414.533	46.70	5.96	54.0	7.30	AV	112.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_16.48.51

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11n20 CH48 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.62	5.65	74.0	16.38	Peak	320.00	150	Horizontal	Pass
1**	5350.000	46.51	5.65	54.0	7.49	AV	320.00	150	Horizontal	Pass
2	5435.433	58.62	5.99	74.0	15.38	Peak	39.00	150	Horizontal	Pass
2**	5435.433	46.88	5.99	54.0	7.12	AV	39.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_17.06.25

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11n40 CH38 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.18	5.46	74.0	17.82	Peak	90.00	150	Vertical	Pass
1**	5150.000	47.39	5.46	54.0	6.61	AV	90.00	150	Vertical	Pass
2	5087.925	57.96	5.48	74.0	16.04	Peak	246.00	150	Vertical	Pass
2**	5087.925	46.87	5.48	54.0	7.13	AV	246.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_17.04.54

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11n40 CH38 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.74	5.46	74.0	17.26	Peak	189.99	150	Horizontal	Pass
1**	5150.000	47.72	5.46	54.0	6.28	AV	189.99	150	Horizontal	Pass
2	5121.725	57.90	5.60	74.0	16.10	Peak	95.00	150	Horizontal	Pass
2**	5121.725	46.59	5.60	54.0	7.41	AV	95.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_17.12.24

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11n40 CH46 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.26	5.65	74.0	15.74	Peak	50.00	150	Vertical	Pass
1**	5350.000	46.66	5.65	54.0	7.34	AV	50.00	150	Vertical	Pass
2	5437.084	58.98	5.95	74.0	15.02	Peak	192.00	150	Vertical	Pass
2**	5437.084	46.96	5.95	54.0	7.04	AV	192.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_17.13.39

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11n40 CH46 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.28	5.65	74.0	16.72	Peak	160.00	150	Horizontal	Pass
1**	5350.000	46.60	5.65	54.0	7.40	AV	160.00	150	Horizontal	Pass
2	5412.883	58.85	5.92	74.0	15.15	Peak	244.00	150	Horizontal	Pass
2**	5412.883	46.50	5.92	54.0	7.50	AV	244.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_17.28.11

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11ac80 CH42 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.52	5.46	74.0	14.48	Peak	0.00	150	Vertical	Pass
1**	5150.000	49.36	5.46	54.0	4.64	AV	0.00	150	Vertical	Pass
2	5115.875	59.08	5.57	74.0	14.92	Peak	91.00	150	Vertical	Pass
2**	5115.875	48.13	5.57	54.0	5.87	AV	91.00	150	Vertical	Pass
3	5149.675	58.55	5.47	74.0	15.45	Peak	0.00	150	Vertical	Pass
3**	5149.675	49.61	5.47	54.0	4.39	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_17.26.02

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11ac80 CH42 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.21	5.46	74.0	15.79	Peak	333.99	150	Horizontal	Pass
1**	5150.000	50.09	5.46	54.0	3.91	AV	333.99	150	Horizontal	Pass
2	5137.650	59.84	5.48	74.0	14.16	Peak	307.00	150	Horizontal	Pass
2**	5137.650	48.55	5.48	54.0	5.45	AV	307.00	150	Horizontal	Pass
3	5145.125	58.38	5.47	74.0	15.62	Peak	307.00	150	Horizontal	Pass
3**	5145.125	49.91	5.47	54.0	4.09	AV	307.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_17.48.58

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11ax20 CH36 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.13	5.46	74.0	16.87	Peak	288.93	150	Vertical	Pass
1**	5150.000	46.63	5.46	54.0	7.37	AV	288.93	150	Vertical	Pass
2	5056.400	58.72	5.41	74.0	15.28	Peak	3.00	150	Vertical	Pass
2**	5056.400	46.20	5.41	54.0	7.80	AV	3.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_17.47.12

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11ax20 CH36 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.84	5.46	74.0	17.16	Peak	170.99	150	Horizontal	Pass
1**	5150.000	46.68	5.46	54.0	7.32	AV	170.99	150	Horizontal	Pass
2	5067.775	58.48	5.61	74.0	15.52	Peak	88.00	150	Horizontal	Pass
2**	5067.775	46.95	5.61	54.0	7.05	AV	88.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_17.51.49

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11ax20 CH48 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.21	5.65	74.0	16.79	Peak	133.00	150	Vertical	Pass
1**	5350.000	46.44	5.65	54.0	7.56	AV	133.00	150	Vertical	Pass
2	5440.200	58.85	5.87	74.0	15.15	Peak	208.00	150	Vertical	Pass
2**	5440.200	46.93	5.87	54.0	7.07	AV	208.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_17.53.54

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11ax20 CH48 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.08	5.65	74.0	16.92	Peak	0.00	150	Horizontal	Pass
1**	5350.000	46.51	5.65	54.0	7.49	AV	0.00	150	Horizontal	Pass
2	5435.617	58.77	5.99	74.0	15.23	Peak	319.00	150	Horizontal	Pass
2**	5435.617	46.99	5.99	54.0	7.01	AV	319.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_17.40.23

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11ax40 CH38 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.40	5.46	74.0	16.60	Peak	356.90	150	Vertical	Pass
1**	5150.000	47.65	5.46	54.0	6.35	AV	356.90	150	Vertical	Pass
2	5067.450	58.72	5.61	74.0	15.28	Peak	98.00	150	Vertical	Pass
2**	5067.450	46.83	5.61	54.0	7.17	AV	98.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_17.43.34

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11ax40 CH38 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.05	5.46	74.0	16.95	Peak	307.99	150	Horizontal	Pass
1**	5150.000	47.95	5.46	54.0	6.05	AV	307.99	150	Horizontal	Pass
2	5068.425	58.28	5.62	74.0	15.72	Peak	125.00	150	Horizontal	Pass
2**	5068.425	46.70	5.62	54.0	7.30	AV	125.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_17.58.36

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11ax40 CH46 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.70	5.65	74.0	16.30	Peak	267.00	150	Vertical	Pass
1**	5350.000	46.56	5.65	54.0	7.44	AV	267.00	150	Vertical	Pass
2	5418.750	59.00	6.06	74.0	15.00	Peak	146.00	150	Vertical	Pass
2**	5418.750	47.27	6.06	54.0	6.73	AV	146.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_17.57.14

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11ax40 CH46 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.89	5.65	74.0	17.11	Peak	90.00	150	Horizontal	Pass
1**	5350.000	46.41	5.65	54.0	7.59	AV	90.00	150	Horizontal	Pass
2	5394.550	59.31	5.79	74.0	14.69	Peak	334.00	150	Horizontal	Pass
2**	5394.550	46.65	5.79	54.0	7.35	AV	334.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_17.34.45

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11ax80 CH42 P=16
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.91	5.46	74.0	15.09	Peak	14.01	150	Vertical	Pass
1**	5150.000	49.73	5.46	54.0	4.27	AV	14.01	150	Vertical	Pass
2	5137.325	59.56	5.48	74.0	14.44	Peak	0.00	150	Vertical	Pass
2**	5137.325	48.39	5.48	54.0	5.61	AV	0.00	150	Vertical	Pass
3	5145.125	58.47	5.47	74.0	15.53	Peak	83.00	150	Vertical	Pass
3**	5145.125	49.35	5.47	54.0	4.65	AV	83.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_17.32.23

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.2G WIFI 11ax80 CH42 P=16
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.56	5.46	74.0	15.44	Peak	314.00	150	Horizontal	Pass
1**	5150.000	50.62	5.46	54.0	3.38	AV	314.00	150	Horizontal	Pass
2	5146.100	60.14	5.47	74.0	13.86	Peak	311.00	150	Horizontal	Pass
2**	5146.100	50.50	5.47	54.0	3.50	AV	311.00	150	Horizontal	Pass
3	5146.425	59.09	5.47	74.0	14.91	Peak	338.00	150	Horizontal	Pass
3**	5146.425	50.85	5.47	54.0	3.15	AV	338.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_18.42.18

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11a CH52 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.04	5.46	74.0	17.96	Peak	125.04	150	Vertical	Pass
1**	5150.000	46.78	5.46	54.0	7.22	AV	125.04	150	Vertical	Pass
2	5069.725	58.45	5.64	74.0	15.55	Peak	151.00	150	Vertical	Pass
2**	5069.725	46.89	5.64	54.0	7.11	AV	151.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_18.53.02

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11a CH52 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.47	5.46	74.0	16.53	Peak	341.87	150	Horizontal	Pass
1**	5150.000	47.02	5.46	54.0	6.98	AV	341.87	150	Horizontal	Pass
2	5048.925	58.32	5.26	74.0	15.68	Peak	278.00	150	Horizontal	Pass
2**	5048.925	46.34	5.26	54.0	7.66	AV	278.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_19.55.26

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11a CH64 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.30	5.65	74.0	16.70	Peak	3.00	150	Vertical	Pass
1**	5350.000	46.46	5.65	54.0	7.54	AV	3.00	150	Vertical	Pass
2	5371.450	58.90	5.68	74.0	15.10	Peak	288.00	150	Vertical	Pass
2**	5371.450	46.44	5.68	54.0	7.56	AV	288.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_19.52.51

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11a CH64 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.71	5.65	74.0	16.29	Peak	145.00	150	Horizontal	Pass
1**	5350.000	46.80	5.65	54.0	7.20	AV	145.00	150	Horizontal	Pass
2	5415.633	59.25	5.99	74.0	14.75	Peak	356.00	150	Horizontal	Pass
2**	5415.633	46.91	5.99	54.0	7.09	AV	356.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_18.58.12

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11n20 CH52 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.94	5.46	74.0	18.06	Peak	127.03	150	Vertical	Pass
1**	5150.000	46.82	5.46	54.0	7.18	AV	127.03	150	Vertical	Pass
2	5078.175	58.77	5.64	74.0	15.23	Peak	147.00	150	Vertical	Pass
2**	5078.175	46.31	5.64	54.0	7.69	AV	147.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_18.55.54

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11n20 CH52 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.79	5.46	74.0	17.21	Peak	357.88	150	Horizontal	Pass
1**	5150.000	46.47	5.46	54.0	7.53	AV	357.88	150	Horizontal	Pass
2	5070.700	58.25	5.64	74.0	15.75	Peak	325.00	150	Horizontal	Pass
2**	5070.700	46.79	5.64	54.0	7.21	AV	325.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_19.47.05

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11n20 CH64 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.99	5.65	74.0	17.01	Peak	140.00	150	Vertical	Pass
1**	5350.000	46.52	5.65	54.0	7.48	AV	140.00	150	Vertical	Pass
2	5419.300	58.92	6.07	74.0	15.08	Peak	9.00	150	Vertical	Pass
2**	5419.300	47.07	6.07	54.0	6.93	AV	9.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_19.49.50

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11n20 CH64 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.52	5.65	74.0	17.48	Peak	352.00	150	Horizontal	Pass
1**	5350.000	46.70	5.65	54.0	7.30	AV	352.00	150	Horizontal	Pass
2	5436.350	59.07	5.97	74.0	14.93	Peak	359.00	150	Horizontal	Pass
2**	5436.350	46.88	5.97	54.0	7.12	AV	359.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_19.04.37

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11n40 CH54 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.11	5.46	74.0	17.89	Peak	236.01	150	Vertical	Pass
1**	5150.000	46.82	5.46	54.0	7.18	AV	236.01	150	Vertical	Pass
2	5068.750	57.63	5.63	74.0	16.37	Peak	131.00	150	Vertical	Pass
2**	5068.750	47.27	5.63	54.0	6.73	AV	131.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_19.05.50

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11n40 CH54 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.50	5.46	74.0	17.50	Peak	172.99	150	Horizontal	Pass
1**	5150.000	46.73	5.46	54.0	7.27	AV	172.99	150	Horizontal	Pass
2	5124.325	57.66	5.58	74.0	16.34	Peak	50.00	150	Horizontal	Pass
2**	5124.325	46.19	5.58	54.0	7.81	AV	50.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_19.43.58

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11n40 CH62 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.06	5.65	74.0	16.94	Peak	55.00	150	Vertical	Pass
1**	5350.000	46.66	5.65	54.0	7.34	AV	55.00	150	Vertical	Pass
2	5433.600	59.27	6.04	74.0	14.73	Peak	53.00	150	Vertical	Pass
2**	5433.600	46.90	6.04	54.0	7.10	AV	53.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_19.42.34

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11n40 CH62 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.93	5.65	74.0	17.07	Peak	267.00	150	Horizontal	Pass
1**	5350.000	46.76	5.65	54.0	7.24	AV	267.00	150	Horizontal	Pass
2	5396.017	59.10	5.78	74.0	14.90	Peak	218.00	150	Horizontal	Pass
2**	5396.017	46.44	5.78	54.0	7.56	AV	218.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_19.35.19

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11ac80 CH58 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.61	5.65	74.0	16.39	Peak	135.00	150	Vertical	Pass
1**	5350.000	47.70	5.65	54.0	6.30	AV	135.00	150	Vertical	Pass
2	5420.400	59.42	6.09	74.0	14.58	Peak	233.00	150	Vertical	Pass
2**	5420.400	47.25	6.09	54.0	6.75	AV	233.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_19.37.17

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11ac80 CH58 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.41	5.65	74.0	15.59	Peak	344.00	150	Horizontal	Pass
1**	5350.000	49.16	5.65	54.0	4.84	AV	344.00	150	Horizontal	Pass
2	5350.550	59.69	5.65	74.0	14.31	Peak	334.00	150	Horizontal	Pass
2**	5350.550	48.30	5.65	54.0	5.70	AV	334.00	150	Horizontal	Pass
3	5350.000	58.41	5.65	74.0	15.59	Peak	344.00	150	Horizontal	Pass
3**	5350.000	49.16	5.65	54.0	4.84	AV	344.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_19.13.35

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11ax20 CH52 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.21	5.46	74.0	17.79	Peak	203.98	150	Vertical	Pass
1**	5150.000	46.61	5.46	54.0	7.39	AV	203.98	150	Vertical	Pass
2	5135.050	58.12	5.49	74.0	15.88	Peak	239.00	150	Vertical	Pass
2**	5135.050	46.68	5.49	54.0	7.32	AV	239.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_19.14.50

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11ax20 CH52 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.49	5.46	74.0	17.51	Peak	0.01	150	Horizontal	Pass
1**	5150.000	46.43	5.46	54.0	7.57	AV	0.01	150	Horizontal	Pass
2	4829.875	57.87	4.68	74.0	16.13	Peak	115.00	150	Horizontal	Pass
2**	4829.875	45.80	4.68	54.0	8.20	AV	115.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_19.20.53

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11ax20 CH64 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.33	5.65	74.0	15.67	Peak	83.00	150	Horizontal	Pass
1**	5350.000	46.72	5.65	54.0	7.28	AV	83.00	150	Horizontal	Pass
2	5428.100	59.10	6.13	74.0	14.90	Peak	177.00	150	Horizontal	Pass
2**	5428.100	46.96	6.13	54.0	7.04	AV	177.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_19.19.36

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11ax20 CH64 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.22	5.65	74.0	16.78	Peak	360.00	150	Horizontal	Pass
1**	5350.000	46.89	5.65	54.0	7.11	AV	360.00	150	Horizontal	Pass
2	5427.734	59.18	6.13	74.0	14.82	Peak	186.00	150	Horizontal	Pass
2**	5427.734	46.75	6.13	54.0	7.25	AV	186.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_19.10.35

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11ax40 CH54 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.29	5.46	74.0	17.71	Peak	45.11	150	Vertical	Pass
1**	5150.000	46.39	5.46	54.0	7.61	AV	45.11	150	Vertical	Pass
2	5064.850	58.53	5.57	74.0	15.47	Peak	4.00	150	Vertical	Pass
2**	5064.850	46.55	5.57	54.0	7.45	AV	4.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_19.09.20

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11ax40 CH54 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.32	5.46	74.0	17.68	Peak	189.02	150	Horizontal	Pass
1**	5150.000	46.42	5.46	54.0	7.58	AV	189.02	150	Horizontal	Pass
2	5133.425	58.03	5.50	74.0	15.97	Peak	31.00	150	Horizontal	Pass
2**	5133.425	46.77	5.50	54.0	7.23	AV	31.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-19_19.25.36

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11ax40 CH62 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.89	5.65	74.0	17.11	Peak	299.00	150	Vertical	Pass
1**	5350.000	46.63	5.65	54.0	7.37	AV	299.00	150	Vertical	Pass
2	5395.100	59.38	5.79	74.0	14.62	Peak	85.00	150	Vertical	Pass
2**	5395.100	46.42	5.79	54.0	7.58	AV	85.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_19.26.55

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11ax40 CH62 P=15
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.13	5.65	74.0	16.87	Peak	66.00	150	Horizontal	Pass
1**	5350.000	46.80	5.65	54.0	7.20	AV	66.00	150	Horizontal	Pass
2	5414.350	58.61	5.96	74.0	15.39	Peak	310.00	150	Horizontal	Pass
2**	5414.350	46.78	5.96	54.0	7.22	AV	310.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_19.32.10

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11ax80 CH58 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.60	5.65	74.0	15.40	Peak	59.00	150	Vertical	Pass
1**	5350.000	47.29	5.65	54.0	6.71	AV	59.00	150	Vertical	Pass
2	5440.933	59.35	5.84	74.0	14.65	Peak	204.00	150	Vertical	Pass
2**	5440.933	46.73	5.84	54.0	7.27	AV	204.00	150	Vertical	Pass
3	5350.550	57.69	5.65	74.0	16.31	Peak	142.00	150	Vertical	Pass
3**	5350.550	47.91	5.65	54.0	6.09	AV	142.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-19_19.30.21

EUT Name:	Mobile Computer	Temp.(°C):	23.6
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Test Voltage:	AC 120V/60Hz
Test Site:	966#1	Test Mode:	5.3G WIFI 11ax80 CH58 P=15.5
Test Engineer:	Zhang Siyuan	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.77	5.65	74.0	15.23	Peak	350.00	150	Horizontal	Pass
1**	5350.000	48.30	5.65	54.0	5.70	AV	350.00	150	Horizontal	Pass
2	5354.217	59.55	5.63	74.0	14.45	Peak	317.00	150	Horizontal	Pass
2**	5354.217	47.94	5.63	54.0	6.06	AV	317.00	150	Horizontal	Pass
3	5350.733	58.16	5.65	74.0	15.84	Peak	313.00	150	Horizontal	Pass
3**	5350.733	48.81	5.65	54.0	5.19	AV	313.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_05.39.38

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH100 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.22	3.78	68.2	12.98	Peak	137.36	150	Vertical	Pass
1**	5460.000	44.75	3.78	54.0	9.25	AV	137.36	150	Vertical	Pass
2	5467.960	56.27	4.04	68.2	11.93	Peak	87.00	150	Vertical	Pass
2**	5467.960	45.35	4.04	--	-45.35	AV	87.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_05.41.13

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH100 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.55	3.78	68.2	12.65	Peak	62.99	150	Horizontal	Pass
1**	5460.000	46.08	3.78	54.0	7.92	AV	62.99	150	Horizontal	Pass
2	5466.760	59.15	4.00	68.2	9.05	Peak	72.00	150	Horizontal	Pass
2**	5466.760	46.47	4.00	--	-46.47	AV	72.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_05.46.02

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH140 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.15	4.31	68.2	11.05	Peak	74.00	150	Vertical	Pass
2	5843.625	58.90	5.33	68.2	9.30	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_05.43.10

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH140 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.09	4.31	68.2	11.11	Peak	126.00	150	Horizontal	Pass
2	5728.625	59.18	4.20	68.2	9.02	Peak	50.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-25_06.04.04

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH100 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.59	3.78	68.2	13.61	Peak	90.66	150	Vertical	Pass
1**	5460.000	44.95	3.78	54.0	9.05	AV	90.66	150	Vertical	Pass
2	5460.760	56.53	3.80	68.2	11.67	Peak	349.00	150	Vertical	Pass
2**	5460.760	44.85	3.80	--	-44.85	AV	349.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_06.02.23

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH100 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.25	3.78	68.2	12.95	Peak	67.64	150	Horizontal	Pass
1**	5460.000	46.07	3.78	54.0	7.93	AV	67.64	150	Horizontal	Pass
2	5469.640	57.85	4.08	68.2	10.35	Peak	78.00	150	Horizontal	Pass
2**	5469.640	46.64	4.08	--	-46.64	AV	78.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-25_06.06.54

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH140 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.69	4.31	68.2	10.51	Peak	135.00	150	Vertical	Pass
2	5829.375	59.03	5.29	68.2	9.17	Peak	188.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-25_06.08.53

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH140 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.53	4.31	68.2	10.67	Peak	76.00	150	Horizontal	Pass
2	5733.500	58.67	4.19	68.2	9.53	Peak	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_06.15.45

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH102 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.26	3.78	68.2	12.94	Peak	146.31	150	Vertical	Pass
1**	5460.000	45.25	3.78	54.0	8.75	AV	146.31	150	Vertical	Pass
2	5467.000	57.04	4.01	68.2	11.16	Peak	131.00	150	Vertical	Pass
2**	5467.000	46.11	4.01	--	-46.11	AV	131.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_06.17.04

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH102 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.29	3.78	68.2	11.91	Peak	69.00	150	Horizontal	Pass
1**	5460.000	47.23	3.78	54.0	6.77	AV	69.00	150	Horizontal	Pass
2	5469.760	60.94	4.09	68.2	7.26	Peak	69.00	150	Horizontal	Pass
2**	5469.760	48.32	4.09	--	-48.32	AV	69.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-25_06.13.54

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH134 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.250	56.93	4.30	68.2	11.27	Peak	209.00	150	Vertical	Pass
2	5756.375	57.91	4.47	68.2	10.29	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_06.12.27

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH134 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.58	4.31	68.2	11.62	Peak	139.00	150	Horizontal	Pass
2	5752.750	58.45	4.28	68.2	9.75	Peak	190.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_07.23.54

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH106 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	57.37	3.78	68.2	10.83	Peak	139.02	150	Vertical	Pass
1**	5460.000	47.42	3.78	54.0	6.58	AV	139.02	150	Vertical	Pass
2	5466.640	60.42	4.00	68.2	7.78	Peak	169.00	150	Vertical	Pass
2**	5466.640	49.57	4.00	--	-49.57	AV	169.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_07.20.43

EUT Name: Mobile Computer

Temp.(°C): 23.2

Model Number: RS20

Humidity (%RH): 51

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ac80 CH106

P=15.5

Test Site: 966#2


Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A11+数据线: A45

ANT3

Bandedge_FCC-WIFI_5G_Band3_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	60.02	3.78	68.2	8.18	Peak	40.67	150	Horizontal	Pass
1**	5460.000	50.78	3.78	54.0	3.22	AV	40.67	150	Horizontal	Pass
2	5469.520	63.56	4.08	68.2	4.64	Peak	77.00	150	Horizontal	Pass
2**	5469.520	53.01	4.08	--	-53.01	AV	77.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-25_07.08.43

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH122 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.42	4.31	68.2	11.78	Peak	120.00	150	Vertical	Pass
2	5758.500	58.58	4.59	68.2	9.62	Peak	155.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-25_07.07.04

EUT Name:	Mobile Computer	Temp.(°C):	23.2
Model Number:	RS20	Humidity (%RH):	51
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH122 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.54	4.31	68.2	10.66	Peak	53.00	150	Horizontal	Pass
2	5759.000	58.32	4.61	68.2	9.88	Peak	312.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_09.21.31

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH100 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.57	3.78	68.2	13.63	Peak	326.93	150	Vertical	Pass
1**	5460.000	44.67	3.78	54.0	9.33	AV	326.93	150	Vertical	Pass
2	5464.480	56.94	3.92	68.2	11.26	Peak	30.00	150	Vertical	Pass
2**	5464.480	44.90	3.92	--	-44.90	AV	30.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_09.22.38

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH100 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.48	3.78	68.2	12.72	Peak	65.98	150	Horizontal	Pass
1**	5460.000	45.87	3.78	54.0	8.13	AV	65.98	150	Horizontal	Pass
2	5464.360	57.85	3.92	68.2	10.35	Peak	41.00	150	Horizontal	Pass
2**	5464.360	46.47	3.92	--	-46.47	AV	41.00	150	Horizontal	N/A

	辐射边带 Radiated Bandedge	文件编号(No.):	ECTR4-R21
		版本(Version):	V1.0


Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_09.25.52

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH140 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3

Bandedge_FCC-WIFI_5G_Band3_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.79	4.31	68.2	11.41	Peak	137.00	150	Vertical	Pass
2	5808.625	58.03	4.89	68.2	10.17	Peak	230.00	150	Vertical	Pass

	辐射边带 Radiated Bandedge	文件编号(No.):	ECTR4-R21
		版本(Version):	V1.0


Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_09.24.08

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH140 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3

Bandedge_FCC-WIFI_5G_Band3_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.48	4.31	68.2	10.72	Peak	82.00	150	Horizontal	Pass
2	5802.750	57.12	4.76	68.2	11.08	Peak	306.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_09.27.51

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH102 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.66	3.78	68.2	12.54	Peak	261.44	150	Vertical	Pass
1**	5460.000	45.46	3.78	54.0	8.54	AV	261.44	150	Vertical	Pass
2	5466.880	57.31	4.00	68.2	10.89	Peak	2.00	150	Vertical	Pass
2**	5466.880	46.24	4.00	--	-46.24	AV	2.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_09.28.59

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH102 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	57.36	3.78	68.2	10.84	Peak	63.32	150	Horizontal	Pass
1**	5460.000	47.20	3.78	54.0	6.80	AV	63.32	150	Horizontal	Pass
2	5469.640	60.89	4.08	68.2	7.31	Peak	71.00	150	Horizontal	Pass
2**	5469.640	49.27	4.08	--	-49.27	AV	71.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_09.32.00

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH134 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.45	4.31	68.2	11.75	Peak	356.00	150	Vertical	Pass
2	5759.125	59.10	4.61	68.2	9.10	Peak	149.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_09.30.32

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH134 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.56	4.31	68.2	11.64	Peak	47.00	150	Horizontal	Pass
2	5767.875	57.83	4.66	68.2	10.37	Peak	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_09.11.15

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH106 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.89	3.78	68.2	12.31	Peak	116.98	150	Vertical	Pass
1**	5460.000	46.69	3.78	54.0	7.31	AV	116.98	150	Vertical	Pass
2	5466.280	59.11	3.98	68.2	9.09	Peak	170.00	150	Vertical	Pass
2**	5466.280	49.41	3.98	--	-49.41	AV	170.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_09.12.39

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH106 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	59.71	3.78	68.2	8.49	Peak	60.65	150	Horizontal	Pass
1**	5460.000	50.04	3.78	54.0	3.96	AV	60.65	150	Horizontal	Pass
2	5469.400	63.96	4.08	68.2	4.24	Peak	72.00	150	Horizontal	Pass
2**	5469.400	52.96	4.08	--	-52.96	AV	72.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-25_09.16.25

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH122 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.31	4.31	68.2	9.89	Peak	3.00	150	Vertical	Pass
2	5834.250	58.96	5.33	68.2	9.24	Peak	277.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546
Test Time: 2026-07-25_09.14.57

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH122 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.39	4.31	68.2	11.81	Peak	216.00	150	Horizontal	Pass
2	5762.250	58.65	4.66	68.2	9.55	Peak	51.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.48.43

EUT Name: Mobile Computer

Temp.(°C): 22.8

Model Number: RS20

Humidity (%RH): 53

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11a CH149 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A11+数据线: A45
ANT3

Bandedge_FCC-WIFI_5G_Band4_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.03	3.81	68.2	12.17	Peak	16.35	150	Vertical	Pass
2	5622.500	56.70	3.62	68.2	11.50	Peak	205.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.49.50

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.90	3.81	68.2	12.30	Peak	293.70	150	Horizontal	Pass
2	5630.000	57.66	3.68	68.2	10.54	Peak	54.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.55.31

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.86	6.44	68.2	10.34	Peak	160.96	150	Vertical	Pass
2	5948.550	58.19	6.19	68.2	10.01	Peak	125.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.54.20

EUT Name: Mobile Computer

Temp.(°C): 22.8

Model Number: RS20

Humidity (%RH): 53

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11a CH165 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A11+数据线: A45
ANT3

Bandedge_FCC-WIFI_5G_Band4_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.56	6.44	68.2	10.64	Peak	43.24	150	Horizontal	Pass
2	5969.700	59.42	6.32	68.2	8.78	Peak	43.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.57.03

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac20 CH149 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.77	3.81	68.2	12.43	Peak	107.26	150	Vertical	Pass
2	5638.125	56.91	3.73	68.2	11.29	Peak	157.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.58.10

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac20 CH149 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.87	3.81	68.2	12.33	Peak	54.02	150	Horizontal	Pass
2	5636.000	57.35	3.71	68.2	10.85	Peak	77.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_11.00.47

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac20 CH165 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.22	6.44	68.2	10.98	Peak	37.03	150	Vertical	Pass
2	5946.900	59.05	6.17	68.2	9.15	Peak	4.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_10.59.38

EUT Name: Mobile Computer

Temp.(°C): 22.8

Model Number: RS20

Humidity (%RH): 53

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ac20 CH165 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A11+数据线: A45
ANT3

Bandedge_FCC-WIFI_5G_Band4_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.60	6.44	68.2	11.60	Peak	46.07	150	Horizontal	Pass
2	5929.650	59.80	6.32	68.2	8.40	Peak	63.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_11.02.14

EUT Name: Mobile Computer

Temp.(°C): 22.8

Model Number: RS20

Humidity (%RH): 53

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ac40 CH151 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A11+数据线: A45
ANT3

Bandedge_FCC-WIFI_5G_Band4_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.65	3.81	68.2	12.55	Peak	123.24	150	Vertical	Pass
2	5640.875	56.83	3.74	68.2	11.37	Peak	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_11.03.18

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac40 CH151 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.51	3.81	68.2	12.69	Peak	283.93	150	Horizontal	Pass
2	5643.000	56.55	3.75	68.2	11.65	Peak	329.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_11.05.44

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac40 CH159 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.65	6.44	68.2	10.55	Peak	54.31	150	Vertical	Pass
2	5957.850	59.08	6.12	68.2	9.12	Peak	328.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_11.04.38

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac40 CH159 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.96	6.44	68.2	11.24	Peak	360.00	150	Horizontal	Pass
2	5931.450	58.16	6.29	68.2	10.04	Peak	87.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_11.07.08

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac80 CH155 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.07	3.81	68.2	12.13	Peak	359.94	150	Vertical	Pass
2	5631.875	57.81	3.69	68.2	10.39	Peak	167.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_11.08.13

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac80 CH155 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.39	3.81	68.2	10.81	Peak	76.00	150	Horizontal	Pass
2	5632.125	60.29	3.69	68.2	7.91	Peak	44.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_11.11.00

EUT Name: Mobile Computer

Temp.(°C): 22.8

Model Number: RS20

Humidity (%RH): 53

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ax20 CH149 P=17

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A11+数据线: A45
ANT3

Bandedge_FCC-WIFI_5G_Band4_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.13	3.81	68.2	12.07	Peak	206.13	150	Vertical	Pass
2	5636.625	57.18	3.71	68.2	11.02	Peak	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_11.09.42

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH149 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.64	3.81	68.2	12.56	Peak	89.02	150	Horizontal	Pass
2	5629.000	56.84	3.67	68.2	11.36	Peak	272.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_11.12.31

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax20 CH165 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.08	6.44	68.2	11.12	Peak	72.37	150	Vertical	Pass
2	5931.000	57.97	6.30	68.2	10.23	Peak	109.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_11.13.37

EUT Name: Mobile Computer

Temp.(°C): 22.8

Model Number: RS20

Humidity (%RH): 53

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ax20 CH165 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A11+数据线: A45
ANT3

Bandedge_FCC-WIFI_5G_Band4_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.59	6.44	68.2	10.61	Peak	93.19	150	Horizontal	Pass
2	5935.950	58.14	6.15	68.2	10.06	Peak	76.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_11.16.27

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH151 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.75	3.81	68.2	12.45	Peak	249.09	150	V	Pass
2	5642.375	57.50	3.74	68.2	10.70	Peak	350.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_11.15.04

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH151 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.55	3.81	68.2	12.65	Peak	113.98	150	Horizontal	Pass
2	5638.250	56.58	3.73	68.2	11.62	Peak	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_11.18.16

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH159 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.57	6.44	68.2	11.63	Peak	320.05	150	Vertical	Pass
2	5936.100	59.13	6.14	68.2	9.07	Peak	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_11.19.45

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax40 CH159 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.36	6.44	68.2	9.84	Peak	339.01	150	Horizontal	Pass
2	5956.200	58.61	6.13	68.2	9.59	Peak	168.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_11.30.00

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax80 CH155 P=16.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.25	3.81	68.2	12.95	Peak	108.91	150	Vertical	Pass
2	5633.625	57.04	3.70	68.2	11.16	Peak	74.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-07-25_11.28.35

EUT Name:	Mobile Computer	Temp.(°C):	22.8
Model Number:	RS20	Humidity (%RH):	53
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ax80 CH155 P=16.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A11+数据线: A45 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.58	3.81	68.2	10.62	Peak	168.11	150	Horizontal	Pass
2	5622.875	60.20	3.63	68.2	8.00	Peak	69.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_15.29.39

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH144 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.74	3.78	68.2	13.46	Peak	122.19	150	Vertical	Pass
1**	5460.000	44.43	3.78	54.0	9.57	AV	122.19	150	Vertical	Pass
2	5460.400	55.92	3.79	68.2	12.28	Peak	47.00	150	Vertical	Pass
2**	5460.400	44.80	3.79	--	-44.80	AV	47.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_15.24.28

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH144 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.72	3.78	68.2	12.48	Peak	201.25	150	Horizontal	Pass
1**	5460.000	44.33	3.78	54.0	9.67	AV	201.25	150	Horizontal	Pass
2	5463.400	55.73	3.88	68.2	12.47	Peak	151.00	150	Horizontal	Pass
2**	5463.400	44.61	3.88	--	-44.61	AV	151.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_15.18.12

EUT Name: Mobile Computer

Temp.(°C): 23.1

Model Number: RS20

Humidity (%RH): 50

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11n20 CH144 P=8.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A11+数据线 ANT3

Bandedge_FCC-WIFI_5G_Band3_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.47	3.78	68.2	13.73	Peak	241.78	150	Vertical	Pass
1**	5460.000	44.46	3.78	54.0	9.54	AV	241.78	150	Vertical	Pass
2	5460.760	56.00	3.80	68.2	12.20	Peak	350.00	150	Vertical	Pass
2**	5460.760	44.36	3.80	--	-44.36	AV	350.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_15.23.07

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH144 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.90	3.78	68.2	13.30	Peak	223.50	150	Horizontal	Pass
1**	5460.000	44.53	3.78	54.0	9.47	AV	223.50	150	Horizontal	Pass
2	5465.200	56.19	3.95	68.2	12.01	Peak	0.00	150	Horizontal	Pass
2**	5465.200	44.69	3.95	--	-44.69	AV	0.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.54.22

EUT Name: Mobile Computer

Temp.(°C): 23.1

Model Number: RS20

Humidity (%RH): 50

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11n40 CH142 P=8.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A11+数据线 ANT3

Bandedge_FCC-WIFI_5G_Band3_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.81	3.78	68.2	13.39	Peak	161.20	150	Vertical	Pass
1**	5460.000	44.36	3.78	54.0	9.64	AV	161.20	150	Vertical	Pass
2	5464.360	55.53	3.92	68.2	12.67	Peak	224.00	150	Vertical	Pass
2**	5464.360	44.76	3.92	--	-44.76	AV	224.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.50.37

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH142 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.89	3.78	68.2	13.31	Peak	315.36	150	Horizontal	Pass
1**	5460.000	44.55	3.78	54.0	9.45	AV	315.36	150	Horizontal	Pass
2	5463.400	55.94	3.88	68.2	12.26	Peak	228.00	150	Horizontal	Pass
2**	5463.400	44.74	3.88	--	-44.74	AV	228.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.55.27

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac20 CH144 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.29	3.78	68.2	13.91	Peak	184.36	150	Vertical	Pass
1**	5460.000	44.46	3.78	54.0	9.54	AV	184.36	150	Vertical	Pass
2	5466.520	55.97	3.99	68.2	12.23	Peak	359.00	150	Vertical	Pass
2**	5466.520	44.67	3.99	--	-44.67	AV	359.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_15.01.35

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac20 CH144 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.76	3.78	68.2	13.44	Peak	254.69	150	Horizontal	Pass
1**	5460.000	44.43	3.78	54.0	9.57	AV	254.69	150	Horizontal	Pass
2	5465.920	56.12	3.97	68.2	12.08	Peak	315.00	150	Horizontal	Pass
2**	5465.920	44.69	3.97	--	-44.69	AV	315.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.36.19

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac40 CH142 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.87	3.78	68.2	13.33	Peak	282.30	150	Vertical	Pass
1**	5460.000	44.51	3.78	54.0	9.49	AV	282.30	150	Vertical	Pass
2	5466.160	55.56	3.98	68.2	12.64	Peak	45.00	150	Vertical	Pass
2**	5466.160	44.52	3.98	--	-44.52	AV	45.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.38.06

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac40 CH142 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.06	3.78	68.2	13.14	Peak	212.80	150	Horizontal	Pass
1**	5460.000	44.40	3.78	54.0	9.60	AV	212.80	150	Horizontal	Pass
2	5469.040	56.22	4.07	68.2	11.98	Peak	314.00	150	Horizontal	Pass
2**	5469.040	44.71	4.07	--	-44.71	AV	314.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.27.46

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH138 P=9
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.85	3.78	68.2	13.35	Peak	158.33	150	Vertical	Pass
1**	5460.000	44.45	3.78	54.0	9.55	AV	158.33	150	Vertical	Pass
2	5460.760	56.40	3.80	68.2	11.80	Peak	215.00	150	Vertical	Pass
2**	5460.760	44.47	3.80	--	-44.47	AV	215.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.31.58

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH138 P=9
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.57	3.78	68.2	12.63	Peak	119.59	150	Horizontal	Pass
1**	5460.000	44.39	3.78	54.0	9.61	AV	119.59	150	Horizontal	Pass
2	5463.400	56.19	3.88	68.2	12.01	Peak	199.00	150	Horizontal	Pass
2**	5463.400	44.63	3.88	--	-44.63	AV	199.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_13.46.53

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH144 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.36	3.78	68.2	13.84	Peak	13.36	150	Vertical	Pass
1**	5460.000	44.46	3.78	54.0	9.54	AV	13.36	150	Vertical	Pass
2	5466.400	56.68	3.99	68.2	11.52	Peak	0.00	150	Vertical	Pass
2**	5466.400	44.58	3.99	--	-44.58	AV	0.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_13.43.57

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH144 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.59	3.78	68.2	13.61	Peak	170.49	150	Horizontal	Pass
1**	5460.000	44.57	3.78	54.0	9.43	AV	170.49	150	Horizontal	Pass
2	5468.320	56.24	4.05	68.2	11.96	Peak	29.00	150	Horizontal	Pass
2**	5468.320	44.75	4.05	--	-44.75	AV	29.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.01.24

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH142 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.08	3.78	68.2	14.12	Peak	211.98	150	Vertical	Pass
1**	5460.000	44.47	3.78	54.0	9.53	AV	211.98	150	Vertical	Pass
2	5467.360	56.50	4.02	68.2	11.70	Peak	66.00	150	Vertical	Pass
2**	5467.360	44.96	4.02	--	-44.96	AV	66.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.06.16

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH142 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.52	3.78	68.2	13.68	Peak	245.73	150	Horizontal	Pass
1**	5460.000	44.46	3.78	54.0	9.54	AV	245.73	150	Horizontal	Pass
2	5463.880	56.18	3.90	68.2	12.02	Peak	348.00	150	Horizontal	Pass
2**	5463.880	44.64	3.90	--	-44.64	AV	348.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.14.29

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH138 P=9
Test Site:	966#2	Test Voltage:	AC 120V/60H3
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.05	3.78	68.2	13.15	Peak	28.73	150	Vertical	Pass
1**	5460.000	44.44	3.78	54.0	9.56	AV	28.73	150	Vertical	Pass
2	5466.400	56.07	3.99	68.2	12.13	Peak	0.00	150	Vertical	Pass
2**	5466.400	44.76	3.99	--	-44.76	AV	0.00	150	Vertical	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.09.40

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH138 P=9
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.26	3.78	68.2	12.94	Peak	292.19	150	Horizontal	Pass
1**	5460.000	44.51	3.78	54.0	9.49	AV	292.19	150	Horizontal	Pass
2	5468.320	56.02	4.05	68.2	12.18	Peak	240.00	150	Horizontal	Pass
2**	5468.320	44.88	4.05	--	-44.88	AV	240.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_15.16.53

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH144 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.99	6.44	68.2	10.21	Peak	179.11	150	Vertical	Pass
2	5930.550	59.05	6.30	68.2	9.15	Peak	102.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_15.13.24

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH144 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.90	6.44	68.2	11.30	Peak	356.85	150	Horizontal	Pass
2	5945.400	58.93	6.16	68.2	9.27	Peak	289.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_15.07.39

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH144 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.76	6.44	68.2	10.44	Peak	0.41	150	Vertical	Pass
2	5955.900	58.75	6.13	68.2	9.45	Peak	351.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_15.12.20

EUT Name: Mobile Computer

Temp.(°C): 23.1

Model Number: RS20

Humidity (%RH): 50

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11n20 CH144 P=8.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A11+数据线 ANT3

Bandedge_FCC-WIFI_5G_Band4_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.62	6.44	68.2	11.58	Peak	339.61	150	Horizontal	Pass
2	5959.050	58.51	6.11	68.2	9.69	Peak	25.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.46.48

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH142 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.40	6.44	68.2	11.80	Peak	146.95	150	Vertical	Pass
2	5971.050	58.54	6.30	68.2	9.66	Peak	120.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.47.58

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH142 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.25	6.44	68.2	10.95	Peak	0.40	150	Horizontal	Pass
2	5958.000	58.47	6.12	68.2	9.73	Peak	54.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_15.06.28

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac20 CH144 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.20	6.44	68.2	11.00	Peak	323.96	150	Vertical	Pass
2	5998.650	59.11	6.51	68.2	9.09	Peak	339.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_15.02.46

EUT Name: Mobile Computer

Temp.(°C): 23.1

Model Number: RS20

Humidity (%RH): 50

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ac20 CH144 P=8.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A11+数据线 ANT3

Bandedge_FCC-WIFI_5G_Band4_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.72	6.44	68.2	10.48	Peak	151.82	150	Horizontal	Pass
2	5944.650	58.22	6.14	68.2	9.98	Peak	300.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.44.22

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac40 CH142 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.59	6.44	68.2	11.61	Peak	352.94	150	Vertical	Pass
2	5925.750	58.44	6.43	68.2	9.76	Peak	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.39.28

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac40 CH142 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.66	6.44	68.2	10.54	Peak	69.06	150	Horizontal	Pass
2	5999.400	59.19	6.54	68.2	9.01	Peak	277.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.26.28

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH138 P=9
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.07	6.44	68.2	11.13	Peak	247.68	150	Vertical	Pass
2	5931.600	58.93	6.29	68.2	9.27	Peak	358.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.22.38

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH138 P=9
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.29	6.44	68.2	10.91	Peak	111.00	150	Horizontal	Pass
2	5959.050	58.20	6.11	68.2	10.00	Peak	78.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_13.50.09

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax20 CH144 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.00	6.44	68.2	11.20	Peak	0.42	150	Vertical	Pass
2	5969.850	59.01	6.33	68.2	9.19	Peak	74.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_13.52.27

EUT Name: Mobile Computer

Temp.(°C): 23.1

Model Number: RS20

Humidity (%RH): 50

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ax20 CH144 P=8.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A11+数据线 ANT3

Bandedge_FCC-WIFI_5G_Band4_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.06	6.44	68.2	10.14	Peak	155.11	150	Horizontal	Pass
2	5971.350	58.96	6.30	68.2	9.24	Peak	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_13.58.49

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH142 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.83	6.44	68.2	11.37	Peak	180.23	150	Vertical	Pass
2	5947.200	58.00	6.17	68.2	10.20	Peak	218.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_13.57.35

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax40 CH142 P=8.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.81	6.44	68.2	11.39	Peak	6.99	150	Horizontal	Pass
2	5928.000	59.01	6.37	68.2	9.19	Peak	271.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.15.56

EUT Name: Mobile Computer

Temp.(°C): 23.1

Model Number: RS20

Humidity (%RH): 50

Sample Number: CC26030105-001-S12

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6G WIFI 11ax80 CH138 P=9


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A11+数据线 ANT3

Bandedge_FCC-WIFI_5G_Band4_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.25	6.44	68.2	10.95	Peak	212.99	150	Vertical	Pass
2	5933.850	58.69	6.22	68.2	9.51	Peak	9.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060546

Test Time: 2026-08-19_14.19.40

EUT Name:	Mobile Computer	Temp.(°C):	23.1
Model Number:	RS20	Humidity (%RH):	50
Sample Number:	CC26030105-001-S12	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ax80 CH138 P=9
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	适配器: A11+数据线 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.45	6.44	68.2	10.75	Peak	295.67	150	Horizontal	Pass
2	5964.750	59.04	6.21	68.2	9.16	Peak	236.00	150	Horizontal	Pass