Mask, 5.725GHz ~ 5.85GHz

U-NII-3

802.11a

CH 149 (Horizontal) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5584.50	56.95	14.70	42.25	68.20	-11.25	100	333	Peak	Horizontal	
2	5665.00	55.86	13.62	42.24	79.33	-23.47	100	333	Peak	Horizontal	
3	5720.00	69.57	27.23	42.34	110.80	-41.23	100	333	Peak	Horizontal	
4	5725.00	75.63	33.24	42.39	125.00	-49.37	100	333	Peak	Horizontal	
5	5745.00	108.75	66.15	42.60	125.00	-16.25	100	333	Peak	Horizontal	
6	5855.00	56.36	13.70	42.66	110.80	-54.44	100	333	Peak	Horizontal	
7	5870.50	57.30	14.51	42.79	106.46	-49.16	100	333	Peak	Horizontal	
8	5898.00	57.82	14.79	43.03	88.14	-30.32	100	333	Peak	Horizontal	
9	5992.50	57.73	14.80	42.93	68.20	-10.47	100	333	Peak	Horizontal	

CH 149 (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5639.00	55.57	13.29	42.28	68.20	-12.63	318	304	Peak	Vertical	
2	5677.00	54.77	12.57	42.20	88.22	-33.45	318	304	Peak	Vertical	
3	5720.00	61.81	19.47	42.34	110.80	-48.99	318	304	Peak	Vertical	
4	5724.50	68.00	25.61	42.39	123.58	-55.58	318	304	Peak	Vertical	
5	5745.00	103.65	61.05	42.60	125.00	-21.35	318	304	Peak	Vertical	
6	5851.00	55.54	12.91	42.63	122.16	-66.62	318	304	Peak	Vertical	
7	5863.00	56.69	13.96	42.73	108.56	-51.87	318	304	Peak	Vertical	
8	5919.00	58.03	15.00	43.03	72.62	-14.59	318	304	Peak	Vertical	
9	5942.00	56.54	13.54	43.00	68.20	-11.66	318	304	Peak	Vertical	

802.11a

CH 157 (Horizontal) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5624.00	56.51	14.24	42.27	68.20	-11.69	277	336	Peak	Horizontal	
2	5667.50	56.13	13.90	42.23	81.19	-25.06	277	336	Peak	Horizontal	
3	5700.00	55.52	13.40	42.12	105.20	-49.68	277	336	Peak	Horizontal	
4	5723.50	55.81	13.43	42.38	120.74	-64.93	277	336	Peak	Horizontal	
5	5785.00	109.09	66.41	42.68	125.00	-15.91	277	336	Peak	Horizontal	
6	5854.00	55.68	13.03	42.65	113.64	-57.96	277	336	Peak	Horizontal	
7	5857.50	56.68	13.99	42.69	110.10	-53.42	277	336	Peak	Horizontal	
8	5891.50	57.26	14.28	42.98	92.96	-35.70	277	336	Peak	Horizontal	
9	5982.00	57.42	14.47	42.95	68.20	-10.78	277	336	Peak	Horizontal	

CH 157 (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5621.00	56.14	13.87	42.27	68.20	-12.06	329	317	Peak	Vertical	
2	5699.50	55.69	13.57	42.12	104.83	-49.14	329	317	Peak	Vertical	
3	5700.00	55.65	13.53	42.12	105.20	-49.55	329	317	Peak	Vertical	
4	5724.00	55.13	12.75	42.38	122.16	-67.03	329	317	Peak	Vertical	
5	5785.00	105.16	62.48	42.68	125.00	-19.84	329	317	Peak	Vertical	
6	5854.00	56.02	13.37	42.65	113.64	-57.62	329	317	Peak	Vertical	
7	5860.50	57.41	14.70	42.71	109.26	-51.85	329	317	Peak	Vertical	
8	5895.50	57.11	14.10	43.01	89.99	-32.88	329	317	Peak	Vertical	
9	5974.00	56.95	14.00	42.95	68.20	-11.25	329	317	Peak	Vertical	

802.11a

CH 165 (Horizontal) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5635.00	55.96	13.68	42.28	68.20	-12.24	100	94	Peak	Horizontal	
2	5656.00	55.77	13.50	42.27	72.66	-16.89	100	94	Peak	Horizontal	
3	5707.50	55.68	13.47	42.21	107.30	-51.62	100	94	Peak	Horizontal	
4	5725.00	56.01	13.62	42.39	125.00	-68.99	100	94	Peak	Horizontal	
5	5825.00	108.64	65.99	42.65	125.00	-16.36	100	94	Peak	Horizontal	
6	5851.50	71.02	28.39	42.63	120.74	-49.72	100	94	Peak	Horizontal	
7	5855.00	66.42	23.76	42.66	110.80	-44.38	100	94	Peak	Horizontal	
8	5921.00	56.92	13.89	43.03	71.15	-14.23	100	94	Peak	Horizontal	
9	5979.50	57.98	15.03	42.95	68.20	-10.22	100	94	Peak	Horizontal	

CH 165 (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5579.00	56.60	14.36	42.24	68.20	-11.60	325	304	Peak	Vertical	
2	5675.00	55.32	13.11	42.21	86.74	-31.42	325	304	Peak	Vertical	
3	5713.00	55.31	13.05	42.26	108.84	-53.53	325	304	Peak	Vertical	
4	5725.00	56.03	13.64	42.39	125.00	-68.97	325	304	Peak	Vertical	
5	5825.00	104.41	61.76	42.65	125.00	-20.59	325	304	Peak	Vertical	
6	5851.00	62.55	19.92	42.63	122.16	-59.61	325	304	Peak	Vertical	
7	5855.50	58.04	15.38	42.66	110.66	-52.62	325	304	Peak	Vertical	
8	5878.00	56.99	14.13	42.86	102.97	-45.98	325	304	Peak	Vertical	
9	5995.00	56.81	13.88	42.93	68.20	-11.39	325	304	Peak	Vertical	

802.11ac VHT20

CH 149 (Horizontal) Peak

TÜV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5571.50	56.03	13.79	42.24	68.20	-12.17	353	324	Peak	Horizontal	
2	5700.00	56.45	14.33	42.12	105.20	-48.75	353	324	Peak	Horizontal	
3	5719.00	68.87	26.55	42.32	110.52	-41.65	353	324	Peak	Horizontal	
4	5725.00	75.76	33.37	42.39	125.00	-49.24	353	324	Peak	Horizontal	
5	5745.00	109.26	66.66	42.60	125.00	-15.74	353	324	Peak	Horizontal	
6	5853.50	56.09	13.44	42.65	115.06	-58.97	353	324	Peak	Horizontal	
7	5868.50	57.37	14.59	42.78	107.02	-49.65	353	324	Peak	Horizontal	
8	5920.00	57.86	14.83	43.03	71.89	-14.03	353	324	Peak	Horizontal	
9	5930.50	56.81	13.80	43.01	68.20	-11.39	353	324	Peak	Horizontal	

CH 149 (Vertical) Peak

TÜV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5554.50	56.57	14.34	42.23	68.20	-11.63	346	308	Peak	Vertical	
2	5689.50	55.66	13.50	42.16	97.46	-41.80	346	308	Peak	Vertical	
3	5720.00	64.28	21.94	42.34	110.80	-46.52	346	308	Peak	Vertical	
4	5723.00	72.76	30.39	42.37	119.32	-46.56	346	308	Peak	Vertical	
5	5745.00	107.45	64.85	42.60	125.00	-17.55	346	308	Peak	Vertical	
6	5854.50	55.57	12.91	42.66	112.22	-56.65	346	308	Peak	Vertical	
7	5871.50	57.28	14.47	42.81	106.18	-48.90	346	308	Peak	Vertical	
8	5918.50	57.05	14.02	43.03	72.99	-15.94	346	308	Peak	Vertical	
9	5999.00	56.73	13.81	42.92	68.20	-11.47	346	308	Peak	Vertical	

802.11ac VHT20

CH 157 (Horizontal) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5506.50	56.38	14.10	42.28	68.20	-11.82	100	326	Peak	Horizontal	
2	5657.00	55.29	13.03	42.26	73.40	-18.11	100	326	Peak	Horizontal	
3	5711.00	55.84	13.60	42.24	108.28	-52.44	100	326	Peak	Horizontal	
4	5721.50	54.91	12.55	42.36	115.06	-60.15	100	326	Peak	Horizontal	
5	5785.00	109.34	66.66	42.68	125.00	-15.66	100	326	Peak	Horizontal	
6	5854.50	55.76	13.10	42.66	112.22	-56.46	100	326	Peak	Horizontal	
7	5869.50	56.10	13.31	42.79	106.74	-50.64	100	326	Peak	Horizontal	
8	5922.00	56.30	13.27	43.03	70.41	-14.11	100	326	Peak	Horizontal	
9	5947.50	56.73	13.74	42.99	68.20	-11.47	100	326	Peak	Horizontal	

CH 157 (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5482.00	56.82	14.58	42.24	68.20	-11.38	380	311	Peak	Vertical	
2	5661.50	55.05	12.80	42.25	76.74	-21.69	380	311	Peak	Vertical	
3	5718.00	54.79	12.48	42.31	110.24	-55.45	380	311	Peak	Vertical	
4	5720.50	55.45	13.10	42.35	112.22	-56.77	380	311	Peak	Vertical	
5	5785.00	107.09	64.41	42.68	125.00	-17.91	380	311	Peak	Vertical	
6	5853.00	55.59	12.95	42.64	116.48	-60.89	380	311	Peak	Vertical	
7	5873.50	55.79	12.96	42.83	105.62	-49.83	380	311	Peak	Vertical	
8	5922.00	56.88	13.85	43.03	70.41	-13.53	380	311	Peak	Vertical	
9	5941.50	56.90	13.90	43.00	68.20	-11.30	380	311	Peak	Vertical	

802.11ac VHT20

CH 165 (Horizontal) Peak

TÜV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5517.00	56.86	14.59	42.27	68.20	-11.34	100	325	Peak	Horizontal	
2	5679.50	55.82	13.63	42.19	90.07	-34.25	100	325	Peak	Horizontal	
3	5718.00	55.32	13.01	42.31	110.24	-54.92	100	325	Peak	Horizontal	
4	5724.00	56.24	13.86	42.38	122.16	-65.92	100	325	Peak	Horizontal	
5	5825.00	108.95	66.30	42.65	125.00	-16.05	100	325	Peak	Horizontal	
6	5850.00	72.69	30.07	42.62	125.00	-52.31	100	325	Peak	Horizontal	
7	5855.00	68.75	26.09	42.66	110.80	-42.05	100	325	Peak	Horizontal	
8	5895.00	57.60	14.59	43.01	90.36	-32.76	100	325	Peak	Horizontal	
9	5933.00	56.62	13.61	43.01	68.20	-11.58	100	325	Peak	Horizontal	

CH 165 (Vertical) Peak

TÜV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5556.50	55.82	13.59	42.23	68.20	-12.38	336	297	Peak	Vertical	
2	5678.00	56.43	14.23	42.20	88.96	-32.53	336	297	Peak	Vertical	
3	5710.50	55.54	13.30	42.24	108.14	-52.60	336	297	Peak	Vertical	
4	5720.50	55.01	12.66	42.35	112.22	-57.21	336	297	Peak	Vertical	
5	5825.00	107.38	64.73	42.65	125.00	-17.62	336	297	Peak	Vertical	
6	5850.00	71.88	29.26	42.62	125.00	-53.12	336	297	Peak	Vertical	
7	5855.00	66.18	23.52	42.66	110.80	-44.62	336	297	Peak	Vertical	
8	5902.00	56.36	13.30	43.06	85.18	-28.82	336	297	Peak	Vertical	
9	5968.50	56.77	13.81	42.96	68.20	-11.43	336	297	Peak	Vertical	

802.11ac VHT40

CH 151 (Horizontal) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5528.00	56.54	14.29	42.25	68.20	-11.66	285	297	Peak	Horizontal	
2	5689.00	55.92	13.77	42.15	97.09	-41.17	285	297	Peak	Horizontal	
3	5719.50	69.28	26.95	42.33	110.66	-41.38	285	297	Peak	Horizontal	
4	5722.00	70.75	28.39	42.36	116.48	-45.73	285	297	Peak	Horizontal	
5	5755.00	101.56	58.90	42.66	125.00	-23.44	285	297	Peak	Horizontal	
6	5851.00	55.67	13.04	42.63	122.16	-66.49	285	297	Peak	Horizontal	
7	5857.50	55.89	13.20	42.69	110.10	-54.21	285	297	Peak	Horizontal	
8	5879.00	56.31	13.44	42.87	102.23	-45.92	285	297	Peak	Horizontal	
9	5980.50	56.04	13.09	42.95	68.20	-12.16	285	297	Peak	Horizontal	

CH 151 (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5633.00	56.15	13.87	42.28	68.20	-12.05	386	304	Peak	Vertical	
2	5699.00	61.87	19.75	42.12	104.46	-42.59	386	304	Peak	Vertical	
3	5720.00	70.63	28.29	42.34	110.80	-40.17	386	304	Peak	Vertical	
4	5721.00	72.71	30.36	42.35	113.64	-40.93	386	304	Peak	Vertical	
5	5755.00	101.01	58.35	42.66	125.00	-23.99	386	304	Peak	Vertical	
6	5853.50	56.62	13.97	42.65	115.06	-58.44	386	304	Peak	Vertical	
7	5869.00	55.64	12.86	42.78	106.88	-51.24	386	304	Peak	Vertical	
8	5889.50	56.99	14.02	42.97	94.44	-37.45	386	304	Peak	Vertical	
9	5930.50	56.27	13.26	43.01	68.20	-11.93	386	304	Peak	Vertical	

802.11ac VHT40

CH 159 (Horizontal) Peak

TÜV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5618.50	55.80	13.53	42.27	68.20	-12.40	400	316	Peak	Horizontal	
2	5695.50	56.75	14.61	42.14	101.88	-45.13	400	316	Peak	Horizontal	
3	5713.50	56.69	14.43	42.26	108.98	-52.29	400	316	Peak	Horizontal	
4	5724.00	57.60	15.22	42.38	122.16	-64.56	400	316	Peak	Horizontal	
5	5795.00	103.43	60.75	42.68	125.00	-21.57	400	316	Peak	Horizontal	
6	5850.50	62.00	19.38	42.62	123.58	-61.58	400	316	Peak	Horizontal	
7	5855.50	61.75	19.09	42.66	110.66	-48.91	400	316	Peak	Horizontal	
8	5886.50	56.97	14.03	42.94	96.66	-39.69	400	316	Peak	Horizontal	
9	5980.50	57.43	14.48	42.95	68.20	-10.77	400	316	Peak	Horizontal	

CH 159 (Vertical) Peak

TÜV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5624.50	57.28	15.01	42.27	68.20	-10.92	400	305	Peak	Vertical	
2	5689.00	56.29	14.14	42.15	97.09	-40.80	400	305	Peak	Vertical	
3	5708.00	55.76	13.55	42.21	107.44	-51.68	400	305	Peak	Vertical	
4	5722.00	56.22	13.86	42.36	116.48	-60.26	400	305	Peak	Vertical	
5	5795.00	102.37	59.69	42.68	125.00	-22.63	400	305	Peak	Vertical	
6	5850.50	62.30	19.68	42.62	123.58	-61.28	400	305	Peak	Vertical	
7	5855.50	60.45	17.79	42.66	110.66	-50.21	400	305	Peak	Vertical	
8	5887.50	57.53	14.58	42.95	95.92	-38.39	400	305	Peak	Vertical	
9	5926.50	56.81	13.79	43.02	68.20	-11.39	400	305	Peak	Vertical	

802.11ac VHT80

CH 155 (Horizontal) Peak

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:-886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 !	5645.50	65.10	22.81	42.29	68.20	-3.10	100	357	Peak	Horizontal	
2	5680.50	77.01	34.82	42.19	90.81	-13.80	100	357	Peak	Horizontal	
3	5706.50	80.35	38.15	42.20	107.02	-26.67	100	357	Peak	Horizontal	
4	5720.50	80.80	38.45	42.35	112.22	-31.42	100	357	Peak	Horizontal	
5	5775.00	104.88	62.21	42.67	125.00	-20.12	100	357	Peak	Horizontal	
6	5854.50	81.26	38.60	42.66	112.22	-30.96	100	357	Peak	Horizontal	
7	5866.50	81.10	38.34	42.76	107.58	-26.48	100	357	Peak	Horizontal	
8	5875.50	76.03	33.19	42.84	104.83	-28.80	100	357	Peak	Horizontal	
9 !	5932.00	65.52	22.50	43.02	68.20	-2.68	100	357	Peak	Horizontal	

CH 155 (Vertical) Peak

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:-886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5644.00	60.67	18.38	42.29	68.20	-7.53	368	320	Peak	Vertical	
2	5695.00	69.53	27.39	42.14	101.51	-31.98	368	320	Peak	Vertical	
3	5710.00	70.31	28.08	42.23	108.00	-37.69	368	320	Peak	Vertical	
4	5720.50	69.10	26.75	42.35	112.22	-43.12	368	320	Peak	Vertical	
5	5775.00	101.60	58.93	42.67	125.00	-23.40	368	320	Peak	Vertical	
6	5850.00	70.04	27.42	42.62	125.00	-54.96	368	320	Peak	Vertical	
7	5857.50	69.09	26.40	42.69	110.10	-41.01	368	320	Peak	Vertical	
8	5882.50	66.65	23.75	42.90	99.63	-32.98	368	320	Peak	Vertical	
9 !	5932.00	64.38	21.36	43.02	68.20	-3.82	368	320	Peak	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~30MHz

U-NII-2C

802.11ac VHT20

CH 100(Open) (9kHz ~ 150kHz)

TÜV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	59.75	42.03	17.72	127.60	-67.85	100	317	Peak	Open	
2	0.03	61.30	42.36	18.94	119.18	-57.88	100	150	Peak	Open	
3	0.05	42.19	23.14	19.05	113.13	-70.94	100	318	Peak	Open	
4	0.08	43.14	24.73	18.41	109.56	-66.42	100	225	Peak	Open	
5	0.10	27.61	9.69	17.92	107.58	-79.97	100	241	Peak	Open	
6	0.12	39.49	21.49	18.00	106.06	-66.57	100	187	Peak	Open	

CH 100(Open) (150kHz ~ 30MHz)

TÜV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.93	46.44	27.41	19.03	68.27	-21.83	100	257	Peak	Open	
2	2.78	35.73	16.18	19.55	69.50	-33.77	100	257	Peak	Open	
3	8.30	33.27	12.48	20.79	69.50	-36.23	100	296	Peak	Open	
4	13.61	35.01	13.27	21.74	69.50	-34.49	100	213	Peak	Open	
5	19.05	34.52	12.42	22.10	69.50	-34.98	100	258	Peak	Open	
6	26.27	35.22	13.01	22.21	69.50	-34.28	100	104	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

U-NII-2C

802.11ac VHT20

CH100 (Horizontal)

TÜV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	51.34	23.47	29.08	-5.61	40.00	-16.53	100	180	Peak	Horizontal	
2	174.53	32.38	38.68	-6.30	43.50	-11.12	200	217	Peak	Horizontal	
3	324.88	34.98	39.05	-4.07	46.00	-11.02	100	222	Peak	Horizontal	
4	424.79	37.72	40.39	-2.67	46.00	-8.28	100	217	Peak	Horizontal	
5	575.14	33.52	34.04	-0.52	46.00	-12.48	200	307	Peak	Horizontal	
6	788.54	33.26	29.81	3.45	46.00	-12.74	144	360	Peak	Horizontal	

CH100 (Vertical)

TÜV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	60.07	27.14	33.57	-6.43	40.00	-12.86	200	260	Peak	Vertical	
2	174.53	27.89	34.19	-6.30	43.50	-15.61	100	360	Peak	Vertical	
3	424.79	35.57	38.24	-2.67	46.00	-10.43	100	175	Peak	Vertical	
4	575.14	30.70	31.22	-0.52	46.00	-15.30	100	96	Peak	Vertical	
5	709.97	32.11	29.92	2.19	46.00	-13.89	300	74	Peak	Vertical	
6	845.77	34.54	30.44	4.10	46.00	-11.46	100	287	Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII-1

802.11a

CH 36 (Horizontal)

TÜV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10360.00	66.09	68.96	-2.87	68.20	-2.11	200	298	Peak	Horizontal	

CH 36 (Vertical)

TÜV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10360.00	60.40	63.27	-2.87	68.20	-7.80	100	297	Peak	Vertical	

802.11a

CH 40 (Horizontal)

TÜV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10400.00	64.59	67.42	-2.83	68.20	-3.61	100	105	Peak	Horizontal	

CH 40 (Vertical)

TÜV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10400.00	66.34	69.17	-2.83	68.20	-1.86	200	288	Peak	Vertical	

802.11a

CH 48 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10480.00	67.07	69.75	-2.68	68.20	-1.13	200	300	Peak	Horizontal	

CH 48 (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10480.00	64.04	66.72	-2.68	68.20	-4.16	200	291	Peak	Vertical	

802.11ac VHT20

CH 36 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10360.00	65.77	68.64	-2.87	68.20	-2.43	100	115	Peak	Horizontal	

CH 36 (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10360.00	63.00	65.87	-2.87	68.20	-5.20	300	269	Peak	Vertical	

802.11ac VHT20

CH 40 (Horizontal)

TÜV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10400.00	67.03	69.86	-2.83	68.20	-1.17	100	103	Peak	Horizontal	

CH 40 (Vertical)

TÜV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10400.00	64.40	67.23	-2.83	68.20	-3.80	200	290	Peak	Vertical	

802.11ac VHT20

CH 48 (Horizontal)

TÜV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10480.00	66.83	69.51	-2.68	68.20	-1.37	100	118	Peak	Horizontal	

CH 48 (Vertical)

TÜV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10480.00	64.82	67.50	-2.68	68.20	-3.38	249	293	Peak	Vertical	

802.11ac VHT40

CH 38 (Horizontal)

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10380.00	57.58	60.45	-2.87	68.20	-10.62	100	120	Peak	Horizontal	

CH 38 (Vertical)

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10380.00	50.08	52.95	-2.87	68.20	-18.12	200	259	Peak	Vertical	

802.11ac VHT40

CH 46 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10460.00	66.42	69.14	-2.72	68.20	-1.78	100	103	Peak	Horizontal	

CH 46 (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10460.00	65.15	67.87	-2.72	68.20	-3.05	200	296	Peak	Vertical	

802.11ac VHT80

CH 42 (Horizontal)

TÜV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 !	10420.00	64.61	67.40	-2.79	68.20	-3.59	400	260	Peak	Horizontal	

CH 42 (Vertical)

TÜV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 !	10420.00	64.89	67.68	-2.79	68.20	-3.31	400	261	Peak	Vertical	

U-NII-2A

802.11a

CH 52 (Horizontal)

TÜV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10520.00	66.23	68.87	-2.64	68.20	-1.97	100	107	Peak	Horizontal	

CH 52 (Vertical)

TÜV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10520.00	65.10	67.74	-2.64	68.20	-3.10	200	296	Peak	Vertical	

802.11a

CH 60 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 !	10600.00	68.10	70.71	-2.61	74.00	-5.90	200	298	Peak	Horizontal	
2 !	10600.00	52.45	55.06	-2.61	54.00	-1.55	200	298	Average	Horizontal	

CH 60 (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	66.41	69.02	-2.61	74.00	-7.59	224	294	Peak	Vertical	
2 !	10600.00	50.63	53.24	-2.61	54.00	-3.37	224	294	Average	Vertical	

802.11a

CH 64 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	66.95	69.51	-2.56	74.00	-7.05	200	294	Peak	Horizontal	
2 !	10640.00	52.49	55.05	-2.56	54.00	-1.51	200	294	Average	Horizontal	

CH 64 (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	63.55	66.11	-2.56	74.00	-10.45	243	294	Peak	Vertical	
2 !	10640.00	48.51	51.07	-2.56	54.00	-5.49	243	294	Average	Vertical	

802.11ac VHT20

CH 52 (Horizontal)

TÜV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10520.00	66.85	69.49	-2.64	68.20	-1.35	100	311	Peak	Horizontal	

CH 52 (Vertical)

TÜV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10520.00	61.38	64.02	-2.64	68.20	-6.82	300	251	Peak	Vertical	

802.11ac VHT20

CH 60 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	67.65	70.26	-2.61	74.00	-6.35	100	109	Peak	Horizontal	
2 !	10600.00	52.49	55.10	-2.61	54.00	-1.51	100	109	Average	Horizontal	

CH 60 (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	62.67	65.28	-2.61	74.00	-11.33	378	360	Peak	Vertical	
2	10600.00	47.00	49.61	-2.61	54.00	-7.00	379	360	Average	Vertical	

802.11ac VHT20

CH 64 (Horizontal)

TÜV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	67.59	70.15	-2.56	74.00	-6.41	100	300	Peak	Horizontal	
2 !	10640.00	52.80	55.36	-2.56	54.00	-1.20	100	300	Average	Horizontal	

CH 64 (Vertical)

TÜV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	64.02	66.58	-2.56	74.00	-9.98	278	293	Peak	Vertical	
2 !	10640.00	49.62	52.18	-2.56	54.00	-4.38	278	293	Average	Vertical	

802.11ac VHT40

CH 54 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10540.00	66.90	69.53	-2.63	68.20	-1.30	100	297	Peak	Horizontal	

CH 54 (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao..Linkou Dist..New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10540.00	65.27	67.90	-2.63	68.20	-2.93	300	298	Peak	Vertical	

802.11ac VHT40

CH 62 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10620.00	62.60	65.19	-2.59	74.00	-11.40	100	301	Peak	Horizontal	
2 !	10620.00	48.41	51.00	-2.59	54.00	-5.59	100	301	Average	Horizontal	

CH 62 (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10620.00	57.87	60.46	-2.59	74.00	-16.13	400	254	Peak	Vertical	
2	10620.00	44.15	46.74	-2.59	54.00	-9.85	400	254	Average	Vertical	

802.11ac VHT80

CH 58 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10580.00	61.70	64.32	-2.62	68.20	-6.50	300	292	Peak	Horizontal	

CH 58 (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10580.00	63.58	66.20	-2.62	68.20	-4.62	300	262	Peak	Vertical	

U-NII-2C

802.11a

CH 100 (Horizontal)

TÜVRheinland

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	58.55	60.56	-2.01	74.00	-15.45	100	310	Peak	Horizontal	
2	11000.00	44.38	46.39	-2.01	54.00	-9.62	100	310	Average	Horizontal	

CH 100 (Vertical)

TÜVRheinland

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	52.65	54.66	-2.01	74.00	-21.35	300	258	Peak	Vertical	
2	11000.00	37.90	39.91	-2.01	54.00	-16.10	300	258	Average	Vertical	

802.11a

CH 116 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	49.21	50.96	-1.75	74.00	-24.79	300	335	Peak	Horizontal	
2	11160.00	38.99	40.74	-1.75	54.00	-15.01	300	335	Average	Horizontal	

CH 116 (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	46.81	48.56	-1.75	74.00	-27.19	400	150	Peak	Vertical	
2	11160.00	34.23	35.98	-1.75	54.00	-19.77	400	150	Average	Vertical	

802.11a

CH 140 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	44.92	46.23	-1.31	74.00	-29.08	200	171	Peak	Horizontal	
2	11400.00	34.60	35.91	-1.31	54.00	-19.40	200	171	Average	Horizontal	

CH 140 (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	43.82	45.13	-1.31	74.00	-30.18	100	27	Peak	Vertical	
2	11400.00	34.70	36.01	-1.31	54.00	-19.30	100	27	Average	Vertical	

802.11ac VHT20

CH 100 (Horizontal)

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	56.35	58.36	-2.01	74.00	-17.65	100	290	Peak	Horizontal	
2	11000.00	44.58	46.59	-2.01	54.00	-9.42	100	290	Average	Horizontal	

CH 100 (Vertical)

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	53.38	55.39	-2.01	74.00	-20.62	300	259	Peak	Vertical	
2	11000.00	44.23	46.24	-2.01	54.00	-9.77	300	259	Average	Vertical	

802.11ac VHT20

CH 116 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	50.35	52.10	-1.75	74.00	-23.65	200	304	Peak	Horizontal	
2	11160.00	40.23	41.98	-1.75	54.00	-13.77	200	304	Average	Horizontal	

CH 116 (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	48.21	49.96	-1.75	74.00	-25.79	400	252	Peak	Vertical	
2	11160.00	36.19	37.94	-1.75	54.00	-17.81	400	252	Average	Vertical	

802.11ac VHT20

CH 140 (Horizontal)

TÜV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	43.42	44.73	-1.31	74.00	-30.58	200	238	Peak	Horizontal	
2	11400.00	33.93	35.24	-1.31	54.00	-20.07	200	238	Average	Horizontal	

CH 140 (Vertical)

TÜV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	43.70	45.01	-1.31	74.00	-30.30	200	166	Peak	Vertical	
2	11400.00	33.18	34.49	-1.31	54.00	-20.82	200	166	Average	Vertical	

802.11ac VHT40

CH 102 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11020.00	46.88	48.85	-1.97	74.00	-27.12	100	339	Peak	Horizontal	
2	11020.00	36.45	38.42	-1.97	54.00	-17.55	100	339	Average	Horizontal	

CH 102 (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11020.00	45.21	47.18	-1.97	74.00	-28.79	300	266	Peak	Vertical	
2	11020.00	34.56	36.53	-1.97	54.00	-19.44	300	266	Average	Vertical	

802.11ac VHT40

CH 110 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11100.00	54.63	56.44	-1.81	74.00	-19.37	100	296	Peak	Horizontal	
2	11100.00	43.06	44.87	-1.81	54.00	-10.94	100	296	Average	Horizontal	

CH 110 (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11100.00	52.03	53.84	-1.81	74.00	-21.97	300	297	Peak	Vertical	
2	11100.00	41.16	42.97	-1.81	54.00	-12.84	300	297	Average	Vertical	

802.11ac VHT40

CH 134 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11340.00	48.91	50.34	-1.43	74.00	-25.09	100	89	Peak	Horizontal	
2	11340.00	36.38	37.81	-1.43	54.00	-17.62	100	89	Average	Horizontal	

CH 134 (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11340.00	48.73	50.16	-1.43	74.00	-25.27	400	306	Peak	Vertical	
2	11340.00	36.32	37.75	-1.43	54.00	-17.68	400	306	Average	Vertical	

802.11ac VHT80

CH 106 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11060.00	47.24	49.13	-1.89	74.00	-26.76	200	295	Peak	Horizontal	
2	11060.00	39.26	41.15	-1.89	54.00	-14.74	200	295	Average	Horizontal	

CH 106 (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11060.00	47.25	49.14	-1.89	74.00	-26.75	400	256	Peak	Vertical	
2	11060.00	38.31	40.20	-1.89	54.00	-15.69	400	256	Average	Vertical	

U-NII-3

802.11a

CH 149 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	42.15	43.29	-1.14	74.00	-31.85	294	360	Peak	Horizontal	
2	11490.00	32.25	33.39	-1.14	54.00	-21.75	294	360	Average	Horizontal	

CH 149 (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	43.29	44.43	-1.14	74.00	-30.71	300	230	Peak	Vertical	
2	11490.00	32.13	33.27	-1.14	54.00	-21.87	300	230	Average	Vertical	

802.11a

CH 157 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	42.77	43.86	-1.09	74.00	-31.23	132	44	Peak	Horizontal	
2	11570.00	32.60	33.69	-1.09	54.00	-21.40	132	44	Average	Horizontal	

CH 157 (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	42.86	43.95	-1.09	74.00	-31.14	400	306	Peak	Vertical	
2	11570.00	32.62	33.71	-1.09	54.00	-21.38	400	306	Average	Vertical	

802.11a

CH 165 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	43.41	44.32	-0.91	74.00	-30.59	303	360	Peak	Horizontal	
2	11650.00	33.13	34.04	-0.91	54.00	-20.87	303	360	Average	Horizontal	

CH 165 (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	44.26	45.17	-0.91	74.00	-29.74	400	253	Peak	Vertical	
2	11650.00	33.20	34.11	-0.91	54.00	-20.80	400	253	Average	Vertical	

802.11ac VHT20

CH 149 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	42.44	43.58	-1.14	74.00	-31.56	100	44	Peak	Horizontal	
2	11490.00	33.06	34.20	-1.14	54.00	-20.94	100	44	Average	Horizontal	

CH 149 (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244. Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	45.26	46.40	-1.14	74.00	-28.74	200	228	Peak	Vertical	
2	11490.00	32.47	33.61	-1.14	54.00	-21.53	200	228	Average	Vertical	

802.11ac VHT20

CH 157 (Horizontal)

TÜV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	43.61	44.70	-1.09	74.00	-30.39	200	359	Peak	Horizontal	
2	11570.00	33.46	34.55	-1.09	54.00	-20.54	200	359	Average	Horizontal	

CH 157 (Vertical)

TÜV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	43.25	44.34	-1.09	74.00	-30.75	200	360	Peak	Vertical	
2	11570.00	33.11	34.20	-1.09	54.00	-20.89	200	360	Average	Vertical	

802.11ac VHT20

CH 165 (Horizontal)

TÜV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	44.77	45.68	-0.91	74.00	-29.23	200	320	Peak	Horizontal	
2	11650.00	34.28	35.19	-0.91	54.00	-19.72	200	320	Average	Horizontal	

CH 165 (Vertical)

TÜV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	43.70	44.61	-0.91	74.00	-30.30	200	318	Peak	Vertical	
2	11650.00	33.37	34.28	-0.91	54.00	-20.63	200	318	Average	Vertical	

802.11ac VHT40

CH 151 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11510.00	45.65	46.76	-1.11	74.00	-28.35	100	210	Peak	Horizontal	
2	11510.00	35.45	36.56	-1.11	54.00	-18.55	100	210	Average	Horizontal	

CH 151 (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11510.00	46.51	47.62	-1.11	74.00	-27.49	300	126	Peak	Vertical	
2	11510.00	35.48	36.59	-1.11	54.00	-18.52	300	126	Average	Vertical	

802.11ac VHT40

CH 159 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11590.00	46.26	47.34	-1.08	74.00	-27.74	294	360	Peak	Horizontal	
2	11590.00	36.20	37.28	-1.08	54.00	-17.80	294	360	Average	Horizontal	

CH 159 (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18.Sec 2.Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11590.00	45.67	46.75	-1.08	74.00	-28.33	200	142	Peak	Vertical	
2	11590.00	35.81	36.89	-1.08	54.00	-18.19	200	142	Average	Vertical	

802.11ac VHT80

CH 155 (Horizontal) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322

TÜVRheinland



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11550.00	42.91	44.01	-1.10	74.00	-31.09	245	360	Peak	Horizontal	
2	11550.00	32.68	33.78	-1.10	54.00	-21.32	245	360	Average	Horizontal	

CH 155 (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322

TÜVRheinland



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11550.00	43.13	44.23	-1.10	74.00	-30.87	200	291	Peak	Vertical	
2	11550.00	32.76	33.86	-1.10	54.00	-21.24	200	291	Average	Vertical	

Mains Conducted Emission, (150kHz ~ 30MHz)

Worst Band

(Line)



Trace: 1

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.17	24.71	15.09	9.62	55.13	-30.42	Average	line1	
2	0.17	42.06	32.44	9.62	65.13	-23.07	QP	line1	
3	0.41	30.21	20.58	9.63	47.60	-17.39	Average	line1	
4	0.41	44.10	34.47	9.63	57.60	-13.50	QP	line1	
5	0.52	17.30	7.67	9.63	46.00	-28.70	Average	line1	
6	0.52	31.80	22.17	9.63	56.00	-24.20	QP	line1	
7	1.12	21.44	11.80	9.64	46.00	-24.56	Average	line1	
8	1.12	36.37	26.73	9.64	56.00	-19.63	QP	line1	
9	2.21	13.75	4.09	9.66	46.00	-32.25	Average	line1	
10	2.21	26.80	17.14	9.66	56.00	-29.20	QP	line1	
11	19.16	17.36	7.59	9.77	50.00	-32.64	Average	line1	
12	19.16	24.67	14.90	9.77	60.00	-35.33	QP	line1	

(Neutral)



Trace: 1

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.19	24.56	14.94	9.62	54.01	-29.45	Average	neutral	
2	0.19	40.53	30.91	9.62	64.01	-23.48	QP	neutral	
3	0.41	35.15	25.52	9.63	47.72	-12.57	Average	neutral	
4	0.41	45.48	35.85	9.63	57.72	-12.24	QP	neutral	
5	0.69	23.91	14.28	9.63	46.00	-22.09	Average	neutral	
6	0.69	35.58	25.95	9.63	56.00	-20.42	QP	neutral	
7	1.17	23.82	14.18	9.64	46.00	-22.18	Average	neutral	
8	1.17	35.32	25.68	9.64	56.00	-20.68	QP	neutral	
9	2.52	15.17	5.50	9.67	46.00	-30.83	Average	neutral	
10	2.52	24.14	14.47	9.67	56.00	-31.86	QP	neutral	
11	25.83	23.61	13.74	9.87	50.00	-26.39	Average	neutral	
12	25.83	30.22	20.35	9.87	60.00	-29.78	QP	neutral	