5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX **MASK**

6385MHz_TX

24/03/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41179G	0.56	6.255G	-46.94	-39.25	-7.69	1
6.3734G	0.34	6.2575G	-46.79	-39.66	-7.13	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX **MASK**

6345MHz_TX

24/03/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36819G	0.51	6.0878G	-44.38	-39.49	-4.89	1
6.27582G	0.61	6.0906G	-44.68	-38.61	-6.07	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX **MASK**

6105MHz_TX

24/03/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05621G	0.68	6.6054G	-42.17	-39.32	-2.85	1
6.13179G	0.46	6.6026G	-43.04	-39.54	-3.50	2

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX **MASK**

6515MHz_TX

24/03/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.524273G	-5.55	6.468875G	-58.87	-45.55	-13.32	1
6.507377G	-5.58	6.48145G	-57.52	-45.58	-11.94	2

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX **MASK**

6525MHz_TX

24/03/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.538097G	-1.54	6.46035G	-51.33	-41.54	-9.79	1
6.508504G	-1.45	6.46045G	-53.58	-41.45	-12.13	2

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX **MASK**

6465MHz_TX

24/03/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43741G	0.74	6.5977G	-47.05	-39.26	-7.79	1
6.43891G	0.89	6.3369G	-46.05	-39.11	-6.94	2

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX **MASK**

6505MHz_TX

24/03/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5136G	0.31	6.2418G	-45.25	-39.69	-5.56	1
6.48301G	0.30	6.2544G	-44.44	-39.67	-4.77	2

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX **MASK**

6585MHz_TX

24/03/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52861G	-0.27	6.089G	-40.44	-40.25	-0.19	1
6.43104G	-0.11	6.0798G	-40.97	-40.11	-0.86	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX **MASK**

6535MHz_TX

24/03/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.527902G	-6.28	6.572625G	-58.72	-46.28	-12.44	1
6.526527G	-6.78	6.573625G	-59.04	-46.78	-12.26	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX **MASK**

6885MHz_TX

24/03/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.868004G	0.21	6.95105G	-50.24	-39.79	-10.45	1
6.88605G	-0.25	6.9484G	-51.01	-40.09	-10.92	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX **MASK**

6865MHz_TX

24/03/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.83161G	0.75	6.9942G	-45.51	-39.25	-6.26	1
6.8771G	0.53	6.9997G	-46.87	-39.47	-7.40	2

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX **MASK**

6665MHz_TX

24/03/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.61641G	0.48	6.9164G	-44.24	-39.14	-5.10	1
6.68819G	0.21	6.9194G	-45.40	-39.79	-5.61	2

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX **MASK**

6905MHz_TX

24/03/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.81262G	-0.37	6.4082G	-42.25	-40.37	-1.88	1
6.87661G	-0.49	6.401G	-42.94	-40.49	-2.45	2

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX **MASK**

7115MHz_TX

24/03/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.109026G	-11.65	7.0704G	-60.19	-51.65	-8.54	1
7.122373G	-12.19	7.152325G	-60.60	-52.19	-8.41	2

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX **MASK**

7085MHz_TX

24/03/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.068854G	-1.51	7.15045G	-51.60	-41.51	-10.09	1
7.080201G	-1.90	7.1527G	-53.03	-41.90	-11.13	2

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX **MASK**

7025MHz_TX

24/03/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99721G	0.22	6.8937G	-47.84	-39.77	-8.07	1
6.99341G	0.35	6.8954G	-47.45	-39.53	-7.92	2

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX **MASK**

6985MHz_TX

24/03/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9702G	-0.02	6.7356G	-46.85	-39.91	-6.94	1
6.989G	-0.13	6.7294G	-47.01	-40.13	-6.88	2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	57.16M	35.68	40.00	-4.32	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6185MHz_Adapter	Pass	PK	35.82M	35.42	40.00	-4.58	3	Vertical	360	1.00
6185MHz_Adapter	Pass	PK	57.16M	35.68	40.00	-4.32	3	Vertical	360	1.00
6185MHz_Adapter	Pass	PK	121.18M	27.63	43.50	-15.87	3	Vertical	360	1.00
6185MHz_Adapter	Pass	PK	189.08M	26.23	43.50	-17.27	3	Vertical	360	1.00
6185MHz_Adapter	Pass	PK	293.84M	30.03	46.00	-15.97	3	Vertical	360	1.00
6185MHz_Adapter	Pass	PK	363.68M	32.66	46.00	-13.34	3	Vertical	360	1.00
6185MHz_Adapter	Pass	PK	57.16M	29.81	40.00	-10.19	3	Horizontal	0	1.00
6185MHz_Adapter	Pass	PK	138.64M	32.30	43.50	-11.20	3	Horizontal	0	1.00
6185MHz_Adapter	Pass	PK	218.18M	31.46	46.00	-14.54	3	Horizontal	0	1.00
6185MHz_Adapter	Pass	PK	313.24M	35.57	46.00	-10.43	3	Horizontal	0	1.00
6185MHz_Adapter	Pass	PK	350.1M	35.82	46.00	-10.18	3	Horizontal	0	1.00
6185MHz_Adapter	Pass	PK	480.08M	28.96	46.00	-17.04	3	Horizontal	0	1.00

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
PK	35.82M	35.42	40.00	-4.58	-5.90	3	Vertical	360	1.00	41.32	19.79	1.18	26.87
PK	57.16M	35.68	40.00	-4.32	-13.66	3	Vertical	360	1.00	49.34	11.32	1.50	26.48
PK	121.18M	27.63	43.50	-15.87	-8.48	3	Vertical	360	1.00	36.11	16.92	2.21	27.61
PK	189.08M	26.23	43.50	-17.27	-10.90	3	Vertical	360	1.00	37.13	13.67	2.78	27.35
PK	293.84M	30.03	46.00	-15.97	-5.65	3	Vertical	360	1.00	35.68	17.86	3.51	27.02
PK	363.68M	32.66	46.00	-13.34	-3.99	3	Vertical	360	1.00	36.65	19.54	3.93	27.46

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
PK	57.16M	29.81	40.00	-10.19	-13.66	3	Horizontal	0	1.00	43.47	11.32	1.50	26.48
PK	138.64M	32.30	43.50	-11.20	-9.20	3	Horizontal	0	1.00	41.50	15.99	2.36	27.55
PK	218.18M	31.46	46.00	-14.54	-10.49	3	Horizontal	0	1.00	41.95	13.71	3.01	27.21
PK	313.24M	35.57	46.00	-10.43	-5.18	3	Horizontal	0	1.00	40.75	18.30	3.63	27.11
PK	350.1M	35.82	46.00	-10.18	-4.33	3	Horizontal	0	1.00	40.15	19.16	3.86	27.35
PK	480.08M	28.96	46.00	-17.04	-1.57	3	Horizontal	0	1.00	30.53	22.10	4.55	28.22

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	12.38988G	40.49	54.00	-13.51	3	Vertical	135	2.20
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	11.92988G	40.06	54.00	-13.94	3	Vertical	0	2.04
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	11.96992G	40.77	54.00	-13.23	3	Vertical	0	2.07
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.925G	59.96	68.20	-8.24	3	Horizontal	127	2.75
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	5.925G	67.58	68.20	-0.62	3	Horizontal	122	2.92
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	12.94988G	40.51	68.20	-27.69	3	Vertical	233	2.78
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	12.88988G	40.08	68.20	-28.12	3	Vertical	144	1.00
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	12.92996G	40.44	68.20	-27.76	3	Vertical	142	2.55
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.00996G	39.30	68.20	-28.90	3	Vertical	211	2.47
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	13.16988G	40.40	68.20	-27.80	3	Vertical	208	2.96
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.38988G	41.98	54.00	-12.02	3	Vertical	161	2.81
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.36988G	40.47	54.00	-13.53	3	Vertical	145	2.11
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.25G	39.43	54.00	-14.57	3	Horizontal	174	2.71
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.32988G	39.67	54.00	-14.33	3	Vertical	182	1.92
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	7.264G	52.06	54.00	-1.94	3	Horizontal	120	2.27
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	67.81	68.20	-0.39	3	Horizontal	199	2.43
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	14.00988G	40.27	68.20	-27.93	3	Vertical	38	2.97
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	7.1252G	49.68	68.20	-18.52	3	Horizontal	119	2.28
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	7.126G	57.71	68.20	-10.49	3	Horizontal	122	2.47

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.916G	44.20	68.20	-24.00	3	Horizontal	111	2.84
5955MHz	Pass	AV	5.949G	97.69	Inf	-Inf	3	Horizontal	111	2.84
5955MHz	Pass	PK	5.9064G	58.39	88.20	-29.81	3	Horizontal	111	2.84
5955MHz	Pass	PK	5.9478G	110.20	Inf	-Inf	3	Horizontal	111	2.84
5955MHz	Pass	AV	11.90994G	39.10	54.00	-14.90	3	Vertical	360	2.14
5955MHz	Pass	PK	11.89704G	51.05	74.00	-22.95	3	Vertical	360	2.14
5955MHz	Pass	AV	11.91G	37.97	54.00	-16.03	3	Horizontal	249	1.18
5955MHz	Pass	PK	11.89818G	50.62	74.00	-23.38	3	Horizontal	249	1.18
6195MHz	Pass	AV	12.38988G	40.49	54.00	-13.51	3	Vertical	135	2.20
6195MHz	Pass	PK	12.40182G	51.02	74.00	-22.98	3	Vertical	135	2.20
6195MHz	Pass	AV	12.38994G	37.71	54.00	-16.29	3	Horizontal	167	1.50
6195MHz	Pass	PK	12.40302G	50.56	74.00	-23.44	3	Horizontal	167	1.50
6415MHz	Pass	AV	12.82994G	39.57	68.20	-28.63	3	Vertical	144	2.50
6415MHz	Pass	PK	12.84038G	51.80	88.20	-36.40	3	Vertical	144	2.50
6415MHz	Pass	AV	12.84002G	38.37	68.20	-29.83	3	Horizontal	171	1.50
6415MHz	Pass	PK	12.8264G	52.52	88.20	-35.68	3	Horizontal	171	1.50
6435MHz	Pass	AV	12.87G	39.99	68.20	-28.21	3	Vertical	337	1.83
6435MHz	Pass	PK	12.88476G	51.92	88.20	-36.28	3	Vertical	337	1.83
6435MHz	Pass	AV	12.87564G	38.36	68.20	-29.84	3	Horizontal	274	1.28
6435MHz	Pass	PK	12.8838G	51.26	88.20	-36.94	3	Horizontal	274	1.28
6475MHz	Pass	AV	12.94988G	40.51	68.20	-27.69	3	Vertical	233	2.78
6475MHz	Pass	PK	12.95312G	53.06	88.20	-35.14	3	Vertical	233	2.78
6475MHz	Pass	AV	12.94994G	39.12	68.20	-29.08	3	Horizontal	20	2.54
6475MHz	Pass	PK	12.94664G	52.66	88.20	-35.54	3	Horizontal	20	2.54
6515MHz	Pass	AV	13.02988G	39.83	68.20	-28.37	3	Vertical	338	2.89
6515MHz	Pass	PK	13.0303G	52.10	88.20	-36.10	3	Vertical	338	2.89
6515MHz	Pass	AV	13.02982G	39.01	68.20	-29.19	3	Horizontal	82	3.00
6515MHz	Pass	PK	13.0303G	52.73	88.20	-35.47	3	Horizontal	82	3.00
6535MHz	Pass	AV	13.06988G	39.59	68.20	-28.61	3	Vertical	340	2.93
6535MHz	Pass	PK	13.06676G	53.11	88.20	-35.09	3	Vertical	340	2.93
6535MHz	Pass	AV	13.05938G	38.93	68.20	-29.27	3	Horizontal	158	2.89
6535MHz	Pass	PK	13.07696G	51.91	88.20	-36.29	3	Horizontal	158	2.89
6695MHz	Pass	AV	13.38988G	41.98	54.00	-12.02	3	Vertical	161	2.81
6695MHz	Pass	PK	13.40494G	53.08	88.20	-35.12	3	Vertical	161	2.81
6695MHz	Pass	AV	13.38994G	39.24	54.00	-14.76	3	Horizontal	28	2.24
6695MHz	Pass	PK	13.39984G	52.78	74.00	-21.22	3	Horizontal	28	2.24
6875MHz	Pass	AV	13.74994G	39.18	68.20	-29.02	3	Vertical	94	2.98
6875MHz	Pass	PK	13.73806G	52.44	88.20	-35.76	3	Vertical	94	2.98
6875MHz	Pass	AV	13.73578G	38.95	68.20	-29.25	3	Horizontal	13	2.77
6875MHz	Pass	PK	13.7377G	51.89	88.20	-36.31	3	Horizontal	13	2.77
6895MHz	Pass	AV	13.78958G	38.61	68.20	-29.59	3	Vertical	0	2.25
6895MHz	Pass	PK	13.77584G	52.10	88.20	-36.10	3	Vertical	0	2.25
6895MHz	Pass	AV	13.78934G	38.57	68.20	-29.63	3	Horizontal	53	3.00
6895MHz	Pass	PK	13.77974G	52.86	88.20	-35.34	3	Horizontal	53	3.00
6995MHz	Pass	AV	13.98988G	40.90	68.20	-27.30	3	Vertical	238	2.55
6995MHz	Pass	PK	13.99738G	52.85	88.20	-35.35	3	Vertical	238	2.55
6995MHz	Pass	AV	13.97704G	39.14	68.20	-29.06	3	Horizontal	126	1.12
6995MHz	Pass	PK	13.98964G	52.82	88.20	-35.38	3	Horizontal	126	1.12
7095MHz	Pass	AV	7.0863G	97.50	Inf	-Inf	3	Horizontal	199	2.49
7095MHz	Pass	AV	7.2315G	49.21	68.20	-18.99	3	Horizontal	199	2.49
7095MHz	Pass	PK	7.0863G	109.92	Inf	-Inf	3	Horizontal	199	2.49
7095MHz	Pass	PK	7.2228G	62.71	88.20	-25.49	3	Horizontal	199	2.49
7095MHz	Pass	AV	14.18988G	40.45	68.20	-27.75	3	Vertical	115	2.61
7095MHz	Pass	PK	14.20296G	52.97	88.20	-35.23	3	Vertical	115	2.61
7095MHz	Pass	AV	14.1756G	39.55	68.20	-28.65	3	Horizontal	360	1.99
7095MHz	Pass	PK	14.18196G	53.40	88.20	-34.80	3	Horizontal	360	1.99
7115MHz	Pass	AV	7.1065G	92.57	Inf	-Inf	3	Horizontal	199	2.43
7115MHz	Pass	AV	7.1255G	67.81	68.20	-0.39	3	Horizontal	199	2.43
7115MHz	Pass	PK	7.1075G	100.12	Inf	-Inf	3	Horizontal	199	2.43
7115MHz	Pass	PK	7.1255G	78.51	88.20	-9.69	3	Horizontal	199	2.43

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	14.21812G	39.09	68.20	-29.11	3	Vertical	194	2.25
7115MHz	Pass	PK	14.22328G	52.43	88.20	-35.77	3	Vertical	194	2.25
7115MHz	Pass	AV	14.2171G	38.96	68.20	-29.24	3	Horizontal	304	1.53
7115MHz	Pass	PK	14.24236G	52.79	88.20	-35.41	3	Horizontal	304	1.53
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	48.06	68.20	-20.14	3	Horizontal	118	2.70
5965MHz	Pass	AV	5.983G	97.30	Inf	-Inf	3	Horizontal	118	2.70
5965MHz	Pass	PK	5.9233G	62.43	88.20	-25.77	3	Horizontal	118	2.70
5965MHz	Pass	PK	5.9827G	110.60	Inf	-Inf	3	Horizontal	118	2.70
5965MHz	Pass	AV	11.92988G	40.06	54.00	-13.94	3	Vertical	0	2.04
5965MHz	Pass	PK	11.92748G	50.04	74.00	-23.96	3	Vertical	0	2.04
5965MHz	Pass	AV	11.92988G	37.33	54.00	-16.67	3	Horizontal	74	2.36
5965MHz	Pass	PK	11.94812G	51.13	74.00	-22.87	3	Horizontal	74	2.36
6205MHz	Pass	AV	12.4388G	37.39	54.00	-16.61	3	Vertical	0	1.04
6205MHz	Pass	PK	12.4394G	50.58	74.00	-23.42	3	Vertical	0	1.04
6205MHz	Pass	AV	12.41G	37.37	54.00	-16.63	3	Horizontal	168	1.50
6205MHz	Pass	PK	12.43028G	50.70	74.00	-23.30	3	Horizontal	168	1.50
6405MHz	Pass	AV	12.80988G	40.22	68.20	-27.98	3	Vertical	338	1.95
6405MHz	Pass	PK	12.82644G	52.52	88.20	-35.68	3	Vertical	338	1.95
6405MHz	Pass	AV	12.8388G	38.68	68.20	-29.52	3	Horizontal	274	2.97
6405MHz	Pass	PK	12.8034G	52.56	88.20	-35.64	3	Horizontal	274	2.97
6445MHz	Pass	AV	12.88988G	40.08	68.20	-28.12	3	Vertical	144	1.00
6445MHz	Pass	PK	12.87284G	52.31	88.20	-35.89	3	Vertical	144	1.00
6445MHz	Pass	AV	12.89G	38.97	68.20	-29.23	3	Horizontal	115	2.72
6445MHz	Pass	PK	12.89948G	52.36	88.20	-35.84	3	Horizontal	115	2.72
6485MHz	Pass	AV	12.96976G	39.41	68.20	-28.79	3	Vertical	23	2.69
6485MHz	Pass	PK	12.9958G	52.58	88.20	-35.62	3	Vertical	23	2.69
6485MHz	Pass	AV	12.9418G	39.05	68.20	-29.15	3	Horizontal	21	2.48
6485MHz	Pass	PK	12.95212G	53.70	88.20	-34.50	3	Horizontal	21	2.48
6525MHz	Pass	AV	13.04976G	38.46	68.20	-29.74	3	Vertical	317	1.00
6525MHz	Pass	PK	13.04124G	51.73	88.20	-36.47	3	Vertical	317	1.00
6525MHz	Pass	AV	13.04976G	38.76	68.20	-29.44	3	Horizontal	128	2.39
6525MHz	Pass	PK	13.04592G	52.44	88.20	-35.76	3	Horizontal	128	2.39
6565MHz	Pass	AV	13.12988G	40.47	68.20	-27.73	3	Vertical	210	3.00
6565MHz	Pass	PK	13.13G	52.86	88.20	-35.34	3	Vertical	210	3.00
6565MHz	Pass	AV	13.12988G	39.08	68.20	-29.12	3	Horizontal	191	2.78
6565MHz	Pass	PK	13.12424G	52.06	88.20	-36.14	3	Horizontal	191	2.78
6685MHz	Pass	AV	13.36988G	40.47	54.00	-13.53	3	Vertical	145	2.11
6685MHz	Pass	PK	13.35116G	53.14	74.00	-20.86	3	Vertical	145	2.11
6685MHz	Pass	AV	13.36976G	39.68	54.00	-14.32	3	Horizontal	178	3.00
6685MHz	Pass	PK	13.3808G	53.61	74.00	-20.39	3	Horizontal	178	3.00
6885MHz	Pass	AV	13.76988G	39.26	68.20	-28.94	3	Vertical	99	2.98
6885MHz	Pass	PK	13.74228G	52.35	88.20	-35.85	3	Vertical	99	2.98
6885MHz	Pass	AV	13.74084G	38.62	68.20	-29.58	3	Horizontal	238	1.50
6885MHz	Pass	PK	13.75068G	51.55	88.20	-36.65	3	Horizontal	238	1.50
6925MHz	Pass	AV	13.87916G	38.57	68.20	-29.63	3	Vertical	141	2.37
6925MHz	Pass	PK	13.82168G	52.26	88.20	-35.94	3	Vertical	141	2.37
6925MHz	Pass	AV	13.87952G	38.58	68.20	-29.62	3	Horizontal	358	2.59
6925MHz	Pass	PK	13.85144G	52.13	88.20	-36.07	3	Horizontal	358	2.59
7005MHz	Pass	AV	14.00988G	40.27	68.20	-27.93	3	Vertical	38	2.97
7005MHz	Pass	PK	14.03364G	53.02	88.20	-35.18	3	Vertical	38	2.97
7005MHz	Pass	AV	14.03388G	39.07	68.20	-29.13	3	Horizontal	93	1.59
7005MHz	Pass	PK	14.02152G	52.65	88.20	-35.55	3	Horizontal	93	1.59
7085MHz	Pass	AV	14.16976G	39.26	68.20	-28.94	3	Vertical	3	1.01
7085MHz	Pass	PK	14.18104G	52.74	88.20	-35.46	3	Vertical	3	1.01
7085MHz	Pass	AV	14.16964G	39.51	68.20	-28.69	3	Horizontal	109	2.33
7085MHz	Pass	PK	14.17072G	53.55	88.20	-34.65	3	Horizontal	109	2.33
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	51.73	68.20	-16.47	3	Horizontal	127	2.74
5985MHz	Pass	AV	6.0065G	97.63	Inf	-Inf	3	Horizontal	127	2.74
5985MHz	Pass	PK	5.9075G	64.94	88.20	-23.26	3	Horizontal	127	2.74
5985MHz	Pass	PK	5.9885G	110.49	Inf	-Inf	3	Horizontal	127	2.74

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	AV	11.96992G	40.77	54.00	-13.23	3	Vertical	0	2.07
5985MHz	Pass	PK	11.96988G	50.98	74.00	-23.02	3	Vertical	0	2.07
5985MHz	Pass	AV	11.9698G	37.54	54.00	-16.46	3	Horizontal	36	2.89
5985MHz	Pass	PK	11.96852G	50.80	74.00	-23.20	3	Horizontal	36	2.89
6225MHz	Pass	AV	12.44992G	40.21	54.00	-13.79	3	Vertical	144	2.64
6225MHz	Pass	PK	12.45804G	51.51	74.00	-22.49	3	Vertical	144	2.64
6225MHz	Pass	AV	12.4598G	37.08	54.00	-16.92	3	Horizontal	187	1.50
6225MHz	Pass	PK	12.455G	50.62	74.00	-23.38	3	Horizontal	187	1.50
6385MHz	Pass	AV	12.76992G	39.61	68.20	-28.59	3	Vertical	139	2.51
6385MHz	Pass	PK	12.77104G	51.53	88.20	-36.67	3	Vertical	139	2.51
6385MHz	Pass	AV	12.77832G	38.00	68.20	-30.20	3	Horizontal	103	1.50
6385MHz	Pass	PK	12.76896G	51.01	88.20	-37.19	3	Horizontal	103	1.50
6465MHz	Pass	AV	12.92996G	40.44	68.20	-27.76	3	Vertical	142	2.55
6465MHz	Pass	PK	12.93008G	52.78	88.20	-35.42	3	Vertical	142	2.55
6465MHz	Pass	AV	12.93948G	38.98	68.20	-29.22	3	Horizontal	58	2.55
6465MHz	Pass	PK	12.93864G	52.68	88.20	-35.52	3	Horizontal	58	2.55
6545MHz	Pass	AV	13.09076G	38.64	68.20	-29.56	3	Vertical	273	1.50
6545MHz	Pass	PK	13.08868G	52.23	88.20	-35.97	3	Vertical	273	1.50
6545MHz	Pass	AV	13.08988G	39.10	68.20	-29.10	3	Horizontal	338	2.49
6545MHz	Pass	PK	13.08824G	52.35	88.20	-35.85	3	Horizontal	338	2.49
6625MHz	Pass	AV	13.24988G	41.43	68.20	-26.77	3	Vertical	173	2.95
6625MHz	Pass	PK	13.25984G	53.38	74.00	-20.62	3	Vertical	173	2.95
6625MHz	Pass	AV	13.25G	39.43	54.00	-14.57	3	Horizontal	174	2.71
6625MHz	Pass	PK	13.24056G	53.07	88.20	-35.13	3	Horizontal	174	2.71
6705MHz	Pass	AV	13.40996G	40.57	68.20	-27.63	3	Vertical	146	1.12
6705MHz	Pass	PK	13.41168G	52.99	88.20	-35.21	3	Vertical	146	1.12
6705MHz	Pass	AV	13.40996G	39.78	68.20	-28.42	3	Horizontal	178	3.00
6705MHz	Pass	PK	13.40424G	53.07	88.20	-35.13	3	Horizontal	178	3.00
6785MHz	Pass	AV	13.56992G	40.48	68.20	-27.72	3	Vertical	241	2.49
6785MHz	Pass	PK	13.57024G	53.49	88.20	-34.71	3	Vertical	241	2.49
6785MHz	Pass	AV	13.56128G	39.50	68.20	-28.70	3	Horizontal	343	1.48
6785MHz	Pass	PK	13.56016G	53.23	88.20	-34.97	3	Horizontal	343	1.48
6865MHz	Pass	AV	13.72992G	40.06	68.20	-28.14	3	Vertical	98	2.89
6865MHz	Pass	PK	13.7224G	53.12	88.20	-35.08	3	Vertical	98	2.89
6865MHz	Pass	AV	13.72196G	39.17	68.20	-29.03	3	Horizontal	21	2.74
6865MHz	Pass	PK	13.733G	52.71	88.20	-35.49	3	Horizontal	21	2.74
6945MHz	Pass	AV	13.88976G	39.05	68.20	-29.15	3	Vertical	358	2.92
6945MHz	Pass	PK	13.88596G	53.08	88.20	-35.12	3	Vertical	358	2.92
6945MHz	Pass	AV	13.88888G	38.80	68.20	-29.40	3	Horizontal	223	2.56
6945MHz	Pass	PK	13.89232G	52.90	88.20	-35.30	3	Horizontal	223	2.56
7025MHz	Pass	AV	7.0214G	97.57	Inf	-Inf	3	Horizontal	119	2.28
7025MHz	Pass	AV	7.1252G	49.68	68.20	-18.52	3	Horizontal	119	2.28
7025MHz	Pass	PK	7.0196G	110.84	Inf	-Inf	3	Horizontal	119	2.28
7025MHz	Pass	PK	7.1258G	63.95	88.20	-24.25	3	Horizontal	119	2.28
7025MHz	Pass	AV	14.0598G	39.64	68.20	-28.56	3	Vertical	329	2.47
7025MHz	Pass	PK	14.04208G	52.12	88.20	-36.08	3	Vertical	329	2.47
7025MHz	Pass	AV	14.05932G	39.48	68.20	-28.72	3	Horizontal	360	1.66
7025MHz	Pass	PK	14.05756G	52.79	88.20	-35.41	3	Horizontal	360	1.66
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	59.96	68.20	-8.24	3	Horizontal	127	2.75
6025MHz	Pass	AV	6.0475G	97.70	Inf	-Inf	3	Horizontal	127	2.75
6025MHz	Pass	PK	5.909G	74.35	88.20	-13.85	3	Horizontal	127	2.75
6025MHz	Pass	PK	6.0065G	111.39	Inf	-Inf	3	Horizontal	127	2.75
6025MHz	Pass	AV	12.04988G	40.45	54.00	-13.55	3	Vertical	360	2.14
6025MHz	Pass	PK	12.04988G	51.49	74.00	-22.51	3	Vertical	360	2.14
6025MHz	Pass	AV	12.0566G	37.34	54.00	-16.66	3	Horizontal	2	3.00
6025MHz	Pass	PK	12.0522G	50.75	74.00	-23.25	3	Horizontal	2	3.00
6185MHz	Pass	AV	12.36996G	39.14	54.00	-14.86	3	Vertical	149	2.90
6185MHz	Pass	PK	12.3702G	51.23	74.00	-22.77	3	Vertical	149	2.90
6185MHz	Pass	AV	12.36996G	37.50	54.00	-16.50	3	Horizontal	169	2.53
6185MHz	Pass	PK	12.37644G	51.10	74.00	-22.90	3	Horizontal	169	2.53
6345MHz	Pass	AV	12.68992G	41.21	54.00	-12.79	3	Vertical	137	2.56

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6345MHz	Pass	PK	12.68416G	52.11	74.00	-21.89	3	Vertical	137	2.56
6345MHz	Pass	AV	12.69112G	37.64	54.00	-16.36	3	Horizontal	194	1.50
6345MHz	Pass	PK	12.69624G	51.89	74.00	-22.11	3	Horizontal	194	1.50
6505MHz	Pass	AV	13.00996G	39.30	68.20	-28.90	3	Vertical	211	2.47
6505MHz	Pass	PK	13.01832G	52.94	88.20	-35.26	3	Vertical	211	2.47
6505MHz	Pass	AV	13.0034G	38.73	68.20	-29.47	3	Horizontal	14	1.50
6505MHz	Pass	PK	13.00092G	52.61	88.20	-35.59	3	Horizontal	14	1.50
6665MHz	Pass	AV	13.32988G	39.67	54.00	-14.33	3	Vertical	182	1.92
6665MHz	Pass	PK	13.3362G	52.42	74.00	-21.58	3	Vertical	182	1.92
6665MHz	Pass	AV	13.33G	39.35	54.00	-14.65	3	Horizontal	305	2.86
6665MHz	Pass	PK	13.32064G	52.51	74.00	-21.49	3	Horizontal	305	2.86
6825MHz	Pass	AV	13.64992G	40.09	68.20	-28.11	3	Vertical	155	1.93
6825MHz	Pass	PK	13.65632G	52.74	88.20	-35.46	3	Vertical	155	1.93
6825MHz	Pass	AV	13.64104G	39.46	68.20	-28.74	3	Horizontal	279	2.52
6825MHz	Pass	PK	13.6532G	53.15	88.20	-35.05	3	Horizontal	279	2.52
6985MHz	Pass	AV	6.922G	97.67	Inf	-Inf	3	Horizontal	122	2.47
6985MHz	Pass	AV	7.126G	57.71	68.20	-10.49	3	Horizontal	122	2.47
6985MHz	Pass	PK	6.9205G	110.98	Inf	-Inf	3	Horizontal	122	2.47
6985MHz	Pass	PK	7.1255G	70.41	88.20	-17.79	3	Horizontal	122	2.47
6985MHz	Pass	AV	13.96992G	39.86	68.20	-28.34	3	Vertical	34	1.67
6985MHz	Pass	PK	13.9698G	52.66	88.20	-35.54	3	Vertical	34	1.67
6985MHz	Pass	AV	13.97248G	39.36	68.20	-28.84	3	Horizontal	124	1.49
6985MHz	Pass	PK	13.97872G	52.53	88.20	-35.67	3	Horizontal	124	1.49
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	67.58	68.20	-0.62	3	Horizontal	122	2.92
6105MHz	Pass	AV	6.144G	96.58	Inf	-Inf	3	Horizontal	122	2.92
6105MHz	Pass	PK	5.906G	80.67	88.20	-7.53	3	Horizontal	122	2.92
6105MHz	Pass	PK	6.123G	109.26	Inf	-Inf	3	Horizontal	122	2.92
6105MHz	Pass	AV	12.20992G	40.88	54.00	-13.12	3	Vertical	1	2.23
6105MHz	Pass	PK	12.20996G	51.43	74.00	-22.57	3	Vertical	1	2.23
6105MHz	Pass	AV	12.20996G	37.82	54.00	-16.18	3	Horizontal	167	1.50
6105MHz	Pass	PK	12.20056G	50.83	74.00	-23.17	3	Horizontal	167	1.50
6265MHz	Pass	AV	12.52988G	41.88	54.00	-12.12	3	Vertical	144	2.74
6265MHz	Pass	PK	12.52992G	51.86	74.00	-22.14	3	Vertical	144	2.74
6265MHz	Pass	AV	12.52996G	38.54	54.00	-15.46	3	Horizontal	25	3.00
6265MHz	Pass	PK	12.53436G	51.36	74.00	-22.64	3	Horizontal	25	3.00
6425MHz	Pass	AV	12.84992G	40.15	68.20	-28.05	3	Vertical	336	2.12
6425MHz	Pass	PK	12.85224G	51.84	88.20	-36.36	3	Vertical	336	2.12
6425MHz	Pass	AV	12.84528G	38.65	68.20	-29.55	3	Horizontal	323	1.18
6425MHz	Pass	PK	12.84984G	52.25	88.20	-35.95	3	Horizontal	323	1.18
6585MHz	Pass	AV	13.16988G	40.40	68.20	-27.80	3	Vertical	208	2.96
6585MHz	Pass	PK	13.16992G	52.27	88.20	-35.93	3	Vertical	208	2.96
6585MHz	Pass	AV	13.16104G	38.92	68.20	-29.28	3	Horizontal	187	2.71
6585MHz	Pass	PK	13.1798G	53.56	88.20	-34.64	3	Horizontal	187	2.71
6745MHz	Pass	AV	13.48988G	40.23	68.20	-27.97	3	Vertical	145	1.00
6745MHz	Pass	PK	13.49536G	53.13	88.20	-35.07	3	Vertical	145	1.00
6745MHz	Pass	AV	13.49016G	39.56	68.20	-28.64	3	Horizontal	125	2.82
6745MHz	Pass	PK	13.49584G	52.65	88.20	-35.55	3	Horizontal	125	2.82
6905MHz	Pass	AV	6.922G	95.49	Inf	-Inf	3	Horizontal	120	2.27
6905MHz	Pass	AV	7.264G	52.06	54.00	-1.94	3	Horizontal	120	2.27
6905MHz	Pass	PK	6.923G	109.24	Inf	-Inf	3	Horizontal	120	2.27
6905MHz	Pass	PK	7.284G	64.59	74.00	-9.41	3	Horizontal	120	2.27
6905MHz	Pass	AV	13.80988G	38.87	68.20	-29.33	3	Vertical	148	2.53
6905MHz	Pass	PK	13.81368G	51.86	88.20	-36.34	3	Vertical	148	2.53
6905MHz	Pass	AV	13.8048G	38.84	68.20	-29.36	3	Horizontal	2	2.74
6905MHz	Pass	PK	13.80144G	51.60	88.20	-36.60	3	Horizontal	2	2.74

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.38988G	40.49	54.00	-13.51	16.23	3	Vertical	135	2.20	24.26	38.84	11.10	33.71
PK	12.40182G	51.02	74.00	-22.98	16.20	3	Vertical	135	2.20	34.82	38.80	11.10	33.70

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.38994G	37.71	54.00	-16.29	16.23	3	Horizontal	167	1.50	21.48	38.84	11.10	33.71
PK	12.40302G	50.56	74.00	-23.44	16.22	3	Horizontal	167	1.50	34.34	38.81	11.11	33.70

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9248G	48.06	68.20	-20.14	6.63	3	Horizontal	118	2.70	41.43	34.10	7.78	35.25
AV	5.983G	97.30	Inf	-Inf	6.56	3	Horizontal	118	2.70	90.74	34.07	7.76	35.27
PK	5.9233G	62.43	88.20	-25.77	6.64	3	Horizontal	118	2.70	55.79	34.11	7.78	35.25
PK	5.9827G	110.60	Inf	-Inf	6.56	3	Horizontal	118	2.70	104.04	34.07	7.76	35.27

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	11.92988G	40.06	54.00	-13.94	15.69	3	Vertical	0	2.04	24.37	38.76	10.89	33.96
PK	11.92748G	50.04	74.00	-23.96	15.68	3	Vertical	0	2.04	34.36	38.75	10.89	33.96

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	11.92988G	37.33	54.00	-16.67	15.69	3	Horizontal	74	2.36	21.64	38.76	10.89	33.96
PK	11.94812G	51.13	74.00	-22.87	15.73	3	Horizontal	74	2.36	35.40	38.80	10.89	33.96

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.925G	51.73	68.20	-16.47	6.63	3	Horizontal	127	2.74	45.10	34.10	7.78	35.25
AV	6.0065G	97.63	Inf	-Inf	6.57	3	Horizontal	127	2.74	91.06	34.09	7.76	35.28
PK	5.9075G	64.94	88.20	-23.26	6.72	3	Horizontal	127	2.74	58.22	34.17	7.79	35.24
PK	5.9885G	110.49	Inf	-Inf	6.55	3	Horizontal	127	2.74	103.94	34.08	7.75	35.28

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	11.96992G	40.77	54.00	-13.23	15.78	3	Vertical	0	2.07	24.99	38.84	10.89	33.95
PK	11.96988G	50.98	74.00	-23.02	15.78	3	Vertical	0	2.07	35.20	38.84	10.89	33.95

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	11.9698G	37.54	54.00	-16.46	15.78	3	Horizontal	36	2.89	21.76	38.84	10.89	33.95
PK	11.96852G	50.80	74.00	-23.20	15.78	3	Horizontal	36	2.89	35.02	38.84	10.89	33.95

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.925G	59.96	68.20	-8.24	6.63	3	Horizontal	127	2.75	53.33	34.10	7.78	35.25
AV	6.0475G	97.70	Inf	-Inf	6.53	3	Horizontal	127	2.75	91.17	34.01	7.82	35.30
PK	5.909G	74.35	88.20	-13.85	6.71	3	Horizontal	127	2.75	67.64	34.16	7.79	35.24
PK	6.0065G	111.39	Inf	-Inf	6.57	3	Horizontal	127	2.75	104.82	34.09	7.76	35.28

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.04988G	40.45	54.00	-13.55	16.11	3	Vertical	360	2.14	24.34	39.10	10.93	33.92
PK	12.04988G	51.49	74.00	-22.51	16.11	3	Vertical	360	2.14	35.38	39.10	10.93	33.92

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.0566G	37.34	54.00	-16.66	16.13	3	Horizontal	2	3.00	21.21	39.11	10.93	33.91
PK	12.0522G	50.75	74.00	-23.25	16.11	3	Horizontal	2	3.00	34.64	39.10	10.93	33.92

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.925G	67.58	68.20	-0.62	6.63	3	Horizontal	122	2.92	60.95	34.10	7.78	35.25
AV	6.144G	96.58	Inf	-Inf	6.70	3	Horizontal	122	2.92	89.88	34.09	7.96	35.35
PK	5.906G	80.67	88.20	-7.53	6.73	3	Horizontal	122	2.92	73.94	34.18	7.79	35.24
PK	6.123G	109.26	Inf	-Inf	6.64	3	Horizontal	122	2.92	102.62	34.05	7.93	35.34

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.20992G	40.88	54.00	-13.12	16.37	3	Vertical	1	2.23	24.51	39.18	11.01	33.82
PK	12.20996G	51.43	74.00	-22.57	16.37	3	Vertical	1	2.23	35.06	39.18	11.01	33.82

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.20996G	37.82	54.00	-16.18	16.37	3	Horizontal	167	1.50	21.45	39.18	11.01	33.82
PK	12.20056G	50.83	74.00	-23.17	16.37	3	Horizontal	167	1.50	34.46	39.20	11.00	33.83

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.94988G	40.51	68.20	-27.69	18.58	3	Vertical	233	2.78	21.93	40.00	11.38	32.80
PK	12.95312G	53.06	88.20	-35.14	18.58	3	Vertical	233	2.78	34.48	39.99	11.39	32.80

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.94994G	39.12	68.20	-29.08	18.58	3	Horizontal	20	2.54	20.54	40.00	11.38	32.80
PK	12.94664G	52.66	88.20	-35.54	18.56	3	Horizontal	20	2.54	34.10	39.99	11.38	32.81

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.88988G	40.08	68.20	-28.12	18.24	3	Vertical	144	1.00	21.84	39.80	11.35	32.91
PK	12.87284G	52.31	88.20	-35.89	18.20	3	Vertical	144	1.00	34.11	39.80	11.35	32.95

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.89G	38.97	68.20	-29.23	18.24	3	Horizontal	115	2.72	20.73	39.80	11.35	32.91
PK	12.89948G	52.36	88.20	-35.84	18.26	3	Horizontal	115	2.72	34.10	39.80	11.36	32.90

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.92996G	40.44	68.20	-27.76	18.45	3	Vertical	142	2.55	21.99	39.92	11.37	32.84
PK	12.93008G	52.78	88.20	-35.42	18.45	3	Vertical	142	2.55	34.33	39.92	11.37	32.84

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.93948G	38.98	68.20	-29.22	18.52	3	Horizontal	58	2.55	20.46	39.96	11.38	32.82
PK	12.93864G	52.68	88.20	-35.52	18.51	3	Horizontal	58	2.55	34.17	39.95	11.38	32.82

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.00996G	39.30	68.20	-28.90	18.58	3	Vertical	211	2.47	20.72	39.86	11.42	32.70
PK	13.01832G	52.94	88.20	-35.26	18.57	3	Vertical	211	2.47	34.37	39.83	11.42	32.68

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.0034G	38.73	68.20	-29.47	18.59	3	Horizontal	14	1.50	20.14	39.89	11.41	32.71
PK	13.00092G	52.61	88.20	-35.59	18.60	3	Horizontal	14	1.50	34.01	39.90	11.41	32.71

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.16988G	40.40	68.20	-27.80	18.74	3	Vertical	208	2.96	21.66	39.70	11.50	32.46
PK	13.16992G	52.27	88.20	-35.93	18.74	3	Vertical	208	2.96	33.53	39.70	11.50	32.46

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.16104G	38.92	68.20	-29.28	18.72	3	Horizontal	187	2.71	20.20	39.70	11.49	32.47
PK	13.1798G	53.56	88.20	-34.64	18.75	3	Horizontal	187	2.71	34.81	39.70	11.50	32.45

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.38988G	41.98	54.00	-12.02	19.57	3	Vertical	161	2.81	22.41	40.10	11.61	32.14
PK	13.40494G	53.08	88.20	-35.12	19.61	3	Vertical	161	2.81	33.47	40.11	11.62	32.12

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.38994G	39.24	54.00	-14.76	19.57	3	Horizontal	28	2.24	19.67	40.10	11.61	32.14
PK	13.39984G	52.78	74.00	-21.22	19.58	3	Horizontal	28	2.24	33.20	40.10	11.61	32.13

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.36988G	40.47	54.00	-13.53	19.53	3	Vertical	145	2.11	20.94	40.10	11.60	32.17
PK	13.35116G	53.14	74.00	-20.86	19.49	3	Vertical	145	2.11	33.65	40.10	11.59	32.20

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.36976G	39.68	54.00	-14.32	19.53	3	Horizontal	178	3.00	20.15	40.10	11.60	32.17
PK	13.3808G	53.61	74.00	-20.39	19.55	3	Horizontal	178	3.00	34.06	40.10	11.60	32.15

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.24988G	41.43	68.20	-26.77	18.99	3	Vertical	173	2.95	22.44	39.80	11.54	32.35
PK	13.25984G	53.38	74.00	-20.62	19.05	3	Vertical	173	2.95	34.33	39.84	11.54	32.33

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.25G	39.43	54.00	-14.57	19.00	3	Horizontal	174	2.71	20.43	39.80	11.54	32.34
PK	13.24056G	53.07	88.20	-35.13	18.95	3	Horizontal	174	2.71	34.12	39.78	11.53	32.36

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.32988G	39.67	54.00	-14.33	19.41	3	Vertical	182	1.92	20.26	40.06	11.58	32.23
PK	13.3362G	52.42	74.00	-21.58	19.43	3	Vertical	182	1.92	32.99	40.07	11.58	32.22

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.33G	39.35	54.00	-14.65	19.41	3	Horizontal	305	2.86	19.94	40.06	11.58	32.23
PK	13.32064G	52.51	74.00	-21.49	19.37	3	Horizontal	305	2.86	33.14	40.04	11.57	32.24

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.922G	95.49	Inf	-Inf	8.75	3	Horizontal	120	2.27	86.74	35.80	8.49	35.54
AV	7.264G	52.06	54.00	-1.94	10.40	3	Horizontal	120	2.27	41.66	36.80	8.87	35.27
PK	6.923G	109.24	Inf	-Inf	8.75	3	Horizontal	120	2.27	100.49	35.80	8.49	35.54
PK	7.284G	64.59	74.00	-9.41	10.42	3	Horizontal	120	2.27	54.17	36.80	8.86	35.24

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.80988G	38.87	68.20	-29.33	19.28	3	Vertical	148	2.53	19.59	39.70	11.82	32.24
PK	13.81368G	51.86	88.20	-36.34	19.28	3	Vertical	148	2.53	32.58	39.70	11.82	32.24

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.8048G	38.84	68.20	-29.36	19.28	3	Horizontal	2	2.74	19.56	39.70	11.82	32.24
PK	13.80144G	51.60	88.20	-36.60	19.29	3	Horizontal	2	2.74	32.31	39.70	11.82	32.23

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.1065G	92.57	Inf	-Inf	9.52	3	Horizontal	199	2.43	83.05	36.24	8.71	35.43
AV	7.1255G	67.81	68.20	-0.39	9.69	3	Horizontal	199	2.43	58.12	36.35	8.75	35.41
PK	7.1075G	100.12	Inf	-Inf	9.52	3	Horizontal	199	2.43	90.60	36.24	8.71	35.43
PK	7.1255G	78.51	88.20	-9.69	9.69	3	Horizontal	199	2.43	68.82	36.35	8.75	35.41

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.21812G	39.09	68.20	-29.11	19.46	3	Vertical	194	2.25	19.63	40.19	11.99	32.72
PK	14.22328G	52.43	88.20	-35.77	19.42	3	Vertical	194	2.25	33.01	40.16	11.99	32.73

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.2171G	38.96	68.20	-29.24	19.47	3	Horizontal	304	1.53	19.49	40.20	11.99	32.72
PK	14.24236G	52.79	88.20	-35.41	19.28	3	Horizontal	304	1.53	33.51	40.05	11.99	32.76

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.00988G	40.27	68.20	-27.93	19.63	3	Vertical	38	2.97	20.64	40.12	11.92	32.41
PK	14.03364G	53.02	88.20	-35.18	19.65	3	Vertical	38	2.97	33.37	40.17	11.93	32.45

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.03388G	39.07	68.20	-29.13	19.65	3	Horizontal	93	1.59	19.42	40.17	11.93	32.45
PK	14.02152G	52.65	88.20	-35.55	19.64	3	Horizontal	93	1.59	33.01	40.14	11.93	32.43

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.0214G	97.57	Inf	-Inf	8.83	3	Horizontal	119	2.28	88.74	35.79	8.56	35.52
AV	7.1252G	49.68	68.20	-18.52	9.69	3	Horizontal	119	2.28	39.99	36.35	8.75	35.41
PK	7.0196G	110.84	Inf	-Inf	8.82	3	Horizontal	119	2.28	102.02	35.78	8.56	35.52
PK	7.1258G	63.95	88.20	-24.25	9.69	3	Horizontal	119	2.28	54.26	36.35	8.75	35.41

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.0598G	39.64	68.20	-28.56	19.69	3	Vertical	329	2.47	19.95	40.24	11.94	32.49
PK	14.04208G	52.12	88.20	-36.08	19.65	3	Vertical	329	2.47	32.47	40.18	11.93	32.46

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.05932G	39.48	68.20	-28.72	19.69	3	Horizontal	360	1.66	19.79	40.24	11.94	32.49
PK	14.05756G	52.79	88.20	-35.41	19.68	3	Horizontal	360	1.66	33.11	40.23	11.94	32.49

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.922G	97.67	Inf	-Inf	8.75	3	Horizontal	122	2.47	88.92	35.80	8.49	35.54
AV	7.126G	57.71	68.20	-10.49	9.70	3	Horizontal	122	2.47	48.01	36.36	8.75	35.41
PK	6.9205G	110.98	Inf	-Inf	8.75	3	Horizontal	122	2.47	102.23	35.80	8.49	35.54
PK	7.1255G	70.41	88.20	-17.79	9.69	3	Horizontal	122	2.47	60.72	36.35	8.75	35.41

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.96992G	39.86	68.20	-28.34	19.63	3	Vertical	34	1.67	20.23	40.10	11.90	32.37
PK	13.9698G	52.66	88.20	-35.54	19.63	3	Vertical	34	1.67	33.03	40.10	11.90	32.37

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.97248G	39.36	68.20	-28.84	19.63	3	Horizontal	124	1.49	19.73	40.10	11.91	32.38
PK	13.97872G	52.53	88.20	-35.67	19.63	3	Horizontal	124	1.49	32.90	40.10	11.91	32.38

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	12.38996G	41.22	54.00	-12.78	3	Vertical	175	2.91
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	12.40996G	41.29	54.00	-12.71	3	Vertical	175	3.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.925G	56.03	68.20	-12.17	3	Horizontal	231	2.75
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	5.925G	58.53	68.20	-9.67	3	Horizontal	122	2.45
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	5.925G	61.15	68.20	-7.05	3	Horizontal	117	2.92
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	12.87G	40.92	68.20	-27.28	3	Vertical	165	2.84
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.04992G	39.92	68.20	-28.28	3	Vertical	177	1.91
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.08996G	40.36	68.20	-27.84	3	Vertical	178	1.95
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.00996G	39.96	68.20	-28.24	3	Vertical	264	3.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	12.85G	41.32	68.20	-26.88	3	Vertical	89	2.84
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.39G	41.30	54.00	-12.70	3	Vertical	164	2.98
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.37004G	40.72	54.00	-13.28	3	Vertical	179	1.98
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.40996G	41.16	68.20	-27.04	3	Vertical	181	2.09
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.33G	40.03	54.00	-13.97	3	Vertical	179	1.76
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	7.251G	53.26	54.00	-0.74	3	Horizontal	66	2.20
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	67.02	68.20	-1.18	3	Horizontal	100	2.89
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	7.2242G	49.40	68.20	-18.80	3	Horizontal	117	2.15
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	7.127G	49.33	68.20	-18.87	3	Horizontal	229	2.32
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	PK	7.127G	79.86	88.20	-8.34	3	Horizontal	44	2.33

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9214G	44.62	68.20	-23.58	3	Horizontal	96	2.13
5955MHz	Pass	AV	5.9634G	97.40	Inf	-Inf	3	Horizontal	96	2.13
5955MHz	Pass	PK	5.9118G	58.14	88.20	-30.06	3	Horizontal	96	2.13
5955MHz	Pass	PK	5.964G	110.10	Inf	-Inf	3	Horizontal	96	2.13
5955MHz	Pass	AV	11.91008G	40.49	54.00	-13.51	3	Vertical	143	2.10
5955MHz	Pass	PK	11.91008G	52.02	74.00	-21.98	3	Vertical	143	2.10
5955MHz	Pass	AV	11.91948G	37.42	54.00	-16.58	3	Horizontal	251	1.50
5955MHz	Pass	PK	11.90772G	51.70	74.00	-22.30	3	Horizontal	251	1.50
6195MHz	Pass	AV	12.38996G	41.22	54.00	-12.78	3	Vertical	175	2.91
6195MHz	Pass	PK	12.38988G	51.87	74.00	-22.13	3	Vertical	175	2.91
6195MHz	Pass	AV	12.39448G	37.79	54.00	-16.21	3	Horizontal	349	2.36
6195MHz	Pass	PK	12.39732G	51.18	74.00	-22.82	3	Horizontal	349	2.36
6415MHz	Pass	AV	12.82996G	40.59	68.20	-27.61	3	Vertical	338	2.05
6415MHz	Pass	PK	12.82996G	52.10	88.20	-36.10	3	Vertical	338	2.05
6415MHz	Pass	AV	12.83628G	39.33	68.20	-28.87	3	Horizontal	103	2.88
6415MHz	Pass	PK	12.83832G	52.95	88.20	-35.25	3	Horizontal	103	2.88
6435MHz	Pass	AV	12.87G	40.92	68.20	-27.28	3	Vertical	165	2.84
6435MHz	Pass	PK	12.87004G	51.62	88.20	-36.58	3	Vertical	165	2.84
6435MHz	Pass	AV	12.8766G	39.23	68.20	-28.97	3	Horizontal	281	1.01
6435MHz	Pass	PK	12.87068G	51.86	88.20	-36.34	3	Horizontal	281	1.01
6475MHz	Pass	AV	12.95G	40.11	68.20	-28.09	3	Vertical	161	1.83
6475MHz	Pass	PK	12.95744G	52.21	88.20	-35.99	3	Vertical	161	1.83
6475MHz	Pass	AV	12.9438G	39.98	68.20	-28.22	3	Horizontal	32	2.74
6475MHz	Pass	PK	12.953G	53.81	88.20	-34.39	3	Horizontal	32	2.74
6515MHz	Pass	AV	13.02992G	39.43	68.20	-28.77	3	Vertical	4	2.31
6515MHz	Pass	PK	13.02148G	52.11	88.20	-36.09	3	Vertical	4	2.31
6515MHz	Pass	AV	13.02996G	39.34	68.20	-28.86	3	Horizontal	127	1.02
6515MHz	Pass	PK	13.03608G	51.32	88.20	-36.88	3	Horizontal	127	1.02
6535MHz	Pass	AV	13.06992G	40.33	68.20	-27.87	3	Vertical	176	2.04
6535MHz	Pass	PK	13.06396G	52.34	88.20	-35.86	3	Vertical	176	2.04
6535MHz	Pass	AV	13.0776G	39.58	68.20	-28.62	3	Horizontal	198	2.27
6535MHz	Pass	PK	13.06276G	51.16	88.20	-37.04	3	Horizontal	198	2.27
6695MHz	Pass	AV	13.39G	41.30	54.00	-12.70	3	Vertical	164	2.98
6695MHz	Pass	PK	13.39152G	53.16	74.00	-20.84	3	Vertical	164	2.98
6695MHz	Pass	AV	13.3874G	40.01	54.00	-13.99	3	Horizontal	214	2.79
6695MHz	Pass	PK	13.39656G	52.88	74.00	-21.12	3	Horizontal	214	2.79
6875MHz	Pass	AV	13.75124G	39.64	68.20	-28.56	3	Vertical	34	3.00
6875MHz	Pass	PK	13.7564G	52.47	88.20	-35.73	3	Vertical	34	3.00
6875MHz	Pass	AV	13.75168G	39.18	68.20	-29.02	3	Horizontal	281	1.50
6875MHz	Pass	PK	13.74176G	51.98	88.20	-36.22	3	Horizontal	281	1.50
6895MHz	Pass	AV	13.78968G	39.13	68.20	-29.07	3	Vertical	322	1.25
6895MHz	Pass	PK	13.79304G	51.77	88.20	-36.43	3	Vertical	322	1.25
6895MHz	Pass	AV	13.7866G	39.12	68.20	-29.08	3	Horizontal	335	1.48
6895MHz	Pass	PK	13.79252G	51.75	88.20	-36.45	3	Horizontal	335	1.48
6995MHz	Pass	AV	13.98664G	39.59	68.20	-28.61	3	Vertical	209	1.00
6995MHz	Pass	PK	13.9926G	53.29	88.20	-34.91	3	Vertical	209	1.00
6995MHz	Pass	AV	13.98576G	39.62	68.20	-28.58	3	Horizontal	339	1.03
6995MHz	Pass	PK	13.98564G	52.70	88.20	-35.50	3	Horizontal	339	1.03
7095MHz	Pass	AV	7.1028G	98.25	Inf	-Inf	3	Horizontal	13	2.43
7095MHz	Pass	AV	7.239G	49.56	68.20	-18.64	3	Horizontal	13	2.43
7095MHz	Pass	PK	7.1028G	110.72	Inf	-Inf	3	Horizontal	13	2.43
7095MHz	Pass	PK	7.2246G	63.07	88.20	-25.13	3	Horizontal	13	2.43
7095MHz	Pass	AV	14.19012G	40.06	68.20	-28.14	3	Vertical	89	2.69
7095MHz	Pass	PK	14.18136G	52.51	88.20	-35.69	3	Vertical	89	2.69
7095MHz	Pass	AV	14.18276G	39.87	68.20	-28.33	3	Horizontal	61	1.09
7095MHz	Pass	PK	14.1952G	52.21	88.20	-35.99	3	Horizontal	61	1.09
7115MHz	Pass	AV	7.1235G	93.25	Inf	-Inf	3	Horizontal	100	2.89
7115MHz	Pass	AV	7.1255G	67.02	68.20	-1.18	3	Horizontal	100	2.89
7115MHz	Pass	PK	7.1235G	100.39	Inf	-Inf	3	Horizontal	100	2.89
7115MHz	Pass	PK	7.1255G	80.12	88.20	-8.08	3	Horizontal	100	2.89

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	14.23G	40.09	68.20	-28.11	3	Vertical	260	1.15
7115MHz	Pass	PK	14.23184G	52.38	88.20	-35.82	3	Vertical	260	1.15
7115MHz	Pass	AV	14.22908G	39.72	68.20	-28.48	3	Horizontal	160	1.57
7115MHz	Pass	PK	14.23512G	52.27	88.20	-35.93	3	Horizontal	160	1.57
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9194G	51.67	68.20	-16.53	3	Horizontal	96	2.02
5965MHz	Pass	AV	5.9824G	97.62	Inf	-Inf	3	Horizontal	96	2.02
5965MHz	Pass	PK	5.9164G	70.40	88.20	-17.80	3	Horizontal	96	2.02
5965MHz	Pass	PK	5.9794G	110.31	Inf	-Inf	3	Horizontal	96	2.02
5965MHz	Pass	AV	11.92976G	37.97	54.00	-16.03	3	Vertical	3	1.50
5965MHz	Pass	PK	11.92432G	50.93	74.00	-23.07	3	Vertical	3	1.50
5965MHz	Pass	AV	11.93532G	37.39	54.00	-16.61	3	Horizontal	204	1.50
5965MHz	Pass	PK	11.93716G	50.21	74.00	-23.79	3	Horizontal	204	1.50
6205MHz	Pass	AV	12.40996G	41.29	54.00	-12.71	3	Vertical	175	3.00
6205MHz	Pass	PK	12.40996G	51.68	74.00	-22.32	3	Vertical	175	3.00
6205MHz	Pass	AV	12.40344G	37.43	54.00	-16.57	3	Horizontal	91	3.00
6205MHz	Pass	PK	12.41952G	50.60	74.00	-23.40	3	Horizontal	91	3.00
6405MHz	Pass	AV	12.81004G	41.46	68.20	-26.74	3	Vertical	337	1.96
6405MHz	Pass	PK	12.81028G	52.24	88.20	-35.96	3	Vertical	337	1.96
6405MHz	Pass	AV	12.80788G	38.86	68.20	-29.34	3	Horizontal	213	3.00
6405MHz	Pass	PK	12.80856G	52.25	88.20	-35.95	3	Horizontal	213	3.00
6445MHz	Pass	AV	12.89004G	39.67	68.20	-28.53	3	Vertical	338	2.16
6445MHz	Pass	PK	12.88272G	51.65	88.20	-36.55	3	Vertical	338	2.16
6445MHz	Pass	AV	12.8946G	38.92	68.20	-29.28	3	Horizontal	34	1.50
6445MHz	Pass	PK	12.88124G	51.02	88.20	-37.18	3	Horizontal	34	1.50
6485MHz	Pass	AV	12.96984G	39.57	68.20	-28.63	3	Vertical	108	1.50
6485MHz	Pass	PK	12.97576G	52.28	88.20	-35.92	3	Vertical	108	1.50
6485MHz	Pass	AV	12.9618G	39.10	68.20	-29.10	3	Horizontal	199	1.50
6485MHz	Pass	PK	12.9792G	52.15	88.20	-36.05	3	Horizontal	199	1.50
6525MHz	Pass	AV	13.04992G	39.92	68.20	-28.28	3	Vertical	177	1.91
6525MHz	Pass	PK	13.04088G	52.23	88.20	-35.97	3	Vertical	177	1.91
6525MHz	Pass	AV	13.04796G	38.95	68.20	-29.25	3	Horizontal	0	1.50
6525MHz	Pass	PK	13.04584G	52.72	88.20	-35.48	3	Horizontal	0	1.50
6565MHz	Pass	AV	13.12992G	40.55	68.20	-27.65	3	Vertical	176	1.76
6565MHz	Pass	PK	13.13592G	51.87	88.20	-36.33	3	Vertical	176	1.76
6565MHz	Pass	AV	13.12752G	38.91	68.20	-29.29	3	Horizontal	180	1.50
6565MHz	Pass	PK	13.12896G	50.91	88.20	-37.29	3	Horizontal	180	1.50
6685MHz	Pass	AV	13.37004G	40.72	54.00	-13.28	3	Vertical	179	1.98
6685MHz	Pass	PK	13.36316G	52.71	74.00	-21.29	3	Vertical	179	1.98
6685MHz	Pass	AV	13.36708G	39.35	54.00	-14.65	3	Horizontal	214	2.65
6685MHz	Pass	PK	13.37484G	52.25	74.00	-21.75	3	Horizontal	214	2.65
6885MHz	Pass	AV	13.7618G	38.68	68.20	-29.52	3	Vertical	334	1.50
6885MHz	Pass	PK	13.76392G	51.19	88.20	-37.01	3	Vertical	334	1.50
6885MHz	Pass	AV	13.76348G	38.55	68.20	-29.65	3	Horizontal	341	1.00
6885MHz	Pass	PK	13.77588G	52.25	88.20	-35.95	3	Horizontal	341	1.00
6925MHz	Pass	AV	13.84996G	39.28	68.20	-28.92	3	Vertical	45	2.98
6925MHz	Pass	PK	13.85516G	51.25	88.20	-36.95	3	Vertical	45	2.98
6925MHz	Pass	AV	13.85764G	38.63	68.20	-29.57	3	Horizontal	48	1.00
6925MHz	Pass	PK	13.8512G	50.99	88.20	-37.21	3	Horizontal	48	1.00
7005MHz	Pass	AV	14.01736G	39.09	68.20	-29.11	3	Vertical	193	1.22
7005MHz	Pass	PK	14.01368G	53.06	88.20	-35.14	3	Vertical	193	1.22
7005MHz	Pass	AV	14.01708G	39.02	68.20	-29.18	3	Horizontal	126	1.04
7005MHz	Pass	PK	14.01212G	51.90	88.20	-36.30	3	Horizontal	126	1.04
7085MHz	Pass	AV	7.0682G	97.06	Inf	-Inf	3	Horizontal	117	2.15
7085MHz	Pass	AV	7.2242G	49.40	68.20	-18.80	3	Horizontal	117	2.15
7085MHz	Pass	PK	7.103G	109.90	Inf	-Inf	3	Horizontal	117	2.15
7085MHz	Pass	PK	7.1288G	65.21	88.20	-22.99	3	Horizontal	117	2.15
7085MHz	Pass	AV	14.1698G	39.82	68.20	-28.38	3	Vertical	54	2.63
7085MHz	Pass	PK	14.16836G	52.83	88.20	-35.37	3	Vertical	54	2.63
7085MHz	Pass	AV	14.16232G	39.59	68.20	-28.61	3	Horizontal	86	1.09
7085MHz	Pass	PK	14.164G	52.30	88.20	-35.90	3	Horizontal	86	1.09
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	AV	5.925G	56.03	68.20	-12.17	3	Horizontal	231	2.75
5985MHz	Pass	AV	6.02G	97.71	Inf	-Inf	3	Horizontal	231	2.75
5985MHz	Pass	PK	5.925G	72.99	88.20	-15.21	3	Horizontal	231	2.75
5985MHz	Pass	PK	5.994G	110.37	Inf	-Inf	3	Horizontal	231	2.75
5985MHz	Pass	AV	11.96988G	38.80	54.00	-15.20	3	Vertical	1	2.07
5985MHz	Pass	PK	11.96988G	49.84	74.00	-24.16	3	Vertical	1	2.07
5985MHz	Pass	AV	11.96988G	37.36	54.00	-16.64	3	Horizontal	198	3.00
5985MHz	Pass	PK	11.979G	50.08	74.00	-23.92	3	Horizontal	198	3.00
6225MHz	Pass	AV	12.44992G	41.44	54.00	-12.56	3	Vertical	172	3.00
6225MHz	Pass	PK	12.44976G	50.82	74.00	-23.18	3	Vertical	172	3.00
6225MHz	Pass	AV	12.44068G	37.49	54.00	-16.51	3	Horizontal	280	2.90
6225MHz	Pass	PK	12.45256G	50.16	74.00	-23.84	3	Horizontal	280	2.90
6385MHz	Pass	AV	12.77G	39.62	68.20	-28.58	3	Vertical	337	1.91
6385MHz	Pass	PK	12.77012G	50.42	88.20	-37.78	3	Vertical	337	1.91
6385MHz	Pass	AV	12.77708G	38.24	68.20	-29.96	3	Horizontal	352	2.94
6385MHz	Pass	PK	12.76104G	50.99	88.20	-37.21	3	Horizontal	352	2.94
6465MHz	Pass	AV	12.92992G	39.20	68.20	-29.00	3	Vertical	228	3.00
6465MHz	Pass	PK	12.93996G	51.76	88.20	-36.44	3	Vertical	228	3.00
6465MHz	Pass	AV	12.93456G	39.01	68.20	-29.19	3	Horizontal	184	1.50
6465MHz	Pass	PK	12.93908G	51.73	88.20	-36.47	3	Horizontal	184	1.50
6545MHz	Pass	AV	13.08996G	40.36	68.20	-27.84	3	Vertical	178	1.95
6545MHz	Pass	PK	13.09032G	52.14	88.20	-36.06	3	Vertical	178	1.95
6545MHz	Pass	AV	13.09644G	39.03	68.20	-29.17	3	Horizontal	64	1.89
6545MHz	Pass	PK	13.0802G	51.81	88.20	-36.39	3	Horizontal	64	1.89
6625MHz	Pass	AV	13.24996G	40.77	68.20	-27.43	3	Vertical	176	1.79
6625MHz	Pass	PK	13.24132G	52.60	88.20	-35.60	3	Vertical	176	1.79
6625MHz	Pass	AV	13.24944G	39.26	68.20	-28.94	3	Horizontal	78	1.50
6625MHz	Pass	PK	13.24944G	52.59	88.20	-35.61	3	Horizontal	78	1.50
6705MHz	Pass	AV	13.40996G	41.16	68.20	-27.04	3	Vertical	181	2.09
6705MHz	Pass	PK	13.40912G	52.96	88.20	-35.24	3	Vertical	181	2.09
6705MHz	Pass	AV	13.41548G	39.31	68.20	-28.89	3	Horizontal	20	1.36
6705MHz	Pass	PK	13.41604G	51.82	88.20	-36.38	3	Horizontal	20	1.36
6785MHz	Pass	AV	13.56996G	40.70	68.20	-27.50	3	Vertical	179	1.86
6785MHz	Pass	PK	13.5708G	52.61	88.20	-35.59	3	Vertical	179	1.86
6785MHz	Pass	AV	13.56312G	39.91	68.20	-28.29	3	Horizontal	52	2.47
6785MHz	Pass	PK	13.57864G	52.51	88.20	-35.69	3	Horizontal	52	2.47
6865MHz	Pass	AV	13.73008G	40.05	68.20	-28.15	3	Vertical	18	2.71
6865MHz	Pass	PK	13.73044G	51.73	88.20	-36.47	3	Vertical	18	2.71
6865MHz	Pass	AV	13.72092G	39.05	68.20	-29.15	3	Horizontal	98	1.50
6865MHz	Pass	PK	13.7344G	51.95	88.20	-36.25	3	Horizontal	98	1.50
6945MHz	Pass	AV	13.88644G	38.97	68.20	-29.23	3	Vertical	274	2.73
6945MHz	Pass	PK	13.8954G	51.61	88.20	-36.59	3	Vertical	274	2.73
6945MHz	Pass	AV	13.88616G	38.88	68.20	-29.32	3	Horizontal	12	2.68
6945MHz	Pass	PK	13.89736G	51.86	88.20	-36.34	3	Horizontal	12	2.68
7025MHz	Pass	AV	6.9938G	97.61	Inf	-Inf	3	Horizontal	229	2.32
7025MHz	Pass	AV	7.127G	49.33	68.20	-18.87	3	Horizontal	229	2.32
7025MHz	Pass	PK	6.9926G	110.86	Inf	-Inf	3	Horizontal	229	2.32
7025MHz	Pass	PK	7.1276G	64.92	88.20	-23.28	3	Horizontal	229	2.32
7025MHz	Pass	AV	14.05132G	39.27	68.20	-28.93	3	Vertical	199	1.04
7025MHz	Pass	PK	14.05144G	52.03	88.20	-36.17	3	Vertical	199	1.04
7025MHz	Pass	AV	14.05484G	39.39	68.20	-28.81	3	Horizontal	66	1.50
7025MHz	Pass	PK	14.0526G	51.92	88.20	-36.28	3	Horizontal	66	1.50
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	58.53	68.20	-9.67	3	Horizontal	122	2.45
6025MHz	Pass	AV	5.986G	96.26	Inf	-Inf	3	Horizontal	122	2.45
6025MHz	Pass	PK	5.898G	74.94	88.20	-13.26	3	Horizontal	122	2.45
6025MHz	Pass	PK	5.979G	107.97	Inf	-Inf	3	Horizontal	122	2.45
6025MHz	Pass	AV	12.04992G	40.59	54.00	-13.41	3	Vertical	360	2.13
6025MHz	Pass	PK	12.04992G	51.08	74.00	-22.92	3	Vertical	360	2.13
6025MHz	Pass	AV	12.056G	37.24	54.00	-16.76	3	Horizontal	174	2.57
6025MHz	Pass	PK	12.0596G	50.91	74.00	-23.09	3	Horizontal	174	2.57
6185MHz	Pass	AV	12.36992G	41.39	54.00	-12.61	3	Vertical	171	2.97

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6185MHz	Pass	PK	12.37008G	50.94	74.00	-23.06	3	Vertical	171	2.97
6185MHz	Pass	AV	12.37012G	37.54	54.00	-16.46	3	Horizontal	333	3.00
6185MHz	Pass	PK	12.37476G	51.03	74.00	-22.97	3	Horizontal	333	3.00
6345MHz	Pass	AV	12.69G	41.32	54.00	-12.68	3	Vertical	344	2.01
6345MHz	Pass	PK	12.68268G	51.50	74.00	-22.50	3	Vertical	344	2.01
6345MHz	Pass	AV	12.69016G	38.58	54.00	-15.42	3	Horizontal	182	3.00
6345MHz	Pass	PK	12.6816G	51.12	74.00	-22.88	3	Horizontal	182	3.00
6505MHz	Pass	AV	13.00996G	39.96	68.20	-28.24	3	Vertical	264	3.00
6505MHz	Pass	PK	13.0132G	52.07	88.20	-36.13	3	Vertical	264	3.00
6505MHz	Pass	AV	13.00976G	39.15	68.20	-29.05	3	Horizontal	204	2.61
6505MHz	Pass	PK	13.01368G	52.50	88.20	-35.70	3	Horizontal	204	2.61
6665MHz	Pass	AV	13.33G	40.03	54.00	-13.97	3	Vertical	179	1.76
6665MHz	Pass	PK	13.3274G	51.73	74.00	-22.27	3	Vertical	179	1.76
6665MHz	Pass	AV	13.33036G	39.34	54.00	-14.66	3	Horizontal	348	2.58
6665MHz	Pass	PK	13.3204G	52.28	74.00	-21.72	3	Horizontal	348	2.58
6825MHz	Pass	AV	13.65004G	40.38	68.20	-27.82	3	Vertical	179	1.93
6825MHz	Pass	PK	13.654G	53.31	88.20	-34.89	3	Vertical	179	1.93
6825MHz	Pass	AV	13.65168G	39.57	68.20	-28.63	3	Horizontal	176	2.37
6825MHz	Pass	PK	13.645G	52.27	88.20	-35.93	3	Horizontal	176	2.37
6985MHz	Pass	AV	6.925G	97.20	Inf	-Inf	3	Horizontal	44	2.33
6985MHz	Pass	AV	7.125G	58.40	68.20	-9.80	3	Horizontal	44	2.33
6985MHz	Pass	PK	6.929G	110.43	Inf	-Inf	3	Horizontal	44	2.33
6985MHz	Pass	PK	7.127G	79.86	88.20	-8.34	3	Horizontal	44	2.33
6985MHz	Pass	AV	13.97064G	39.58	68.20	-28.62	3	Vertical	150	1.00
6985MHz	Pass	PK	13.97644G	53.06	88.20	-35.14	3	Vertical	150	1.00
6985MHz	Pass	AV	13.9766G	39.16	68.20	-29.04	3	Horizontal	326	1.50
6985MHz	Pass	PK	13.96912G	53.75	88.20	-34.45	3	Horizontal	326	1.50
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	61.15	68.20	-7.05	3	Horizontal	117	2.92
6105MHz	Pass	AV	6.141G	94.65	Inf	-Inf	3	Horizontal	117	2.92
6105MHz	Pass	PK	5.915G	74.68	88.20	-13.52	3	Horizontal	117	2.92
6105MHz	Pass	PK	6.143G	106.95	Inf	-Inf	3	Horizontal	117	2.92
6105MHz	Pass	AV	12.21G	41.89	54.00	-12.11	3	Vertical	172	3.00
6105MHz	Pass	PK	12.21036G	51.82	74.00	-22.18	3	Vertical	172	3.00
6105MHz	Pass	AV	12.20992G	37.67	54.00	-16.33	3	Horizontal	41	2.70
6105MHz	Pass	PK	12.20748G	50.48	74.00	-23.52	3	Horizontal	41	2.70
6265MHz	Pass	AV	12.53004G	41.30	54.00	-12.70	3	Vertical	133	2.30
6265MHz	Pass	PK	12.52988G	51.29	74.00	-22.71	3	Vertical	133	2.30
6265MHz	Pass	AV	12.53008G	38.43	54.00	-15.57	3	Horizontal	188	2.98
6265MHz	Pass	PK	12.53012G	50.60	74.00	-23.40	3	Horizontal	188	2.98
6425MHz	Pass	AV	12.85G	41.32	68.20	-26.88	3	Vertical	89	2.84
6425MHz	Pass	PK	12.85036G	51.72	88.20	-36.48	3	Vertical	89	2.84
6425MHz	Pass	AV	12.84756G	38.78	68.20	-29.42	3	Horizontal	318	1.50
6425MHz	Pass	PK	12.8592G	52.03	88.20	-36.17	3	Horizontal	318	1.50
6585MHz	Pass	AV	13.16996G	40.39	68.20	-27.81	3	Vertical	177	1.99
6585MHz	Pass	PK	13.1748G	51.94	88.20	-36.26	3	Vertical	177	1.99
6585MHz	Pass	AV	13.17544G	39.06	68.20	-29.14	3	Horizontal	23	3.00
6585MHz	Pass	PK	13.1744G	51.38	88.20	-36.82	3	Horizontal	23	3.00
6745MHz	Pass	AV	13.49004G	40.68	68.20	-27.52	3	Vertical	180	2.15
6745MHz	Pass	PK	13.48556G	52.50	88.20	-35.70	3	Vertical	180	2.15
6745MHz	Pass	AV	13.4902G	39.20	68.20	-29.00	3	Horizontal	128	1.03
6745MHz	Pass	PK	13.487G	53.69	88.20	-34.51	3	Horizontal	128	1.03
6905MHz	Pass	AV	6.923G	96.02	Inf	-Inf	3	Horizontal	66	2.20
6905MHz	Pass	AV	7.251G	53.26	54.00	-0.74	3	Horizontal	66	2.20
6905MHz	Pass	PK	6.925G	108.18	Inf	-Inf	3	Horizontal	66	2.20
6905MHz	Pass	PK	7.257G	66.09	74.00	-7.91	3	Horizontal	66	2.20
6905MHz	Pass	AV	13.80988G	39.15	68.20	-29.05	3	Vertical	111	2.74
6905MHz	Pass	PK	13.80068G	50.92	88.20	-37.28	3	Vertical	111	2.74
6905MHz	Pass	AV	13.80988G	38.62	68.20	-29.58	3	Horizontal	212	2.56
6905MHz	Pass	PK	13.81368G	51.43	88.20	-36.77	3	Horizontal	212	2.56

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.38996G	41.22	54.00	-12.78	16.23	3	Vertical	175	2.91	24.99	38.84	11.10	33.71
PK	12.38988G	51.87	74.00	-22.13	16.23	3	Vertical	175	2.91	35.64	38.84	11.10	33.71

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.39448G	37.79	54.00	-16.21	16.21	3	Horizontal	349	2.36	21.58	38.82	11.10	33.71
PK	12.39732G	51.18	74.00	-22.82	16.21	3	Horizontal	349	2.36	34.97	38.81	11.10	33.70

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.40996G	41.29	54.00	-12.71	16.23	3	Vertical	175	3.00	25.06	38.82	11.11	33.70
PK	12.40996G	51.68	74.00	-22.32	16.23	3	Vertical	175	3.00	35.45	38.82	11.11	33.70

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.40344G	37.43	54.00	-16.57	16.22	3	Horizontal	91	3.00	21.21	38.81	11.11	33.70
PK	12.41952G	50.60	74.00	-23.40	16.26	3	Horizontal	91	3.00	34.34	38.84	11.11	33.69

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.925G	56.03	68.20	-12.17	6.63	3	Horizontal	231	2.75	49.40	34.10	7.78	35.25
AV	6.02G	97.71	Inf	-Inf	6.55	3	Horizontal	231	2.75	91.16	34.06	7.78	35.29
PK	5.925G	72.99	88.20	-15.21	6.63	3	Horizontal	231	2.75	66.36	34.10	7.78	35.25
PK	5.994G	110.37	Inf	-Inf	6.56	3	Horizontal	231	2.75	103.81	34.09	7.75	35.28

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	11.96988G	38.80	54.00	-15.20	15.78	3	Vertical	1	2.07	23.02	38.84	10.89	33.95
PK	11.96988G	49.84	74.00	-24.16	15.78	3	Vertical	1	2.07	34.06	38.84	10.89	33.95

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	11.96988G	37.36	54.00	-16.64	15.78	3	Horizontal	198	3.00	21.58	38.84	10.89	33.95
PK	11.979G	50.08	74.00	-23.92	15.81	3	Horizontal	198	3.00	34.27	38.86	10.90	33.95

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.925G	58.53	68.20	-9.67	6.63	3	Horizontal	122	2.45	51.90	34.10	7.78	35.25
AV	5.986G	96.26	Inf	-Inf	6.56	3	Horizontal	122	2.45	89.70	34.07	7.76	35.27
PK	5.898G	74.94	88.20	-13.26	6.74	3	Horizontal	122	2.45	68.20	34.19	7.79	35.24
PK	5.979G	107.97	Inf	-Inf	6.55	3	Horizontal	122	2.45	101.42	34.06	7.76	35.27

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.04992G	40.59	54.00	-13.41	16.11	3	Vertical	360	2.13	24.48	39.10	10.93	33.92
PK	12.04992G	51.08	74.00	-22.92	16.11	3	Vertical	360	2.13	34.97	39.10	10.93	33.92

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.056G	37.24	54.00	-16.76	16.12	3	Horizontal	174	2.57	21.12	39.11	10.93	33.92
PK	12.0596G	50.91	74.00	-23.09	16.14	3	Horizontal	174	2.57	34.77	39.12	10.93	33.91

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.925G	61.15	68.20	-7.05	6.63	3	Horizontal	117	2.92	54.52	34.10	7.78	35.25
AV	6.141G	94.65	Inf	-Inf	6.68	3	Horizontal	117	2.92	87.97	34.08	7.95	35.35
PK	5.915G	74.68	88.20	-13.52	6.68	3	Horizontal	117	2.92	68.00	34.14	7.78	35.24
PK	6.143G	106.95	Inf	-Inf	6.70	3	Horizontal	117	2.92	100.25	34.09	7.96	35.35

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.21G	41.89	54.00	-12.11	16.37	3	Vertical	172	3.00	25.52	39.18	11.01	33.82
PK	12.21036G	51.82	74.00	-22.18	16.37	3	Vertical	172	3.00	35.45	39.18	11.01	33.82

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.20992G	37.67	54.00	-16.33	16.37	3	Horizontal	41	2.70	21.30	39.18	11.01	33.82
PK	12.20748G	50.48	74.00	-23.52	16.38	3	Horizontal	41	2.70	34.10	39.19	11.01	33.82

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.87G	40.92	68.20	-27.28	18.19	3	Vertical	165	2.84	22.73	39.80	11.34	32.95
PK	12.87004G	51.62	88.20	-36.58	18.19	3	Vertical	165	2.84	33.43	39.80	11.34	32.95

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.8766G	39.23	68.20	-28.97	18.21	3	Horizontal	281	1.01	21.02	39.80	11.35	32.94
PK	12.87068G	51.86	88.20	-36.34	18.19	3	Horizontal	281	1.01	33.67	39.80	11.34	32.95

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.04992G	39.92	68.20	-28.28	18.50	3	Vertical	177	1.91	21.42	39.70	11.44	32.64
PK	13.04088G	52.23	88.20	-35.97	18.52	3	Vertical	177	1.91	33.71	39.74	11.43	32.65

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.04796G	38.95	68.20	-29.25	18.50	3	Horizontal	0	1.50	20.45	39.71	11.43	32.64
PK	13.04584G	52.72	88.20	-35.48	18.51	3	Horizontal	0	1.50	34.21	39.72	11.43	32.64

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.08996G	40.36	68.20	-27.84	18.58	3	Vertical	178	1.95	21.78	39.70	11.46	32.58
PK	13.09032G	52.14	88.20	-36.06	18.58	3	Vertical	178	1.95	33.56	39.70	11.46	32.58

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.09644G	39.03	68.20	-29.17	18.59	3	Horizontal	64	1.89	20.44	39.70	11.46	32.57
PK	13.0802G	51.81	88.20	-36.39	18.56	3	Horizontal	64	1.89	33.25	39.70	11.45	32.59

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.00996G	39.96	68.20	-28.24	18.58	3	Vertical	264	3.00	21.38	39.86	11.42	32.70
PK	13.0132G	52.07	88.20	-36.13	18.58	3	Vertical	264	3.00	33.49	39.85	11.42	32.69

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.00976G	39.15	68.20	-29.05	18.57	3	Horizontal	204	2.61	20.58	39.86	11.41	32.70
PK	13.01368G	52.50	88.20	-35.70	18.58	3	Horizontal	204	2.61	33.92	39.85	11.42	32.69

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.85G	41.32	68.20	-26.88	18.14	3	Vertical	89	2.84	23.18	39.80	11.33	32.99
PK	12.85036G	51.72	88.20	-36.48	18.14	3	Vertical	89	2.84	33.58	39.80	11.33	32.99

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.84756G	38.78	68.20	-29.42	18.14	3	Horizontal	318	1.50	20.64	39.80	11.33	32.99
PK	12.8592G	52.03	88.20	-36.17	18.17	3	Horizontal	318	1.50	33.86	39.80	11.34	32.97

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.39G	41.30	54.00	-12.70	19.57	3	Vertical	164	2.98	21.73	40.10	11.61	32.14
PK	13.39152G	53.16	74.00	-20.84	19.57	3	Vertical	164	2.98	33.59	40.10	11.61	32.14

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.3874G	40.01	54.00	-13.99	19.57	3	Horizontal	214	2.79	20.44	40.10	11.61	32.14
PK	13.39656G	52.88	74.00	-21.12	19.58	3	Horizontal	214	2.79	33.30	40.10	11.61	32.13

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.37004G	40.72	54.00	-13.28	19.53	3	Vertical	179	1.98	21.19	40.10	11.60	32.17
PK	13.36316G	52.71	74.00	-21.29	19.52	3	Vertical	179	1.98	33.19	40.10	11.60	32.18

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.36708G	39.35	54.00	-14.65	19.53	3	Horizontal	214	2.65	19.82	40.10	11.60	32.17
PK	13.37484G	52.25	74.00	-21.75	19.54	3	Horizontal	214	2.65	32.71	40.10	11.60	32.16

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.40996G	41.16	68.20	-27.04	19.63	3	Vertical	181	2.09	21.53	40.12	11.62	32.11
PK	13.40912G	52.96	88.20	-35.24	19.63	3	Vertical	181	2.09	33.33	40.12	11.62	32.11

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.41548G	39.31	68.20	-28.89	19.65	3	Horizontal	20	1.36	19.66	40.13	11.62	32.10
PK	13.41604G	51.82	88.20	-36.38	19.65	3	Horizontal	20	1.36	32.17	40.13	11.62	32.10

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.33G	40.03	54.00	-13.97	19.41	3	Vertical	179	1.76	20.62	40.06	11.58	32.23
PK	13.3274G	51.73	74.00	-22.27	19.40	3	Vertical	179	1.76	32.33	40.05	11.58	32.23

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.33036G	39.34	54.00	-14.66	19.41	3	Horizontal	348	2.58	19.93	40.06	11.58	32.23
PK	13.3204G	52.28	74.00	-21.72	19.37	3	Horizontal	348	2.58	32.91	40.04	11.57	32.24

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.923G	96.02	Inf	-Inf	8.75	3	Horizontal	66	2.20	87.27	35.80	8.49	35.54
AV	7.251G	53.26	54.00	-0.74	10.39	3	Horizontal	66	2.20	42.87	36.80	8.87	35.28
PK	6.925G	108.18	Inf	-Inf	8.75	3	Horizontal	66	2.20	99.43	35.80	8.49	35.54
PK	7.257G	66.09	74.00	-7.91	10.40	3	Horizontal	66	2.20	55.69	36.80	8.87	35.27

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.80988G	39.15	68.20	-29.05	19.28	3	Vertical	111	2.74	19.87	39.70	11.82	32.24
PK	13.80068G	50.92	88.20	-37.28	19.29	3	Vertical	111	2.74	31.63	39.70	11.82	32.23

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.80988G	38.62	68.20	-29.58	19.28	3	Horizontal	212	2.56	19.34	39.70	11.82	32.24
PK	13.81368G	51.43	88.20	-36.77	19.28	3	Horizontal	212	2.56	32.15	39.70	11.82	32.24

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.1235G	93.25	Inf	-Inf	9.67	3	Horizontal	100	2.89	83.58	36.34	8.74	35.41
AV	7.1255G	67.02	68.20	-1.18	9.69	3	Horizontal	100	2.89	57.33	36.35	8.75	35.41
PK	7.1235G	100.39	Inf	-Inf	9.67	3	Horizontal	100	2.89	90.72	36.34	8.74	35.41
PK	7.1255G	80.12	88.20	-8.08	9.69	3	Horizontal	100	2.89	70.43	36.35	8.75	35.41

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.23G	40.09	68.20	-28.11	19.37	3	Vertical	260	1.15	20.72	40.12	11.99	32.74
PK	14.23184G	52.38	88.20	-35.82	19.36	3	Vertical	260	1.15	33.02	40.11	11.99	32.74

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.22908G	39.72	68.20	-28.48	19.38	3	Horizontal	160	1.57	20.34	40.13	11.99	32.74
PK	14.23512G	52.27	88.20	-35.93	19.33	3	Horizontal	160	1.57	32.94	40.09	11.99	32.75

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.0682G	97.06	Inf	-Inf	9.18	3	Horizontal	117	2.15	87.88	36.01	8.64	35.47
AV	7.2242G	49.40	68.20	-18.80	10.37	3	Horizontal	117	2.15	39.03	36.80	8.88	35.31
PK	7.103G	109.90	Inf	-Inf	9.50	3	Horizontal	117	2.15	100.40	36.22	8.71	35.43
PK	7.1288G	65.21	88.20	-22.99	9.71	3	Horizontal	117	2.15	55.50	36.37	8.75	35.41

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.1698G	39.82	68.20	-28.38	19.62	3	Vertical	54	2.63	20.20	40.30	11.97	32.65
PK	14.16836G	52.83	88.20	-35.37	19.62	3	Vertical	54	2.63	33.21	40.30	11.97	32.65

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.16232G	39.59	68.20	-28.61	19.63	3	Horizontal	86	1.09	19.96	40.30	11.97	32.64
PK	14.164G	52.30	88.20	-35.90	19.63	3	Horizontal	86	1.09	32.67	40.30	11.97	32.64

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.9938G	97.61	Inf	-Inf	8.69	3	Horizontal	229	2.32	88.92	35.71	8.52	35.54
AV	7.127G	49.33	68.20	-18.87	9.70	3	Horizontal	229	2.32	39.63	36.36	8.75	35.41
PK	6.9926G	110.86	Inf	-Inf	8.69	3	Horizontal	229	2.32	102.17	35.71	8.52	35.54
PK	7.1276G	64.92	88.20	-23.28	9.71	3	Horizontal	229	2.32	55.21	36.37	8.75	35.41

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.05132G	39.27	68.20	-28.93	19.67	3	Vertical	199	1.04	19.60	40.21	11.94	32.48
PK	14.05144G	52.03	88.20	-36.17	19.67	3	Vertical	199	1.04	32.36	40.21	11.94	32.48

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.05484G	39.39	68.20	-28.81	19.68	3	Horizontal	66	1.50	19.71	40.22	11.94	32.48
PK	14.0526G	51.92	88.20	-36.28	19.67	3	Horizontal	66	1.50	32.25	40.21	11.94	32.48

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	6.925G	97.20	Inf	-Inf	8.75	3	Horizontal	44	2.33	88.45	35.80	8.49	35.54
AV	7.125G	58.40	68.20	-9.80	9.69	3	Horizontal	44	2.33	48.71	36.35	8.75	35.41
PK	6.929G	110.43	Inf	-Inf	8.76	3	Horizontal	44	2.33	101.67	35.80	8.50	35.54
PK	7.127G	79.86	88.20	-8.34	9.70	3	Horizontal	44	2.33	70.16	36.36	8.75	35.41

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.97064G	39.58	68.20	-28.62	19.63	3	Vertical	150	1.00	19.95	40.10	11.91	32.38
PK	13.97644G	53.06	88.20	-35.14	19.63	3	Vertical	150	1.00	33.43	40.10	11.91	32.38

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	13.9766G	39.16	68.20	-29.04	19.63	3	Horizontal	326	1.50	19.53	40.10	11.91	32.38
PK	13.96912G	53.75	88.20	-34.45	19.63	3	Horizontal	326	1.50	34.12	40.10	11.90	32.37

Antenna Gain(dBi)
4.9

Contention Based protocol (802.11be EHT20)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-71.90	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-71.90	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-73.90	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-71.90	OFF	10	100	90	Pass

Contention Based protocol (802.11be EHT320)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-73.90	OFF	10	100	90	Pass
				Center	6105	-73.90	OFF	10	100	90	Pass
				High edge	6260	-69.90	OFF	10	100	90	Pass
5,6,7	95	320	6425	Low edge	6270	-68.90	OFF	10	100	90	Pass
				Center	6425	-73.90	OFF	10	100	90	Pass
				High edge	6580	-70.90	OFF	10	100	90	Pass
6,7	127	320	6585	Low edge	6430	-75.90	OFF	10	100	90	Pass
				Center	6585	-73.90	OFF	10	100	90	Pass
				High edge	6740	-73.90	OFF	10	100	90	Pass
7,8	191	320	6905	Low edge	6750	-70.90	OFF	10	100	90	Pass
				Center	6905	-70.90	OFF	10	100	90	Pass
				High edge	7060	-67.90	OFF	10	100	90	Pass

Contention Based Protocol Threshold Level (802.11be EHT20)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-67.00	4.90	-71.90	≤ -62
						Minimal	-68.00	4.90	-72.90	≤ -62
						ON	-69.00	4.90	-73.90	≤ -62
6	101	20	6455	Center	6455	OFF	-67.00	4.90	-71.90	≤ -62
						Minimal	-68.00	4.90	-72.90	≤ -62
						ON	-69.00	4.90	-73.90	≤ -62
7	149	20	6695	Center	6695	OFF	-69.00	4.90	-73.90	≤ -62
						Minimal	-70.00	4.90	-74.90	≤ -62
						ON	-71.00	4.90	-75.90	≤ -62
8	213	20	7015	Center	7015	OFF	-67.00	4.90	-71.90	≤ -62
						Minimal	-68.00	4.90	-72.90	≤ -62
						ON	-69.00	4.90	-73.90	≤ -62

Contention Based Protocol Threshold Level (802.11be EHT320)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-69.00	4.90	-73.90	≤ -62
						Minimal	-70.00	4.90	-74.90	
						ON	-71.00	4.90	-75.90	
				Center	6105	OFF	-69.00	4.90	-73.90	≤ -62
						Minimal	-70.00	4.90	-74.90	
						ON	-71.00	4.90	-75.90	
				High edge	6260	OFF	-65.00	4.90	-69.90	≤ -62
						Minimal	-66.00	4.90	-70.90	
						ON	-67.00	4.90	-71.90	
5,6,7	95	320	6425	Low edge	6270	OFF	-64.00	4.90	-68.90	≤ -62
						Minimal	-65.00	4.90	-69.90	
						ON	-66.00	4.90	-70.90	
				Center	6425	OFF	-69.00	4.90	-73.90	≤ -62
						Minimal	-70.00	4.90	-74.90	
						ON	-71.00	4.90	-75.90	
				High edge	6580	OFF	-66.00	4.90	-70.90	≤ -62
						Minimal	-67.00	4.90	-71.90	
						ON	-68.00	4.90	-72.90	
6,7	127	320	6585	Low edge	6430	OFF	-71.00	4.90	-75.90	≤ -62
						Minimal	-72.00	4.90	-76.90	
						ON	-73.00	4.90	-77.90	
				Center	6585	OFF	-69.00	4.90	-73.90	≤ -62
						Minimal	-70.00	4.90	-74.90	
						ON	-71.00	4.90	-75.90	
				High edge	6740	OFF	-69.00	4.90	-73.90	≤ -62
						Minimal	-70.00	4.90	-74.90	
						ON	-71.00	4.90	-75.90	
7,8	191	320	6905	Low edge	6750	OFF	-66.00	4.90	-70.90	≤ -62
						Minimal	-67.00	4.90	-71.90	
						ON	-68.00	4.90	-72.90	
				Center	6905	OFF	-66.00	4.90	-70.90	≤ -62
						Minimal	-67.00	4.90	-71.90	
						ON	-68.00	4.90	-72.90	
				High edge	7060	OFF	-63.00	4.90	-67.90	≤ -62
						Minimal	-64.00	4.90	-68.90	
						ON	-65.00	4.90	-69.90	

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz



Bandwidth 20MHz: Traffic Loading Plot - 6455MHz



Bandwidth 20MHz: Traffic Loading Plot - 6695MHz



Bandwidth 20MHz: Traffic Loading Plot - 7015MHz



Bandwidth 320MHz: Traffic Loading Plot - 5950MHz



Bandwidth 320MHz: Traffic Loading Plot - 6105MHz



Bandwidth 320MHz: Traffic Loading Plot - 6260MHz



Bandwidth 320MHz: Traffic Loading Plot - 6270MHz



Bandwidth 320MHz: Traffic Loading Plot - 6425MHz



Bandwidth 320MHz: Traffic Loading Plot - 6430MHz



Bandwidth 320MHz: Traffic Loading Plot - 6580MHz



Bandwidth 320MHz: Traffic Loading Plot - 6585MHz



Bandwidth 320MHz: Traffic Loading Plot - 6740MHz



Bandwidth 320MHz: Traffic Loading Plot - 6750MHz



Bandwidth 320MHz: Traffic Loading Plot - 6905MHz



Bandwidth 320MHz: Traffic Loading Plot - 7060MHz



1. Incumbent signal (AWGN) Plot

802.11be EHT20

Frequency (MHz): 6215 MHz



Date: 11.MAR.2025 12:01:07

Frequency (MHz): 6455 MHz



Date: 11.MAR.2025 12:01:52

Frequency (MHz): 6695 MHz



Date: 11.MAR.2025 12:02:24

Frequency (MHz): 7015 MHz



Date: 11.MAR.2025 12:03:04

802.11be EHT320

Frequency (MHz): 5950 MHz



Date: 11.MAR.2025 12:03:54

Frequency (MHz): 6105 MHz



Date: 11.MAR.2025 12:04:20

Frequency (MHz): 6260 MHz



Date: 11.MAR.2025 12:04:59

Frequency (MHz): 6270 MHz



Date: 11.MAR.2025 12:05:26

Frequency (MHz): 6425 MHz



Date: 11.MAR.2025 12:05:53

Frequency (MHz): 6430 MHz



Date: 11.MAR.2025 12:07:05

Frequency (MHz): 6580 MHz



Date: 11.MAR.2025 12:06:36

Frequency (MHz): 6585 MHz



Date: 11.MAR.2025 12:07:31

Frequency (MHz): 6740 MHz



Date: 11.MAR.2025 12:08:09

Frequency (MHz): 6750 MHz



Date: 11.MAR.2025 12:09:21

Frequency (MHz): 6905 MHz



Date: 11.MAR.2025 12:09:58

Frequency (MHz): 7060 MHz



Date: 11.MAR.2025 12:10:31

2. Contention-Based Protocol Plot

802.11be EHT20
Test CH 53 ; Incumbent signal 6215 MHz



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 101 ; Incumbent signal 6455 MHz



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

802.11be EHT320
Test CH 31 ; Incumbent signal 5950 MHz



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 31 ; Incumbent signal 6105 MHz



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 31 ; Incumbent signal 6260 MHz



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6270 MHz



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6425 MHz



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6580 MHz



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6430 MHz



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6585 MHz



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6740 MHz



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6750 MHz



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6905 MHz



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 7060 MHz



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

3. Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20
Frequency (MHz): 6215 MHz (Threshold Level: -67 dBm)



Frequency (MHz): 6215 MHz (Threshold Level: -68dBm)



Frequency (MHz): 6215 MHz (Threshold Level: -69 dBm)

Time Analysis



Bandwidth (MHz): 320

Frequency (MHz): 5950 MHz (Threshold Level: -69dBm)

Time Analysis



Frequency (MHz): 5950 MHz (Threshold Level: -70dBm)

Time Analysis



Frequency (MHz): 5950 MHz (Threshold Level: -71dBm)

Time Analysis



Frequency (MHz): 6105 MHz (Threshold Level: -69dBm)

Time Analysis



Frequency (MHz): 6105 MHz (Threshold Level: -70dBm)

Time Analysis



Frequency (MHz): 6105 MHz (Threshold Level: -71dBm)

Time Analysis



Frequency (MHz): 6260 MHz (Threshold Level: -65dBm)

Time Analysis



Frequency (MHz): 6260 MHz (Threshold Level: -66dBm)

Time Analysis



Frequency (MHz): 6260 MHz (Threshold Level: -67dBm)

Time Analysis



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	1.53492G	56.77	74.00	-17.23	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	1.5393G	24.31	54.00	-29.69	3	Vertical	153	1.58
Mode 1	Pass	AV	2.15443G	27.40	68.20	-40.80	3	Vertical	293	1.50
Mode 1	Pass	AV	3.45578G	28.11	68.20	-40.09	3	Vertical	212	1.76
Mode 1	Pass	PK	1.53492G	56.77	74.00	-17.23	3	Vertical	153	1.58
Mode 1	Pass	PK	2.15295G	46.51	88.20	-41.69	3	Vertical	293	1.50
Mode 1	Pass	PK	3.472732G	45.33	88.20	-42.87	3	Vertical	212	1.76
Mode 1	Pass	AV	1.43958G	24.08	54.00	-29.92	3	Horizontal	220	1.50
Mode 1	Pass	AV	3.25699G	28.30	68.20	-39.90	3	Horizontal	225	2.64
Mode 1	Pass	AV	7.16411G	37.62	68.20	-30.58	3	Horizontal	5	1.23
Mode 1	Pass	PK	1.44001G	42.21	74.00	-31.79	3	Horizontal	220	1.50
Mode 1	Pass	PK	3.26059G	41.70	74.00	-32.30	3	Horizontal	225	2.64
Mode 1	Pass	PK	7.16397G	51.88	88.20	-36.32	3	Horizontal	5	1.23

Radiated Emissions above 1GHz_Mode 1



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	1.5393G	24.31	54.00	-29.69	-3.64	3	Vertical	153	1.58	27.95	25.59	4.35	33.58
AV	2.15443G	27.40	68.20	-40.80	-1.01	3	Vertical	293	1.50	28.41	27.44	5.13	33.58
AV	3.45578G	28.11	68.20	-40.09	2.01	3	Vertical	212	1.76	26.10	29.49	6.65	34.13
PK	1.53492G	56.77	74.00	-17.23	-3.69	3	Vertical	153	1.58	60.46	25.55	4.34	33.58
PK	2.15295G	46.51	88.20	-41.69	-1.02	3	Vertical	293	1.50	47.53	27.43	5.13	33.58
PK	3.472732G	45.33	88.20	-42.87	1.96	3	Vertical	212	1.76	43.37	29.45	6.67	34.16

Radiated Emissions above 1GHz_Mode 1



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	1.43958G	24.08	54.00	-29.92	-3.82	3	Horizontal	220	1.50	27.90	25.70	4.15	33.67
AV	3.25699G	28.30	68.20	-39.90	2.33	3	Horizontal	225	2.64	25.97	29.70	6.41	33.78
AV	7.16411G	37.62	68.20	-30.58	11.85	3	Horizontal	5	1.23	25.77	36.76	9.47	34.38
PK	1.44001G	42.21	74.00	-31.79	-3.82	3	Horizontal	220	1.50	46.03	25.70	4.15	33.67
PK	3.26059G	41.70	74.00	-32.30	2.33	3	Horizontal	225	2.64	39.37	29.70	6.41	33.78
PK	7.16397G	51.88	88.20	-36.32	11.85	3	Horizontal	5	1.23	40.03	36.76	9.47	34.38