

Appendix B:

Test Results of Radiated Spurious Emissions & Mains Conducted Emission Test (Adapter Mode)


Band Edges, 2.31GHz ~ 2.9GHz

802.11b

Low Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2390.00	58.38	20.82	37.56	74.00	-15.62	100	342	Peak	Horizontal		
2 *	2412.00	119.21	81.49	37.72	74.00	45.21	100	342	Peak	Horizontal		
3	2531.60	57.92	19.76	38.16	74.00	-16.08	100	342	Peak	Horizontal		

Low Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2386.58	58.08	20.54	37.54	74.00	-15.92	238	281	Peak	Vertical		
2 *	2412.00	116.74	79.02	37.72	74.00	42.74	238	281	Peak	Vertical		
3	2531.72	59.96	21.80	38.16	74.00	-14.04	238	281	Peak	Vertical		

802.11b

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2390.00	51.70	14.14	37.56	54.00	-2.30	100	342	Average	Horizontal		
2	2412.00	116.24	78.52	37.72	54.00	62.24	100	342	Average	Horizontal		
3	2531.60	44.38	6.22	38.16	54.00	-9.62	100	342	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2386.50	48.47	10.93	37.54	54.00	-5.53	238	281	Average	Vertical		
2	2412.00	113.72	76.00	37.72	54.00	59.72	238	281	Average	Vertical		
3	2531.72	44.32	6.16	38.16	54.00	-9.68	238	281	Average	Vertical		

802.11b

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.65	59.68	22.08	37.68	74.00	-14.32	184	333	Peak	Horizontal		
2 *	2437.00	119.35	81.67	37.68	74.00	45.35	184	333	Peak	Horizontal		
3	2483.81	61.08	23.49	37.59	74.00	-12.92	184	333	Peak	Horizontal		

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.41	56.94	19.62	37.32	74.00	-17.06	234	284	Peak	Vertical		
2 *	2437.00	116.12	78.67	37.45	74.00	42.12	234	284	Peak	Vertical		
3	2483.50	59.69	21.96	37.73	74.00	-14.31	234	284	Peak	Vertical		

802.11b

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 !	2390.00	52.95	15.35	37.60	54.00	-1.05	104	333	Average	Horizontal	
2 *	2437.00	116.36	70.68	37.68	54.00	62.36	104	333	Average	Horizontal	
3 !	2483.70	52.49	14.89	37.60	54.00	-1.51	104	333	Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 !	2389.41	50.34	13.02	37.32	54.00	-3.66	234	284	Average	Vertical	
2 *	2437.00	113.89	76.44	37.45	54.00	59.89	234	284	Average	Vertical	
3 !	2483.50	50.31	12.58	37.73	54.00	-3.69	234	284	Average	Vertical	

802.11b

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2387.17	54.08	16.49	37.59	74.00	-19.92	100	333	Peak	Horizontal		
2 *	2462.00	117.35	79.69	37.66	74.00	43.35	100	333	Peak	Horizontal		
3	2484.05	59.91	22.32	37.59	74.00	-14.09	100	333	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2342.10	55.65	18.44	37.21	74.00	-18.35	394	357	Peak	Vertical		
2 *	2462.00	115.36	77.78	37.58	74.00	41.36	394	357	Peak	Vertical		
3	2484.40	59.00	21.26	37.74	74.00	-15.00	394	357	Peak	Vertical		

802.11b

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2366.99	42.39	4.87	37.52	54.00	-11.61	100	333	Average	Horizontal		
2 *	2462.00	114.95	77.29	37.66	54.00	60.95	100	333	Average	Horizontal		
3 !	2483.50	52.36	14.76	37.60	54.00	-1.64	100	333	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2376.20	41.33	4.03	37.30	54.00	-12.67	394	357	Average	Vertical		
2 *	2462.00	112.64	75.06	37.58	54.00	58.64	394	357	Average	Vertical		
3 !	2483.46	51.19	13.46	37.73	54.00	-2.81	394	357	Average	Vertical		

802.11g

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2398.00	68.06	30.46	37.60	74.00	-5.94	162	346	Peak	Horizontal		
2	2412.00	115.00	78.15	37.65	74.00	41.00	162	346	Peak	Horizontal		
3	2532.55	57.54	19.88	37.66	74.00	-16.46	162	346	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2398.00	66.42	29.10	37.32	74.00	-7.58	249	9	Peak	Vertical		
2	2412.00	113.54	76.17	37.37	74.00	39.54	249	9	Peak	Vertical		
3	2530.78	60.81	22.92	37.89	74.00	-13.19	249	9	Peak	Vertical		

802.11g

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2398.00	52.42	14.82	37.60	54.00	-1.58	162	346	Average	Horizontal	
2	2412.00	104.59	66.94	37.65	54.00	50.59	162	346	Average	Horizontal	
3	2629.78	41.61	3.41	38.20	54.00	-12.39	162	346	Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2398.00	49.53	12.21	37.32	54.00	-4.47	249	9	Average	Vertical	
2	2412.00	104.24	66.87	37.37	54.00	50.24	249	9	Average	Vertical	
3	2519.80	42.27	4.40	37.87	54.00	-11.73	249	9	Average	Vertical	

802.11g

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2341.86	61.73	24.49	37.24	74.00	-12.27	100	56	Peak	Horizontal		
2 *	2462.00	115.58	77.52	38.06	74.00	41.58	100	56	Peak	Horizontal		
3	2483.50	66.21	28.05	38.16	74.00	-7.79	100	56	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2340.00	61.16	23.92	37.24	74.00	-12.84	313	349	Peak	Vertical		
2 *	2462.00	113.86	75.80	38.06	74.00	39.86	313	349	Peak	Vertical		
3	2483.50	63.33	25.17	38.16	74.00	-10.67	313	349	Peak	Vertical		

802.11g

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2341.86	43.39	6.15	37.24	54.00	-10.61	100	56	Average	Horizontal		
2 *	2462.00	105.04	67.78	38.06	54.00	51.04	100	56	Average	Horizontal		
3 !	2483.50	52.10	13.94	38.16	54.00	-1.90	100	56	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2340.00	42.74	5.50	37.24	54.00	-11.26	313	349	Average	Vertical		
2 *	2462.00	104.68	66.62	38.06	54.00	50.68	313	349	Average	Vertical		
3 !	2483.50	50.04	11.88	38.16	54.00	-3.96	313	349	Average	Vertical		

802.11ax20

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2390.00	71.07	33.47	37.60	74.00	-2.93	111	314 Peak		Horizontal		
2	2412.00	117.95	80.30	37.65	74.00	43.95	111	314 Peak		Horizontal		
3	2529.72	58.81	21.16	37.65	74.00	-15.19	111	314 Peak		Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2390.00	70.55	33.23	37.32	74.00	-3.45	283	337 Peak		Vertical		
2	2412.00	117.34	79.97	37.37	74.00	43.34	283	337 Peak		Vertical		
3	2531.84	60.46	22.57	37.89	74.00	-13.54	283	337 Peak		Vertical		

802.11ax20

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2390.00	52.13	14.53	37.60	54.00	-1.87	111	314	Average	Horizontal		
2	2412.00	105.17	67.52	37.65	54.00	51.17	111	314	Average	Horizontal		
3	2529.72	43.74	6.09	37.65	54.00	-10.26	111	314	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2390.00	51.34	14.02	37.32	54.00	-2.66	283	337	Average	Vertical		
2	2412.00	104.60	67.23	37.37	54.00	50.60	283	337	Average	Vertical		
3	2531.84	43.37	5.48	37.89	54.00	-10.63	283	337	Average	Vertical		

802.11ax20

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2390.00	71.53	33.93	37.60	74.00	-2.47	310	340	Peak	Horizontal		
2	2437.00	121.57	83.89	37.68	74.00	47.57	310	340	Peak	Horizontal		
3	2483.50	71.34	33.74	37.60	74.00	-2.66	310	340	Peak	Horizontal		

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2390.00	70.76	33.44	37.32	74.00	-3.24	110	334	Peak	Vertical		
2	2437.00	120.52	83.07	37.45	74.00	46.52	110	334	Peak	Vertical		
3	2483.50	70.37	32.64	37.73	74.00	-3.63	110	334	Peak	Vertical		

802.11ax20

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2390.00	52.90	15.30	37.60	54.00	-1.10	310	340	Average	Horizontal	
2	2437.00	108.88	71.20	37.68	54.00	54.88	310	340	Average	Horizontal	
3	2483.50	52.56	14.96	37.60	54.00	-1.44	310	340	Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2390.00	51.60	14.28	37.32	54.00	-2.40	110	334	Average	Vertical	
2	2437.00	107.67	70.22	37.45	54.00	53.67	110	334	Average	Vertical	
3	2483.50	51.67	13.94	37.73	54.00	-2.33	110	334	Average	Vertical	

802.11ax20

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2342.10	60.88	23.44	37.44	74.00	-13.12	284	304	Peak	Horizontal		
2 *	2462.00	118.29	80.63	37.66	74.00	44.29	284	304	Peak	Horizontal		
3	2483.50	67.36	29.76	37.60	74.00	-6.64	284	304	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2342.21	60.84	23.63	37.21	74.00	-13.16	297	341	Peak	Vertical		
2 *	2462.00	116.91	79.33	37.58	74.00	42.91	297	341	Peak	Vertical		
3	2483.50	65.54	27.81	37.73	74.00	-8.46	297	341	Peak	Vertical		

802.11ax20

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2342.10	43.61	6.17	37.44	54.00	-10.39	284	304	Average	Horizontal		
2 *	2462.00	106.01	66.35	37.66	54.00	52.01	284	304	Average	Horizontal		
3 !	2483.50	52.41	14.81	37.60	54.00	-1.59	284	304	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2342.21	42.76	5.55	37.21	54.00	-11.24	297	341	Average	Vertical		
2 *	2462.00	104.26	66.68	37.58	54.00	50.26	297	341	Average	Vertical		
3 !	2483.50	50.48	12.75	37.73	54.00	-3.52	297	341	Average	Vertical		

802.11ax40

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2390.00	71.37	33.77	37.60	74.00	-2.63	109	317	Peak	Horizontal		
2	2422.00	113.82	76.16	37.66	74.00	39.82	109	317	Peak	Horizontal		
3	2483.50	56.22	18.62	37.60	74.00	-17.78	109	317	Peak	Horizontal		
4	2539.98	64.38	26.70	37.68	74.00	-9.62	109	317	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2390.00	70.58	33.26	37.32	74.00	-3.42	282	340	Peak	Vertical		
2	2422.00	112.47	75.87	37.40	74.00	38.47	282	340	Peak	Vertical		
3	2483.50	56.99	19.26	37.73	74.00	-17.01	282	340	Peak	Vertical		
4	2543.17	63.54	25.64	37.90	74.00	-10.46	282	340	Peak	Vertical		

802.11ax40

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2390.00	52.33	14.73	37.60	54.00	-1.67	109	317	Average	Horizontal		
2	2422.00	102.32	64.66	37.66	54.00	48.32	109	317	Average	Horizontal		
3	2483.50	44.36	6.76	37.60	54.00	-9.64	109	317	Average	Horizontal		
4	2539.98	42.51	4.83	37.68	54.00	-11.49	109	317	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2390.00	51.54	14.22	37.32	54.00	-2.46	282	340	Average	Vertical		
2	2422.00	101.10	63.70	37.40	54.00	47.10	282	340	Average	Vertical		
3	2483.50	43.82	6.09	37.73	54.00	-10.18	282	340	Average	Vertical		
4	2543.17	43.54	5.64	37.90	54.00	-10.46	282	340	Average	Vertical		

802.11ax40

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2317.00	66.01	28.65	37.36	74.00	-7.99		314	307 Peak	Horizontal		
2	2390.00	68.56	30.96	37.60	74.00	-5.44		314	307 Peak	Horizontal		
3 *	2437.00	115.67	77.99	37.68	74.00	41.67		314	307 Peak	Horizontal		
4	2483.50	67.40	29.80	37.60	74.00	-6.60		314	307 Peak	Horizontal		
5	2556.62	66.54	28.77	37.77	74.00	-7.46		314	307 Peak	Horizontal		

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2316.61	67.45	30.42	37.03	74.00	-6.55		314	338 Peak	Vertical		
2	2390.00	66.73	29.41	37.32	74.00	-7.27		314	338 Peak	Vertical		
3 *	2437.00	114.02	76.57	37.45	74.00	40.02		314	338 Peak	Vertical		
4	2483.50	65.61	27.88	37.73	74.00	-8.39		314	338 Peak	Vertical		
5	2556.38	64.38	26.46	37.92	74.00	-9.62		314	338 Peak	Vertical		

802.11ax40

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2317.00	42.73	5.37	37.36	54.00	-11.27		314	307	Average	Horizontal	
2	2390.00	52.15	14.55	37.60	54.00	-1.85		314	307	Average	Horizontal	
3	2437.00	104.09	66.41	37.68	54.00	50.09		314	307	Average	Horizontal	
4	2483.50	51.62	14.02	37.60	54.00	-2.38		314	307	Average	Horizontal	
5	2556.62	42.63	4.86	37.77	54.00	-11.37		314	307	Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2316.61	44.50	7.47	37.03	54.00	-9.50		309	338	Average	Vertical	
2	2390.00	50.77	13.45	37.32	54.00	-3.23		309	338	Average	Vertical	
3	2437.00	103.56	66.11	37.45	54.00	49.56		309	338	Average	Vertical	
4	2483.50	50.47	12.74	37.73	54.00	-3.53		309	338	Average	Vertical	
5	2556.38	44.14	6.22	37.92	54.00	-9.86		309	338	Average	Vertical	

802.11ax40

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2332.38	66.97	29.56	37.41	74.00	-7.03	104	51	Peak	Horizontal		
2 *	2452.00	113.53	75.85	37.68	74.00	39.53	104	51	Peak	Horizontal		
3 !	2483.50	71.97	34.37	37.60	74.00	-2.03	104	51	Peak	Horizontal		
4	2570.66	63.59	25.69	37.90	74.00	-10.41	104	51	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2331.24	67.39	30.25	37.14	74.00	-6.61	305	350	Peak	Vertical		
2 *	2452.00	113.03	75.53	37.50	74.00	39.03	305	350	Peak	Vertical		
3 !	2483.50	69.23	31.50	37.73	74.00	-4.77	305	350	Peak	Vertical		
4	2572.90	65.22	27.28	37.94	74.00	-8.78	305	350	Peak	Vertical		

802.11ax40

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2332.38	44.62	7.21	37.41	54.00	-9.38	104	51	Average	Horizontal		
2 *	2452.00	101.34	63.66	37.68	54.00	47.34	104	51	Average	Horizontal		
3 !	2483.50	52.58	14.98	37.60	54.00	-1.42	104	51	Average	Horizontal		
4	2570.66	42.54	4.64	37.90	54.00	-11.46	104	51	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2331.24	44.00	6.79	37.21	54.00	-10.00	305	350	Average	Vertical		
2 *	2452.00	101.22	63.22	38.00	54.00	47.22	305	350	Average	Vertical		
3 !	2483.50	51.24	13.08	38.16	54.00	-2.76	305	350	Average	Vertical		
4	2572.90	42.49	4.40	38.09	54.00	-11.51	305	350	Average	Vertical		