


802.11ax20

CH 165 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11650.00	52.71	53.70	-0.99	74.00	-21.29		400	288	Peak	Horizontal	
2	17475.00	52.26	44.96	7.30	68.20	-15.94		100	358	Peak	Horizontal	

CH 165 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11650.00	48.29	49.33	-1.04	74.00	-25.71		300	301	Peak	Vertical	
2	17475.00	50.52	43.36	7.16	68.20	-17.68		100	320	Peak	Vertical	


802.11ax40

CH 151 (Horizontal)

CH 151 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11510.00	47.55	48.79	-1.24	74.00	-26.45	300	288	Peak	Horizontal	
2	17265.00	52.04	45.13	6.91	68.20	-16.16	200	65	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11510.00	46.84	48.27	-1.43	74.00	-27.16	200	19	Peak	Vertical	
2	17265.00	54.60	47.62	6.78	68.20	-13.60	100	306	Peak	Vertical	

802.11ax40

CH 159 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11590.00	48.97	50.07	-1.10	74.00	-25.03	200	360	Peak	Horizontal	
2	17385.00	53.33	46.22	7.11	68.20	-14.87	300	61	Peak	Horizontal	

CH 159 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11590.00	48.24	49.45	-1.21	74.00	-25.76	300	279	Peak	Vertical	
2	17385.00	51.51	44.44	7.07	68.20	-16.69	200	12	Peak	Vertical	


802.11ax80

CH 155 (Horizontal)

CH 155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 11558.00	46.56	47.73	-1.17	74.00	-27.44		100	65	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 11558.00	45.55	46.87	-1.32	74.00	-28.45		400	313	Peak	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

U-NII-1


802.11ax40

CH 38 (Open) (9kHz ~ 150kHz)

CH 38 (Open) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	81.72	4.97	76.75	127.60	-45.88	100	203	QP	Open		
2	0.03	70.25	1.58	68.67	117.95	-47.70	100	198	QP	Open		
3	0.06	63.64	0.97	62.67	112.18	-48.54	100	212	QP	Open		
4	0.08	58.94	-0.60	59.54	109.25	-50.31	100	18	QP	Open		
5	0.10	57.74	0.49	57.25	107.58	-49.84	100	205	QP	Open		
6	0.13	55.25	-0.65	55.90	105.22	-49.97	100	37	QP	Open		



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.16	71.66	16.94	54.72	103.57	-31.91	100	49	QP	Open		
2	1.07	55.94	14.98	40.96	67.02	-11.08	100	274	QP	Open		
3	7.41	50.43	13.20	37.23	69.50	-19.67	100	231	QP	Open		
4	14.47	52.39	14.54	37.85	69.50	-17.11	100	157	QP	Open		
5	20.99	53.66	15.75	37.91	69.50	-15.84	100	36	QP	Open		
6	28.79	58.27	16.71	41.56	69.50	-11.23	100	159	QP	Open		


802.11ax40

CH 38 (Close) (9kHz ~ 150kHz)

CH 38 (Close) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	81.70	4.05	77.65	128.34	-46.64	100	240 QP	Close		
2	0.02	73.68	2.33	71.35	120.36	-46.48	100	259 QP	Close		
3	0.04	68.05	1.76	66.29	115.54	-47.49	100	0 QP	Close		
4	0.08	61.14	0.86	60.28	109.85	-48.71	100	88 QP	Close		
5	0.11	55.92	-0.98	56.90	106.89	-50.97	100	350 QP	Close		
6	0.13	56.39	0.61	55.78	105.03	-48.64	100	299 QP	Close		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.15	70.56	15.45	55.11	104.06	-33.52	100	294 QP	Close		
2	0.82	58.06	15.55	42.51	69.34	-11.28	100	393 QP	Close		
3	5.49	48.75	12.22	36.53	69.50	-20.75	100	134 QP	Close		
4	10.90	51.59	13.47	38.12	69.50	-17.91	100	171 QP	Close		
5	18.14	52.26	14.67	37.59	69.50	-17.24	100	118 QP	Close		
6	28.87	56.69	15.09	41.60	69.50	-12.81	100	171 QP	Close		

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

U-NII-2A


802.11a

CH 64 (Open) (9kHz ~ 150kHz)


CH 64 (Open) (150kHz ~ 30MHz)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 64 (Close) (9kHz ~ 150kHz)

CH 64 (Close) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	81.60	3.99	77.61	128.30	-46.70	100	331 QP	Close		
2	0.03	72.33	3.05	69.28	118.45	-46.12	100	287 QP	Close		
3	0.06	62.26	-0.26	62.52	112.02	-49.76	100	360 QP	Close		
4	0.09	57.27	-1.78	59.05	108.86	-51.59	100	214 QP	Close		
5	0.11	55.95	-0.91	56.86	106.82	-50.87	100	189 QP	Close		
6	0.13	54.48	-1.35	55.83	105.10	-50.62	100	153 QP	Close		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.16	70.46	15.99	54.47	103.25	-32.79	100	297 QP	Close		
2	0.78	58.39	15.55	42.84	69.90	-11.41	100	147 QP	Close		
3	5.74	49.19	12.57	36.62	69.50	-20.31	100	173 QP	Close		
4	13.62	51.40	13.48	37.92	69.50	-18.10	100	338 QP	Close		
5	21.83	54.39	16.08	38.31	69.50	-15.11	100	106 QP	Close		
6	28.51	58.98	17.55	41.43	69.50	-10.52	100	87 QP	Close		

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

U-NII-2C


802.11ax40

CH 134 (Open) (9kHz ~ 150kHz)

CH 134 (Open) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	81.59	4.01	77.58	128.27	-46.68	100	210	QP	Open	
2	0.03	72.49	3.06	69.43	118.56	-46.07	100	171	QP	Open	
3	0.05	63.53	0.09	63.44	113.09	-49.56	100	279	QP	Open	
4	0.08	59.83	-0.40	60.23	109.81	-49.98	100	326	QP	Open	
5	0.12	56.54	-0.07	56.61	106.37	-49.83	100	359	QP	Open	
6	0.14	53.84	-1.76	55.60	104.76	-50.92	100	107	QP	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.15	70.59	15.48	55.11	104.86	-33.40	100	75	QP	Open	
2	0.65	59.79	15.07	43.82	71.33	-11.54	100	283	QP	Open	
3	6.20	50.31	13.52	36.79	69.50	-19.19	100	106	QP	Open	
4	11.56	52.81	14.74	38.07	69.50	-16.69	100	27	QP	Open	
5	21.75	54.95	16.68	38.27	69.50	-14.55	100	94	QP	Open	
6	29.69	57.48	15.50	41.98	69.50	-12.02	100	167	QP	Open	


802.11ax40

CH 134 (Close) (9kHz ~ 150kHz)

CH 134 (Close) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	83.92	5.66	77.36	128.09	-45.07	100	275 QP	Close		
2	0.04	66.70	0.96	65.74	115.07	-48.37	100	360 QP	Close		
3	0.08	60.87	0.37	60.50	110.04	-49.17	100	282 QP	Close		
4	0.10	56.99	-0.71	57.70	107.89	-50.90	100	343 QP	Close		
5	0.12	54.83	-1.42	56.25	105.76	-50.93	100	78 QP	Close		
6	0.14	53.46	-2.03	55.49	104.60	-51.14	100	7 QP	Close		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.15	70.01	14.90	55.11	104.88	-34.87	100	206 QP	Close		
2	0.68	58.41	14.80	43.61	70.98	-12.57	100	14 QP	Close		
3	6.62	50.02	13.08	36.94	69.50	-19.48	100	7 QP	Close		
4	11.48	53.10	15.03	38.07	69.50	-16.40	100	71 QP	Close		
5	24.07	56.34	16.99	39.35	69.50	-13.16	100	131 QP	Close		
6	28.16	56.95	15.68	41.27	69.50	-12.55	100	127 QP	Close		

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

U-NII-3


802.11a

CH 165 (Open) (9kHz ~ 150kHz)


CH 165 (Open) (150kHz ~ 30MHz)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 165 (Close) (9kHz ~ 150kHz)

CH 165 (Close) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	81.76	4.04	77.72	128.39	-46.63	100	234 QP	Close		
2	0.04	68.95	1.93	67.02	116.21	-47.26	100	306 QP	Close		
3	0.07	62.24	0.53	61.71	111.18	-48.94	100	96 QP	Close		
4	0.10	56.85	-1.03	57.88	108.01	-51.16	100	102 QP	Close		
5	0.11	56.46	-0.26	56.72	106.58	-50.12	100	96 QP	Close		
6	0.14	54.26	-1.16	55.42	104.50	-50.24	100	222 QP	Close		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.15	69.86	14.75	55.11	104.88	-34.22	100	178 QP	Close		
2	0.56	58.78	14.15	44.55	72.78	-14.00	100	156 QP	Close		
3	2.58	52.20	14.39	37.81	69.50	-17.30	100	357 QP	Close		
4	9.31	51.49	13.56	37.93	69.50	-18.01	100	245 QP	Close		
5	23.81	54.79	15.56	39.23	69.50	-14.71	100	320 QP	Close		
6	29.78	57.88	15.86	42.02	69.50	-11.62	100	269 QP	Close		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

U-NII-1


802.11ax40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	54.64	33.61	41.64	-8.03	40.00	-6.39	400	297 QP	Horizontal	
2	73.75	31.61	42.37	-10.76	40.00	-8.39	400	143 QP	Horizontal	
3	132.92	34.60	42.83	-8.23	43.50	-8.90	200	111 QP	Horizontal	
4	379.69	38.20	42.94	-4.74	46.00	-7.80	100	162 QP	Horizontal	
5	823.56	34.82	32.60	2.22	46.00	-11.18	100	204 QP	Horizontal	
6	936.17	34.33	30.19	4.14	46.00	-11.67	164	360 QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	54.74	36.27	44.31	-8.04	40.00	-3.73	100	360 QP	Vertical	
2	72.97	38.44	48.91	-10.47	40.00	-1.56	100	152 QP	Vertical	
3	430.90	32.63	36.57	-3.94	46.00	-13.37	100	160 QP	Vertical	
4	729.66	31.16	30.39	0.77	46.00	-14.84	200	1 QP	Vertical	
5	846.35	32.82	30.27	2.55	46.00	-13.18	200	55 QP	Vertical	
6	954.02	33.37	29.04	4.33	46.00	-12.63	100	71 QP	Vertical	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

U-NII-2A


802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	54.83	33.00	41.06	-8.06	40.00	-7.00	400	270	QP	Horizontal	
2	72.97	32.68	43.15	-10.47	40.00	-7.32	200	178	QP	Horizontal	
3	134.47	34.60	42.75	-8.15	43.50	-8.90	200	108	QP	Horizontal	
4	388.22	38.56	42.89	-4.33	46.00	-7.44	100	163	QP	Horizontal	
5	815.02	34.49	32.41	2.08	46.00	-11.51	100	209	QP	Horizontal	
6	929.58	33.01	29.09	3.92	46.00	-12.99	200	64	QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	54.44	36.55	44.54	-7.99	40.00	-3.45	100	6	QP	Vertical	
2	73.36	38.21	48.82	-10.61	40.00	-1.79	100	238	QP	Vertical	
3	133.69	28.62	36.82	-8.20	43.50	-14.88	100	24	QP	Vertical	
4	430.90	31.60	35.54	-3.94	46.00	-14.40	100	156	QP	Vertical	
5	844.99	33.77	31.22	2.55	46.00	-12.23	300	33	QP	Vertical	
6	951.89	32.86	28.54	4.32	46.00	-13.14	300	172	QP	Vertical	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
U-NII-2C


802.11ax40

CH 134 (Horizontal)

CH 134 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	54.64	33.16	41.19	-8.03	40.00	-6.84	300	293 QP	Horizontal		
2	73.46	32.23	42.87	-10.64	40.00	-7.77	200	181 QP	Horizontal		
3	132.84	32.20	40.60	-8.40	43.50	-11.30	300	88 QP	Horizontal		
4	386.18	38.79	43.19	-4.40	46.00	-7.21	100	174 QP	Horizontal		
5	823.56	35.38	33.16	2.22	46.00	-10.62	100	174 QP	Horizontal		
6	915.71	33.75	30.00	3.75	46.00	-12.25	300	263 QP	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	54.54	37.15	45.16	-8.01	40.00	-2.85	100	360 QP	Vertical		
2	73.84	37.92	48.71	-10.79	40.00	-2.08	100	161 QP	Vertical		
3	133.31	29.69	37.90	-8.21	43.50	-13.81	100	31 QP	Vertical		
4	420.23	31.17	35.36	-4.19	46.00	-14.83	100	147 QP	Vertical		
5	732.86	30.84	29.97	0.87	46.00	-15.16	100	261 QP	Vertical		
6	925.31	33.60	29.71	3.89	46.00	-12.40	100	82 QP	Vertical		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

U-NII-3


802.11a

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	55.32	32.89	40.95	-8.06	40.00	-7.11	400	316 QP	Horizontal		
2	73.36	30.85	41.46	-10.61	40.00	-9.15	400	131 QP	Horizontal		
3	132.53	34.88	43.18	-8.30	43.50	-8.62	200	74 QP	Horizontal		
4	379.69	38.27	43.01	-4.74	46.00	-7.73	100	159 QP	Horizontal		
5	814.92	34.30	32.22	2.08	46.00	-11.70	100	186 QP	Horizontal		
6	938.79	33.28	29.12	4.16	46.00	-12.72	400	164 QP	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	59.00	35.15	43.71	-8.56	40.00	-4.85	101	360 QP	Vertical		
2	72.87	38.25	48.71	-10.46	40.00	-1.75	100	258 QP	Vertical		
3	134.57	29.69	37.83	-8.14	43.50	-13.81	100	64 QP	Vertical		
4	430.90	31.70	35.64	-3.94	46.00	-14.30	100	150 QP	Vertical		
5	599.97	33.71	35.03	-1.32	46.00	-12.29	100	34 QP	Vertical		
6	919.68	33.68	29.83	3.85	46.00	-12.32	211	15 QP	Vertical		

Mains Conducted Emission, (150kHz ~ 30MHz)


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2112-1000 Fax: +886-2112-1322




Trace: 1

Line	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.16	30.71	21.10	9.61	55.46	-24.75	Average	line1	
2	0.16	44.54	34.93	9.61	65.46	-20.92	QP	line1	
3	0.20	28.94	19.33	9.61	53.60	-24.66	Average	line1	
4	0.20	39.84	30.23	9.61	63.60	-23.76	QP	line1	
5	0.35	35.59	25.98	9.61	49.04	-13.45	Average	line1	
6	0.35	43.59	33.98	9.61	59.04	-15.45	QP	line1	
7	0.58	19.07	9.45	9.62	46.00	-26.93	Average	line1	
8	0.58	25.31	15.69	9.62	56.00	-30.69	QP	line1	
9	13.31	19.49	9.76	9.73	50.00	-30.51	Average	line1	
10	13.31	25.24	15.51	9.73	60.00	-34.76	QP	line1	
11	27.98	25.61	15.96	9.65	50.00	-24.39	Average	line1	
12	27.98	30.94	21.29	9.65	60.00	-29.06	QP	line1	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2112-1000 Fax: +886-2112-1322



Trace: 1

Line	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.16	30.14	20.55	9.59	55.59	-25.45	Average	neutral	
2	0.16	45.44	35.85	9.59	65.59	-20.15	QP	neutral	
3	0.18	28.62	19.03	9.59	54.34	-25.72	Average	neutral	
4	0.18	41.70	32.11	9.59	64.34	-22.64	QP	neutral	
5	0.35	33.46	23.87	9.59	49.00	-15.54	Average	neutral	
6	0.35	42.11	32.52	9.59	59.00	-16.89	QP	neutral	
7	1.26	13.41	3.80	9.61	46.00	-32.59	Average	neutral	
8	1.26	17.57	7.96	9.61	56.00	-38.43	QP	neutral	
9	13.45	19.96	10.19	9.77	50.00	-30.04	Average	neutral	
10	13.45	25.53	15.76	9.77	60.00	-34.47	QP	neutral	
11	28.40	26.22	16.38	9.84	50.00	-23.78	Average	neutral	
12	28.40	31.44	21.60	9.84	60.00	-28.56	QP	neutral	

Test Results of Radiation Spurious Emissions & Mains Radiation Emission (POE Mode)

Band Edges, 4.5GHz ~ 5.15GHz

U-NII-1


802.11ax40

CH 38 (Horizontal) Peak

CH 38 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5139.00	65.77	23.38	42.39	74.00	-8.23	102	303	Peak	Horizontal		
2 *	5198.00	114.73	72.14	42.59	74.00	40.73	102	303	Peak	Horizontal		
3	5364.00	56.58	13.49	43.09	74.00	-17.42	102	303	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5144.50	64.83	22.44	42.39	74.00	-9.17	351	351	Peak	Vertical		
2 *	5198.00	114.26	71.67	42.59	74.00	40.26	351	351	Peak	Vertical		
3	5457.50	56.67	13.30	43.37	74.00	-17.33	351	351	Peak	Vertical		

802.11ax40


CH 38 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Band Edges, 5.35GHz

U-NII-2A


802.11a

CH 64 (Horizontal) Peak

CH 64 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5183.00	57.39	15.03	42.36	74.00	-16.61	150	330	Peak	Horizontal	
2 *	5320.00	117.15	74.27	42.88	74.00	43.15	150	330	Peak	Horizontal	
3	5350.00	65.99	23.02	42.97	74.00	-8.01	150	330	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5180.00	56.00	13.64	42.36	74.00	-18.00	350	354	Peak	Vertical	
2 *	5320.00	116.00	73.92	42.08	74.00	42.00	350	354	Peak	Vertical	
3	5350.00	61.90	18.93	42.97	74.00	-12.10	350	354	Peak	Vertical	

802.11a

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4992.00	44.65	1.99	42.66	54.00	-9.35	150	330	Average	Horizontal	
2 *	5320.00	107.25	64.37	42.88	54.00	53.25	150	330	Average	Horizontal	
3 !	5350.00	52.20	9.23	42.97	54.00	-1.80	150	330	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5130.00	43.85	1.47	42.38	54.00	-10.15	350	354	Average	Vertical	
2 *	5320.00	107.09	64.21	42.88	54.00	53.09	350	354	Average	Vertical	
3 !	5350.00	50.43	7.46	42.97	54.00	-3.57	350	354	Average	Vertical	

Band Edges, 5.3GHz ~ 5.47GHz, 5.725GHz

U-NII-2C


802.11ax40

CH 134 (Horizontal) Peak

CH 134 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5413.00	57.27	13.88	43.39	74.00	-16.73	101	328	Peak	Horizontal	
2	5462.00	56.60	13.22	43.38	68.20	-11.60	101	328	Peak	Horizontal	
3 *	5670.00	115.18	71.68	43.50	68.20	46.98	101	328	Peak	Horizontal	
4 !	5727.50	66.23	22.49	43.74	68.20	-1.97	101	328	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5294.50	56.70	13.96	42.82	74.00	-17.22	392	340	Peak	Vertical	
2	5466.50	55.92	12.52	43.40	68.20	-12.28	392	340	Peak	Vertical	
3 *	5670.00	113.00	70.30	43.50	68.20	45.60	392	340	Peak	Vertical	
4 !	5728.00	65.80	22.07	43.73	68.20	-2.40	392	340	Peak	Vertical	


802.11ax40

CH 134 (Horizontal) Average

CH 134 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5416.00	43.41	0.02	43.39	54.00	-10.59	101	328	Average	Horizontal	
2 *	5670.00	103.54	60.04	43.50	54.00	49.54	101	328	Average	Horizontal	




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5453.50	43.01	-0.36	43.37	54.00	-10.99	392	340	Average	Vertical	
2 *	5670.00	102.26	58.76	43.50	54.00	48.26	392	340	Average	Vertical	

Mask, 5.725GHz ~ 5.85GHz
U-NII-3
802.11a
CH 165 (Horizontal) Peak
CH 165 (Vertical) Peak

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5627.00	57.84	14.45	43.39	68.20	-10.36	233	325	Peak	Horizontal	
2	5694.50	58.01	14.29	43.72	101.15	-43.14	233	325	Peak	Horizontal	
3	5703.50	57.84	14.08	43.76	106.18	-48.34	233	325	Peak	Horizontal	
4	5721.50	57.81	14.07	43.74	114.22	-56.41	233	325	Peak	Horizontal	
5	5825.00	116.77	72.90	43.87	122.20	-5.43	233	325	Peak	Horizontal	
6	5851.00	76.45	32.56	43.89	119.92	-43.47	233	325	Peak	Horizontal	
7	5855.00	73.61	29.70	43.91	110.80	-37.19	233	325	Peak	Horizontal	
8	5917.50	59.77	15.72	44.05	73.73	-13.96	233	325	Peak	Horizontal	
9	5929.00	59.14	15.08	44.06	68.20	-9.06	233	325	Peak	Horizontal	


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5628.50	57.73	14.34	43.39	68.20	-10.47	365	337	Peak	Vertical	
2	5691.50	57.80	14.11	43.69	98.93	-41.13	365	337	Peak	Vertical	
3	5709.50	57.54	13.79	43.75	107.86	-50.32	365	337	Peak	Vertical	
4	5723.00	58.16	14.43	43.73	117.64	-59.48	365	337	Peak	Vertical	
5	5825.00	115.44	71.57	43.87	122.20	-6.76	365	337	Peak	Vertical	
6	5851.00	72.94	29.05	43.89	119.92	-46.98	365	337	Peak	Vertical	
7	5855.00	67.45	23.54	43.91	110.80	-43.35	365	337	Peak	Vertical	
8	5886.50	58.10	14.11	43.99	96.66	-38.56	365	337	Peak	Vertical	
9	5932.50	58.62	14.56	44.06	68.20	-9.58	365	337	Peak	Vertical	

802.11a

CH 165 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 * 5825.00	107.00	63.13	43.87	54.00	53.00	233	325	Average	Horizontal	

CH 165 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 * 5825.00	106.12	62.25	43.87	54.00	52.12	365	337	Average	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII-1


802.11ax40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10380.00	45.01	48.50	-3.49	68.20	-23.19	100	64	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10380.00	44.99	48.48	-3.49	68.20	-23.21	200	307	Peak	Vertical	

U-NII-2A


802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10640.00	46.64	49.68	-2.96	74.00	-27.36	200	30 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10640.00	49.21	52.17	-2.96	74.00	-24.79	200	358 Peak	Vertical	

U-NII-2C


802.11ax40

CH 134 (Horizontal)

CH 134 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 11340.00	47.14	48.86	-1.72	74.00	-26.86	153	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 11340.00	45.61	47.33	-1.72	74.00	-28.39	180	294	Peak	Vertical		

U-NII-3


802.11a

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11650.00	48.41	49.45	-1.04	74.00	-25.59	200	4 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11650.00	46.51	47.55	-1.04	74.00	-27.49	100	361 Peak	Vertical	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

U-NII-1


802.11ax40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	65.68	28.65	38.45	-9.80	40.00	-11.35	300	124	QP	Horizontal	
2	175.50	32.51	40.33	-7.82	43.50	-10.99	214	37	QP	Horizontal	
3	552.83	30.07	32.22	-2.15	46.00	-15.93	400	342	QP	Horizontal	
4	709.39	31.53	31.14	0.39	46.00	-14.47	100	279	QP	Horizontal	
5	844.99	33.92	31.37	2.55	46.00	-12.08	100	294	QP	Horizontal	
6	952.96	33.41	29.08	4.33	46.00	-12.59	200	108	QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	31.65	37.18	46.19	-9.01	40.00	-2.82	100	214	QP	Vertical	
2	38.05	38.18	46.40	-8.22	40.00	-1.82	100	238	QP	Vertical	
3	44.16	35.26	42.94	-7.68	40.00	-4.74	100	294	QP	Vertical	
4	556.42	30.86	32.98	-2.12	46.00	-15.14	100	288	QP	Vertical	
5	844.80	33.89	31.34	2.55	46.00	-12.11	100	274	QP	Vertical	
6	929.19	33.86	29.95	3.91	46.00	-12.14	300	259	QP	Vertical	

U-NII-2A


802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	66.38	28.75	38.62	-9.87	40.00	-11.25	300	114	QP	Horizontal	
2	175.99	32.61	40.58	-7.97	43.50	-10.89	100	259	QP	Horizontal	
3	571.16	29.36	31.27	-1.91	46.00	-16.64	100	153	QP	Horizontal	
4	740.62	32.39	31.26	1.13	46.00	-13.61	100	76	QP	Horizontal	
5	844.90	33.71	31.16	2.55	46.00	-12.29	300	255	QP	Horizontal	
6	915.22	33.67	29.93	3.74	46.00	-12.33	200	288	QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	38.97	36.06	44.94	-8.88	40.00	-3.94	101	360	QP	Vertical	
2	37.76	30.17	46.51	-8.34	40.00	-1.83	100	317	QP	Vertical	
3	44.16	35.11	42.79	-7.68	40.00	-4.89	100	245	QP	Vertical	
4	599.97	32.80	34.12	-1.32	46.00	-13.20	200	27	QP	Vertical	
5	729.27	31.79	31.02	0.77	46.00	-14.21	300	360	QP	Vertical	
6	922.89	33.79	29.91	3.88	46.00	-12.21	200	47	QP	Vertical	

U-NII-2C


802.11ax40

CH 134 (Horizontal)

CH 134 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	66.86	27.59	37.41	-9.82	40.00	-12.41	400	98	QP	Horizontal	
2	177.05	33.21	41.48	-8.27	43.50	-10.29	100	260	QP	Horizontal	
3	560.40	29.88	31.99	-2.11	46.00	-16.12	141	360	QP	Horizontal	
4	676.41	30.49	30.60	-0.11	46.00	-15.51	200	360	QP	Horizontal	
5	785.15	32.84	31.02	1.82	46.00	-13.16	100	24	QP	Horizontal	
6	924.24	34.10	30.22	3.88	46.00	-11.90	300	0	QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	30.00	36.58	45.19	-8.61	40.00	-3.42	100	300	QP	Vertical	
2	38.05	30.52	46.74	-8.22	40.00	-1.48	100	360	QP	Vertical	
3	44.36	35.83	43.62	-7.79	40.00	-4.17	100	86	QP	Vertical	
4	175.21	25.69	33.42	-7.73	43.50	-17.81	100	284	QP	Vertical	
5	546.91	30.31	32.53	-2.22	46.00	-15.69	100	96	QP	Vertical	
6	845.29	33.93	31.38	2.55	46.00	-12.07	330	360	QP	Vertical	

U-NII-3


802.11a

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	66.18	28.12	38.02	-9.90	40.00	-11.88	300	109 QP	Horizontal		
2	176.08	34.61	42.80	-7.99	43.50	-8.69	200	256 QP	Horizontal		
3	375.51	26.44	31.32	-4.88	46.00	-19.56	100	360 QP	Horizontal		
4	547.69	30.15	32.37	-2.22	46.00	-15.85	300	16 QP	Horizontal		
5	787.18	34.22	32.42	1.80	46.00	-11.78	100	25 QP	Horizontal		
6	938.58	33.70	29.54	4.16	46.00	-12.30	400	175 QP	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	31.26	36.45	45.39	-8.94	40.00	-3.55	100	243 QP	Vertical		
2	38.05	38.45	46.67	-8.22	40.00	-1.55	100	360 QP	Vertical		
3	44.16	35.32	43.00	-7.68	40.00	-4.68	100	129 QP	Vertical		
4	175.89	27.29	35.23	-7.94	43.50	-16.21	100	277 QP	Vertical		
5	729.37	31.61	30.84	0.77	46.00	-14.39	300	97 QP	Vertical		
6	946.55	33.03	28.80	4.23	46.00	-12.97	300	353 QP	Vertical		

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

U-NII-1


802.11ax40

CH 38 (Open) (9kHz ~ 150kHz)


CH 38 (Open) (150kHz ~ 30MHz)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax40

CH 38 (Close) (9kHz ~ 150kHz)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	82.21	4.49	77.72	128.39	-46.18	100	336 QP	Close		
2	0.03	70.61	2.16	68.45	117.71	-47.10	100	195 QP	Close		
3	0.06	62.64	0.31	62.33	111.82	-49.18	100	1 QP	Close		
4	0.09	58.18	0.16	58.02	108.11	-49.93	100	199 QP	Close		
5	0.12	55.25	-1.09	56.34	105.91	-50.66	100	268 QP	Close		
6	0.15	54.99	-0.25	55.24	104.26	-49.27	100	298 QP	Close		

CH 38 (Close) (150kHz ~ 30MHz)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.17	71.10	16.75	54.35	103.10	-32.00	100	213 QP	Close		
2	0.76	57.66	14.66	43.00	70.03	-12.37	100	360 QP	Close		
3	5.95	50.30	13.60	36.70	69.50	-19.20	100	263 QP	Close		
4	11.62	52.17	14.11	38.06	69.50	-17.33	100	74 QP	Close		
5	23.19	54.24	15.29	38.95	69.50	-15.26	100	55 QP	Close		
6	28.89	56.63	15.02	41.61	69.50	-12.87	100	131 QP	Close		

U-NII-2A


802.11a

CH 64 (Open) (9kHz ~ 150kHz)

CH 64 (Open) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	82.96	5.21	77.75	128.42	-45.46	100	120	QP	Open	
2	0.03	69.65	0.70	68.95	118.20	-48.55	100	89	QP	Open	
3	0.06	61.71	-0.94	62.65	112.16	-50.45	100	293	QP	Open	
4	0.09	58.27	-0.71	58.98	108.81	-50.54	100	239	QP	Open	
5	0.11	56.15	-0.47	56.62	106.38	-50.23	100	116	QP	Open	
6	0.14	53.98	-1.48	55.46	104.57	-50.59	100	12	QP	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.15	71.42	16.31	55.11	104.88	-32.66	100	212	QP	Open	
2	0.91	56.83	15.03	41.80	68.41	-11.58	100	142	QP	Open	
3	4.62	49.58	13.12	36.46	69.50	-19.92	100	360	QP	Open	
4	12.38	52.47	14.46	38.01	69.50	-17.03	100	96	QP	Open	
5	22.92	54.95	16.14	38.81	69.50	-14.55	100	338	QP	Open	
6	28.38	57.74	16.38	41.36	69.50	-11.76	100	1	QP	Open	

802.11a

CH 64 (Close) (9kHz ~ 150kHz)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	82.37	4.53	77.84	126.50	-46.13	100	176 QP	Close	
2	0.03	69.91	1.97	67.94	117.14	-47.23	100	40 QP	Close	
3	0.06	63.83	0.85	62.98	112.54	-48.71	100	360 QP	Close	
4	0.08	60.95	0.42	60.53	110.07	-49.12	100	154 QP	Close	
5	0.10	57.11	-0.60	57.71	107.90	-50.79	100	350 QP	Close	
6	0.14	55.23	-0.45	55.68	104.88	-49.65	100	181 QP	Close	

CH 64 (Close) (150kHz ~ 30MHz)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.15	70.00	14.89	55.11	104.08	-34.08	100	296 QP	Close	
2	0.72	57.05	14.57	43.28	70.46	-12.61	100	1 QP	Close	
3	7.23	50.22	13.06	37.16	69.50	-19.28	100	354 QP	Close	
4	11.97	52.13	14.10	38.03	69.50	-17.37	100	163 QP	Close	
5	24.14	55.10	15.71	39.39	69.50	-14.40	100	331 QP	Close	
6	28.95	58.25	16.61	41.64	69.50	-11.25	100	300 QP	Close	