


|           |                   |
|-----------|-------------------|
| Test Mode | UNII-2A_TX A Mode |
|-----------|-------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 52      | 5260            | 21.399                | 17.000                        |
| 60      | 5300            | 21.098                | 17.000                        |
| 64      | 5320            | 20.689                | 17.000                        |

CH52




Date: 9.SEP.2021 16:45:53

CH60  
26 dB Bandwidth




Date: 9.SEP.2021 16:48:52

CH64




Date: 9.SEP.2021 16:52:30


99 % Occupied Bandwidth



Date: 9.SEP.2021 16:45:15



Date: 9.SEP.2021 16:48:22




Date: 9.SEP.2021 16:52:06

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 52      | 5260            | 21.199                | 18.000                        |
| 60      | 5300            | 21.590                | 18.000                        |
| 64      | 5320            | 20.650                | 17.800                        |

CH52




Date: 9.SEP.2021 20:38:41

CH60  
26 dB Bandwidth




Date: 9.SEP.2021 20:45:35

CH64




Date: 9.SEP.2021 20:47:39


99 % Occupied Bandwidth



Date: 9.SEP.2021 20:38:02



Date: 9.SEP.2021 20:44:55




Date: 9.SEP.2021 20:47:10



|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 58      | 5290            | 103.590               | 76.000                        |

## CH58 26 dB Bandwidth



Date: 9.SEP.2021 21:54:37

## 99 % Occupied Bandwidth




Date: 9.SEP.2021 21:53:44

|           |                   |
|-----------|-------------------|
| Test Mode | UNII-2C_TX A Mode |
|-----------|-------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 100     | 5500            | 20.500                | 16.800                        |
| 116     | 5580            | 20.750                | 16.800                        |
| 140     | 5700            | 20.650                | 17.000                        |

CH100




Date: 9.SEP.2021 16:54:25

CH116  
26 dB Bandwidth




Date: 9.SEP.2021 19:42:39

CH140




Date: 9.SEP.2021 19:44:23


99 % Occupied Bandwidth



Date: 9.SEP.2021 16:53:55



Date: 9.SEP.2021 19:42:10




Date: 9.SEP.2021 19:43:53

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 100     | 5500            | 20.750                | 17.800                        |
| 116     | 5580            | 20.850                | 17.800                        |
| 140     | 5700            | 20.950                | 17.900                        |

CH100




Date: 9.SEP.2021 20:51:51

CH116  
26 dB Bandwidth




Date: 9.SEP.2021 20:56:59

CH140




Date: 9.SEP.2021 21:00:55


99 % Occupied Bandwidth



Date: 9.SEP.2021 20:51:21



Date: 9.SEP.2021 20:56:29




Date: 9.SEP.2021 21:00:26

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 102     | 5510            | 40.600                | 36.600                        |
| 110     | 5550            | 41.008                | 36.600                        |
| 134     | 5670            | 40.808                | 36.800                        |

CH102




Date: 9,SEP,2021 21:31:31

CH110  
26 dB Bandwidth




Date: 9,SEP,2021 21:35:04

CH134




Date: 9,SEP,2021 21:39:52


99 % Occupied Bandwidth



Date: 9,SEP,2021 21:30:47




Date: 9,SEP,2021 21:34:20




Date: 9,SEP,2021 21:39:07

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode |
|-----------|---------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 106     | 5530            | 81.598                | 76.000                        |



Date: 9 SEP 2021 21:59:04




Date: 9 SEP 2021 21:59:25

|           |                  |
|-----------|------------------|
| Test Mode | UNII-3_TX A Mode |
|-----------|------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149     | 5745            | 15.490               | 17.000                        | 0.5                             | Complies |
| 157     | 5785            | 15.200               | 17.000                        | 0.5                             | Complies |
| 165     | 5825            | 15.198               | 17.000                        | 0.5                             | Complies |

CH149




Date: 9.SEP.2021 19:49:57

CH157  
6 dB Bandwidth




Date: 9.SEP.2021 19:51:36

CH165




Date: 9.SEP.2021 19:57:35


99 % Occupied Bandwidth



Date: 9.SEP.2021 19:49:22



Date: 9.SEP.2021 19:51:02




Date: 9.SEP.2021 19:56:59

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149     | 5745            | 15.250               | 18.000                        | 0.5                             | Complies |
| 157     | 5785            | 15.250               | 17.900                        | 0.5                             | Complies |
| 165     | 5825            | 15.209               | 18.000                        | 0.5                             | Complies |

CH149




Date: 9.SEP.2021 21:02:21

CH157  
6 dB Bandwidth




Date: 9.SEP.2021 21:06:30

CH165




Date: 9.SEP.2021 21:07:54


99 % Occupied Bandwidth



Date: 9.SEP.2021 21:01:47



Date: 9.SEP.2021 21:05:56




Date: 9.SEP.2021 21:07:21

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 151     | 5755            | 32.100               | 36.800                        | 0.5                             | Complies |
| 159     | 5795            | 35.300               | 36.800                        | 0.5                             | Complies |

CH151




Date: 9,SEP,2021 21:44:17

CH159  
6 dB Bandwidth




Date: 9,SEP,2021 21:45:16

99 % Occupied Bandwidth



Date: 9,SEP,2021 21:43:31



Date: 9,SEP,2021 21:45:11



## **APPENDIX F - MAXIMUM OUTPUT POWER**

### MTK7661

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 14.72              | 0.23        | 14.95                            | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 14.63              | 0.23        | 14.86                            | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 14.80              | 0.23        | 15.03                            | 23.98            | 0.2500         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 14.84              | 0.23        | 15.07                            | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 15.23              | 0.23        | 15.46                            | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 15.16              | 0.23        | 15.39                            | 23.98            | 0.2500         | Complies |

|           |                        |
|-----------|------------------------|
| Test Mode | UNII-1_TX A Mode_Total |
|-----------|------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 18.02              | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 18.18              | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 18.22              | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 14.83              | 0.23        | 15.06                            | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 15.31              | 0.23        | 15.54                            | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 15.05              | 0.23        | 15.28                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 15.33              | 0.23        | 15.56                            | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 15.37              | 0.23        | 15.60                            | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 15.22              | 0.23        | 15.45                            | 23.98            | 0.2500         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 18.32              | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 18.58              | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 18.37              | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 14.55              | 0.44        | 14.99                            | 23.98            | 0.2500         | Complies |
| 46      | 5230            | 15.16              | 0.44        | 15.60                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 15.17              | 0.44        | 15.61                            | 23.98            | 0.2500         | Complies |
| 46      | 5230            | 15.29              | 0.44        | 15.73                            | 23.98            | 0.2500         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 18.32              | 23.98            | 0.2500         | Complies |
| 46      | 5230            | 18.68              | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 14.62              | 0.42        | 15.04                            | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 14.69              | 0.42        | 15.11                            | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 14.75              | 0.42        | 15.17                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 15.07              | 0.42        | 15.49                            | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 15.04              | 0.42        | 15.46                            | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 15.31              | 0.42        | 15.73                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 18.28              | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 18.30              | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 18.47              | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 14.61              | 0.78        | 15.39                            | 23.98            | 0.2500         | Complies |
| 46      | 5230            | 14.69              | 0.78        | 15.47                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 15.31              | 0.78        | 16.09                            | 23.98            | 0.2500         | Complies |
| 46      | 5230            | 15.38              | 0.78        | 16.16                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 18.77              | 23.98            | 0.2500         | Complies |
| 46      | 5230            | 18.84              | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 14.65              | 1.36        | 16.01                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 14.98              | 1.36        | 16.34                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42      | 5210            | 19.19              | 23.98            | 0.2500         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 1 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 14.57              | 0.23        | 14.80                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 14.76              | 0.23        | 14.99                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 15.04              | 0.23        | 15.27                            | 23.98            | 0.2500         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 2 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 14.92              | 0.23        | 15.15                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 15.12              | 0.23        | 15.35                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 15.45              | 0.23        | 15.68                            | 23.98            | 0.2500         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2A_TX A Mode_Total |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 17.99              | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 18.18              | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 18.49              | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 15.15              | 0.23        | 15.38                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 14.98              | 0.23        | 15.21                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 15.24              | 0.23        | 15.47                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 15.40              | 0.23        | 15.63                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 15.04              | 0.23        | 15.27                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 15.34              | 0.23        | 15.57                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 18.51              | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 18.25              | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 18.53              | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 14.70              | 0.44        | 15.14                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 14.56              | 0.44        | 15.00                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 14.87              | 0.44        | 15.31                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 15.22              | 0.44        | 15.66                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 18.24              | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 18.35              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 14.95              | 0.42        | 15.37                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 15.14              | 0.42        | 15.56                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 14.61              | 0.42        | 15.03                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 15.37              | 0.42        | 15.79                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 15.19              | 0.42        | 15.61                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 15.07              | 0.42        | 15.49                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 18.60              | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 18.60              | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 18.28              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 14.63              | 0.78        | 15.41                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 14.98              | 0.78        | 15.76                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 14.86              | 0.78        | 15.64                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 15.34              | 0.78        | 16.12                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 18.54              | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 18.96              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 14.79              | 1.36        | 16.15                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 15.09              | 1.36        | 16.45                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 58      | 5290            | 19.32              | 23.98            | 0.2500         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 1 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 14.74              | 0.23        | 14.97                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 15.10              | 0.23        | 15.33                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 14.62              | 0.23        | 14.85                            | 23.98            | 0.2500         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 2 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 14.97              | 0.23        | 15.20                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 15.14              | 0.23        | 15.37                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 15.14              | 0.23        | 15.37                            | 23.98            | 0.2500         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2C_TX A Mode_Total |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 18.09              | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 18.36              | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 18.12              | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 14.74              | 0.23        | 14.97                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 14.96              | 0.23        | 15.19                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 14.68              | 0.23        | 14.91                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 14.91              | 0.23        | 15.14                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 15.06              | 0.23        | 15.29                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 15.47              | 0.23        | 15.70                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 18.06              | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 18.25              | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 18.33              | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 15.19              | 0.44        | 15.63                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 15.18              | 0.44        | 15.62                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 15.06              | 0.44        | 15.50                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 15.22              | 0.44        | 15.66                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 15.21              | 0.44        | 15.65                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 15.12              | 0.44        | 15.56                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 18.66              | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 18.65              | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 18.54              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 14.92              | 0.42        | 15.34                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 14.86              | 0.42        | 15.28                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 14.58              | 0.42        | 15.00                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 14.97              | 0.42        | 15.39                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 15.06              | 0.42        | 15.48                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 14.81              | 0.42        | 15.23                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 18.38              | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 18.39              | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 18.13              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 14.64              | 0.78        | 15.42                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 14.68              | 0.78        | 15.46                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 15.12              | 0.78        | 15.90                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 14.97              | 0.78        | 15.75                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 14.73              | 0.78        | 15.51                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 15.41              | 0.78        | 16.19                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 18.38              | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 18.39              | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 18.13              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 14.69              | 1.36        | 16.05                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 14.63              | 1.36        | 15.99                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 106     | 5530            | 19.03              | 23.98            | 0.2500         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 14.66              | 0.23        | 14.89                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 14.89              | 0.23        | 15.12                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 14.90              | 0.23        | 15.13                            | 30.00            | 1.0000         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 14.90              | 0.23        | 15.13                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 15.15              | 0.23        | 15.38                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 15.21              | 0.23        | 15.44                            | 30.00            | 1.0000         | Complies |

|           |                        |
|-----------|------------------------|
| Test Mode | UNII-3_TX A Mode_Total |
|-----------|------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 18.02              | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 18.26              | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 18.29              | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 14.57              | 0.23        | 14.80                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 14.80              | 0.23        | 15.03                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 14.76              | 0.23        | 14.99                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 15.35              | 0.23        | 15.58                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 15.68              | 0.23        | 15.91                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 15.62              | 0.23        | 15.85                            | 30.00            | 1.0000         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 18.21              | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 18.50              | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 18.45              | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 15.08              | 0.44        | 15.52                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 14.98              | 0.44        | 15.42                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 15.26              | 0.44        | 15.70                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 15.22              | 0.44        | 15.66                            | 30.00            | 1.0000         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 18.62              | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 18.55              | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 15.02              | 0.42        | 15.44                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 14.89              | 0.42        | 15.31                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 14.78              | 0.42        | 15.20                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 15.06              | 0.42        | 15.48                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 15.32              | 0.42        | 15.74                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 15.25              | 0.42        | 15.67                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 18.47              | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 18.54              | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 18.45              | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 14.83              | 0.78        | 15.61                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 14.70              | 0.78        | 15.48                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 15.06              | 0.78        | 15.84                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 14.80              | 0.78        | 15.58                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 18.74              | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 18.54              | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 15.03              | 1.36        | 16.39                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 15.21              | 1.36        | 16.57                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155     | 5775            | 19.49              | 30.00            | 1.0000         | Complies |

### MTK7663

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 14.04              | 0.23        | 14.27                            | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 14.36              | 0.23        | 14.59                            | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 14.28              | 0.23        | 14.51                            | 23.98            | 0.2500         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 12.98              | 0.23        | 13.21                            | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 13.17              | 0.23        | 13.40                            | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 13.27              | 0.23        | 13.50                            | 23.98            | 0.2500         | Complies |

|           |                        |
|-----------|------------------------|
| Test Mode | UNII-1_TX A Mode_Total |
|-----------|------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 16.78              | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 17.04              | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 17.04              | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 14.62              | 0.23        | 14.85                            | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 14.62              | 0.23        | 14.85                            | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 14.13              | 0.23        | 14.36                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 13.21              | 0.23        | 13.44                            | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 13.36              | 0.23        | 13.59                            | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 12.80              | 0.23        | 13.03                            | 23.98            | 0.2500         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 17.21              | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 17.27              | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 16.75              | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 14.55              | 0.44        | 14.99                            | 23.98            | 0.2500         | Complies |
| 46      | 5230            | 14.52              | 0.44        | 14.96                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 13.18              | 0.44        | 13.62                            | 23.98            | 0.2500         | Complies |
| 46      | 5230            | 12.92              | 0.44        | 13.36                            | 23.98            | 0.2500         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 17.37              | 23.98            | 0.2500         | Complies |
| 46      | 5230            | 17.24              | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 14.55              | 0.42        | 14.97                            | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 14.60              | 0.42        | 15.02                            | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 14.49              | 0.42        | 14.91                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 12.80              | 0.42        | 13.22                            | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 13.65              | 0.42        | 14.07                            | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 13.57              | 0.42        | 13.99                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 17.20              | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 17.58              | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 17.49              | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 14.35              | 0.78        | 15.13                            | 23.98            | 0.2500         | Complies |
| 46      | 5230            | 14.33              | 0.78        | 15.11                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 13.37              | 0.78        | 14.15                            | 23.98            | 0.2500         | Complies |
| 46      | 5230            | 13.05              | 0.78        | 13.83                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 17.68              | 23.98            | 0.2500         | Complies |
| 46      | 5230            | 17.53              | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 14.33              | 1.36        | 15.69                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 13.44              | 1.36        | 14.80                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42      | 5210            | 18.28              | 23.98            | 0.2500         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 1 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 14.33              | 0.23        | 14.56                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 14.27              | 0.23        | 14.50                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 14.28              | 0.23        | 14.51                            | 23.98            | 0.2500         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 2 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 13.10              | 0.23        | 13.33                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 12.96              | 0.23        | 13.19                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 13.20              | 0.23        | 13.43                            | 23.98            | 0.2500         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2A_TX A Mode_Total |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 17.00              | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 16.90              | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 17.01              | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 14.46              | 0.23        | 14.69                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 14.03              | 0.23        | 14.26                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 13.81              | 0.23        | 14.04                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 13.13              | 0.23        | 13.36                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 12.21              | 0.23        | 12.44                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 12.12              | 0.23        | 12.35                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 17.08              | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 16.45              | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 16.28              | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 14.10              | 0.44        | 14.54                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 14.07              | 0.44        | 14.51                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 12.51              | 0.44        | 12.95                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 12.54              | 0.44        | 12.98                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 16.83              | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 16.82              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 14.53              | 0.42        | 14.95                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 14.61              | 0.42        | 15.03                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 14.13              | 0.42        | 14.55                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 13.31              | 0.42        | 13.73                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 13.36              | 0.42        | 13.78                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 12.70              | 0.42        | 13.12                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 17.40              | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 17.46              | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 16.91              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 14.13              | 0.78        | 14.91                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 14.11              | 0.78        | 14.89                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 12.98              | 0.78        | 13.76                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 12.75              | 0.78        | 13.53                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 17.39              | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 17.28              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 14.67              | 1.36        | 16.03                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 13.40              | 1.36        | 14.76                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 58      | 5290            | 18.45              | 23.98            | 0.2500         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 1 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 13.50              | 0.23        | 13.73                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 13.56              | 0.23        | 13.79                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 13.24              | 0.23        | 13.47                            | 23.98            | 0.2500         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 2 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 12.70              | 0.23        | 12.93                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 13.94              | 0.23        | 14.17                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 14.05              | 0.23        | 14.28                            | 23.98            | 0.2500         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2C_TX A Mode_Total |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 16.36              | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 16.99              | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 16.90              | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 13.60              | 0.23        | 13.83                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 13.65              | 0.23        | 13.88                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 13.93              | 0.23        | 14.16                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 12.93              | 0.23        | 13.16                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 13.32              | 0.23        | 13.55                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 14.17              | 0.23        | 14.40                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 16.51              | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 16.72              | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 17.29              | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 13.84              | 0.44        | 14.28                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 13.74              | 0.44        | 14.18                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 13.67              | 0.44        | 14.11                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 13.32              | 0.44        | 13.76                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 13.58              | 0.44        | 14.02                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 13.80              | 0.44        | 14.24                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 17.04              | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 17.11              | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 17.19              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 13.78              | 0.42        | 14.20                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 13.82              | 0.42        | 14.24                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 13.58              | 0.42        | 14.00                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 13.14              | 0.42        | 13.56                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 13.37              | 0.42        | 13.79                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 14.17              | 0.42        | 14.59                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 16.91              | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 17.03              | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 17.32              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 13.11              | 0.78        | 13.89                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 12.33              | 0.78        | 13.11                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 13.94              | 0.78        | 14.72                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 13.01              | 0.78        | 13.79                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 12.95              | 0.78        | 13.73                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 14.58              | 0.78        | 15.36                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 16.85              | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 16.44              | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 18.06              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 13.57              | 1.36        | 14.93                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 13.21              | 1.36        | 14.57                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 106     | 5530            | 17.77              | 23.98            | 0.2500         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 13.21              | 0.23        | 13.44                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 13.64              | 0.23        | 13.87                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 13.68              | 0.23        | 13.91                            | 30.00            | 1.0000         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 13.96              | 0.23        | 14.19                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 14.46              | 0.23        | 14.69                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 14.47              | 0.23        | 14.70                            | 30.00            | 1.0000         | Complies |

|           |                        |
|-----------|------------------------|
| Test Mode | UNII-3_TX A Mode_Total |
|-----------|------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 16.84              | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 17.31              | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 17.33              | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 13.92              | 0.23        | 14.15                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 13.76              | 0.23        | 13.99                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 13.84              | 0.23        | 14.07                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 14.42              | 0.23        | 14.65                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 14.46              | 0.23        | 14.69                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 14.58              | 0.23        | 14.81                            | 30.00            | 1.0000         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 17.41              | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 17.36              | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 17.46              | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 13.57              | 0.44        | 14.01                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 13.53              | 0.44        | 13.97                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 14.48              | 0.44        | 14.92                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 14.60              | 0.44        | 15.04                            | 30.00            | 1.0000         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 17.50              | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 17.55              | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 13.81              | 0.42        | 14.23                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 13.53              | 0.42        | 13.95                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 13.65              | 0.42        | 14.07                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 14.13              | 0.42        | 14.55                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 14.24              | 0.42        | 14.66                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 14.31              | 0.42        | 14.73                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 17.41              | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 17.33              | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 17.43              | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 13.12              | 0.78        | 13.90                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 13.50              | 0.78        | 14.28                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 14.72              | 0.78        | 15.50                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 14.15              | 0.78        | 14.93                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 17.79              | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 17.63              | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 14.00              | 1.36        | 15.36                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 14.75              | 1.36        | 16.11                            | 30.00            | 1.0000         | Complies |


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155     | 5775            | 18.76              | 30.00            | 1.0000         | Complies |

## **APPENDIX G - POWER SPECTRAL DENSITY**


|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 1.72                             | 0.23        | 1.95                                           | 10.69                | Complies |
| 40      | 5200            | 1.27                             | 0.23        | 1.50                                           | 10.69                | Complies |
| 48      | 5240            | 0.99                             | 0.23        | 1.22                                           | 10.69                | Complies |



|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 2.18                             | 0.23        | 2.41                                           | 10.69                | Complies |
| 40      | 5200            | 1.92                             | 0.23        | 2.15                                           | 10.69                | Complies |
| 48      | 5240            | 1.61                             | 0.23        | 1.84                                           | 10.69                | Complies |




|           |                        |
|-----------|------------------------|
| Test Mode | UNII-1_TX A Mode_Total |
|-----------|------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 5.19                             | 10.69                | Complies |
| 40      | 5200            | 4.84                             | 10.69                | Complies |
| 48      | 5240            | 4.55                             | 10.69                | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 0.49                             | 0.42        | 0.91                                           | 10.69                | Complies |
| 40      | 5200            | -0.40                            | 0.42        | 0.02                                           | 10.69                | Complies |
| 48      | 5240            | -0.57                            | 0.42        | -0.15                                          | 10.69                | Complies |



Date: 9.SEP.2021 19:59:49




Date: 9.SEP.2021 20:06:39




Date: 9.SEP.2021 20:09:02

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 2 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 1.28                             | 0.42        | 1.70                                           | 10.69                | Complies |
| 40      | 5200            | 0.81                             | 0.42        | 1.23                                           | 10.69                | Complies |
| 48      | 5240            | 1.00                             | 0.42        | 1.42                                           | 10.69                | Complies |



Date: 9.SEP.2021 20:00:49



Date: 9.SEP.2021 20:05:29





Date: 9.SEP.2021 20:35:30

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 4.34                             | 10.69                | Complies |
| 40      | 5200            | 3.68                             | 10.69                | Complies |
| 48      | 5240            | 3.72                             | 10.69                | Complies |



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | -4.39                            | 0.78        | -3.61                                          | 10.69                | Complies |
| 46      | 5230            | -3.22                            | 0.78        | -2.44                                          | 10.69                | Complies |



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | -3.19                            | 0.78        | -2.41                                          | 10.69                | Complies |
| 46      | 5230            | -2.38                            | 0.78        | -1.60                                          | 10.69                | Complies |




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38      | 5190            | 0.04                             | 10.69                | Complies |
| 46      | 5230            | 1.01                             | 10.69                | Complies |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -8.85                            | 1.36        | -7.49                                          | 10.69                | Complies |



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -8.11                            | 1.36        | -6.75                                          | 10.69                | Complies |




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 42      | 5210            | -4.09                            | 10.69                | Complies |


|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 1 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 0.72                             | 0.23        | 0.95                                           | 10.69                | Complies |
| 60      | 5300            | 0.67                             | 0.23        | 0.90                                           | 10.69                | Complies |
| 64      | 5320            | 0.26                             | 0.23        | 0.49                                           | 10.69                | Complies |



|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 2 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 1.53                             | 0.23        | 1.76                                           | 10.69                | Complies |
| 60      | 5300            | 1.07                             | 0.23        | 1.30                                           | 10.69                | Complies |
| 64      | 5320            | 1.37                             | 0.23        | 1.60                                           | 10.69                | Complies |




|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2A_TX A Mode_Total |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 4.38                             | 10.69                | Complies |
| 60      | 5300            | 4.11                             | 10.69                | Complies |
| 64      | 5320            | 4.09                             | 10.69                | Complies |


|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 0.10                             | 0.42        | 0.52                                           | 10.69                | Complies |
| 60      | 5300            | -0.55                            | 0.42        | -0.13                                          | 10.69                | Complies |
| 64      | 5320            | -0.67                            | 0.42        | -0.25                                          | 10.69                | Complies |



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 1.01                             | 0.42        | 1.43                                           | 10.69                | Complies |
| 60      | 5300            | 0.87                             | 0.42        | 1.29                                           | 10.69                | Complies |
| 64      | 5320            | 0.53                             | 0.42        | 0.95                                           | 10.69                | Complies |




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 4.01                             | 10.69                | Complies |
| 60      | 5300            | 3.65                             | 10.69                | Complies |
| 64      | 5320            | 3.40                             | 10.69                | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | -4.25                            | 0.78        | -3.47                                          | 10.69                | Complies |
| 62      | 5310            | -3.44                            | 0.78        | -2.66                                          | 10.69                | Complies |

CH54



Date: 9.SEP.2021 21:24:41

CH62




Date: 9.SEP.2021 21:26:21

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | -3.19                            | 0.78        | -2.41                                          | 10.69                | Complies |
| 62      | 5310            | -1.92                            | 0.78        | -1.14                                          | 10.69                | Complies |

CH54



Date: 9.SEP.2021 21:28:43

CH62




Date: 9.SEP.2021 21:28:15

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 54      | 5270            | 0.10                             | 10.69                | Complies |
| 62      | 5310            | 1.18                             | 10.69                | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | -7.48                            | 1.36        | -6.12                                          | 10.69                | Complies |



Date: 9.SEP.2021 21:54:57

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | -6.14                            | 1.36        | -4.78                                          | 10.69                | Complies |



Date: 9.SEP.2021 21:56:16

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 58      | 5290            | -2.39                            | 10.69                | Complies |