


|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5200MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3466.6500    | 44.96                      | 2.65                    | 47.61                     | 68.30           | -20.69       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5240MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5234.0000    | 66.22                      | 41.53                   | 107.75                    | 68.30           | 39.45        | Peak     | No Limit |
| 2 * | 5247.6000    | 56.61                      | 41.60                   | 98.21                     | 54.00           | 44.21        | AVG      | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5240MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3493.3120    | 47.84                      | 2.71                    | 50.55                     | 68.30           | -17.75       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5240MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5232.0000    | 64.66                      | 41.52                   | 106.18                    | 68.30           | 37.88        | Peak     | No Limit |
| 2 * | 5233.0000    | 55.40                      | 41.52                   | 96.92                     | 54.00           | 42.92        | AVG      | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5240MHz |

# Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3493.4160    | 45.97                      | 2.71                    | 48.68                     | 68.30           | -19.62       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5190MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 22.00                      | 41.10                   | 63.10                     | 68.30           | -5.20        | Peak     |          |
| 2   | 5150.0000    | 10.80                      | 41.10                   | 51.90                     | 54.00           | -2.10        | AVG      |          |
| 3 * | 5193.2000    | 52.81                      | 41.32                   | 94.13                     | 54.00           | 40.13        | AVG      | No Limit |
| 4   | 5203.6000    | 63.32                      | 41.37                   | 104.69                    | 68.30           | 36.39        | Peak     | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5190MHz |


# Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3459.9960    | 46.90                      | 2.63                    | 49.53                     | 68.30           | -18.77       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5190MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 11.44                      | 41.10                   | 52.54                     | 68.30           | -15.76       | Peak     |          |
| 2   | 5150.0000    | 1.59                       | 41.10                   | 42.69                     | 54.00           | -11.31       | AVG      |          |
| 3   | 5182.0000    | 55.77                      | 41.26                   | 97.03                     | 68.30           | 28.73        | Peak     | No Limit |
| 4 * | 5192.8000    | 45.42                      | 41.32                   | 86.74                     | 54.00           | 32.74        | AVG      | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5190MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3459.9890    | 44.82                      | 2.63                    | 47.45                     | 68.30           | -20.85       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5230MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5245.6000    | 65.01                      | 41.59                   | 106.60                    | 68.30           | 38.30        | Peak     | No Limit |
| 2 * | 5246.8000    | 54.89                      | 41.59                   | 96.48                     | 54.00           | 42.48        | AVG      | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5230MHz |

# Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3486.5940    | 47.84                      | 2.69                    | 50.53                     | 68.30           | -17.77       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5230MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5233.0000    | 50.23                      | 41.52                   | 91.75                     | 54.00           | 37.75        | AVG      | No Limit |
| 2   | 5235.6000    | 61.54                      | 41.54                   | 103.08                    | 68.30           | 34.78        | Peak     | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5230MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3486.6010    | 46.02                      | 2.69                    | 48.71                     | 68.30           | -19.59       | Peak     |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 34.20                      | 43.53                   | 77.73                     | 109.40          | -31.67       | Peak     |         |
| 2   | 5715.0000    | 25.13                      | 43.53                   | 68.66                     | 109.40          | -40.74       | AVG      |         |
| 3   | 5725.0000    | 46.31                      | 43.56                   | 89.87                     | 122.20          | -32.33       | Peak     |         |
| 4   | 5725.0000    | 36.83                      | 43.56                   | 80.39                     | 122.20          | -41.81       | AVG      |         |
| 5 * | 5749.6000    | 66.30                      | 43.63                   | 109.93                    | 122.20          | -12.27       | Peak     |         |
| 6   | 5752.0000    | 57.07                      | 43.64                   | 100.71                    | 122.20          | -21.49       | AVG      |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

### Vertical




| No. | Freq.      | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|------------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz        | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | 11489.8500 | 44.21         | 17.75          | 61.96       | 74.00  | -12.04 | Peak     |         |
| 2 * | 11491.5000 | 33.80         | 17.76          | 51.56       | 54.00  | -2.44  | AVG      |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 29.88                      | 43.53                   | 73.41                     | 109.40          | -35.99       | Peak     |         |
| 2   | 5715.0000    | 19.29                      | 43.53                   | 62.82                     | 109.40          | -46.58       | AVG      |         |
| 3   | 5725.0000    | 41.32                      | 43.56                   | 84.88                     | 122.20          | -37.32       | Peak     |         |
| 4   | 5725.0000    | 31.76                      | 43.56                   | 75.32                     | 122.20          | -46.88       | AVG      |         |
| 5   | 5737.9000    | 54.89                      | 43.60                   | 98.49                     | 122.20          | -23.71       | AVG      |         |
| 6 * | 5738.2000    | 64.62                      | 43.60                   | 108.22                    | 122.20          | -13.98       | Peak     |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11488.9700   | 42.38                      | 17.75                   | 60.13                     | 74.00           | -13.87       | Peak     |         |
| 2 * | 11490.5000   | 31.57                      | 17.75                   | 49.32                     | 54.00           | -4.68        | AVG      |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5785MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5788.4000    | 66.82                      | 43.75                   | 110.57                    | 122.20          | -11.63       | Peak     |         |
| 2   | 5791.8000    | 56.93                      | 43.76                   | 100.69                    | 122.20          | -21.51       | AVG      |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5785MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11570.1500   | 30.36                      | 17.82                   | 48.18                     | 54.00           | -5.82        | AVG      |         |
| 2   | 11570.2500   | 40.27                      | 17.82                   | 58.09                     | 74.00           | -15.91       | Peak     |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5785MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5788.7000    | 52.83                      | 43.75                   | 96.58                     | 122.20          | -25.62       | AVG      |         |
| 2 * | 5786.5000    | 62.41                      | 43.75                   | 106.16                    | 122.20          | -16.04       | Peak     |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5785MHz |

### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11570.1800   | 28.46                      | 17.82                   | 46.28                     | 54.00           | -7.72        | AVG      |         |
| 2   | 11570.2900   | 38.68                      | 17.82                   | 56.50                     | 74.00           | -17.50       | Peak     |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5818.4000    | 56.61                      | 43.84                   | 100.45                    | 122.20          | -21.75       | AVG      |         |
| 2 * | 5819.6000    | 65.77                      | 43.85                   | 109.62                    | 122.20          | -12.58       | Peak     |         |
| 3   | 5850.0000    | 49.33                      | 43.94                   | 93.27                     | 122.20          | -28.93       | Peak     |         |
| 4   | 5850.0000    | 39.78                      | 43.94                   | 83.72                     | 122.20          | -38.48       | AVG      |         |
| 5   | 5860.0000    | 43.83                      | 43.97                   | 87.80                     | 109.40          | -21.60       | Peak     |         |
| 6   | 5860.0000    | 34.17                      | 43.97                   | 78.14                     | 109.40          | -31.26       | AVG      |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11640.5500   | 37.86                      | 17.85                   | 55.71                     | 74.00           | -18.29       | Peak     |         |
| 2 * | 11649.3000   | 27.42                      | 17.86                   | 45.28                     | 54.00           | -8.72        | AVG      |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5826.7000    | 64.84                      | 43.87                   | 108.71                    | 122.20          | -13.49       | Peak     |         |
| 2   | 5830.0000    | 53.99                      | 43.88                   | 97.87                     | 122.20          | -24.33       | AVG      |         |
| 3   | 5850.0000    | 33.14                      | 43.94                   | 77.08                     | 122.20          | -45.12       | Peak     |         |
| 4   | 5850.0000    | 20.86                      | 43.94                   | 64.80                     | 122.20          | -57.40       | AVG      |         |
| 5   | 5860.0000    | 21.49                      | 43.97                   | 65.46                     | 109.40          | -43.94       | Peak     |         |
| 6   | 5860.0000    | 13.09                      | 43.97                   | 57.06                     | 109.40          | -52.34       | AVG      |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11648.3500   | 25.69                      | 17.86                   | 43.55                     | 54.00           | -10.45       | AVG      |         |
| 2   | 11649.9500   | 35.77                      | 17.86                   | 53.63                     | 74.00           | -20.37       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 34.30                      | 43.53                   | 77.83                     | 109.40          | -31.57       | Peak     |         |
| 2   | 5715.0000    | 24.81                      | 43.53                   | 68.34                     | 109.40          | -41.06       | AVG      |         |
| 3   | 5725.0000    | 47.98                      | 43.56                   | 91.54                     | 122.20          | -30.66       | Peak     |         |
| 4   | 5725.0000    | 38.25                      | 43.56                   | 81.81                     | 122.20          | -40.39       | AVG      |         |
| 5 * | 5739.2000    | 66.30                      | 43.60                   | 109.90                    | 122.20          | -12.30       | Peak     |         |
| 6   | 5752.6000    | 57.08                      | 43.64                   | 100.72                    | 122.20          | -21.48       | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

# Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11488.9000   | 46.32                      | 17.75                   | 64.07                     | 74.00           | -9.93        | Peak     |         |
| 2 * | 11489.8000   | 34.70                      | 17.75                   | 52.45                     | 54.00           | -1.55        | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 22.55                      | 43.53                   | 66.08                     | 109.40          | -43.32       | Peak     |         |
| 2   | 5715.0000    | 11.59                      | 43.53                   | 55.12                     | 109.40          | -54.28       | AVG      |         |
| 3   | 5725.0000    | 35.97                      | 43.56                   | 79.53                     | 122.20          | -42.67       | Peak     |         |
| 4   | 5725.0000    | 19.27                      | 43.56                   | 62.83                     | 122.20          | -59.37       | AVG      |         |
| 5   | 5739.6000    | 53.12                      | 43.60                   | 96.72                     | 122.20          | -25.48       | AVG      |         |
| 6 * | 5751.1000    | 63.38                      | 43.64                   | 107.02                    | 122.20          | -15.18       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11488.8000   | 32.94                      | 17.75                   | 50.69                     | 54.00           | -3.31        | AVG      |         |
| 2   | 11491.9000   | 44.83                      | 17.76                   | 62.59                     | 74.00           | -11.41       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5785MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5790.2000    | 66.65                      | 43.76                   | 110.41                    | 122.20          | -11.79       | Peak     |         |
| 2   | 5792.6000    | 56.90                      | 43.76                   | 100.66                    | 122.20          | -21.54       | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5785MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11569.8500   | 34.23                      | 17.82                   | 52.05                     | 54.00           | -1.95        | AVG      |         |
| 2   | 11573.0000   | 45.29                      | 17.82                   | 63.11                     | 74.00           | -10.89       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5785MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5788.9000    | 63.74                      | 43.75                   | 107.49                    | 122.20          | -14.71       | Peak     |         |
| 2   | 5790.0000    | 53.46                      | 43.76                   | 97.22                     | 122.20          | -24.98       | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5785MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11569.9500   | 32.64                      | 17.82                   | 50.46                     | 54.00           | -3.54        | AVG      |         |
| 2   | 11573.0100   | 43.11                      | 17.82                   | 60.93                     | 74.00           | -13.07       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5820.6000    | 68.36                      | 43.85                   | 112.21                    | 122.20          | -9.99        | Peak     |         |
| 2   | 5832.4000    | 56.86                      | 43.88                   | 100.74                    | 122.20          | -21.46       | AVG      |         |
| 3   | 5850.0000    | 48.78                      | 43.94                   | 92.72                     | 122.20          | -29.48       | Peak     |         |
| 4   | 5850.0000    | 39.87                      | 43.94                   | 83.81                     | 122.20          | -38.39       | AVG      |         |
| 5   | 5860.0000    | 47.21                      | 43.97                   | 91.18                     | 109.40          | -18.22       | Peak     |         |
| 6   | 5860.0000    | 32.83                      | 43.97                   | 76.80                     | 109.40          | -32.60       | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11640.1000   | 43.94                      | 17.85                   | 61.79                     | 74.00           | -12.21       | Peak     |         |
| 2 * | 11650.1000   | 34.42                      | 17.86                   | 52.28                     | 54.00           | -1.72        | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5822.4000    | 53.51                      | 43.85                   | 97.36                     | 122.20          | -24.84       | AVG      |         |
| 2 * | 5828.7000    | 64.00                      | 43.87                   | 107.87                    | 122.20          | -14.33       | Peak     |         |
| 3   | 5850.0000    | 25.82                      | 43.94                   | 69.76                     | 122.20          | -52.44       | Peak     |         |
| 4   | 5850.0000    | 14.54                      | 43.94                   | 58.48                     | 122.20          | -63.72       | AVG      |         |
| 5   | 5860.0000    | 16.19                      | 43.97                   | 60.16                     | 109.40          | -49.24       | Peak     |         |
| 6   | 5860.0000    | 4.94                       | 43.97                   | 48.91                     | 109.40          | -60.49       | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11648.1000   | 42.62                      | 17.86                   | 60.48                     | 74.00           | -13.52       | Peak     |         |
| 2 * | 11650.1000   | 33.45                      | 17.86                   | 51.31                     | 54.00           | -2.69        | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 46.31                      | 43.53                   | 89.84                     | 109.40          | -19.56       | Peak     |         |
| 2   | 5715.0000    | 35.59                      | 43.53                   | 79.12                     | 109.40          | -30.28       | AVG      |         |
| 3   | 5725.0000    | 48.96                      | 43.56                   | 92.52                     | 122.20          | -29.68       | Peak     |         |
| 4   | 5725.0000    | 39.77                      | 43.56                   | 83.33                     | 122.20          | -38.87       | AVG      |         |
| 5   | 5738.2000    | 56.52                      | 43.60                   | 100.12                    | 122.20          | -22.08       | AVG      |         |
| 6 * | 5748.2000    | 67.02                      | 43.63                   | 110.65                    | 122.20          | -11.55       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11509.0000   | 34.67                      | 17.79                   | 52.46                     | 54.00           | -1.54        | AVG      |         |
| 2   | 11513.2000   | 47.04                      | 17.79                   | 64.83                     | 74.00           | -9.17        | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 32.00                      | 43.53                   | 75.53                     | 109.40          | -33.87       | Peak     |         |
| 2   | 5715.0000    | 21.73                      | 43.53                   | 65.26                     | 109.40          | -44.14       | AVG      |         |
| 3   | 5725.0000    | 37.67                      | 43.56                   | 81.23                     | 122.20          | -40.97       | Peak     |         |
| 4   | 5725.0000    | 26.19                      | 43.56                   | 69.75                     | 122.20          | -52.45       | AVG      |         |
| 5 * | 5739.4000    | 61.04                      | 43.60                   | 104.64                    | 122.20          | -17.56       | Peak     |         |
| 6   | 5742.0000    | 51.34                      | 43.61                   | 94.95                     | 122.20          | -27.25       | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11509.8500   | 32.30                      | 17.79                   | 50.09                     | 54.00           | -3.91        | AVG      |         |
| 2   | 11510.2000   | 45.74                      | 17.79                   | 63.53                     | 74.00           | -10.47       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5808.6000    | 66.15                      | 43.81                   | 109.96                    | 122.20          | -12.24       | Peak     |         |
| 2   | 5812.0000    | 56.21                      | 43.82                   | 100.03                    | 122.20          | -22.17       | AVG      |         |
| 3   | 5850.0000    | 36.27                      | 43.94                   | 80.21                     | 122.20          | -41.99       | Peak     |         |
| 4   | 5850.0000    | 23.77                      | 43.94                   | 67.71                     | 122.20          | -54.49       | AVG      |         |
| 5   | 5860.0000    | 31.36                      | 43.97                   | 75.33                     | 109.40          | -34.07       | Peak     |         |
| 6   | 5860.0000    | 22.09                      | 43.97                   | 66.06                     | 109.40          | -43.34       | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11588.7000   | 34.61                      | 17.83                   | 52.44                     | 54.00           | -1.56        | AVG      |         |
| 2   | 11592.8500   | 46.57                      | 17.83                   | 64.40                     | 74.00           | -9.60        | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5786.4000    | 60.65                      | 43.74                   | 104.39                    | 122.20          | -17.81       | Peak     |         |
| 2   | 5801.0000    | 50.78                      | 43.79                   | 94.57                     | 122.20          | -27.63       | AVG      |         |
| 3   | 5850.0000    | 22.78                      | 43.94                   | 66.72                     | 122.20          | -55.48       | Peak     |         |
| 4   | 5850.0000    | 12.81                      | 43.94                   | 56.75                     | 122.20          | -65.45       | AVG      |         |
| 5   | 5860.0000    | 22.75                      | 43.97                   | 66.72                     | 109.40          | -42.68       | Peak     |         |
| 6   | 5860.0000    | 10.05                      | 43.97                   | 54.02                     | 109.40          | -55.38       | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11589.9500   | 31.96                      | 17.83                   | 49.79                     | 54.00           | -4.21        | AVG      |         |
| 2   | 11591.6500   | 44.07                      | 17.83                   | 61.90                     | 74.00           | -12.10       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 22.31                      | 41.10                   | 63.41                     | 68.30           | -4.89        | Peak     |          |
| 2   | 5150.0000    | 11.75                      | 41.10                   | 52.85                     | 54.00           | -1.15        | AVG      |          |
| 3   | 5171.4000    | 66.04                      | 41.21                   | 107.25                    | 68.30           | 38.95        | Peak     | No Limit |
| 4 * | 5172.1000    | 57.12                      | 41.21                   | 98.33                     | 54.00           | 44.33        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3453.3080    | 45.27                      | 2.61                    | 47.88                     | 68.30           | -20.42       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 11.11                      | 41.10                   | 52.21                     | 68.30           | -16.09       | Peak     |          |
| 2   | 5150.0000    | 0.81                       | 41.10                   | 41.91                     | 54.00           | -12.09       | AVG      |          |
| 3   | 5182.2000    | 60.60                      | 41.27                   | 101.87                    | 68.30           | 33.57        | Peak     | No Limit |
| 4 * | 5182.3000    | 51.79                      | 41.27                   | 93.06                     | 54.00           | 39.06        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3453.2850    | 43.39                      | 2.61                    | 46.00                     | 68.30           | -22.30       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5200MHz |


# Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5191.8000    | 66.09                      | 41.31                   | 107.40                    | 68.30           | 39.10        | Peak     | No Limit |
| 2 * | 5192.2000    | 57.98                      | 41.32                   | 99.30                     | 54.00           | 45.30        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5200MHz |

# Vertical




| No. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz       | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1 * | 3466.7740 | 46.18         | 2.65           | 48.83       | 68.30  | -19.47 | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5200MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5202.3000    | 54.91                      | 41.37                   | 96.28                     | 54.00           | 42.28        | AVG      | No Limit |
| 2   | 5202.6000    | 64.70                      | 41.37                   | 106.07                    | 68.30           | 37.77        | Peak     | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5200MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3466.7260    | 44.55                      | 2.65                    | 47.20                     | 68.30           | -21.10       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5232.2000    | 66.93                      | 41.52                   | 108.45                    | 68.30           | 40.15        | Peak     | No Limit |
| 2 * | 5232.4000    | 57.61                      | 41.52                   | 99.13                     | 54.00           | 45.13        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3493.1440    | 46.61                      | 2.71                    | 49.32                     | 68.30           | -18.98       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5238.4000    | 55.75                      | 41.55                   | 97.30                     | 54.00           | 43.30        | AVG      | No Limit |
| 2   | 5238.6000    | 65.14                      | 41.55                   | 106.69                    | 68.30           | 38.39        | Peak     | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3493.1500    | 44.96                      | 2.71                    | 47.67                     | 68.30           | -20.63       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 20.87                      | 41.10                   | 61.97                     | 68.30           | -6.33        | Peak     |          |
| 2   | 5150.0000    | 10.41                      | 41.10                   | 51.51                     | 54.00           | -2.49        | AVG      |          |
| 3   | 5181.4000    | 64.15                      | 41.26                   | 105.41                    | 68.30           | 37.11        | Peak     | No Limit |
| 4 * | 5182.0000    | 53.77                      | 41.26                   | 95.03                     | 54.00           | 41.03        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Vertical




| No. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz       | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1 * | 3459.9800 | 46.42         | 2.63           | 49.05       | 68.30  | -19.25 | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 9.45                       | 41.10                   | 50.55                     | 68.30           | -17.75       | Peak     |          |
| 2   | 5150.0000    | 1.63                       | 41.10                   | 42.73                     | 54.00           | -11.27       | AVG      |          |
| 3 * | 5182.6000    | 46.71                      | 41.27                   | 87.98                     | 54.00           | 33.98        | AVG      | No Limit |
| 4   | 5203.8000    | 57.32                      | 41.38                   | 98.70                     | 68.30           | 30.40        | Peak     | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3459.9760    | 44.59                      | 2.63                    | 47.22                     | 68.30           | -21.08       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5221.8000    | 55.06                      | 41.47                   | 96.53                     | 54.00           | 42.53        | AVG      | No Limit |
| 2   | 5222.4000    | 65.64                      | 41.47                   | 107.11                    | 68.30           | 38.81        | Peak     | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3486.6980    | 47.63                      | 2.69                    | 50.32                     | 68.30           | -17.98       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5222.8000    | 51.10                      | 41.47                   | 92.57                     | 54.00           | 38.57        | AVG      | No Limit |
| 2   | 5233.0000    | 61.95                      | 41.52                   | 103.47                    | 68.30           | 35.17        | Peak     | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |

### Horizontal




| No. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz       | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1 * | 3486.6580 | 46.05         | 2.69           | 48.74       | 68.30  | -19.56 | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 18.44                      | 41.10                   | 59.54                     | 68.30           | -8.76        | Peak     |          |
| 2   | 5150.0000    | 9.70                       | 41.10                   | 50.80                     | 54.00           | -3.20        | AVG      |          |
| 3   | 5208.4000    | 57.80                      | 41.40                   | 99.20                     | 68.30           | 30.90        | Peak     | No Limit |
| 4 * | 5214.8000    | 46.41                      | 41.43                   | 87.84                     | 54.00           | 33.84        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3473.3480    | 45.11                      | 2.66                    | 47.77                     | 68.30           | -20.53       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 14.11                      | 41.10                   | 55.21                     | 68.30           | -13.09       | Peak     |          |
| 2   | 5150.0000    | 4.30                       | 41.10                   | 45.40                     | 54.00           | -8.60        | AVG      |          |
| 3   | 5232.4000    | 55.55                      | 41.52                   | 97.07                     | 68.30           | 28.77        | Peak     | No Limit |
| 4 * | 5243.2000    | 43.95                      | 41.58                   | 85.53                     | 54.00           | 31.53        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3473.3350    | 43.79                      | 2.66                    | 46.45                     | 68.30           | -21.85       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

**Vertical**


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 39.78                      | 43.53                   | 83.31                     | 109.40          | -26.09       | Peak     |         |
| 2   | 5715.0000    | 27.10                      | 43.53                   | 70.63                     | 109.40          | -38.77       | AVG      |         |
| 3   | 5725.0000    | 50.46                      | 43.56                   | 94.02                     | 122.20          | -28.18       | Peak     |         |
| 4   | 5725.0000    | 39.57                      | 43.56                   | 83.13                     | 122.20          | -39.07       | AVG      |         |
| 5   | 5752.8000    | 57.11                      | 43.64                   | 100.75                    | 122.20          | -21.45       | AVG      |         |
| 6 * | 5753.2000    | 66.95                      | 43.64                   | 110.59                    | 122.20          | -11.61       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11488.3500   | 47.70                      | 17.74                   | 65.44                     | 74.00           | -8.56        | Peak     |         |
| 2 * | 11488.7000   | 35.02                      | 17.75                   | 52.77                     | 54.00           | -1.23        | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

# Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 22.55                      | 43.53                   | 66.08                     | 109.40          | -43.32       | Peak     |         |
| 2   | 5715.0000    | 11.19                      | 43.53                   | 54.72                     | 109.40          | -54.68       | AVG      |         |
| 3   | 5725.0000    | 28.25                      | 43.56                   | 71.81                     | 122.20          | -50.39       | Peak     |         |
| 4   | 5725.0000    | 19.49                      | 43.56                   | 63.05                     | 122.20          | -59.15       | AVG      |         |
| 5   | 5752.9000    | 55.16                      | 43.64                   | 98.80                     | 122.20          | -23.40       | AVG      |         |
| 6 * | 5753.3000    | 65.06                      | 43.64                   | 108.70                    | 122.20          | -13.50       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 11489.6500   | 45.45                      | 17.75                   | 63.20                     | 74.00           | -10.80       | Peak     |         |
| 2 * | 11489.7000   | 33.09                      | 17.75                   | 50.84                     | 54.00           | -3.16        | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5785MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5792.8000    | 57.62                      | 43.76                   | 101.38                    | 122.20          | -20.82       | AVG      |         |
| 2 * | 5793.4000    | 67.28                      | 43.77                   | 111.05                    | 122.20          | -11.15       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5785MHz |

### Vertical




| No. | Freq.      | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|------------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz        | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1 * | 11569.7000 | 34.45         | 17.82          | 52.27       | 54.00  | -1.73  | AVG      |         |
| 2   | 11570.8500 | 45.92         | 17.82          | 63.74       | 74.00  | -10.26 | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5785MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5783.7000    | 64.42                      | 43.74                   | 108.16                    | 122.20          | -14.04       | Peak     |         |
| 2   | 5783.8000    | 55.16                      | 43.74                   | 98.90                     | 122.20          | -23.30       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5785MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11569.9000   | 32.57                      | 17.82                   | 50.39                     | 54.00           | -3.61        | AVG      |         |
| 2   | 11570.0500   | 43.76                      | 17.82                   | 61.58                     | 74.00           | -12.42       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5826.6000    | 56.80                      | 43.87                   | 100.67                    | 122.20          | -21.53       | AVG      |         |
| 2 * | 5831.4000    | 67.53                      | 43.88                   | 111.41                    | 122.20          | -10.79       | Peak     |         |
| 3   | 5850.0000    | 49.83                      | 43.94                   | 93.77                     | 122.20          | -28.43       | Peak     |         |
| 4   | 5850.0000    | 38.21                      | 43.94                   | 82.15                     | 122.20          | -40.05       | AVG      |         |
| 5   | 5860.0000    | 45.47                      | 43.97                   | 89.44                     | 109.40          | -19.96       | Peak     |         |
| 6   | 5860.0000    | 30.46                      | 43.97                   | 74.43                     | 109.40          | -34.97       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |


# Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11650.6000   | 34.87                      | 17.86                   | 52.73                     | 54.00           | -1.27        | AVG      |         |
| 2   | 11654.9500   | 44.92                      | 17.86                   | 62.78                     | 74.00           | -11.22       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5823.8000    | 54.95                      | 43.86                   | 98.81                     | 122.20          | -23.39       | AVG      |         |
| 2 * | 5824.0000    | 66.19                      | 43.86                   | 110.05                    | 122.20          | -12.15       | Peak     |         |
| 3   | 5850.0000    | 30.53                      | 43.94                   | 74.47                     | 122.20          | -47.73       | Peak     |         |
| 4   | 5850.0000    | 17.55                      | 43.94                   | 61.49                     | 122.20          | -60.71       | AVG      |         |
| 5   | 5860.0000    | 19.85                      | 43.97                   | 63.82                     | 109.40          | -45.58       | Peak     |         |
| 6   | 5860.0000    | 7.62                       | 43.97                   | 51.59                     | 109.40          | -57.81       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11650.1000   | 32.61                      | 17.86                   | 50.47                     | 54.00           | -3.53        | AVG      |         |
| 2   | 11652.9500   | 42.89                      | 17.86                   | 60.75                     | 74.00           | -13.25       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |


# Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 33.70                      | 43.53                   | 77.23                     | 109.40          | -32.17       | Peak     |         |
| 2   | 5715.0000    | 20.14                      | 43.53                   | 63.67                     | 109.40          | -45.73       | AVG      |         |
| 3   | 5725.0000    | 36.71                      | 43.56                   | 80.27                     | 122.20          | -41.93       | Peak     |         |
| 4   | 5725.0000    | 23.12                      | 43.56                   | 66.68                     | 122.20          | -55.52       | AVG      |         |
| 5 * | 5760.2000    | 66.19                      | 43.67                   | 109.86                    | 122.20          | -12.34       | Peak     |         |
| 6   | 5763.6000    | 54.89                      | 43.68                   | 98.57                     | 122.20          | -23.63       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11505.6000   | 35.16                      | 17.79                   | 52.95                     | 54.00           | -1.05        | AVG      |         |
| 2   | 11511.1000   | 46.73                      | 17.79                   | 64.52                     | 74.00           | -9.48        | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 39.87                      | 43.53                   | 83.40                     | 109.40          | -26.00       | Peak     |         |
| 2   | 5715.0000    | 29.03                      | 43.53                   | 72.56                     | 109.40          | -36.84       | AVG      |         |
| 3   | 5725.0000    | 44.75                      | 43.56                   | 88.31                     | 122.20          | -33.89       | Peak     |         |
| 4   | 5725.0000    | 33.56                      | 43.56                   | 77.12                     | 122.20          | -45.08       | AVG      |         |
| 5 * | 5737.6000    | 64.01                      | 43.60                   | 107.61                    | 122.20          | -14.59       | Peak     |         |
| 6   | 5748.0000    | 53.55                      | 43.63                   | 97.18                     | 122.20          | -25.02       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11509.5000   | 33.79                      | 17.79                   | 51.58                     | 54.00           | -2.42        | AVG      |         |
| 2   | 11510.1000   | 43.98                      | 17.79                   | 61.77                     | 74.00           | -12.23       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5809.0000    | 65.00                      | 43.81                   | 108.81                    | 122.20          | -13.39       | Peak     |         |
| 2   | 5811.8000    | 54.56                      | 43.82                   | 98.38                     | 122.20          | -23.82       | AVG      |         |
| 3   | 5850.0000    | 26.26                      | 43.94                   | 70.20                     | 122.20          | -52.00       | Peak     |         |
| 4   | 5850.0000    | 13.79                      | 43.94                   | 57.73                     | 122.20          | -64.47       | AVG      |         |
| 5   | 5860.0000    | 23.30                      | 43.97                   | 67.27                     | 109.40          | -42.13       | Peak     |         |
| 6   | 5860.0000    | 11.47                      | 43.97                   | 55.44                     | 109.40          | -53.96       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |


# Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11588.8000   | 34.78                      | 17.83                   | 52.61                     | 54.00           | -1.39        | AVG      |         |
| 2   | 11591.1000   | 47.43                      | 17.83                   | 65.26                     | 74.00           | -8.74        | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5791.8000    | 52.10                      | 43.76                   | 95.86                     | 122.20          | -26.34       | AVG      |         |
| 2 * | 5799.8000    | 62.28                      | 43.79                   | 106.07                    | 122.20          | -16.13       | Peak     |         |
| 3   | 5850.0000    | 27.75                      | 43.94                   | 71.69                     | 122.20          | -50.51       | Peak     |         |
| 4   | 5850.0000    | 17.71                      | 43.94                   | 61.65                     | 122.20          | -60.55       | AVG      |         |
| 5   | 5860.0000    | 24.61                      | 43.97                   | 68.58                     | 109.40          | -40.82       | Peak     |         |
| 6   | 5860.0000    | 13.35                      | 43.97                   | 57.32                     | 109.40          | -52.08       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11589.9500   | 32.45                      | 17.83                   | 50.28                     | 54.00           | -3.72        | AVG      |         |
| 2   | 11591.0000   | 45.38                      | 17.83                   | 63.21                     | 74.00           | -10.79       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 30.28                      | 43.53                   | 73.81                     | 109.40          | -35.59       | Peak     |         |
| 2   | 5715.0000    | 18.23                      | 43.53                   | 61.76                     | 109.40          | -47.64       | AVG      |         |
| 3   | 5725.0000    | 28.05                      | 43.56                   | 71.61                     | 122.20          | -50.59       | Peak     |         |
| 4   | 5725.0000    | 19.06                      | 43.56                   | 62.62                     | 122.20          | -59.58       | AVG      |         |
| 5   | 5811.0000    | 51.81                      | 43.82                   | 95.63                     | 122.20          | -26.57       | AVG      |         |
| 6 * | 5812.2000    | 62.49                      | 43.82                   | 106.31                    | 122.20          | -15.89       | Peak     |         |
| 7   | 5850.0000    | 30.80                      | 43.94                   | 74.74                     | 122.20          | -47.46       | Peak     |         |
| 8   | 5850.0000    | 16.66                      | 43.94                   | 60.60                     | 122.20          | -61.60       | AVG      |         |
| 9   | 5860.0000    | 29.01                      | 43.97                   | 72.98                     | 109.40          | -36.42       | Peak     |         |
| 10  | 5860.0000    | 18.39                      | 43.97                   | 62.36                     | 109.40          | -47.04       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11558.5000   | 26.97                      | 17.81                   | 44.78                     | 54.00           | -9.22        | AVG      |         |
| 2   | 11569.8000   | 41.90                      | 17.82                   | 59.72                     | 74.00           | -14.28       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 26.96                      | 43.53                   | 70.49                     | 109.40          | -38.91       | Peak     |         |
| 2   | 5715.0000    | 14.63                      | 43.53                   | 58.16                     | 109.40          | -51.24       | AVG      |         |
| 3   | 5725.0000    | 24.17                      | 43.56                   | 67.73                     | 122.20          | -54.47       | Peak     |         |
| 4   | 5725.0000    | 14.84                      | 43.56                   | 58.40                     | 122.20          | -63.80       | AVG      |         |
| 5   | 5739.4000    | 45.48                      | 43.60                   | 89.08                     | 122.20          | -33.12       | AVG      |         |
| 6 * | 5804.6000    | 55.91                      | 43.80                   | 99.71                     | 122.20          | -22.49       | Peak     |         |
| 7   | 5850.0000    | 14.38                      | 43.94                   | 58.32                     | 122.20          | -63.88       | Peak     |         |
| 8   | 5850.0000    | 6.10                       | 43.94                   | 50.04                     | 122.20          | -72.16       | AVG      |         |
| 9   | 5860.0000    | 14.09                      | 43.97                   | 58.06                     | 109.40          | -51.34       | Peak     |         |
| 10  | 5860.0000    | 5.94                       | 43.97                   | 49.91                     | 109.40          | -59.49       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 11559.4500   | 24.65                      | 17.81                   | 42.46                     | 54.00           | -11.54       | AVG      |         |
| 2   | 11568.6500   | 37.35                      | 17.82                   | 55.17                     | 74.00           | -18.83       | Peak     |         |

### Internal Antenna

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5180MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 17.06                      | 41.10                   | 58.16                     | 68.30           | -10.14       | Peak     |          |
| 2   | 5150.0000    | 7.40                       | 41.10                   | 48.50                     | 54.00           | -5.50        | AVG      |          |
| 3 * | 5172.8000    | 54.80                      | 41.22                   | 96.02                     | 54.00           | 42.02        | AVG      | No Limit |
| 4   | 5174.8000    | 63.70                      | 41.23                   | 104.93                    | 68.30           | 36.63        | Peak     | No Limit |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5180MHz |


### Vertical



| No. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz       | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1 * | 3453.3620 | 45.89         | 2.61           | 48.50       | 68.30  | -19.80 | Peak     |         |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5180MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 19.29                      | 41.10                   | 60.39                     | 68.30           | -7.91        | Peak     |          |
| 2   | 5150.0000    | 8.60                       | 41.10                   | 49.70                     | 54.00           | -4.30        | AVG      |          |
| 3 * | 5172.7000    | 55.70                      | 41.22                   | 96.92                     | 54.00           | 42.92        | AVG      | No Limit |
| 4   | 5183.0000    | 64.87                      | 41.27                   | 106.14                    | 68.30           | 37.84        | Peak     | No Limit |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5180MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3453.2940    | 45.63                      | 2.61                    | 48.24                     | 68.30           | -20.06       | Peak     |         |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5200MHz |

# Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5192.7000    | 55.84                      | 41.32                   | 97.16                     | 54.00           | 43.16        | AVG      | No Limit |
| 2   | 5194.2000    | 66.34                      | 41.33                   | 107.67                    | 68.30           | 39.37        | Peak     | No Limit |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5200MHz |


### Vertical



| No. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz       | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1 * | 3466.5920 | 45.60         | 2.64           | 48.24       | 68.30  | -20.06 | Peak     |         |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5200MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5192.7000    | 56.34                      | 41.32                   | 97.66                     | 54.00           | 43.66        | AVG      | No Limit |
| 2   | 5206.4000    | 65.55                      | 41.39                   | 106.94                    | 68.30           | 38.64        | Peak     | No Limit |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5200MHz |

### Horizontal




| No. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz       | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1 * | 3466.5800 | 45.49         | 2.64           | 48.13       | 68.30  | -20.17 | Peak     |         |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5240MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5233.2000    | 68.37                      | 41.52                   | 109.89                    | 68.30           | 41.59        | Peak     | No Limit |
| 2 * | 5247.0000    | 57.06                      | 41.59                   | 98.65                     | 54.00           | 44.65        | AVG      | No Limit |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5240MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3493.1900    | 44.83                      | 2.71                    | 47.54                     | 68.30           | -20.76       | Peak     |         |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5240MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5244.0000    | 67.08                      | 41.58                   | 108.66                    | 68.30           | 40.36        | Peak     | No Limit |
| 2 * | 5247.0000    | 56.56                      | 41.59                   | 98.15                     | 54.00           | 44.15        | AVG      | No Limit |

|                  |                           |
|------------------|---------------------------|
| Orthogonal Axis: | X                         |
| Test Mode:       | UNII-1/ TX A Mode 5240MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3493.2920    | 42.43                      | 2.71                    | 45.14                     | 68.30           | -23.16       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5180MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 11.84                      | 41.10                   | 52.94                     | 68.30           | -15.36       | Peak     |          |
| 2   | 5150.0000    | 4.00                       | 41.10                   | 45.10                     | 54.00           | -8.90        | AVG      |          |
| 3 * | 5172.2000    | 54.99                      | 41.21                   | 96.20                     | 54.00           | 42.20        | AVG      | No Limit |
| 4   | 5176.3000    | 64.32                      | 41.24                   | 105.56                    | 68.30           | 37.26        | Peak     | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5180MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3453.2980    | 44.17                      | 2.61                    | 46.78                     | 68.30           | -21.52       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5180MHz |

# Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 12.73                      | 41.10                   | 53.83                     | 68.30           | -14.47       | Peak     |          |
| 2   | 5150.0000    | 3.44                       | 41.10                   | 44.54                     | 54.00           | -9.46        | AVG      |          |
| 3   | 5187.6000    | 64.02                      | 41.29                   | 105.31                    | 68.30           | 37.01        | Peak     | No Limit |
| 4 * | 5187.8000    | 54.31                      | 41.29                   | 95.60                     | 54.00           | 41.60        | AVG      | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5180MHz |

# Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3453.2360    | 43.54                      | 2.61                    | 46.15                     | 68.30           | -22.15       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5200MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5192.2000    | 56.48                      | 41.32                   | 97.80                     | 54.00           | 43.80        | AVG      | No Limit |
| 2   | 5203.5000    | 65.72                      | 41.37                   | 107.09                    | 68.30           | 38.79        | Peak     | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5200MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3466.6560    | 44.48                      | 2.65                    | 47.13                     | 68.30           | -21.17       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5200MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5191.8000    | 65.86                      | 41.31                   | 107.17                    | 68.30           | 38.87        | Peak     | No Limit |
| 2 * | 5192.1000    | 56.23                      | 41.32                   | 97.55                     | 54.00           | 43.55        | AVG      | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5200MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3466.5920    | 43.45                      | 2.64                    | 46.09                     | 68.30           | -22.21       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5240MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5232.6000    | 66.08                      | 41.52                   | 107.60                    | 68.30           | 39.30        | Peak     | No Limit |
| 2 * | 5232.6000    | 56.44                      | 41.52                   | 97.96                     | 54.00           | 43.96        | AVG      | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5240MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3493.2500    | 43.69                      | 2.71                    | 46.40                     | 68.30           | -21.90       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5240MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5232.6000    | 56.56                      | 41.52                   | 98.08                     | 54.00           | 44.08        | AVG      | No Limit |
| 2   | 5244.2000    | 66.62                      | 41.58                   | 108.20                    | 68.30           | 39.90        | Peak     | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N20 Mode 5240MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3493.2260    | 42.62                      | 2.71                    | 45.33                     | 68.30           | -22.97       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5190MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 18.47                      | 41.10                   | 59.57                     | 68.30           | -8.73        | Peak     |          |
| 2   | 5150.0000    | 7.24                       | 41.10                   | 48.34                     | 54.00           | -5.66        | AVG      |          |
| 3 * | 5186.6000    | 51.97                      | 41.29                   | 93.26                     | 54.00           | 39.26        | AVG      | No Limit |
| 4   | 5202.4000    | 62.81                      | 41.37                   | 104.18                    | 68.30           | 35.88        | Peak     | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5190MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3459.9280    | 44.40                      | 2.63                    | 47.03                     | 68.30           | -21.27       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5190MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 16.11                      | 41.10                   | 57.21                     | 68.30           | -11.09       | Peak     |          |
| 2   | 5150.0000    | 6.46                       | 41.10                   | 47.56                     | 54.00           | -6.44        | AVG      |          |
| 3   | 5186.4000    | 62.72                      | 41.29                   | 104.01                    | 68.30           | 35.71        | Peak     | No Limit |
| 4 * | 5186.8000    | 52.33                      | 41.29                   | 93.62                     | 54.00           | 39.62        | AVG      | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5190MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3459.8520    | 44.32                      | 2.63                    | 46.95                     | 68.30           | -21.35       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5230MHz |

# Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5213.2000    | 54.38                      | 41.42                   | 95.80                     | 54.00           | 41.80        | AVG      | No Limit |
| 2   | 5242.0000    | 64.21                      | 41.57                   | 105.78                    | 68.30           | 37.48        | Peak     | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5230MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3486.6200    | 43.97                      | 2.69                    | 46.66                     | 68.30           | -21.64       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5230MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5213.2000    | 53.94                      | 41.42                   | 95.36                     | 54.00           | 41.36        | AVG      | No Limit |
| 2   | 5214.0000    | 65.61                      | 41.43                   | 107.04                    | 68.30           | 38.74        | Peak     | No Limit |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-1/ TX N40 Mode 5230MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3486.7380    | 43.80                      | 2.69                    | 46.49                     | 68.30           | -21.81       | Peak     |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 43.43                      | 43.53                   | 86.96                     | 109.40          | -22.44       | Peak     |         |
| 2   | 5715.0000    | 30.14                      | 43.53                   | 73.67                     | 109.40          | -35.73       | AVG      |         |
| 3   | 5725.0000    | 52.26                      | 43.56                   | 95.82                     | 122.20          | -26.38       | Peak     |         |
| 4   | 5725.0000    | 41.98                      | 43.56                   | 85.54                     | 122.20          | -36.66       | AVG      |         |
| 5   | 5737.6000    | 57.42                      | 43.60                   | 101.02                    | 122.20          | -21.18       | AVG      |         |
| 6 * | 5738.3000    | 66.53                      | 43.60                   | 110.13                    | 122.20          | -12.07       | Peak     |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3829.9260    | 48.64                      | 3.45                    | 52.09                     | 54.00           | -1.91        | AVG      |         |
| 2   | 3829.9700    | 49.80                      | 3.45                    | 53.25                     | 74.00           | -20.75       | Peak     |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 39.98                      | 43.53                   | 83.51                     | 109.40          | -25.89       | Peak     |         |
| 2   | 5715.0000    | 30.18                      | 43.53                   | 73.71                     | 109.40          | -35.69       | AVG      |         |
| 3   | 5725.0000    | 51.36                      | 43.56                   | 94.92                     | 122.20          | -27.28       | Peak     |         |
| 4   | 5725.0000    | 41.35                      | 43.56                   | 84.91                     | 122.20          | -37.29       | AVG      |         |
| 5 * | 5737.4000    | 66.67                      | 43.60                   | 110.27                    | 122.20          | -11.93       | Peak     |         |
| 6   | 5737.6000    | 57.27                      | 43.60                   | 100.87                    | 122.20          | -21.33       | AVG      |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5745MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3829.9460    | 49.83                      | 3.45                    | 53.28                     | 54.00           | -0.72        | AVG      |         |
| 2   | 3829.9500    | 51.02                      | 3.45                    | 54.47                     | 74.00           | -19.53       | Peak     |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5785MHz |


# Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5777.8000    | 56.74                      | 43.72                   | 100.46                    | 122.20          | -21.74       | AVG      |         |
| 2 * | 5791.2000    | 66.48                      | 43.76                   | 110.24                    | 122.20          | -11.96       | Peak     |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5785MHz |


### Vertical



| No. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz       | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | 3856.6090 | 49.25         | 3.51           | 52.76       | 74.00  | -21.24 | Peak     |         |
| 2 * | 3856.6130 | 47.94         | 3.51           | 51.45       | 54.00  | -2.55  | AVG      |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5785MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5777.7000    | 57.09                      | 43.72                   | 100.81                    | 122.20          | -21.39       | AVG      |         |
| 2 * | 5790.9000    | 66.91                      | 43.76                   | 110.67                    | 122.20          | -11.53       | Peak     |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5785MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 3856.4890    | 48.23                      | 3.51                    | 51.74                     | 74.00           | -22.26       | Peak     |         |
| 2 * | 3856.5220    | 46.93                      | 3.51                    | 50.44                     | 54.00           | -3.56        | AVG      |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5829.6000    | 66.60                      | 43.88                   | 110.48                    | 122.20          | -11.72       | Peak     |         |
| 2   | 5832.3000    | 56.94                      | 43.88                   | 100.82                    | 122.20          | -21.38       | AVG      |         |
| 3   | 5850.0000    | 38.89                      | 43.94                   | 82.83                     | 122.20          | -39.37       | Peak     |         |
| 4   | 5850.0000    | 30.13                      | 43.94                   | 74.07                     | 122.20          | -48.13       | AVG      |         |
| 5   | 5860.0000    | 32.01                      | 43.97                   | 75.98                     | 109.40          | -33.42       | Peak     |         |
| 6   | 5860.0000    | 22.72                      | 43.97                   | 66.69                     | 109.40          | -42.71       | AVG      |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3883.2540    | 48.14                      | 3.57                    | 51.71                     | 54.00           | -2.29        | AVG      |         |
| 2   | 3883.3100    | 49.58                      | 3.57                    | 53.15                     | 74.00           | -20.85       | Peak     |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5817.7000    | 56.86                      | 43.84                   | 100.70                    | 122.20          | -21.50       | AVG      |         |
| 2 * | 5828.7000    | 67.15                      | 43.87                   | 111.02                    | 122.20          | -11.18       | Peak     |         |
| 3   | 5850.0000    | 41.36                      | 43.94                   | 85.30                     | 122.20          | -36.90       | Peak     |         |
| 4   | 5850.0000    | 29.48                      | 43.94                   | 73.42                     | 122.20          | -48.78       | AVG      |         |
| 5   | 5860.0000    | 32.01                      | 43.97                   | 75.98                     | 109.40          | -33.42       | Peak     |         |
| 6   | 5860.0000    | 22.36                      | 43.97                   | 66.33                     | 109.40          | -43.07       | AVG      |         |

|                  |                          |
|------------------|--------------------------|
| Orthogonal Axis: | X                        |
| Test Mode:       | UNII-3/TX A Mode 5825MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3883.1550    | 47.10                      | 3.57                    | 50.67                     | 54.00           | -3.33        | AVG      |         |
| 2   | 3883.2410    | 48.34                      | 3.57                    | 51.91                     | 74.00           | -22.09       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Vertical


130 dBuV/m



| No. | Freq.     | Reading Level | Correct Factor | Measure ment | Limit  | Margin |          |         |
|-----|-----------|---------------|----------------|--------------|--------|--------|----------|---------|
|     | MHz       | dBuV/m        | dB             | dBuV/m       | dBuV/m | dB     | Detector | Comment |
| 1   | 5715.0000 | 29.80         | 43.53          | 73.33        | 109.40 | -36.07 | Peak     |         |
| 2   | 5715.0000 | 17.27         | 43.53          | 60.80        | 109.40 | -48.60 | AVG      |         |
| 3   | 5725.0000 | 33.77         | 43.56          | 77.33        | 122.20 | -44.87 | Peak     |         |
| 4   | 5725.0000 | 25.10         | 43.56          | 68.66        | 122.20 | -53.54 | AVG      |         |
| 5   | 5737.0000 | 56.36         | 43.60          | 99.96        | 122.20 | -22.24 | AVG      |         |
| 6 * | 5743.9000 | 65.59         | 43.62          | 109.21       | 122.20 | -12.99 | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3829.9420    | 47.87                      | 3.45                    | 51.32                     | 54.00           | -2.68        | AVG      |         |
| 2   | 3830.0130    | 49.59                      | 3.45                    | 53.04                     | 74.00           | -20.96       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 39.25                      | 43.53                   | 82.78                     | 109.40          | -26.62       | Peak     |         |
| 2   | 5715.0000    | 26.73                      | 43.53                   | 70.26                     | 109.40          | -39.14       | AVG      |         |
| 3   | 5725.0000    | 50.27                      | 43.56                   | 93.83                     | 122.20          | -28.37       | Peak     |         |
| 4   | 5725.0000    | 38.32                      | 43.56                   | 81.88                     | 122.20          | -40.32       | AVG      |         |
| 5   | 5737.0000    | 57.26                      | 43.60                   | 100.86                    | 122.20          | -21.34       | AVG      |         |
| 6 * | 5737.2000    | 67.48                      | 43.60                   | 111.08                    | 122.20          | -11.12       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5745MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3829.9420    | 48.27                      | 3.45                    | 51.72                     | 54.00           | -2.28        | AVG      |         |
| 2   | 3829.9940    | 50.03                      | 3.45                    | 53.48                     | 74.00           | -20.52       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5785MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5777.1000    | 55.74                      | 43.72                   | 99.46                     | 122.20          | -22.74       | AVG      |         |
| 2 * | 5780.2000    | 66.04                      | 43.73                   | 109.77                    | 122.20          | -12.43       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5785MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 3856.5620    | 50.60                      | 3.51                    | 54.11                     | 74.00           | -19.89       | Peak     |         |
| 2 * | 3856.6340    | 49.18                      | 3.51                    | 52.69                     | 54.00           | -1.31        | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5785MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5777.1000    | 56.69                      | 43.72                   | 100.41                    | 122.20          | -21.79       | AVG      |         |
| 2 * | 5789.8000    | 66.18                      | 43.76                   | 109.94                    | 122.20          | -12.26       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5785MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 3856.4520    | 48.79                      | 3.51                    | 52.30                     | 74.00           | -21.70       | Peak     |         |
| 2 * | 3856.5590    | 47.37                      | 3.51                    | 50.88                     | 54.00           | -3.12        | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5831.5000    | 66.55                      | 43.88                   | 110.43                    | 122.20          | -11.77       | Peak     |         |
| 2   | 5832.4000    | 55.55                      | 43.88                   | 99.43                     | 122.20          | -22.77       | AVG      |         |
| 3   | 5850.0000    | 32.25                      | 43.94                   | 76.19                     | 122.20          | -46.01       | Peak     |         |
| 4   | 5850.0000    | 19.91                      | 43.94                   | 63.85                     | 122.20          | -58.35       | AVG      |         |
| 5   | 5860.0000    | 22.92                      | 43.97                   | 66.89                     | 109.40          | -42.51       | Peak     |         |
| 6   | 5860.0000    | 11.89                      | 43.97                   | 55.86                     | 109.40          | -53.54       | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |

# Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 3883.2540    | 50.94                      | 3.57                    | 54.51                     | 74.00           | -19.49       | Peak     |         |
| 2 * | 3883.2760    | 49.39                      | 3.57                    | 52.96                     | 54.00           | -1.04        | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5831.2000    | 66.51                      | 43.88                   | 110.39                    | 122.20          | -11.81       | Peak     |         |
| 2   | 5832.8000    | 56.87                      | 43.88                   | 100.75                    | 122.20          | -21.45       | AVG      |         |
| 3   | 5850.0000    | 41.84                      | 43.94                   | 85.78                     | 122.20          | -36.42       | Peak     |         |
| 4   | 5850.0000    | 30.99                      | 43.94                   | 74.93                     | 122.20          | -47.27       | AVG      |         |
| 5   | 5860.0000    | 38.01                      | 43.97                   | 81.98                     | 109.40          | -27.42       | Peak     |         |
| 6   | 5860.0000    | 23.41                      | 43.97                   | 67.38                     | 109.40          | -42.02       | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N20 Mode 5825MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 3883.2200    | 49.56                      | 3.57                    | 53.13                     | 74.00           | -20.87       | Peak     |         |
| 2 * | 3883.2620    | 48.23                      | 3.57                    | 51.80                     | 54.00           | -2.20        | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 44.28                      | 43.53                   | 87.81                     | 109.40          | -21.59       | Peak     |         |
| 2   | 5715.0000    | 33.30                      | 43.53                   | 76.83                     | 109.40          | -32.57       | AVG      |         |
| 3   | 5725.0000    | 47.20                      | 43.56                   | 90.76                     | 122.20          | -31.44       | Peak     |         |
| 4   | 5725.0000    | 36.95                      | 43.56                   | 80.51                     | 122.20          | -41.69       | AVG      |         |
| 5   | 5750.8000    | 54.67                      | 43.64                   | 98.31                     | 122.20          | -23.89       | AVG      |         |
| 6 * | 5761.8000    | 65.16                      | 43.67                   | 108.83                    | 122.20          | -13.37       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 3836.6200    | 47.04                      | 3.47                    | 50.51                     | 74.00           | -23.49       | Peak     |         |
| 2 * | 3836.6580    | 44.80                      | 3.47                    | 48.27                     | 54.00           | -5.73        | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 41.92                      | 43.53                   | 85.45                     | 109.40          | -23.95       | Peak     |         |
| 2   | 5715.0000    | 31.22                      | 43.53                   | 74.75                     | 109.40          | -34.65       | AVG      |         |
| 3   | 5725.0000    | 45.08                      | 43.56                   | 88.64                     | 122.20          | -33.56       | Peak     |         |
| 4   | 5725.0000    | 36.13                      | 43.56                   | 79.69                     | 122.20          | -42.51       | AVG      |         |
| 5   | 5738.2000    | 55.73                      | 43.60                   | 99.33                     | 122.20          | -22.87       | AVG      |         |
| 6 * | 5748.8000    | 66.18                      | 43.63                   | 109.81                    | 122.20          | -12.39       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5755MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 3836.5100    | 46.32                      | 3.47                    | 49.79                     | 74.00           | -24.21       | Peak     |         |
| 2 * | 3836.6380    | 43.74                      | 3.47                    | 47.21                     | 54.00           | -6.79        | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5783.0000    | 64.40                      | 43.73                   | 108.13                    | 122.20          | -14.07       | Peak     |         |
| 2   | 5790.8000    | 54.05                      | 43.76                   | 97.81                     | 122.20          | -24.39       | AVG      |         |
| 3   | 5850.0000    | 30.56                      | 43.94                   | 74.50                     | 122.20          | -47.70       | Peak     |         |
| 4   | 5850.0000    | 20.11                      | 43.94                   | 64.05                     | 122.20          | -58.15       | AVG      |         |
| 5   | 5860.0000    | 28.64                      | 43.97                   | 72.61                     | 109.40          | -36.79       | Peak     |         |
| 6   | 5860.0000    | 16.18                      | 43.97                   | 60.15                     | 109.40          | -49.25       | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3863.2890    | 44.98                      | 3.53                    | 48.51                     | 54.00           | -5.49        | AVG      |         |
| 2   | 3863.3390    | 46.77                      | 3.53                    | 50.30                     | 74.00           | -23.70       | Peak     |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5779.6000    | 55.09                      | 43.72                   | 98.81                     | 122.20          | -23.39       | AVG      |         |
| 2 * | 5800.4000    | 65.49                      | 43.79                   | 109.28                    | 122.20          | -12.92       | Peak     |         |
| 3   | 5850.0000    | 30.33                      | 43.94                   | 74.27                     | 122.20          | -47.93       | Peak     |         |
| 4   | 5850.0000    | 19.08                      | 43.94                   | 63.02                     | 122.20          | -59.18       | AVG      |         |
| 5   | 5860.0000    | 28.55                      | 43.97                   | 72.52                     | 109.40          | -36.88       | Peak     |         |
| 6   | 5860.0000    | 16.67                      | 43.97                   | 60.64                     | 109.40          | -48.76       | AVG      |         |

|                  |                            |
|------------------|----------------------------|
| Orthogonal Axis: | X                          |
| Test Mode:       | UNII-3/TX N40 Mode 5795MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3863.1680    | 43.12                      | 3.53                    | 46.65                     | 54.00           | -7.35        | AVG      |         |
| 2   | 3863.2370    | 45.44                      | 3.53                    | 48.97                     | 74.00           | -25.03       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 12.20                      | 41.10                   | 53.30                     | 68.30           | -15.00       | Peak     |          |
| 2   | 5150.0000    | 3.88                       | 41.10                   | 44.98                     | 54.00           | -9.02        | AVG      |          |
| 3   | 5171.9000    | 65.17                      | 41.21                   | 106.38                    | 68.30           | 38.08        | Peak     | No Limit |
| 4 * | 5171.9000    | 56.38                      | 41.21                   | 97.59                     | 54.00           | 43.59        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3453.2960    | 44.20                      | 2.61                    | 46.81                     | 68.30           | -21.49       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 13.67                      | 41.10                   | 54.77                     | 68.30           | -13.53       | Peak     |          |
| 2   | 5150.0000    | 3.26                       | 41.10                   | 44.36                     | 54.00           | -9.64        | AVG      |          |
| 3   | 5172.1000    | 64.71                      | 41.21                   | 105.92                    | 68.30           | 37.62        | Peak     | No Limit |
| 4 * | 5181.9000    | 55.36                      | 41.26                   | 96.62                     | 54.00           | 42.62        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5180MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3453.3200    | 43.04                      | 2.61                    | 45.65                     | 68.30           | -22.65       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5200MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5191.6000    | 67.18                      | 41.31                   | 108.49                    | 68.30           | 40.19        | Peak     | No Limit |
| 2 * | 5192.1000    | 58.12                      | 41.32                   | 99.44                     | 54.00           | 45.44        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5200MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3466.6020    | 44.04                      | 2.65                    | 46.69                     | 68.30           | -21.61       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5200MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5191.7000    | 65.57                      | 41.31                   | 106.88                    | 68.30           | 38.58        | Peak     | No Limit |
| 2 * | 5191.9000    | 56.61                      | 41.31                   | 97.92                     | 54.00           | 43.92        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5200MHz |

### Horizontal




| No. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz       | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1 * | 3466.6120 | 44.19         | 2.65           | 46.84       | 68.30  | -21.46 | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5232.4000    | 57.51                      | 41.52                   | 99.03                     | 54.00           | 45.03        | AVG      | No Limit |
| 2   | 5234.0000    | 67.09                      | 41.53                   | 108.62                    | 68.30           | 40.32        | Peak     | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |


### Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3493.2240    | 43.98                      | 2.71                    | 46.69                     | 68.30           | -21.61       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5231.4000    | 67.04                      | 41.52                   | 108.56                    | 68.30           | 40.26        | Peak     | No Limit |
| 2 * | 5232.4000    | 57.76                      | 41.52                   | 99.28                     | 54.00           | 45.28        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC20 Mode 5240MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3493.2240    | 42.30                      | 2.71                    | 45.01                     | 68.30           | -23.29       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 16.02                      | 41.10                   | 57.12                     | 68.30           | -11.18       | Peak     |          |
| 2   | 5150.0000    | 6.76                       | 41.10                   | 47.86                     | 54.00           | -6.14        | AVG      |          |
| 3   | 5181.4000    | 62.53                      | 41.26                   | 103.79                    | 68.30           | 35.49        | Peak     | No Limit |
| 4 * | 5182.0000    | 53.63                      | 41.26                   | 94.89                     | 54.00           | 40.89        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Vertical




| No. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz       | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1 * | 3460.0420 | 44.29         | 2.63           | 46.92       | 68.30  | -21.38 | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 17.01                      | 41.10                   | 58.11                     | 68.30           | -10.19       | Peak     |          |
| 2   | 5150.0000    | 6.44                       | 41.10                   | 47.54                     | 54.00           | -6.46        | AVG      |          |
| 3   | 5191.4000    | 62.50                      | 41.31                   | 103.81                    | 68.30           | 35.51        | Peak     | No Limit |
| 4 * | 5192.0000    | 52.70                      | 41.32                   | 94.02                     | 54.00           | 40.02        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5190MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3459.8820    | 42.77                      | 2.63                    | 45.40                     | 68.30           | -22.90       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |


# Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5222.6000    | 55.19                      | 41.47                   | 96.66                     | 54.00           | 42.66        | AVG      | No Limit |
| 2   | 5234.8000    | 65.70                      | 41.53                   | 107.23                    | 68.30           | 38.93        | Peak     | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3486.6180    | 43.84                      | 2.69                    | 46.53                     | 68.30           | -21.77       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5212.0000    | 63.83                      | 41.42                   | 105.25                    | 68.30           | 36.95        | Peak     | No Limit |
| 2 * | 5213.0000    | 54.48                      | 41.42                   | 95.90                     | 54.00           | 41.90        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC40 Mode 5230MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3486.5900    | 42.31                      | 2.69                    | 45.00                     | 68.30           | -23.30       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 22.96                      | 41.10                   | 64.06                     | 68.30           | -4.24        | Peak     |          |
| 2   | 5150.0000    | 10.93                      | 41.10                   | 52.03                     | 54.00           | -1.97        | AVG      |          |
| 3 * | 5227.2000    | 49.35                      | 41.49                   | 90.84                     | 54.00           | 36.84        | AVG      | No Limit |
| 4   | 5239.6000    | 60.90                      | 41.56                   | 102.46                    | 68.30           | 34.16        | Peak     | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

# Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3473.3700    | 43.89                      | 2.66                    | 46.55                     | 68.30           | -21.75       | Peak     |         |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5150.0000    | 16.97                      | 41.10                   | 58.07                     | 68.30           | -10.23       | Peak     |          |
| 2   | 5150.0000    | 10.31                      | 41.10                   | 51.41                     | 54.00           | -2.59        | AVG      |          |
| 3   | 5189.6000    | 61.00                      | 41.30                   | 102.30                    | 68.30           | 34.00        | Peak     | No Limit |
| 4 * | 5191.2000    | 49.82                      | 41.31                   | 91.13                     | 54.00           | 37.13        | AVG      | No Limit |

|                  |                              |
|------------------|------------------------------|
| Orthogonal Axis: | X                            |
| Test Mode:       | UNII-1/ TX AC80 Mode 5210MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3473.2800    | 41.99                      | 2.66                    | 44.65                     | 68.30           | -23.65       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 28.60                      | 43.53                   | 72.13                     | 109.40          | -37.27       | Peak     |         |
| 2   | 5715.0000    | 15.33                      | 43.53                   | 58.86                     | 109.40          | -50.54       | AVG      |         |
| 3   | 5725.0000    | 32.09                      | 43.56                   | 75.65                     | 122.20          | -46.55       | Peak     |         |
| 4   | 5725.0000    | 24.00                      | 43.56                   | 67.56                     | 122.20          | -54.64       | AVG      |         |
| 5 * | 5753.0000    | 66.57                      | 43.64                   | 110.21                    | 122.20          | -11.99       | Peak     |         |
| 6   | 5753.0000    | 56.92                      | 43.64                   | 100.56                    | 122.20          | -21.64       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3829.9470    | 44.43                      | 3.45                    | 47.88                     | 54.00           | -6.12        | AVG      |         |
| 2   | 3829.9540    | 46.38                      | 3.45                    | 49.83                     | 74.00           | -24.17       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |

### Horizontal


130 dBuV/m



| No. | Freq.     | Reading Level | Correct Factor | Measure ment | Limit  | Margin |          |         |
|-----|-----------|---------------|----------------|--------------|--------|--------|----------|---------|
|     | MHz       | dBuV/m        | dB             | dBuV/m       | dBuV/m | dB     | Detector | Comment |
| 1   | 5715.0000 | 35.94         | 43.53          | 79.47        | 109.40 | -29.93 | Peak     |         |
| 2   | 5715.0000 | 25.14         | 43.53          | 68.67        | 109.40 | -40.73 | AVG      |         |
| 3   | 5725.0000 | 46.73         | 43.56          | 90.29        | 122.20 | -31.91 | Peak     |         |
| 4   | 5725.0000 | 37.82         | 43.56          | 81.38        | 122.20 | -40.82 | AVG      |         |
| 5   | 5752.9000 | 58.38         | 43.64          | 102.02       | 122.20 | -20.18 | AVG      |         |
| 6 * | 5753.3000 | 67.76         | 43.64          | 111.40       | 122.20 | -10.80 | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5745MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3829.9880    | 43.44                      | 3.45                    | 46.89                     | 54.00           | -7.11        | AVG      |         |
| 2   | 3830.2200    | 45.62                      | 3.45                    | 49.07                     | 74.00           | -24.93       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5785MHz |


# Vertical



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5791.9000    | 65.48                      | 43.76                   | 109.24                    | 122.20          | -12.96       | Peak     |         |
| 2   | 5793.0000    | 56.23                      | 43.76                   | 99.99                     | 122.20          | -22.21       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5785MHz |


### Vertical



| No. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz       | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | 3856.5720 | 46.80         | 3.51           | 50.31       | 74.00  | -23.69 | Peak     |         |
| 2 * | 3856.6140 | 44.85         | 3.51           | 48.36       | 54.00  | -5.64  | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5785MHz |


### Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5777.1000    | 66.89                      | 43.72                   | 110.61                    | 122.20          | -11.59       | Peak     |         |
| 2   | 5793.0000    | 57.88                      | 43.76                   | 101.64                    | 122.20          | -20.56       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5785MHz |

### Horizontal




| No. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz       | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | 3856.4410 | 45.35         | 3.51           | 48.86       | 74.00  | -25.14 | Peak     |         |
| 2 * | 3856.5260 | 43.67         | 3.51           | 47.18       | 54.00  | -6.82  | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5816.9000    | 65.62                      | 43.84                   | 109.46                    | 122.20          | -12.74       | Peak     |         |
| 2   | 5816.9000    | 56.24                      | 43.84                   | 100.08                    | 122.20          | -22.12       | AVG      |         |
| 3   | 5850.0000    | 34.93                      | 43.94                   | 78.87                     | 122.20          | -43.33       | Peak     |         |
| 4   | 5850.0000    | 19.34                      | 43.94                   | 63.28                     | 122.20          | -58.92       | AVG      |         |
| 5   | 5860.0000    | 23.81                      | 43.97                   | 67.78                     | 109.40          | -41.62       | Peak     |         |
| 6   | 5860.0000    | 10.33                      | 43.97                   | 54.30                     | 109.40          | -55.10       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

# Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3883.2840    | 45.85                      | 3.57                    | 49.42                     | 54.00           | -4.58        | AVG      |         |
| 2   | 3883.3260    | 47.82                      | 3.57                    | 51.39                     | 74.00           | -22.61       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5832.7000    | 67.33                      | 43.88                   | 111.21                    | 122.20          | -10.99       | Peak     |         |
| 2   | 5833.1000    | 58.11                      | 43.89                   | 102.00                    | 122.20          | -20.20       | AVG      |         |
| 3   | 5850.0000    | 40.77                      | 43.94                   | 84.71                     | 122.20          | -37.49       | Peak     |         |
| 4   | 5850.0000    | 30.78                      | 43.94                   | 74.72                     | 122.20          | -47.48       | AVG      |         |
| 5   | 5860.0000    | 33.66                      | 43.97                   | 77.63                     | 109.40          | -31.77       | Peak     |         |
| 6   | 5860.0000    | 23.51                      | 43.97                   | 67.48                     | 109.40          | -41.92       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC20 Mode 5825MHz |

### Horizontal




| No. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz       | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1 * | 3883.1890 | 44.37         | 3.57           | 47.94       | 54.00  | -6.06  | AVG      |         |
| 2   | 3883.2540 | 46.12         | 3.57           | 49.69       | 74.00  | -24.31 | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 44.51                      | 43.53                   | 88.04                     | 109.40          | -21.36       | Peak     |         |
| 2   | 5715.0000    | 36.06                      | 43.53                   | 79.59                     | 109.40          | -29.81       | AVG      |         |
| 3   | 5725.0000    | 49.13                      | 43.56                   | 92.69                     | 122.20          | -29.51       | Peak     |         |
| 4   | 5725.0000    | 40.28                      | 43.56                   | 83.84                     | 122.20          | -38.36       | AVG      |         |
| 5   | 5752.4000    | 55.94                      | 43.64                   | 99.58                     | 122.20          | -22.62       | AVG      |         |
| 6 * | 5764.4000    | 65.56                      | 43.68                   | 109.24                    | 122.20          | -12.96       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |

### Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3836.6330    | 44.82                      | 3.47                    | 48.29                     | 54.00           | -5.71        | AVG      |         |
| 2   | 3836.6390    | 47.19                      | 3.47                    | 50.66                     | 74.00           | -23.34       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |

### Horizontal


130 dBuV/m



| No. | Freq.     | Reading Level | Correct Factor | Measure ment | Limit  | Margin |          |         |
|-----|-----------|---------------|----------------|--------------|--------|--------|----------|---------|
|     | MHz       | dBuV/m        | dB             | dBuV/m       | dBuV/m | dB     | Detector | Comment |
| 1   | 5715.0000 | 44.66         | 43.53          | 88.19        | 109.40 | -21.21 | Peak     |         |
| 2   | 5715.0000 | 33.67         | 43.53          | 77.20        | 109.40 | -32.20 | AVG      |         |
| 3   | 5725.0000 | 48.58         | 43.56          | 92.14        | 122.20 | -30.06 | Peak     |         |
| 4   | 5725.0000 | 39.02         | 43.56          | 82.58        | 122.20 | -39.62 | AVG      |         |
| 5 * | 5759.2000 | 66.64         | 43.66          | 110.30       | 122.20 | -11.90 | Peak     |         |
| 6   | 5763.6000 | 56.09         | 43.68          | 99.77        | 122.20 | -22.43 | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5755MHz |

### Horizontal




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3836.3360    | 43.77                      | 3.47                    | 47.24                     | 54.00           | -6.76        | AVG      |         |
| 2   | 3836.4870    | 46.25                      | 3.47                    | 49.72                     | 74.00           | -24.28       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5804.2000    | 65.02                      | 43.80                   | 108.82                    | 122.20          | -13.38       | Peak     |         |
| 2   | 5811.6000    | 55.23                      | 43.82                   | 99.05                     | 122.20          | -23.15       | AVG      |         |
| 3   | 5850.0000    | 34.93                      | 43.94                   | 78.87                     | 122.20          | -43.33       | Peak     |         |
| 4   | 5850.0000    | 25.16                      | 43.94                   | 69.10                     | 122.20          | -53.10       | AVG      |         |
| 5   | 5860.0000    | 33.86                      | 43.97                   | 77.83                     | 109.40          | -31.57       | Peak     |         |
| 6   | 5860.0000    | 20.96                      | 43.97                   | 64.93                     | 109.40          | -44.47       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

### Vertical




| No. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz       | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | 3863.2560 | 46.65         | 3.53           | 50.18       | 74.00  | -23.82 | Peak     |         |
| 2 * | 3863.2920 | 44.49         | 3.53           | 48.02       | 54.00  | -5.98  | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5793.4000    | 65.76                      | 43.77                   | 109.53                    | 122.20          | -12.67       | Peak     |         |
| 2   | 5803.4000    | 55.81                      | 43.80                   | 99.61                     | 122.20          | -22.59       | AVG      |         |
| 3   | 5850.0000    | 34.42                      | 43.94                   | 78.36                     | 122.20          | -43.84       | Peak     |         |
| 4   | 5850.0000    | 25.54                      | 43.94                   | 69.48                     | 122.20          | -52.72       | AVG      |         |
| 5   | 5860.0000    | 32.34                      | 43.97                   | 76.31                     | 109.40          | -33.09       | Peak     |         |
| 6   | 5860.0000    | 23.04                      | 43.97                   | 67.01                     | 109.40          | -42.39       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC40 Mode 5795MHz |

### Horizontal




| No. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz       | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   | 3863.1100 | 45.44         | 3.53           | 48.97       | 74.00  | -25.03 | Peak     |         |
| 2 * | 3863.1500 | 43.32         | 3.53           | 46.85       | 54.00  | -7.15  | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Vertical


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 32.44                      | 43.53                   | 75.97                     | 109.40          | -33.43       | Peak     |         |
| 2   | 5715.0000    | 18.81                      | 43.53                   | 62.34                     | 109.40          | -47.06       | AVG      |         |
| 3   | 5725.0000    | 28.90                      | 43.56                   | 72.46                     | 122.20          | -49.74       | Peak     |         |
| 4   | 5725.0000    | 18.63                      | 43.56                   | 62.19                     | 122.20          | -60.01       | AVG      |         |
| 5   | 5752.5000    | 49.66                      | 43.64                   | 93.30                     | 122.20          | -28.90       | AVG      |         |
| 6 * | 5784.5000    | 60.81                      | 43.74                   | 104.55                    | 122.20          | -17.65       | Peak     |         |
| 7   | 5850.0000    | 28.71                      | 43.94                   | 72.65                     | 122.20          | -49.55       | Peak     |         |
| 8   | 5850.0000    | 13.01                      | 43.94                   | 56.95                     | 122.20          | -65.25       | AVG      |         |
| 9   | 5860.0000    | 23.50                      | 43.97                   | 67.47                     | 109.40          | -41.93       | Peak     |         |
| 10  | 5860.0000    | 13.28                      | 43.97                   | 57.25                     | 109.40          | -52.15       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

# Vertical




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 3849.9580    | 45.77                      | 3.50                    | 49.27                     | 54.00           | -4.73        | AVG      |         |
| 2   | 3849.9740    | 47.53                      | 3.50                    | 51.03                     | 74.00           | -22.97       | Peak     |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

### Horizontal


130 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5715.0000    | 31.61                      | 43.53                   | 75.14                     | 109.40          | -34.26       | Peak     |         |
| 2   | 5715.0000    | 17.99                      | 43.53                   | 61.52                     | 109.40          | -47.88       | AVG      |         |
| 3   | 5725.0000    | 29.32                      | 43.56                   | 72.88                     | 122.20          | -49.32       | Peak     |         |
| 4   | 5725.0000    | 18.99                      | 43.56                   | 62.55                     | 122.20          | -59.65       | AVG      |         |
| 5 * | 5740.6000    | 63.14                      | 43.61                   | 106.75                    | 122.20          | -15.45       | Peak     |         |
| 6   | 5743.4000    | 51.72                      | 43.62                   | 95.34                     | 122.20          | -26.86       | AVG      |         |
| 7   | 5850.0000    | 28.88                      | 43.94                   | 72.82                     | 122.20          | -49.38       | Peak     |         |
| 8   | 5850.0000    | 13.38                      | 43.94                   | 57.32                     | 122.20          | -64.88       | AVG      |         |
| 9   | 5860.0000    | 24.75                      | 43.97                   | 68.72                     | 109.40          | -40.68       | Peak     |         |
| 10  | 5860.0000    | 14.12                      | 43.97                   | 58.09                     | 109.40          | -51.31       | AVG      |         |

|                  |                             |
|------------------|-----------------------------|
| Orthogonal Axis: | X                           |
| Test Mode:       | UNII-3/TX AC80 Mode 5775MHz |

# Horizontal



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 3845.0130    | 46.52                      | 3.49                    | 50.01                     | 74.00           | -23.99       | Peak     |         |
| 2 * | 3849.9900    | 44.38                      | 3.50                    | 47.88                     | 54.00           | -6.12        | AVG      |         |

### TX A Mode\_DUTY CYCLE

Duty cycle: TX DUTYMHz

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 2.04 msec

$T_{Total}$ : 2.10 msec

Duty cycle: 97.14%

Duty Factor =  $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.13



Date: 21.NOV.2017 10:20:43

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be caculated as Output Power = Measured power + Ducus factor  
Power Spectral Density = Measured density + Duty factor

## TX N20 Mode\_DUTY CYCLE

Duty cycle: TX DUTYMHz

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 100000.00 msec

$T_{Total}$ : 100000.00 msec

Duty cycle: 100.00%

Duty Factor =  $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.00



Date: 21.NOV.2017 10:21:05

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be cacluated as Output Power = Measured power + Ducus factor  
Power Spectral Density = Measured density + Duty factor

### TX N40 Mode\_DUTY CYCLE

Duty cycle: TX DUTYMHZ

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 2.41 msec

$T_{Total}$ : 2.48 msec

Duty cycle: 97.18%

Duty Factor =  $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.12



Date: 21.NOV.2017 10:22:53

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be cacluated as Output Power = Measured power + Ducus factor  
Power Spectral Density = Measured density + Duty factor

## TX AC20 Mode\_DUTY CYCLE

Duty cycle: TX DUTYMHZ

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 100000.00 msec

$T_{Total}$ : 100000.00 msec

Duty cycle: 100.00%

Duty Factor =  $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.00



Date: 21.NOV.2017 10:22:25

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be calculated as Output Power = Measured power + Duty factor  
Power Spectral Density = Measured density + Duty factor

### TX AC40 Mode\_DUTY CYCLE

Duty cycle: TX DUTYMHZ

Duty cycle =  $T_{ON} / T_{Total}$


$T_{ON}$ : 2.43 msec

$T_{Total}$ : 2.50 msec

Duty cycle: 97.20%

Duty Factor =  $10 \log(1/\text{Duty cycle})$

Duty Factor = 0.12



Date: 21.NOV.2017 10:23:06

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be caculated as Output Power = Measured power + Ducus factor  
Power Spectral Density = Measured density + Duty factor