



### CH60



Date: 30.NOV.2017 13:16:35

### CH64



Date: 30.NOV.2017 13:25:54


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH52    | 5260               | 10.36                      | 11.00              |
| CH60    | 5300               | 10.30                      | 11.00              |
| CH64    | 5320               | 9.51                       | 11.00              |

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 1**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|---------------------------------------------|--------------------|
| CH54    | 5270               | 3.60                       | 0.12        | 3.72                                        | 11.00              |
| CH62    | 5310               | -0.26                      | 0.12        | -0.14                                       | 11.00              |

### CH54



Date: 30.NOV.2017 15:30:37

### CH62




Date: 30.NOV.2017 15:32:07

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 2**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|---------------------------------------------|--------------------|
| CH54    | 5270               | 3.49                       | 0.12        | 3.61                                        | 11.00              |
| CH62    | 5310               | -0.59                      | 0.12        | -0.47                                       | 11.00              |

### CH54



Date: 30.NOV.2017 15:37:15

### CH62




Date: 30.NOV.2017 15:38:38

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 3**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|---------------------------------------------|--------------------|
| CH54    | 5270               | 3.70                       | 0.12        | 3.82                                        | 11.00              |
| CH62    | 5310               | -0.18                      | 0.12        | -0.06                                       | 11.00              |

### CH54



Date: 30.NOV.2017 15:43:02

### CH62




Date: 30.NOV.2017 15:44:24

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH54    | 5270               | 8.49                       | 11.00              |
| CH62    | 5310               | 4.55                       | 11.00              |


**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH100   | 5500            | 9.88                    | 0.13        | 10.01                                 | 11.00           |
| CH116   | 5580            | 10.25                   | 0.13        | 10.38                                 | 11.00           |
| CH140   | 5700            | 10.01                   | 0.13        | 10.14                                 | 11.00           |




Date: 30.NOV.2017 13:40:14

## CH116



Date: 30.NOV.2017 13:41:05

# CH140




Date: 30.NOV.2017 13:41:58

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH100   | 5500            | 3.95                    | 0.00        | 3.95                                  | 11.00           |
| CH116   | 5580            | 5.82                    | 0.00        | 5.82                                  | 11.00           |
| CH140   | 5700            | 4.33                    | 0.00        | 4.33                                  | 11.00           |

**CH100**




Date: 30.NOV.2017 13:27:10

### CH116



Date: 30.NOV.2017 13:28:09

### CH140




Date: 30.NOV.2017 13:33:48

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH100   | 5500            | 3.85                    | 0.00        | 3.85                                  | 11.00           |
| CH116   | 5580            | 5.58                    | 0.00        | 5.58                                  | 11.00           |
| CH140   | 5700            | 4.09                    | 0.00        | 4.09                                  | 11.00           |

**CH100**




Date: 30.NOV.2017 13:26:53

### CH116



Date: 30.NOV.2017 13:29:00

### CH140




Date: 30.NOV.2017 13:33:24

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 3**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH100   | 5500            | 4.91                    | 0.00        | 4.91                                  | 11.00           |
| CH116   | 5580            | 6.34                    | 0.00        | 6.34                                  | 11.00           |
| CH140   | 5700            | 4.99                    | 0.00        | 4.99                                  | 11.00           |

**CH100**




Date: 30.NOV.2017 13:26:31

### CH116



Date: 30.NOV.2017 13:29:40

### CH140



Date: 30.NOV.2017 13:32:57


**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH100   | 5500               | 9.03                       | 11.00              |
| CH116   | 5580               | 10.70                      | 11.00              |
| CH140   | 5700               | 9.26                       | 11.00              |

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH102   | 5510            | -1.18                   | 0.12        | -1.06                                 | 11.00           |
| CH110   | 5550            | 4.03                    | 0.12        | 4.15                                  | 11.00           |
| CH134   | 5670            | 2.75                    | 0.12        | 2.87                                  | 11.00           |

**CH102**




Date: 30.NOV.2017 15:33:29

### CH110



Date: 30.NOV.2017 15:34:38

### CH134




Date: 30.NOV.2017 15:35:55

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH102   | 5510            | -1.73                   | 0.12        | -1.61                                 | 11.00           |
| CH110   | 5550            | 3.64                    | 0.12        | 3.76                                  | 11.00           |
| CH134   | 5670            | 2.46                    | 0.12        | 2.58                                  | 11.00           |

**CH102**




Date: 30.NOV.2017 15:39:45

### CH110



Date: 30.NOV.2017 15:40:51


### CH134



Date: 30.NOV.2017 15:41:50

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 3**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH102   | 5510            | -0.80                   | 0.12        | -0.68                                 | 11.00           |
| CH110   | 5550            | 4.45                    | 0.12        | 4.57                                  | 11.00           |
| CH134   | 5670            | 3.57                    | 0.12        | 3.69                                  | 11.00           |



Date: 30.NOV.2017 15:47:42




**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH102   | 5510               | 3.67                       | 11.00              |
| CH110   | 5550               | 8.94                       | 11.00              |
| CH134   | 5670               | 7.84                       | 11.00              |


**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_ANT 1**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH52    | 5260            | 5.72                    | 0.00        | 5.72                                  | 11.00           |
| CH60    | 5300            | 5.62                    | 0.00        | 5.62                                  | 11.00           |
| CH64    | 5320            | 4.76                    | 0.00        | 4.76                                  | 11.00           |




Date: 30.NOV.2017 13:43:07

### CH60



Date: 30.NOV.2017 13:47:32


### CH64



Date: 30.NOV.2017 13:49:22


**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_ANT 2**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH52    | 5260            | 5.47                    | 0.00        | 5.47                                  | 11.00           |
| CH60    | 5300            | 5.44                    | 0.00        | 5.44                                  | 11.00           |
| CH64    | 5320            | 4.45                    | 0.00        | 4.45                                  | 11.00           |




Date: 30.NOV.2017 13:44:11

### CH60



Date: 30.NOV.2017 13:47:00


### CH64



Date: 30.NOV.2017 13:49:52


**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_ANT 3**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH52    | 5260            | 5.69                    | 0.00        | 5.69                                  | 11.00           |
| CH60    | 5300            | 5.72                    | 0.00        | 5.72                                  | 11.00           |
| CH64    | 5320            | 4.91                    | 0.00        | 4.91                                  | 11.00           |




Date: 30.NOV.2017 13:44:45

### CH60



Date: 30.NOV.2017 13:45:38

### CH64



Date: 30.NOV.2017 13:50:58


**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH52    | 5260               | 10.40                      | 11.00              |
| CH60    | 5300               | 10.37                      | 11.00              |
| CH64    | 5320               | 9.48                       | 11.00              |

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_ANT 1**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|---------------------------------------------|--------------------|
| CH54    | 5270               | 4.63                       | 0.12        | 4.75                                        | 11.00              |
| CH62    | 5310               | 0.74                       | 0.12        | 0.86                                        | 11.00              |

### CH54



Date: 30.NOV.2017 16:04:40

### CH62




Date: 30.NOV.2017 16:05:38

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_ANT 2**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|---------------------------------------------|--------------------|
| CH54    | 5270               | 4.35                       | 0.12        | 4.47                                        | 11.00              |
| CH62    | 5310               | 0.53                       | 0.12        | 0.65                                        | 11.00              |

### CH54



Date: 30.NOV.2017 15:58:46

### CH62




Date: 30.NOV.2017 16:00:00

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_ANT 3**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|---------------------------------------------|--------------------|
| CH54    | 5270               | 4.78                       | 0.12        | 4.90                                        | 11.00              |
| CH62    | 5310               | 0.80                       | 0.12        | 0.92                                        | 11.00              |

### CH54



Date: 30.NOV.2017 15:52:25

### CH62




Date: 30.NOV.2017 15:53:27

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH54    | 5270               | 9.48                       | 11.00              |
| CH62    | 5310               | 5.58                       | 11.00              |

**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH58    | 5290            | -1.20                   | 0.26        | -0.94                                 | 11.00           |



Date: 30.NOV.2017 16:11:01

**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH58    | 5290            | -1.23                   | 0.26        | -0.97                                 | 11.00           |



Date: 30.NOV.2017 16:13:58

**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_ANT 3**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH58    | 5290            | -1.01                   | 0.26        | -0.75                                 | 11.00           |



Date: 30.NOV.2017 16:16:41


**Test Mode: UNII-2A/TX AC80 Mode\_CH58\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH58    | 5290               | 3.89                       | 11.00              |

**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH100   | 5500            | 4.32                    | 0.00        | 4.32                                  | 11.00           |
| CH116   | 5580            | 5.83                    | 0.00        | 5.83                                  | 11.00           |
| CH140   | 5700            | 4.22                    | 0.00        | 4.22                                  | 11.00           |

**CH100**




Date: 30.NOV.2017 13:53:14

### CH116



Date: 30.NOV.2017 13:54:05


### CH140



Date: 30.NOV.2017 13:57:48


**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_ANT 2**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH100   | 5500            | 3.83                    | 0.00        | 3.83                                  | 11.00           |
| CH116   | 5580            | 5.41                    | 0.00        | 5.41                                  | 11.00           |
| CH140   | 5700            | 3.88                    | 0.00        | 3.88                                  | 11.00           |




Date: 30.NOV.2017 13:52:51

### CH116



Date: 30.NOV.2017 13:55:16


### CH140



Date: 30.NOV.2017 13:57:23


**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_ANT 3**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH100   | 5500            | 4.78                    | 0.00        | 4.78                                  | 11.00           |
| CH116   | 5580            | 6.31                    | 0.00        | 6.31                                  | 11.00           |
| CH140   | 5700            | 4.84                    | 0.00        | 4.84                                  | 11.00           |




Date: 30.NOV.2017 13:52:27

### CH116



Date: 30.NOV.2017 13:55:37

### CH140



Date: 30.NOV.2017 13:56:49


**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH100   | 5500               | 9.10                       | 11.00              |
| CH116   | 5580               | 10.64                      | 11.00              |
| CH140   | 5700               | 9.10                       | 11.00              |

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|---------------------------------------------|--------------------|
| CH102   | 5510               | 0.69                       | 0.12        | 0.81                                        | 11.00              |
| CH110   | 5550               | 4.93                       | 0.12        | 5.05                                        | 11.00              |
| CH134   | 5670               | 3.70                       | 0.12        | 3.82                                        | 11.00              |




### CH110



Date: 30.NOV.2017 16:08:18

### CH134




Date: 30.NOV.2017 16:09:12

Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH102   | 5510            | 0.24                    | 0.12        | 0.36                                  | 11.00           |
| CH110   | 5550            | 4.58                    | 0.12        | 4.70                                  | 11.00           |
| CH134   | 5670            | 3.50                    | 0.12        | 3.62                                  | 11.00           |

CH102




Date: 30.NOV.2017 16:01:06

### CH110



Date: 30.NOV.2017 16:02:06

### CH134




Date: 30.NOV.2017 16:03:15

**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_ANT 3**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density + Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|---------------------------------------|-----------------|
| CH102   | 5510            | 1.14                    | 0.12        | 1.26                                  | 11.00           |
| CH110   | 5550            | 5.38                    | 0.12        | 5.50                                  | 11.00           |
| CH134   | 5670            | 4.60                    | 0.12        | 4.72                                  | 11.00           |

**CH102**




Date: 30.NOV.2017 15:54:42

### CH110



Date: 30.NOV.2017 15:55:42

### CH134



Date: 30.NOV.2017 15:57:15


**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH102   | 5510               | 5.60                       | 11.00              |
| CH110   | 5550               | 9.87                       | 11.00              |
| CH134   | 5670               | 8.85                       | 11.00              |

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_ANT 1**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|---------------------------------------------|--------------------|
| CH106   | 5530               | -1.00                      | 0.26        | -0.74                                       | 11.00              |
| CH122   | 5610               | 0.00                       | 0.26        | 0.26                                        | 11.00              |

### CH106



Date: 30.NOV.2017 16:11:47

### CH122




Date: 30.NOV.2017 16:12:56

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_ANT 2**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|---------------------------------------------|--------------------|
| CH106   | 5530               | -0.90                      | 0.26        | -0.64                                       | 11.00              |
| CH122   | 5610               | -0.29                      | 0.26        | -0.03                                       | 11.00              |

### CH106



Date: 30.NOV.2017 16:14:51

### CH122




Date: 30.NOV.2017 16:15:43

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_ANT 3**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density +<br>Duty Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|---------------------------------------------|--------------------|
| CH106   | 5530               | -0.22                      | 0.26        | 0.04                                        | 11.00              |
| CH122   | 5610               | 0.95                       | 0.26        | 1.21                                        | 11.00              |

### CH106



Date: 30.NOV.2017 16:17:49

### CH122



Date: 30.NOV.2017 16:18:45

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH106   | 5530               | 4.34                       | 11.00              |
| CH122   | 5610               | 5.28                       | 11.00              |

## APPENDIX H - FREQUENCY STABILITY

|            |         |
|------------|---------|
| Test Mode: | UNII-2A |
|------------|---------|

### Voltage vs. Frequency Stability

| Voltage              | Measurement Frequency (MHz) |
|----------------------|-----------------------------|
| (V)                  | 5260.0000                   |
| 132                  | 5259.9552                   |
| 120                  | 5259.9536                   |
| 108                  | 5259.9532                   |
| Max. Deviation (MHz) | 0.0468                      |
| Max. Deviation (ppm) | 8.8973                      |

### Temperature vs. Frequency Stability

| Temperature          | Measurement Frequency (MHz) |
|----------------------|-----------------------------|
| (°C)                 | 5260.0000                   |
| -5                   | 5259.9532                   |
| 5                    | 5259.9528                   |
| 15                   | 5259.9524                   |
| 25                   | 5259.9520                   |
| 35                   | 5259.9516                   |
| 45                   | 5259.9516                   |
| 50                   | 5259.9512                   |
| Max. Deviation (MHz) | 0.0488                      |
| Max. Deviation (ppm) | 9.2776                      |

|            |         |
|------------|---------|
| Test Mode: | UNII-2C |
|------------|---------|

### Voltage vs. Frequency Stability

| Voltage              | Measurement Frequency (MHz) |
|----------------------|-----------------------------|
| (V)                  | 5500.0000                   |
| 132                  | 5499.9488                   |
| 120                  | 5499.9488                   |
| 108                  | 5499.9484                   |
| Max. Deviation (MHz) | 0.0516                      |
| Max. Deviation (ppm) | 9.3818                      |

### Temperature vs. Frequency Stability

| Temperature          | Measurement Frequency (MHz) |
|----------------------|-----------------------------|
| (°C)                 | 5500.0000                   |
| -5                   | 5499.9480                   |
| 5                    | 5499.9480                   |
| 15                   | 5499.9476                   |
| 25                   | 5499.9476                   |
| 35                   | 5499.9472                   |
| 45                   | 5499.9472                   |
| 50                   | 5499.9472                   |
| Max. Deviation (MHz) | 0.0528                      |
| Max. Deviation (ppm) | 9.6000                      |