

POWER

ALARM ALC ALC ALC ALC
DL DL DL DL DL

EXTERNAL
DC ON

0...30 dB
Gain Adjustment
DOWNLINK



0...30 dB
Gain Adjustment
UPLINK



MOBILE

WARNING:

Input Signal Level
above -30 dBm may cause
damage to system





WARNING:
DO NOT PLUG INTO AC UNTIL
RF PORTS ARE TERMINATED
PROUDLY MADE IN THE U.S.A.

This device complies with part 15 of the FCC Rules.
Operation is subject to the following two conditions:
(1) This device may not cause harmful interference,
and
(2) This device must accept any interference received,
including that from authorized radio stations.

WARNING: This is NOT a consumer device.
It is designed for installation by an authorized
personnel only. The BDA-1 TE/LBC-33/31-90-A is
not for use in the field. It is not to be used in
any location where it is not intended to operate.

WARNING: This is NOT a consumer device.
It is designed for installation by an authorized
personnel only. The BDA-1 TE/LBC-33/31-90-A is
not for use in the field. It is not to be used in
any location where it is not intended to operate.



WARNING:
NO SERVICEABLE PARTS INSIDE
WARRANTY VOID
IF COVER REMOVED

WARNING:
THE WARRANTY IS VOID IF THE ISOLATION BETWEEN THE BASE
ANTENNA AND THE MOBILE ANTENNA IS NOT CONDUCTED AT
LEAST 1MM THICKER THAN THE BSA CAP. ISOLATION EQUAL OR
LESS THAN THE BSA CAP WILL RESULT IN DAMAGE TO THE BSA.

G-Wave Solutions
MODEL: BDA-1 TE/LBC-33/31-90-A
P.O. BOX 100100
F.O. BOX 100100
SER. No. 1001002