



Exhibit: Test Setup Photos – FCC/ISED

Test setup Photo Exhibit of the
**Saffire EVO LX Interconnected &
Saffire EVO LX Deadbolt**

COMMERCIAL-IN-CONFIDENCE

FCC: Q8SSAFFIREEVO
IC: 4652A-SAFFIREEVO

Report File #: 716901622C-000

Client	Dormakaba	 Canada
Product	Saffire EVO LX Interconnected & Saffire EVO LX Deadbolt	
Standard(s)	FCC Part 15, Subpart C and RSS-210	

EUT close up



Client	Dormakaba	 Canada
Product	Saffire EVO LX Interconnected & Saffire EVO LX Deadbolt	
Standard(s)	FCC Part 15, Subpart C and RSS-210	

Below 30 MHz – test setup



Client	Dormakaba	 Canada
Product	Saffire EVO LX Interconnected & Saffire EVO LX Deadbolt	
Standard(s)	FCC Part 15, Subpart C and RSS-210	

30 MHz to 1 GHz – Test setup



Client	Dormakaba	 Canada
Product	Saffire EVO LX Interconnected & Saffire EVO LX Deadbolt	
Standard(s)	FCC Part 15, Subpart C and RSS-210	

Radiated Emissions

1 GHz to 18 GHz – Test setup

