






Default language is English. Language set can be changed via the Cardo Connect app.


1 Remove the two covers applied on the helmet: using the specific tool ① provided, release the two clips of the back unit ② and detach it; release the clip of the headset ③ and push it downwards. Remove the right-side cheek pad ④ (see the helmet user manual).




2 Install the back unit and thread its right side cables ① under the helmet base trim (use the tool if necessary). Move the retention system ② out before threading the cables. Attach the cover with the hole for the charging slot ③ supplied with Insyde.




3 Apply the headset through the three hooking guides ① and hook the plastic clip placed on the lower side ②. Then be sure to thread its cable underneath the helmet base trim ③.




4 Connect the microphone and the speakers cables. Then, on the right side of the helmet, install the microphone in two movements.




5 Drive the microphone cable through its own slot on the speaker's housing.




6 Install both the speakers ① in their housing using the adhesive strap supplied. To install the left speaker, lift the cheek pad first, then attach it making sure that all its press studs ② are fixed (see the helmet user manual for the cheek pad operations).



7 Insert the cables connectors ① in the empty space between the outer shell and the polystyrene, on the right side. Insert the microphone cable first, then the speakers one.



8 Detach the crown pad releasing its two snap buttons ①, then thread the left speaker cable ② between the polystyrene and the crown pad. Then fix the crown pad, taking care not to damage the cables.



Quick start guide

INSYDE_050_ENG_20200520
www.agv.com
ph: +39 0424 410711
fax: +39 0424 410700
Italy
36064 Coliceresse (VI)
Via Louvigny, 35
Dainese S.p.A.



Full version of the User manual available on
cardosystems.com/support
agv.com

USER MANUAL






Available on:
• Managing DMC groups
• On-the-go setting customization
• Remote control operation
• For easy configuration



CARDO MOBILE APP

Register your device on cardosystems.com/update/ for communication in motion
support@cardosystems.com
USA & Canada: 1-800-488-0363
International: +49 89 450 36819

POWERED BY DMC NATURAL VOICE



Paired successfully Flash

Verify you are in iMC Mode

Rapid flash

Create a DMC Group

Admin + all group members



Flash

THEN ONLY ONE GROUP ADMIN



Flash

3 Grouped successfully

Cancel grouping



Rapid flash

Join an existing DMC Group

Admin + new member ONLY



Talking - always on

Mute group

Unmute group



Bridge (add) a non-DMC passenger

1 First, verify that passenger is paired via Bluetooth® (see 2-way Bluetooth® intercom pairing)

2 Start / Stop bridging




Private chat

Chat privately with one of the group members

1 Choose member for private chat via Mobile App

2 Start / Stop chat



Verify that you are in Bluetooth® Mode




Bluetooth® / DMC
Change intercom mode

2-way pairing



Flash



Initiate intercom pairing


Adding 3rd rider



Flash




Flash



Initiate intercom pairing

Adding 4th rider



Rider 2 connects to rider 3 on his free channel

Verify that you are in Bluetooth® Mode



Bluetooth® / DMC
Change intercom mode


2-way pairing



Flash



Flash



Initiate intercom pairing


Adding 3rd rider



Flash




Flash




Initiate intercom pairing

Adding 4th rider




Rider 2 connects to rider 3 on his free channel


Start / End / Add with rider 1



Start / End / Add with rider 2



Initiate a 4-way intercom Conference



"Hey Cardo, radio on"
"Hey Cardo, radio off"
"Hey Cardo, next station"
"Hey Cardo, previous station"



"Hey Cardo, music on"
"Hey Cardo, radio off"
"Hey Cardo, next track"
"Hey Cardo, previous track"



"Hey Cardo, volume up"
"Hey Cardo, volume down"
"Hey Cardo, mute audio"
"Hey Cardo, unmute audio"



"Hey Cardo, speed dial"
"Hey Cardo, redial number"
Answer
Ignore



"Hey Cardo, battery status"
"Hey Cardo, call intercom"



"Hey Siri"
"Hey Google"



On



Previous



Auto scan



Off



Next



Stop scan



On



Previous



Start / Stop sharing
(when in Bluetooth® mode)

Off



Next



Flash

Measurements

front
90 mm

back
90 mm

180 mm



180 mm

OPERATED BY
NATURAL VOICE

POWERED BY
DMC

Bluetooth

cardo
communication in motion

cardosystems.com
support@cardosystems.com
USA & Canada: 1-800-488-0363
International: +49 89 450 36819

Register your device on cardosystems.com/update/ for

- Receive software update
- Customize the device
- ...and more!

CARDO MOBILE APP

cardo

- For easy configuration
- Remote control operation
- On-the-go setting customization
- Managing DMC groups
- Available on:

Download on the
App Store

ANDROID APP ON
Google play

USER MANUAL

Full version of the User manual available on cardosystems.com/support/agv.com

agv

Dainese S.p.A.
via Louvigny, 35
36064 Colceresa (VI),
Italy
ph.: +39 0424 410711
fax: +39 0424 410700
www.agv.com

MAN00514 MANUAL INSTALLATION GUIDE AGV - ENGLISH_A01

INSYDE_QSG_ENG_20200520



TYPE APPROVAL			
P/N	MAN00514		
DESCRIPTION	POCKET GUIDE		
FILE NAME	MAN00514 MANUAL INSTALLATION GUIDE AGV - ENGLISH_A01		
LANGUAGE	Multi Lang		
PRODUCT TYPE	MANUAL		
MATERIAL	P2 C4+4 80gr offset folded		
PRINTING PROCESS	COLOR: CMYK		
SECONDARY PROCESS	GLOSSY FINISH		
ATTACHED FILES	1. GRAPHIC FILE - PDF 2. Attached video for folding explanation		
MEASUREMENT	SPREAD: 360MM-540MM , FOLDED: 180MM-90MM		
CLIENTS/ DISTRIBUTOR			
SPECIAL REQUIREMENT			
REVISION	DESCRIPTION	DATE	NAME
A01	FINAL- first version	11.08.2020	DANNA