








PACKTALK OUTDOOR


INSTALLATION GUIDE

EN/IT/SP/FR/DE


STUDENT CONTENTS



-17-





Installation Video
Video d'installazione
Video de instalación
Vidéo d'installation
Installationsvideo




-18-

1 MOUNT THE CRADLE

Option 1




1.a




-19-

1.b




1.c





-20-

Remove Bar




-21-

Option 2




1.a*



-22-


1.b*



-23-


2 PLACE THE SPEAKER AND MICROPHONE

2.a




-24-

2.b



-25-

2.c




Arrow Faces Mouth
La freccia va posizionata di fronte alla bocca
La flecha encarando la boca
La flèche est en face de la bouche
Pfeil in Richtung des Mundes


-26-

3 INSERT UNIT

3.1




3.2



-27-


4 CONNECT AUDIO KIT

4.1




4.2

Slide the Lock
Fai scorrere il lucchetto
Deslizar el bloqueo
Faire glisser la fermeture
Sicherung aufschieben




-28-

5 REMOVE THE UNIT



-29-



-30-




Follow Cardo Outdoor
YouTube


cardosystems.com/support




STAY IN TOUCH
communication in motion
cardosystems.com/outdoor

[illegible]

Place speakers into ear pockets
 Posiziona gli altoparlanti nelle tasche per le orecchie
 Colocar los altavoces en los bolsillos
 Placer les écouteurs dans les étuis auriculaires
 Lautsprecher in die Polsterung einsetzen



The diagram illustrates the connection of the G and H components to the L and R components. It shows a cable with two connectors, one labeled 'R' and the other 'L'. The 'R' connector is plugged into the 'R' port of the L component, and the 'L' connector is plugged into the 'L' port of the R component. The 'G' and 'H' components are shown separately, with the 'G' component having a cable that is plugged into the 'G' port of the L component, and the 'H' component having a cable that is plugged into the 'H' port of the R component.



F

This diagram illustrates the process of positioning the wire and applying stickers. It includes a small inset showing a hand placing a sticker on the wire, and a larger main view showing the wire being positioned under the padding and secured with stickers.

Position wire under padding and place stickers

Posiziona il filo sotto l'imbottitura e applica gli adesivi


Colocar el cable bajo el relleno y coloca las pegatinas

Positionner le fil sous le coussinet et placer les autocollants


Kabel hinter der Polsterung positionieren und Aufkleber anbringen

3.b

Attach to helmet
 Fissare al casco
 Fijar a la correa
 Fixer à la braguette
 Am Kinnriemen



Posiziona sotto il cinturino degli occhiali
Colocar debajo de la correa de las gafas
Placer sous la lanière des lunettes
Unter dem Brillenband platzieren



H

Slide the Lock
 Fai scorrere il lucchetto
 Deslizar el bloqueo
 Faire glisser la fermeture
 Sicherung aufschieben

Press
 Premi
 Presionar
 Appuyer
 Drücken


Not Included
No incluso
No incluido
Non inclus
Nicht enthalten

D

1

2


-15-



Measurements


front
90 mm

145 mm



back
90 mm

145 mm



TYPE APPROVAL

P/N	MAN00640		
DESCRIPTION	INSTALLATION GUIDE		
FILE NAME	MAN00640 MAN OUTDOOR INSTALLATION GUIDE PROF_A04		
LANGUAGE	EN/DE/FR/IT/ES		
PRODUCT TYPE	MANUAL		
MATERIAL	P2 C4+4 80 gr offset folded		
PRINTING PROCESS	COLOR: CMYK		
SECONDARY PROCESS			
ATTACHED FILES	1. GRAPHIC FILE - PDF		
MEASUREMENT	SPREAD: 290MM-720MM , FOLDED: 145MM-90MM		
CLIENTS/ DISTRIBUTOR			
SPECIAL REQUIREMENT			
REVISION	DESCRIPTION	DATE	NAME
A01	First Version	11.1.2022	DANNA
A02	Many Graphics and Text Changes	27.4.22	Richard
A03	Graphic and text changes	15.6.22	Richard
A04	Fixed several unit graphics	12.7.22	Richard