



5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	51.15	54.00	-2.85	5.27	3	Vertical	331	1.40	45.88	33.00	6.41	34.14
AV	5.2336G	105.89	Inf	-Inf	5.35	3	Vertical	331	1.40	100.54	33.03	6.47	34.15
PK	5.1472G	65.89	74.00	-8.11	5.28	3	Vertical	331	1.40	60.61	33.01	6.41	34.14
PK	5.2332G	116.97	Inf	-Inf	5.35	3	Vertical	331	1.40	111.62	33.03	6.47	34.15

5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.88	54.00	-1.12	5.27	3	Horizontal	291	2.15	47.61	33.00	6.41	34.14
AV	5.2336G	107.81	Inf	-Inf	5.35	3	Horizontal	291	2.15	102.46	33.03	6.47	34.15
PK	5.1472G	68.19	74.00	-5.81	5.28	3	Horizontal	291	2.15	62.91	33.01	6.41	34.14
PK	5.2364G	116.73	Inf	-Inf	5.36	3	Horizontal	291	2.15	111.37	33.03	6.48	34.15


5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11n HT40_Nss1,(MCS0)_2TX

5230MHz_TX



5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2656G	104.96	Inf	-Inf	5.38	3	Vertical	331	1.53	99.58	33.03	6.50	34.15
AV	5.3508G	51.24	54.00	-2.76	5.40	3	Vertical	331	1.53	45.84	33.00	6.56	34.16
PK	5.2732G	115.72	Inf	-Inf	5.40	3	Vertical	331	1.53	110.32	33.05	6.50	34.15
PK	5.3568G	65.81	74.00	-8.19	5.40	3	Vertical	331	1.53	60.41	33.00	6.56	34.16

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2732G	107.30	Inf	-Inf	5.40	3	Horizontal	293	1.81	101.90	33.05	6.50	34.15
AV	5.3512G	52.96	54.00	-1.04	5.40	3	Horizontal	293	1.81	47.56	33.00	6.56	34.16
PK	5.264G	116.64	Inf	-Inf	5.37	3	Horizontal	293	1.81	111.27	33.03	6.49	34.15
PK	5.3532G	68.04	74.00	-5.96	5.40	3	Horizontal	293	1.81	62.64	33.00	6.56	34.16


5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX

5270MHz_TX



5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3144G	100.17	Inf	-Inf	5.44	3	Vertical	116	1.50	94.73	33.07	6.53	34.16
AV	5.352G	49.39	54.00	-4.61	5.40	3	Vertical	116	1.50	43.99	33.00	6.56	34.16
PK	5.3132G	110.77	Inf	-Inf	5.44	3	Vertical	116	1.50	105.33	33.07	6.53	34.16
PK	5.3536G	67.55	74.00	-6.45	5.40	3	Vertical	116	1.50	62.15	33.00	6.56	34.16

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3136G	103.30	Inf	-Inf	5.44	3	Horizontal	294	1.68	97.86	33.07	6.53	34.16
AV	5.3544G	52.00	54.00	-2.00	5.40	3	Horizontal	294	1.68	46.60	33.00	6.56	34.16
PK	5.318G	111.69	Inf	-Inf	5.43	3	Horizontal	294	1.68	106.26	33.06	6.53	34.16
PK	5.3532G	72.10	74.00	-1.90	5.40	3	Horizontal	294	1.68	66.70	33.00	6.56	34.16

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	10.62097G	40.74	54.00	-13.26	15.86	3	Vertical	5	2.43	24.88	39.18	11.11	34.43				
AV	15.93024G	41.51	54.00	-12.49	15.79	3	Vertical	65	1.41	25.72	38.02	12.40	34.63				
PK	10.61906G	48.36	74.00	-25.64	15.86	3	Vertical	5	2.43	32.50	39.18	11.11	34.43				
PK	15.929G	47.96	74.00	-26.04	15.80	3	Vertical	65	1.41	32.16	38.02	12.40	34.62				

5.25-5.35GHz_802.11n HT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	10.62844G	41.13	54.00	-12.87	15.90	3	Horizontal	245	1.85	25.23	39.21	11.11	34.42				
AV	15.93022G	41.33	54.00	-12.67	15.79	3	Horizontal	319	1.43	25.54	38.02	12.40	34.63				
PK	10.61G	48.33	74.00	-25.67	15.82	3	Horizontal	245	1.85	32.51	39.14	11.11	34.43				
PK	15.92986G	48.61	74.00	-25.39	15.79	3	Horizontal	319	1.43	32.82	38.02	12.40	34.63				

5.47-5.725GHz_802.11n_HT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.4592G	48.99	54.00	-5.01	5.48	3	Vertical	353	1.33	43.51	33.02	6.64	34.18				
AV	5.5072G	99.65	Inf	-Inf	5.60	3	Vertical	353	1.33	94.05	33.09	6.69	34.18				
PK	5.458G	62.84	74.00	-11.16	5.49	3	Vertical	353	1.33	57.35	33.02	6.64	34.17				
PK	5.47G	64.92	68.20	-3.28	5.51	3	Vertical	353	1.33	59.41	33.04	6.65	34.18				
PK	5.5132G	110.88	Inf	-Inf	5.58	3	Vertical	353	1.33	105.30	33.07	6.69	34.18				

5.47-5.725GHz_802.11n_HT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.458G	48.96	54.00	-5.04	5.49	3	Horizontal	300	2.15	43.47	33.02	6.64	34.17				
AV	5.5136G	101.80	Inf	-Inf	5.58	3	Horizontal	300	2.15	96.22	33.07	6.69	34.18				
PK	5.4516G	61.56	74.00	-12.44	5.47	3	Horizontal	300	2.15	56.09	33.00	6.64	34.17				
PK	5.47G	67.38	68.20	-0.82	5.51	3	Horizontal	300	2.15	61.87	33.04	6.65	34.18				
PK	5.5164G	111.10	Inf	-Inf	5.58	3	Horizontal	300	2.15	105.52	33.07	6.69	34.18				


5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX

5510MHz_TX



5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.4592G	50.47	54.00	-3.53	5.48	3	Vertical	354	1.30	44.99	33.02	6.64	34.18				
AV	5.5536G	104.39	Inf	-Inf	5.55	3	Vertical	354	1.30	98.84	33.00	6.73	34.18				
PK	5.4592G	62.57	74.00	-11.43	5.48	3	Vertical	354	1.30	57.09	33.02	6.64	34.18				
PK	5.4692G	64.21	68.20	-3.99	5.51	3	Vertical	354	1.30	58.70	33.04	6.65	34.18				
PK	5.5532G	116.05	Inf	-Inf	5.55	3	Vertical	354	1.30	110.50	33.00	6.73	34.18				

5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.4568G	49.95	54.00	-4.05	5.48	3	Horizontal	303	2.08	44.47	33.01	6.64	34.17				
AV	5.5564G	107.16	Inf	-Inf	5.55	3	Horizontal	303	2.08	101.61	33.00	6.73	34.18				
PK	5.4592G	63.02	74.00	-10.98	5.48	3	Horizontal	303	2.08	57.54	33.02	6.64	34.18				
PK	5.4688G	64.61	68.20	-3.59	5.51	3	Horizontal	303	2.08	59.10	33.04	6.65	34.18				
PK	5.5564G	116.18	Inf	-Inf	5.55	3	Horizontal	303	2.08	110.63	33.00	6.73	34.18				


5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX

5550MHz_TX




5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX

5550MHz_TX




5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11n HT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11n HT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	46.76	54.00	-7.24	5.48	3	Vertical	353	1.04	41.28	33.02	6.64	34.18
AV	5.743G	106.55	Inf	-Inf	6.42	3	Vertical	353	1.04	100.13	33.76	6.86	34.20
PK	5.6506G	64.60	68.64	-4.04	5.71	3	Vertical	353	1.04	58.89	33.10	6.80	34.19
PK	5.7502G	116.66	Inf	-Inf	6.47	3	Vertical	353	1.04	110.19	33.80	6.87	34.20
PK	5.983G	61.09	68.20	-7.11	7.01	3	Vertical	353	1.04	54.08	34.17	7.06	34.22

5.725-5.85GHz_802.11n HT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	47.07	54.00	-6.93	5.48	3	Horizontal	302	1.93	41.59	33.01	6.64	34.17
AV	5.7586G	109.30	Inf	-Inf	6.52	3	Horizontal	302	1.93	102.78	33.85	6.87	34.20
PK	5.6386G	66.18	68.20	-2.02	5.69	3	Horizontal	302	1.93	60.49	33.08	6.80	34.19
PK	5.761G	117.65	Inf	-Inf	6.54	3	Horizontal	302	1.93	111.11	33.87	6.87	34.20
PK	5.947G	61.87	68.20	-6.33	7.11	3	Horizontal	302	1.93	54.76	34.31	7.02	34.22


5.725-5.85GHz_802.11n HT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11n HT40_Nss1,(MCS0)_2TX

5755MHz_TX



5.725-5.85GHz_802.11n_HT40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7914G	106.77	Inf	-Inf	6.74	3	Vertical	108	1.54	100.03	34.05	6.89	34.20
PK	5.6126G	60.98	68.20	-7.22	5.62	3	Vertical	108	1.54	55.36	33.03	6.78	34.19
PK	5.783G	117.00	Inf	-Inf	6.69	3	Vertical	108	1.54	110.31	34.00	6.89	34.20
PK	5.9258G	63.07	68.20	-5.13	7.15	3	Vertical	108	1.54	55.92	34.35	7.01	34.21

5.725-5.85GHz_802.11n_HT40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.801G	110.82	Inf	-Inf	6.80	3	Horizontal	298	1.86	104.02	34.10	6.90	34.20
PK	5.6498G	64.10	68.20	-4.10	5.71	3	Horizontal	298	1.86	58.39	33.10	6.80	34.19
PK	5.8034G	119.71	Inf	-Inf	6.81	3	Horizontal	298	1.86	112.90	34.11	6.90	34.20
PK	5.927G	66.52	68.20	-1.68	7.15	3	Horizontal	298	1.86	59.37	34.35	7.01	34.21


5.725-5.85GHz_802.11n HT40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11n HT40_Nss1,(MCS0)_2TX

5795MHz_TX



5.15-5.25GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	52.18	54.00	-1.82	5.27	3	Vertical	332	1.38	46.91	33.00	6.41	34.14
AV	5.185G	105.90	Inf	-Inf	5.37	3	Vertical	332	1.38	100.53	33.07	6.44	34.14
PK	5.149G	71.33	74.00	-2.67	5.27	3	Vertical	332	1.38	66.06	33.00	6.41	34.14
PK	5.1824G	118.40	Inf	-Inf	5.36	3	Vertical	332	1.38	113.04	33.06	6.44	34.14

5.15-5.25GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.73	54.00	-1.27	5.27	3	Horizontal	60	1.63	47.46	33.00	6.41	34.14
AV	5.1766G	106.97	Inf	-Inf	5.34	3	Horizontal	60	1.63	101.63	33.05	6.43	34.14
PK	5.15G	73.14	74.00	-0.86	5.27	3	Horizontal	60	1.63	67.87	33.00	6.41	34.14
PK	5.1788G	118.42	Inf	-Inf	5.35	3	Horizontal	60	1.63	113.07	33.06	6.43	34.14


5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5180MHz_TX



5.15-5.25GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	50.54	54.00	-3.46	5.27	3	Vertical	334	1.39	45.27	33.00	6.41	34.14
AV	5.1984G	108.78	Inf	-Inf	5.41	3	Vertical	334	1.39	103.37	33.10	6.45	34.14
PK	5.1496G	71.69	74.00	-2.31	5.27	3	Vertical	334	1.39	66.42	33.00	6.41	34.14
PK	5.196G	121.18	Inf	-Inf	5.40	3	Vertical	334	1.39	115.78	33.09	6.45	34.14

5.15-5.25GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	51.36	54.00	-2.64	5.27	3	Horizontal	57	1.76	46.09	33.00	6.41	34.14
AV	5.1992G	109.62	Inf	-Inf	5.41	3	Horizontal	57	1.76	104.21	33.10	6.45	34.14
PK	5.1496G	71.47	74.00	-2.53	5.27	3	Horizontal	57	1.76	66.20	33.00	6.41	34.14
PK	5.1988G	120.99	Inf	-Inf	5.41	3	Horizontal	57	1.76	115.58	33.10	6.45	34.14


5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5200MHz_TX



5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	48.39	54.00	-5.61	5.28	3	Vertical	331	1.38	43.11	33.01	6.41	34.14
AV	5.2382G	108.15	Inf	-Inf	5.35	3	Vertical	331	1.38	102.80	33.02	6.48	34.15
AV	5.3636G	47.12	54.00	-6.88	5.40	3	Vertical	331	1.38	41.72	33.00	6.56	34.16
PK	5.1476G	62.11	74.00	-11.89	5.27	3	Vertical	331	1.38	56.84	33.00	6.41	34.14
PK	5.2382G	120.51	Inf	-Inf	5.35	3	Vertical	331	1.38	115.16	33.02	6.48	34.15
PK	5.363G	62.60	74.00	-11.40	5.40	3	Vertical	331	1.38	57.20	33.00	6.56	34.16

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.141G	49.54	54.00	-4.46	5.29	3	Horizontal	62	1.67	44.25	33.02	6.41	34.14
AV	5.2364G	109.98	Inf	-Inf	5.36	3	Horizontal	62	1.67	104.62	33.03	6.48	34.15
AV	5.357G	46.98	54.00	-7.02	5.40	3	Horizontal	62	1.67	41.58	33.00	6.56	34.16
PK	5.1428G	62.10	74.00	-11.90	5.28	3	Horizontal	62	1.67	56.82	33.01	6.41	34.14
PK	5.2388G	121.26	Inf	-Inf	5.35	3	Horizontal	62	1.67	115.91	33.02	6.48	34.15
PK	5.3606G	60.67	74.00	-13.33	5.40	3	Horizontal	62	1.67	55.27	33.00	6.56	34.16


5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5240MHz_TX




5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5240MHz_TX



5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.22	54.00	-7.78	5.27	3	Vertical	335	1.17	40.95	33.00	6.41	34.14
AV	5.2582G	108.38	Inf	-Inf	5.36	3	Vertical	335	1.17	103.02	33.02	6.49	34.15
AV	5.3608G	48.85	54.00	-5.15	5.40	3	Vertical	335	1.17	43.45	33.00	6.56	34.16
PK	5.1232G	60.58	74.00	-13.42	5.31	3	Vertical	335	1.17	55.27	33.05	6.39	34.13
PK	5.2624G	121.14	Inf	-Inf	5.36	3	Vertical	335	1.17	115.78	33.02	6.49	34.15
PK	5.3626G	62.41	74.00	-11.59	5.40	3	Vertical	335	1.17	57.01	33.00	6.56	34.16

5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.20	54.00	-6.80	5.27	3	Horizontal	291	1.98	41.93	33.00	6.41	34.14
AV	5.2606G	110.29	Inf	-Inf	5.36	3	Horizontal	291	1.98	104.93	33.02	6.49	34.15
AV	5.3524G	49.40	54.00	-4.60	5.40	3	Horizontal	291	1.98	44.00	33.00	6.56	34.16
PK	5.1448G	60.41	74.00	-13.59	5.28	3	Horizontal	291	1.98	55.13	33.01	6.41	34.14
PK	5.2606G	121.04	Inf	-Inf	5.36	3	Horizontal	291	1.98	115.68	33.02	6.49	34.15
PK	5.3614G	62.99	74.00	-11.01	5.40	3	Horizontal	291	1.98	57.59	33.00	6.56	34.16


5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5260MHz_TX




5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5260MHz_TX



5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2992G	107.63	Inf	-Inf	5.46	3	Vertical	351	1.50	102.17	33.10	6.52	34.16
AV	5.35G	49.99	54.00	-4.01	5.39	3	Vertical	351	1.50	44.60	33.00	6.55	34.16
PK	5.3024G	119.79	Inf	-Inf	5.46	3	Vertical	351	1.50	114.33	33.10	6.52	34.16
PK	5.3528G	69.71	74.00	-4.29	5.40	3	Vertical	351	1.50	64.31	33.00	6.56	34.16

5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2964G	109.97	Inf	-Inf	5.45	3	Horizontal	296	2.17	104.52	33.09	6.52	34.16
AV	5.3508G	51.94	54.00	-2.06	5.40	3	Horizontal	296	2.17	46.54	33.00	6.56	34.16
PK	5.2988G	120.92	Inf	-Inf	5.46	3	Horizontal	296	2.17	115.46	33.10	6.52	34.16
PK	5.3528G	72.25	74.00	-1.75	5.40	3	Horizontal	296	2.17	66.85	33.00	6.56	34.16

5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60058G	39.59	54.00	-14.41	15.76	3	Vertical	107	1.00	23.83	39.10	11.10	34.44
AV	15.89956G	40.15	54.00	-13.85	15.68	3	Vertical	119	1.65	24.47	37.90	12.38	34.60
PK	10.60067G	48.07	74.00	-25.93	15.76	3	Vertical	107	1.00	32.31	39.10	11.10	34.44
PK	15.899G	47.54	74.00	-26.46	15.68	3	Vertical	119	1.65	31.86	37.90	12.38	34.60

5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60128G	39.79	54.00	-14.21	15.77	3	Horizontal	145	2.24	24.02	39.11	11.10	34.44
AV	15.89936G	40.06	54.00	-13.94	15.68	3	Horizontal	123	2.17	24.38	37.90	12.38	34.60
PK	10.602G	49.89	74.00	-24.11	15.77	3	Horizontal	145	2.24	34.12	39.11	11.10	34.44
PK	15.90054G	49.05	74.00	-24.95	15.68	3	Horizontal	123	2.17	33.37	37.90	12.38	34.60

5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3168G	104.73	Inf	-Inf	5.44	3	Vertical	339	1.35	99.29	33.07	6.53	34.16
AV	5.35G	51.67	54.00	-2.33	5.39	3	Vertical	339	1.35	46.28	33.00	6.55	34.16
PK	5.315G	117.43	Inf	-Inf	5.44	3	Vertical	339	1.35	111.99	33.07	6.53	34.16
PK	5.355G	72.63	74.00	-1.37	5.40	3	Vertical	339	1.35	67.23	33.00	6.56	34.16

5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.319G	106.51	Inf	-Inf	5.43	3	Horizontal	289	1.63	101.08	33.06	6.53	34.16
AV	5.3506G	52.80	54.00	-1.20	5.40	3	Horizontal	289	1.63	47.40	33.00	6.56	34.16
PK	5.3172G	117.52	Inf	-Inf	5.44	3	Horizontal	289	1.63	112.08	33.07	6.53	34.16
PK	5.3528G	72.59	74.00	-1.41	5.40	3	Horizontal	289	1.63	67.19	33.00	6.56	34.16

5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.639G	39.96	54.00	-14.04	15.97	3	Vertical	215	2.05	23.99	39.26	11.12	34.41
AV	15.95995G	40.48	54.00	-13.52	15.89	3	Vertical	90	1.46	24.59	38.12	12.42	34.65
PK	10.641G	49.39	74.00	-24.61	15.97	3	Vertical	215	2.05	33.42	39.26	11.12	34.41
PK	15.96098G	49.16	74.00	-24.84	15.89	3	Vertical	90	1.46	33.27	38.12	12.42	34.65

5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64112G	40.08	54.00	-13.92	15.97	3	Horizontal	318	1.93	24.11	39.26	11.12	34.41
AV	15.95907G	40.59	54.00	-13.41	15.88	3	Horizontal	17	2.99	24.71	38.12	12.41	34.65
PK	10.64136G	49.08	74.00	-24.92	15.98	3	Horizontal	318	1.93	33.10	39.27	11.12	34.41
PK	15.961G	48.19	74.00	-25.81	15.89	3	Horizontal	17	2.99	32.30	38.12	12.42	34.65

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.4598G	46.79	54.00	-7.21	5.48	3	Vertical	354	1.50	41.31	33.02	6.64	34.18				
AV	5.4948G	102.88	Inf	-Inf	5.59	3	Vertical	354	1.50	97.29	33.09	6.68	34.18				
PK	5.4594G	61.26	74.00	-12.74	5.48	3	Vertical	354	1.50	55.78	33.02	6.64	34.18				
PK	5.47G	66.18	68.20	-2.02	5.51	3	Vertical	354	1.50	60.67	33.04	6.65	34.18				
PK	5.495G	115.66	Inf	-Inf	5.59	3	Vertical	354	1.50	110.07	33.09	6.68	34.18				

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.4594G	46.54	54.00	-7.46	5.48	3	Horizontal	302	2.04	41.06	33.02	6.64	34.18				
AV	5.493G	104.25	Inf	-Inf	5.58	3	Horizontal	302	2.04	98.67	33.09	6.67	34.18				
PK	5.4592G	60.26	74.00	-13.74	5.48	3	Horizontal	302	2.04	54.78	33.02	6.64	34.18				
PK	5.4692G	65.22	68.20	-2.98	5.51	3	Horizontal	302	2.04	59.71	33.04	6.65	34.18				
PK	5.4948G	115.11	Inf	-Inf	5.59	3	Horizontal	302	2.04	109.52	33.09	6.68	34.18				


5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5500MHz_TX




5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5500MHz_TX



5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	47.14	54.00	-6.86	5.48	3	Vertical	352	1.32	41.66	33.02	6.64	34.18
AV	5.5764G	108.10	Inf	-Inf	5.56	3	Vertical	352	1.32	102.54	33.00	6.75	34.19
PK	5.445G	61.17	74.00	-12.83	5.46	3	Vertical	352	1.32	55.71	33.00	6.63	34.17
PK	5.466G	60.79	68.20	-7.41	5.50	3	Vertical	352	1.32	55.29	33.03	6.65	34.18
PK	5.5824G	120.78	Inf	-Inf	5.56	3	Vertical	352	1.32	115.22	33.00	6.75	34.19
PK	5.7258G	61.09	68.20	-7.11	6.30	3	Vertical	352	1.32	54.79	33.65	6.85	34.20

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.52	54.00	-7.48	5.48	3	Horizontal	300	2.07	41.04	33.02	6.64	34.18
AV	5.5836G	110.24	Inf	-Inf	5.57	3	Horizontal	300	2.07	104.67	33.00	6.76	34.19
PK	5.4432G	60.75	74.00	-13.25	5.46	3	Horizontal	300	2.07	55.29	33.00	6.63	34.17
PK	5.4642G	60.36	68.20	-7.84	5.50	3	Horizontal	300	2.07	54.86	33.03	6.65	34.18
PK	5.586G	121.25	Inf	-Inf	5.57	3	Horizontal	300	2.07	115.68	33.00	6.76	34.19
PK	5.7258G	61.91	68.20	-6.29	6.30	3	Horizontal	300	2.07	55.61	33.65	6.85	34.20


5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5580MHz_TX




5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5580MHz_TX




5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5745MHz_TX



5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78734G	108.04	Inf	-Inf	6.71	3	Vertical	277	1.49	101.33	34.02	6.89	34.20
PK	5.59979G	60.28	68.20	-7.92	5.58	3	Vertical	277	1.49	54.70	33.00	6.77	34.19
PK	5.7825G	120.36	Inf	-Inf	6.69	3	Vertical	277	1.49	113.67	34.00	6.89	34.20
PK	5.97852G	61.32	68.20	-6.88	7.02	3	Vertical	277	1.49	54.30	34.19	7.05	34.22

5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78129G	112.28	Inf	-Inf	6.68	3	Horizontal	304	2.06	105.60	33.99	6.89	34.20
PK	5.62278G	62.50	68.20	-5.70	5.64	3	Horizontal	304	2.06	56.86	33.05	6.78	34.19
PK	5.77887G	123.59	Inf	-Inf	6.66	3	Horizontal	304	2.06	116.93	33.97	6.89	34.20
PK	6.01966G	61.96	68.20	-6.24	7.00	3	Horizontal	304	2.06	54.96	34.14	7.08	34.22


5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5785MHz_TX



5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	108.45	Inf	-Inf	6.85	3	Vertical	282	1.55	101.60	34.14	6.92	34.21
PK	5.5682G	60.08	68.20	-8.12	5.55	3	Vertical	282	1.55	54.53	33.00	6.74	34.19
PK	5.8226G	120.57	Inf	-Inf	6.86	3	Vertical	282	1.55	113.71	34.15	6.92	34.21
PK	5.9294G	61.50	68.20	-6.70	7.14	3	Vertical	282	1.55	54.36	34.34	7.01	34.21

5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	111.55	Inf	-Inf	6.85	3	Horizontal	297	2.13	104.70	34.14	6.92	34.21
PK	5.6234G	63.29	68.20	-4.91	5.65	3	Horizontal	297	2.13	57.64	33.05	6.79	34.19
PK	5.8238G	122.44	Inf	-Inf	6.86	3	Horizontal	297	2.13	115.58	34.15	6.92	34.21
PK	5.9318G	63.37	68.20	-4.83	7.14	3	Horizontal	297	2.13	56.23	34.34	7.01	34.21


5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5825MHz_TX



5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	51.26	54.00	-2.74	5.27	3	Vertical	330	1.37	45.99	33.00	6.41	34.14
AV	5.1956G	100.80	Inf	-Inf	5.40	3	Vertical	330	1.37	95.40	33.09	6.45	34.14
PK	5.1488G	68.53	74.00	-5.47	5.27	3	Vertical	330	1.37	63.26	33.00	6.41	34.14
PK	5.1924G	110.75	Inf	-Inf	5.38	3	Vertical	330	1.37	105.37	33.08	6.44	34.14

5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.94	54.00	-1.06	5.27	3	Horizontal	66	1.84	47.67	33.00	6.41	34.14
AV	5.196G	102.34	Inf	-Inf	5.40	3	Horizontal	66	1.84	96.94	33.09	6.45	34.14
PK	5.1496G	70.30	74.00	-3.70	5.27	3	Horizontal	66	1.84	65.03	33.00	6.41	34.14
PK	5.1912G	111.98	Inf	-Inf	5.38	3	Horizontal	66	1.84	106.60	33.08	6.44	34.14


5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	51.20	54.00	-2.80	5.27	3	Vertical	331	1.38	45.93	33.00	6.41	34.14
AV	5.2356G	105.45	Inf	-Inf	5.35	3	Vertical	331	1.38	100.10	33.03	6.47	34.15
PK	5.1456G	65.75	74.00	-8.25	5.28	3	Vertical	331	1.38	60.47	33.01	6.41	34.14
PK	5.2404G	115.24	Inf	-Inf	5.35	3	Vertical	331	1.38	109.89	33.02	6.48	34.15

5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	52.28	54.00	-1.72	5.28	3	Horizontal	58	1.68	47.00	33.01	6.41	34.14
AV	5.2364G	107.24	Inf	-Inf	5.36	3	Horizontal	58	1.68	101.88	33.03	6.48	34.15
PK	5.148G	67.00	74.00	-7.00	5.27	3	Horizontal	58	1.68	61.73	33.00	6.41	34.14
PK	5.2312G	117.49	Inf	-Inf	5.36	3	Horizontal	58	1.68	112.13	33.04	6.47	34.15


5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5230MHz_TX



5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2652G	105.31	Inf	-Inf	5.38	3	Vertical	328	1.44	99.93	33.03	6.50	34.15
AV	5.3508G	51.37	54.00	-2.63	5.40	3	Vertical	328	1.44	45.97	33.00	6.56	34.16
PK	5.2624G	114.86	Inf	-Inf	5.36	3	Vertical	328	1.44	109.50	33.02	6.49	34.15
PK	5.3564G	65.57	74.00	-8.43	5.40	3	Vertical	328	1.44	60.17	33.00	6.56	34.16

5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2636G	107.06	Inf	-Inf	5.37	3	Horizontal	291	2.00	101.69	33.03	6.49	34.15
AV	5.3504G	52.94	54.00	-1.06	5.40	3	Horizontal	291	2.00	47.54	33.00	6.56	34.16
PK	5.2636G	116.15	Inf	-Inf	5.37	3	Horizontal	291	2.00	110.78	33.03	6.49	34.15
PK	5.35G	67.99	74.00	-6.01	5.39	3	Horizontal	291	2.00	62.60	33.00	6.55	34.16


5.25-5.35GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5270MHz_TX



5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3128G	100.70	Inf	-Inf	5.44	3	Vertical	328	1.50	95.26	33.07	6.53	34.16
AV	5.35G	50.31	54.00	-3.69	5.39	3	Vertical	328	1.50	44.92	33.00	6.55	34.16
PK	5.318G	110.42	Inf	-Inf	5.43	3	Vertical	328	1.50	104.99	33.06	6.53	34.16
PK	5.35G	68.61	74.00	-5.39	5.39	3	Vertical	328	1.50	63.22	33.00	6.55	34.16

5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3136G	103.25	Inf	-Inf	5.44	3	Horizontal	290	2.08	97.81	33.07	6.53	34.16
AV	5.352G	52.32	54.00	-1.68	5.40	3	Horizontal	290	2.08	46.92	33.00	6.56	34.16
PK	5.3136G	112.32	Inf	-Inf	5.44	3	Horizontal	290	2.08	106.88	33.07	6.53	34.16
PK	5.354G	70.30	74.00	-3.70	5.40	3	Horizontal	290	2.08	64.90	33.00	6.56	34.16

5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)	(°)	(m)	(dBuV)	(dB)	(dB)	(dB)	(dB)
AV	10.61974G	40.98	54.00	-13.02	15.86	3	Vertical	271	2.50	25.12	39.18	11.11	34.43
AV	15.931G	41.30	54.00	-12.70	15.79	3	Vertical	136	2.24	25.51	38.02	12.40	34.63
PK	10.62018G	47.39	74.00	-26.61	15.86	3	Vertical	271	2.50	31.53	39.18	11.11	34.43
PK	15.92954G	49.00	74.00	-25.00	15.79	3	Vertical	136	2.24	33.21	38.02	12.40	34.63

5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)	(°)	(m)	(dBuV)	(dB)	(dB)	(dB)	(dB)
AV	10.62824G	40.90	54.00	-13.10	15.90	3	Horizontal	343	1.51	25.00	39.21	11.11	34.42
AV	15.93027G	41.35	54.00	-12.65	15.79	3	Horizontal	174	2.14	25.56	38.02	12.40	34.63
PK	10.62804G	48.47	74.00	-25.53	15.90	3	Horizontal	343	1.51	32.57	39.21	11.11	34.42
PK	15.93081G	48.39	74.00	-25.61	15.79	3	Horizontal	174	2.14	32.60	38.02	12.40	34.63


5.47-5.725GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5510MHz_TX



5.47-5.725GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.4596G	50.74	54.00	-3.26	5.48	3	Vertical	356	1.29	45.26	33.02	6.64	34.18				
AV	5.5556G	104.96	Inf	-Inf	5.55	3	Vertical	356	1.29	99.41	33.00	6.73	34.18				
PK	5.4572G	63.40	74.00	-10.60	5.48	3	Vertical	356	1.29	57.92	33.01	6.64	34.17				
PK	5.4676G	66.14	68.20	-2.06	5.51	3	Vertical	356	1.29	60.63	33.04	6.65	34.18				
PK	5.558G	115.89	Inf	-Inf	5.55	3	Vertical	356	1.29	110.34	33.00	6.73	34.18				

5.47-5.725GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.4596G	50.74	54.00	-3.26	5.48	3	Horizontal	303	2.08	45.26	33.02	6.64	34.18				
AV	5.5564G	107.79	Inf	-Inf	5.55	3	Horizontal	303	2.08	102.24	33.00	6.73	34.18				
PK	5.4596G	64.17	74.00	-9.83	5.48	3	Horizontal	303	2.08	58.69	33.02	6.64	34.18				
PK	5.4696G	66.29	68.20	-1.91	5.51	3	Horizontal	303	2.08	60.78	33.04	6.65	34.18				
PK	5.5512G	117.04	Inf	-Inf	5.55	3	Horizontal	303	2.08	111.49	33.00	6.73	34.18				


5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5550MHz_TX




5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5550MHz_TX




5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	47.13	54.00	-6.87	5.48	3	Vertical	354	1.28	41.65	33.02	6.64	34.18
AV	5.7622G	106.92	Inf	-Inf	6.55	3	Vertical	354	1.28	100.37	33.87	6.88	34.20
PK	5.6494G	63.60	68.20	-4.60	5.71	3	Vertical	354	1.28	57.89	33.10	6.80	34.19
PK	5.7526G	116.90	Inf	-Inf	6.49	3	Vertical	354	1.28	110.41	33.82	6.87	34.20
PK	5.9374G	61.25	68.20	-6.95	7.14	3	Vertical	354	1.28	54.11	34.33	7.02	34.21

5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	47.17	54.00	-6.83	5.48	3	Horizontal	303	1.95	41.69	33.02	6.64	34.18
AV	5.761G	108.89	Inf	-Inf	6.54	3	Horizontal	303	1.95	102.35	33.87	6.87	34.20
PK	5.6506G	66.73	68.64	-1.91	5.71	3	Horizontal	303	1.95	61.02	33.10	6.80	34.19
PK	5.7562G	118.51	Inf	-Inf	6.51	3	Horizontal	303	1.95	112.00	33.84	6.87	34.20
PK	5.9554G	61.84	68.20	-6.36	7.09	3	Horizontal	303	1.95	54.75	34.28	7.03	34.22


5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5755MHz_TX



5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7902G	107.95	Inf	-Inf	6.73	3	Vertical	360	2.91	101.22	34.04	6.89	34.20
PK	5.651G	62.45	68.94	-6.49	5.72	3	Vertical	360	2.91	56.73	33.11	6.80	34.19
PK	5.7986G	117.46	Inf	-Inf	6.79	3	Vertical	360	2.91	110.67	34.09	6.90	34.20
PK	5.9258G	65.38	68.20	-2.82	7.15	3	Vertical	360	2.91	58.23	34.35	7.01	34.21

5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7866G	110.12	Inf	-Inf	6.71	3	Horizontal	304	2.02	103.41	34.02	6.89	34.20
PK	5.6498G	64.93	68.20	-3.27	5.71	3	Horizontal	304	2.02	59.22	33.10	6.80	34.19
PK	5.7962G	120.12	Inf	-Inf	6.78	3	Horizontal	304	2.02	113.34	34.08	6.90	34.20
PK	5.9402G	67.00	68.20	-1.20	7.12	3	Horizontal	304	2.02	59.88	34.32	7.02	34.22


5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5795MHz_TX




5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5210MHz_TX



5.25-5.35GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	48.21	54.00	-5.79	5.27	3	Vertical	332	1.35	42.94	33.00	6.41	34.14
AV	5.281G	97.77	Inf	-Inf	5.42	3	Vertical	332	1.35	92.35	33.06	6.51	34.15
AV	5.351G	51.22	54.00	-2.78	5.40	3	Vertical	332	1.35	45.82	33.00	6.56	34.16
PK	5.143G	60.31	74.00	-13.69	5.28	3	Vertical	332	1.35	55.03	33.01	6.41	34.14
PK	5.281G	109.33	Inf	-Inf	5.42	3	Vertical	332	1.35	103.91	33.06	6.51	34.15
PK	5.354G	69.40	74.00	-4.60	5.40	3	Vertical	332	1.35	64.00	33.00	6.56	34.16
PK	5.513G	60.30	68.20	-7.90	5.58	3	Vertical	332	1.35	54.72	33.07	6.69	34.18

5.25-5.35GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	48.44	54.00	-5.56	5.28	3	Horizontal	294	2.19	43.16	33.01	6.41	34.14
AV	5.284G	100.18	Inf	-Inf	5.43	3	Horizontal	294	2.19	94.75	33.07	6.51	34.15
AV	5.352G	53.12	54.00	-0.88	5.40	3	Horizontal	294	2.19	47.72	33.00	6.56	34.16
PK	5.137G	61.11	74.00	-12.89	5.29	3	Horizontal	294	2.19	55.82	33.03	6.40	34.14
PK	5.282G	109.68	Inf	-Inf	5.42	3	Horizontal	294	2.19	104.26	33.06	6.51	34.15
PK	5.354G	72.30	74.00	-1.70	5.40	3	Horizontal	294	2.19	66.90	33.00	6.56	34.16
PK	5.472G	61.26	68.20	-6.94	5.51	3	Horizontal	294	2.19	55.75	33.04	6.65	34.18


5.25-5.35GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX



5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.94	54.00	-7.06	5.39	3	Vertical	351	1.10	41.55	33.00	6.55	34.16
AV	5.452G	48.73	54.00	-5.27	5.47	3	Vertical	351	1.10	43.26	33.00	6.64	34.17
AV	5.524G	96.24	Inf	-Inf	5.57	3	Vertical	351	1.10	90.67	33.05	6.70	34.18
PK	5.334G	59.64	68.20	-8.56	5.41	3	Vertical	351	1.10	54.23	33.03	6.54	34.16
PK	5.447G	62.96	74.00	-11.04	5.46	3	Vertical	351	1.10	57.50	33.00	6.63	34.17
PK	5.468G	65.28	68.20	-2.92	5.51	3	Vertical	351	1.10	59.77	33.04	6.65	34.18
PK	5.521G	107.47	Inf	-Inf	5.58	3	Vertical	351	1.10	101.89	33.06	6.70	34.18
PK	5.742G	60.40	68.20	-7.80	6.41	3	Vertical	351	1.10	53.99	33.75	6.86	34.20

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.16	54.00	-6.84	5.39	3	Horizontal	296	2.09	41.77	33.00	6.55	34.16
AV	5.459G	49.73	54.00	-4.27	5.48	3	Horizontal	296	2.09	44.25	33.02	6.64	34.18
AV	5.524G	99.23	Inf	-Inf	5.57	3	Horizontal	296	2.09	93.66	33.05	6.70	34.18
PK	5.313G	59.16	68.20	-9.04	5.44	3	Horizontal	296	2.09	53.72	33.07	6.53	34.16
PK	5.455G	64.11	74.00	-9.89	5.48	3	Horizontal	296	2.09	58.63	33.01	6.64	34.17
PK	5.47G	65.00	68.20	-3.20	5.51	3	Horizontal	296	2.09	59.49	33.04	6.65	34.18
PK	5.563G	108.25	Inf	-Inf	5.55	3	Horizontal	296	2.09	102.70	33.00	6.74	34.19
PK	5.737G	60.71	68.20	-7.49	6.38	3	Horizontal	296	2.09	54.33	33.72	6.86	34.20


5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

5610MHz_TX




5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_2TX

5610MHz_TX




5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TX




5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TX




5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7666G	99.21	Inf	-Inf	6.58	3	Vertical	276	1.62	92.63	33.90	6.88	34.20
PK	5.6502G	64.31	68.35	-4.04	5.71	3	Vertical	276	1.62	58.60	33.10	6.80	34.19
PK	5.7666G	109.03	Inf	-Inf	6.58	3	Vertical	276	1.62	102.45	33.90	6.88	34.20
PK	5.9262G	61.43	68.20	-6.77	7.15	3	Vertical	276	1.62	54.28	34.35	7.01	34.21

5.725-5.85GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7558G	102.79	Inf	-Inf	6.50	3	Horizontal	298	2.06	96.29	33.83	6.87	34.20
PK	5.643G	66.97	68.20	-1.23	5.70	3	Horizontal	298	2.06	61.27	33.09	6.80	34.19
PK	5.7618G	112.10	Inf	-Inf	6.55	3	Horizontal	298	2.06	105.55	33.87	6.88	34.20
PK	5.9274G	64.38	68.20	-3.82	7.15	3	Horizontal	298	2.06	57.23	34.35	7.01	34.21


5.725-5.85GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5775MHz_TX



5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	51.48	54.00	-2.52	5.37	3	Vertical	333	1.36	46.11	33.10	6.41	34.14
AV	5.1746G	106.15	Inf	-Inf	5.39	3	Vertical	333	1.36	100.76	33.10	6.43	34.14
PK	5.1488G	70.38	74.00	-3.62	5.37	3	Vertical	333	1.36	65.01	33.10	6.41	34.14
PK	5.1768G	119.25	Inf	-Inf	5.39	3	Vertical	333	1.36	113.86	33.10	6.43	34.14

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	53.03	54.00	-0.97	5.37	3	Horizontal	57	1.72	47.66	33.10	6.41	34.14
AV	5.185G	107.19	Inf	-Inf	5.40	3	Horizontal	57	1.72	101.79	33.10	6.44	34.14
PK	5.149G	71.23	74.00	-2.77	5.37	3	Horizontal	57	1.72	65.86	33.10	6.41	34.14
PK	5.177G	119.46	Inf	-Inf	5.39	3	Horizontal	57	1.72	114.07	33.10	6.43	34.14


5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX



5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	51.98	54.00	-2.02	5.37	3	Vertical	333	1.57	46.61	33.10	6.41	34.14
AV	5.2028G	109.25	Inf	-Inf	5.40	3	Vertical	333	1.57	103.85	33.09	6.45	34.14
PK	5.1468G	69.46	74.00	-4.54	5.37	3	Vertical	333	1.57	64.09	33.10	6.41	34.14
PK	5.2044G	121.99	Inf	-Inf	5.40	3	Vertical	333	1.57	116.59	33.09	6.45	34.14

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.13	54.00	-0.87	5.37	3	Horizontal	62	1.84	47.76	33.10	6.41	34.14
AV	5.2012G	110.57	Inf	-Inf	5.41	3	Horizontal	62	1.84	105.16	33.10	6.45	34.14
PK	5.1456G	70.47	74.00	-3.53	5.37	3	Horizontal	62	1.84	65.10	33.10	6.41	34.14
PK	5.1968G	123.16	Inf	-Inf	5.41	3	Horizontal	62	1.84	117.75	33.10	6.45	34.14


5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX



5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.1488G	48.84	54.00	-5.16	5.37	3	Vertical	332	1.15	43.47	33.10	6.41	34.14
AV	5.2382G	108.62	Inf	-Inf	5.35	3	Vertical	332	1.15	103.27	33.02	6.48	34.15
AV	5.35G	48.55	54.00	-5.45	5.29	3	Vertical	332	1.15	43.26	32.90	6.55	34.16
PK	5.1428G	61.72	74.00	-12.28	5.37	3	Vertical	332	1.15	56.35	33.10	6.41	34.14
PK	5.2448G	121.46	Inf	-Inf	5.34	3	Vertical	332	1.15	116.12	33.01	6.48	34.15
PK	5.35G	61.20	74.00	-12.80	5.29	3	Vertical	332	1.15	55.91	32.90	6.55	34.16

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.1476G	49.71	54.00	-4.29	5.37	3	Horizontal	54	1.50	44.34	33.10	6.41	34.14
AV	5.2412G	110.31	Inf	-Inf	5.35	3	Horizontal	54	1.50	104.96	33.02	6.48	34.15
AV	5.35G	48.00	54.00	-6.00	5.29	3	Horizontal	54	1.50	42.71	32.90	6.55	34.16
PK	5.1392G	61.86	74.00	-12.14	5.36	3	Horizontal	54	1.50	56.50	33.10	6.40	34.14
PK	5.237G	123.26	Inf	-Inf	5.36	3	Horizontal	54	1.50	117.90	33.03	6.48	34.15
PK	5.3648G	60.90	74.00	-13.10	5.31	3	Horizontal	54	1.50	55.59	32.90	6.57	34.16


5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.15G	46.09	54.00	-7.91	5.37	3	Vertical	333	1.47	40.72	33.10	6.41	34.14				
AV	5.303G	108.89	Inf	-Inf	5.35	3	Vertical	333	1.47	103.54	32.99	6.52	34.16				
AV	5.35G	52.76	54.00	-1.24	5.29	3	Vertical	333	1.47	47.47	32.90	6.55	34.16				
PK	5.15G	58.51	74.00	-15.49	5.37	3	Vertical	333	1.47	53.14	33.10	6.41	34.14				
PK	5.297G	121.40	Inf	-Inf	5.36	3	Vertical	333	1.47	116.04	33.00	6.52	34.16				
PK	5.35G	71.00	74.00	-3.00	5.29	3	Vertical	333	1.47	65.71	32.90	6.55	34.16				

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.15G	46.20	54.00	-7.80	5.37	3	Horizontal	58	1.60	40.83	33.10	6.41	34.14				
AV	5.3012G	110.20	Inf	-Inf	5.36	3	Horizontal	58	1.60	104.84	33.00	6.52	34.16				
AV	5.35G	53.21	54.00	-0.79	5.29	3	Horizontal	58	1.60	47.92	32.90	6.55	34.16				
PK	5.15G	57.94	74.00	-16.06	5.37	3	Horizontal	58	1.60	52.57	33.10	6.41	34.14				
PK	5.297G	123.60	Inf	-Inf	5.36	3	Horizontal	58	1.60	118.24	33.00	6.52	34.16				
PK	5.3516G	72.35	74.00	-1.65	5.30	3	Horizontal	58	1.60	67.05	32.90	6.56	34.16				

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60558G	37.39	54.00	-16.61	15.58	3	Vertical	346	1.50	21.81	38.92	11.10	34.44
AV	15.90288G	38.68	54.00	-15.32	15.97	3	Vertical	39	1.87	22.71	38.19	12.38	34.60
PK	10.5925G	49.77	68.20	-18.43	15.55	3	Vertical	346	1.50	34.22	38.90	11.10	34.45
PK	15.9063G	50.59	74.00	-23.41	15.96	3	Vertical	39	1.87	34.63	38.19	12.38	34.61

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89418G	38.61	54.00	-15.39	15.98	3	Horizontal	348	1.50	22.63	38.21	12.37	34.60
PK	10.594G	49.56	68.20	-18.64	15.56	3	Horizontal	355	1.50	34.00	38.90	11.10	34.44
PK	15.88806G	49.96	74.00	-24.04	16.00	3	Horizontal	348	1.50	33.96	38.22	12.37	34.59


5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TX



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6442G	37.46	54.00	-16.54	15.74	3	Vertical	277	1.50	21.72	39.03	11.12	34.41
AV	15.96018G	37.83	54.00	-16.17	15.85	3	Vertical	302	1.15	21.98	38.08	12.42	34.65
PK	10.64468G	49.43	74.00	-24.57	15.74	3	Vertical	277	1.50	33.69	39.03	11.12	34.41
PK	15.95292G	50.27	74.00	-23.73	15.86	3	Vertical	302	1.15	34.41	38.09	12.41	34.64

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64378G	37.51	54.00	-16.49	15.74	3	Horizontal	159	1.50	21.77	39.03	11.12	34.41
AV	15.95778G	37.97	54.00	-16.03	15.84	3	Horizontal	36	1.50	22.13	38.08	12.41	34.65
PK	10.6406G	49.82	74.00	-24.18	15.73	3	Horizontal	159	1.50	34.09	39.02	11.12	34.41
PK	15.9642G	49.81	74.00	-24.19	15.84	3	Horizontal	36	1.50	33.97	38.07	12.42	34.65

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	45.54	54.00	-8.46	5.29	3	Vertical	356	1.53	40.25	32.90	6.55	34.16
AV	5.4592G	47.47	54.00	-6.53	5.36	3	Vertical	356	1.53	42.11	32.90	6.64	34.18
AV	5.4934G	103.08	Inf	-Inf	5.39	3	Vertical	356	1.53	97.69	32.90	6.67	34.18
PK	5.35G	57.78	74.00	-16.22	5.29	3	Vertical	356	1.53	52.49	32.90	6.55	34.16
PK	5.3902G	61.14	74.00	-12.86	5.31	3	Vertical	356	1.53	55.83	32.90	6.58	34.17
PK	5.4646G	66.33	68.20	-1.87	5.37	3	Vertical	356	1.53	60.96	32.90	6.65	34.18
PK	5.497G	116.26	Inf	-Inf	5.40	3	Vertical	356	1.53	110.86	32.90	6.68	34.18

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	45.65	54.00	-8.35	5.29	3	Horizontal	298	2.45	40.36	32.90	6.55	34.16
AV	5.4592G	47.62	54.00	-6.38	5.36	3	Horizontal	298	2.45	42.26	32.90	6.64	34.18
AV	5.4934G	105.08	Inf	-Inf	5.40	3	Horizontal	298	2.45	99.68	32.90	6.68	34.18
PK	5.35G	57.14	74.00	-16.86	5.29	3	Horizontal	298	2.45	51.85	32.90	6.55	34.16
PK	5.4592G	61.18	74.00	-12.82	5.36	3	Horizontal	298	2.45	55.82	32.90	6.64	34.18
PK	5.4658G	66.11	68.20	-2.09	5.37	3	Horizontal	298	2.45	60.74	32.90	6.65	34.18
PK	5.4934G	118.08	Inf	-Inf	5.39	3	Horizontal	298	2.45	112.69	32.90	6.67	34.18


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78371G	110.44	Inf	-Inf	6.69	3	Vertical	351	1.37	103.75	34.00	6.89	34.20
PK	5.50299G	60.10	68.20	-8.10	5.40	3	Vertical	351	1.37	54.70	32.90	6.68	34.18
PK	5.78129G	123.18	Inf	-Inf	6.68	3	Vertical	351	1.37	116.50	33.99	6.89	34.20
PK	6.03055G	61.74	68.20	-6.46	6.96	3	Vertical	351	1.37	54.78	34.10	7.09	34.23

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78613G	112.11	Inf	-Inf	6.71	3	Horizontal	300	2.08	105.40	34.02	6.89	34.20
PK	5.58406G	61.79	68.20	-6.41	5.54	3	Horizontal	300	2.08	56.25	32.97	6.76	34.19
PK	5.7825G	124.59	Inf	-Inf	6.69	3	Horizontal	300	2.08	117.90	34.00	6.89	34.20
PK	6.03539G	62.75	68.20	-5.45	6.96	3	Horizontal	300	2.08	55.79	34.10	7.09	34.23


5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	110.62	Inf	-Inf	6.81	3	Vertical	354	3.00	103.81	34.10	6.92	34.21
PK	5.5922G	59.71	68.20	-8.49	5.55	3	Vertical	354	3.00	54.16	32.98	6.76	34.19
PK	5.8262G	122.11	Inf	-Inf	6.81	3	Vertical	354	3.00	115.30	34.10	6.92	34.21
PK	5.9306G	62.94	68.20	-5.26	7.04	3	Vertical	354	3.00	55.90	34.24	7.01	34.21

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	111.75	Inf	-Inf	6.81	3	Horizontal	311	1.54	104.94	34.10	6.92	34.21
PK	5.6318G	62.45	68.20	-5.75	5.60	3	Horizontal	311	1.54	56.85	33.00	6.79	34.19
PK	5.8214G	125.02	Inf	-Inf	6.81	3	Horizontal	311	1.54	118.21	34.10	6.92	34.21
PK	5.9306G	63.18	68.20	-5.02	7.04	3	Horizontal	311	1.54	56.14	34.24	7.01	34.21


5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX



5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	51.81	54.00	-2.19	5.37	3	Vertical	341	1.17	46.44	33.10	6.41	34.14
AV	5.1954G	100.57	Inf	-Inf	5.41	3	Vertical	341	1.17	95.16	33.10	6.45	34.14
PK	5.1498G	68.72	74.00	-5.28	5.37	3	Vertical	341	1.17	63.35	33.10	6.41	34.14
PK	5.1954G	113.22	Inf	-Inf	5.41	3	Vertical	341	1.17	107.81	33.10	6.45	34.14

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1486G	52.48	54.00	-1.52	5.37	3	Horizontal	55	1.50	47.11	33.10	6.41	34.14
AV	5.1942G	101.71	Inf	-Inf	5.41	3	Horizontal	55	1.50	96.30	33.10	6.45	34.14
PK	5.1486G	68.19	74.00	-5.81	5.37	3	Horizontal	55	1.50	62.82	33.10	6.41	34.14
PK	5.1888G	112.81	Inf	-Inf	5.40	3	Horizontal	55	1.50	107.41	33.10	6.44	34.14


5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.316G	101.34	Inf	-Inf	5.34	3	Vertical	331	1.30	96.00	32.97	6.53	34.16
AV	5.352G	51.58	54.00	-2.42	5.30	3	Vertical	331	1.30	46.28	32.90	6.56	34.16
PK	5.2974G	112.86	Inf	-Inf	5.36	3	Vertical	331	1.30	107.50	33.00	6.52	34.16
PK	5.3544G	71.65	74.00	-2.35	5.30	3	Vertical	331	1.30	66.35	32.90	6.56	34.16

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.304G	102.90	Inf	-Inf	5.35	3	Horizontal	57	1.62	97.55	32.99	6.52	34.16
AV	5.35G	52.79	54.00	-1.21	5.29	3	Horizontal	57	1.62	47.50	32.90	6.55	34.16
PK	5.307G	115.29	Inf	-Inf	5.35	3	Horizontal	57	1.62	109.94	32.99	6.52	34.16
PK	5.35G	71.35	74.00	-2.65	5.29	3	Horizontal	57	1.62	66.06	32.90	6.55	34.16


5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




03/09/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	49.20	54.00	-4.80	5.36	3	Vertical	355	1.49	43.84	32.90	6.64	34.18
AV	5.5088G	99.81	Inf	-Inf	5.41	3	Vertical	355	1.49	94.40	32.90	6.69	34.18
PK	5.4578G	61.99	74.00	-12.01	5.37	3	Vertical	355	1.49	56.62	32.90	6.64	34.17
PK	5.4686G	67.23	68.20	-0.97	5.37	3	Vertical	355	1.49	61.86	32.90	6.65	34.18
PK	5.507G	112.12	Inf	-Inf	5.41	3	Vertical	355	1.49	106.71	32.90	6.69	34.18

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




03/09/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	50.40	54.00	-3.60	5.36	3	Horizontal	298	2.35	45.04	32.90	6.64	34.18
AV	5.5058G	102.16	Inf	-Inf	5.41	3	Horizontal	298	2.35	96.75	32.90	6.69	34.18
PK	5.4578G	65.26	74.00	-8.74	5.37	3	Horizontal	298	2.35	59.89	32.90	6.64	34.17
PK	5.4632G	66.54	68.20	-1.66	5.37	3	Horizontal	298	2.35	61.17	32.90	6.65	34.18
PK	5.5088G	113.95	Inf	-Inf	5.41	3	Horizontal	298	2.35	108.54	32.90	6.69	34.18


5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	46.61	54.00	-7.39	5.36	3	Vertical	352	1.37	41.25	32.90	6.64	34.18
AV	5.7466G	106.50	Inf	-Inf	6.46	3	Vertical	352	1.37	100.04	33.79	6.87	34.20
PK	5.6518G	66.68	69.53	-2.85	5.63	3	Vertical	352	1.37	61.05	33.02	6.80	34.19
PK	5.7502G	118.58	Inf	-Inf	6.47	3	Vertical	352	1.37	112.11	33.80	6.87	34.20
PK	6.0298G	61.12	68.20	-7.08	6.95	3	Vertical	352	1.37	54.17	34.10	7.08	34.23

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	47.28	54.00	-6.72	5.37	3	Horizontal	301	2.17	41.91	32.90	6.64	34.17
AV	5.749G	108.44	Inf	-Inf	6.47	3	Horizontal	301	2.17	101.97	33.80	6.87	34.20
PK	5.6482G	67.12	68.20	-1.08	5.61	3	Horizontal	301	2.17	61.51	33.00	6.80	34.19
PK	5.7514G	121.25	Inf	-Inf	6.48	3	Horizontal	301	2.17	114.77	33.81	6.87	34.20
PK	6.055G	61.88	68.20	-6.32	6.96	3	Horizontal	301	2.17	54.92	34.09	7.10	34.23


5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7818G	107.37	Inf	-Inf	6.68	3	Vertical	352	1.37	100.69	33.99	6.89	34.20
PK	5.6426G	61.89	68.20	-6.31	5.61	3	Vertical	352	1.37	56.28	33.00	6.80	34.19
PK	5.783G	119.15	Inf	-Inf	6.69	3	Vertical	352	1.37	112.46	34.00	6.89	34.20
PK	5.9246G	66.75	68.50	-1.75	7.05	3	Vertical	352	1.37	59.70	34.25	7.01	34.21

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7866G	109.19	Inf	-Inf	6.71	3	Horizontal	305	2.28	102.48	34.02	6.89	34.20
PK	5.603G	63.97	68.20	-4.23	5.58	3	Horizontal	305	2.28	58.39	33.00	6.77	34.19
PK	5.7914G	121.15	Inf	-Inf	6.74	3	Horizontal	305	2.28	114.41	34.05	6.89	34.20
PK	5.9258G	67.30	68.20	-0.90	7.05	3	Horizontal	305	2.28	60.25	34.25	7.01	34.21


5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX



5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.08	54.00	-5.92	5.37	3	Vertical	335	1.46	42.71	33.10	6.41	34.14
AV	5.301G	98.39	Inf	-Inf	5.36	3	Vertical	335	1.46	93.03	33.00	6.52	34.16
AV	5.35G	51.31	54.00	-2.69	5.29	3	Vertical	335	1.46	46.02	32.90	6.55	34.16
PK	5.14G	60.41	74.00	-13.59	5.37	3	Vertical	335	1.46	55.04	33.10	6.41	34.14
PK	5.301G	110.88	Inf	-Inf	5.36	3	Vertical	335	1.46	105.52	33.00	6.52	34.16
PK	5.356G	68.71	74.00	-5.29	5.30	3	Vertical	335	1.46	63.41	32.90	6.56	34.16
PK	5.473G	60.11	68.20	-8.09	5.38	3	Vertical	335	1.46	54.73	32.90	6.66	34.18

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	48.84	54.00	-5.16	5.37	3	Horizontal	63	1.65	43.47	33.10	6.41	34.14
AV	5.281G	100.06	Inf	-Inf	5.36	3	Horizontal	63	1.65	94.70	33.00	6.51	34.15
AV	5.354G	53.07	54.00	-0.93	5.30	3	Horizontal	63	1.65	47.77	32.90	6.56	34.16
PK	5.126G	60.49	74.00	-13.51	5.35	3	Horizontal	63	1.65	55.14	33.10	6.39	34.14
PK	5.281G	111.01	Inf	-Inf	5.36	3	Horizontal	63	1.65	105.65	33.00	6.51	34.15
PK	5.356G	69.30	74.00	-4.70	5.30	3	Horizontal	63	1.65	64.00	32.90	6.56	34.16
PK	5.484G	60.41	68.20	-7.79	5.39	3	Horizontal	63	1.65	55.02	32.90	6.67	34.18


5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.99	54.00	-7.01	5.29	3	Vertical	356	1.61	41.70	32.90	6.55	34.16
AV	5.456G	50.25	54.00	-3.75	5.37	3	Vertical	356	1.61	44.88	32.90	6.64	34.17
AV	5.521G	97.79	Inf	-Inf	5.42	3	Vertical	356	1.61	92.37	32.90	6.70	34.18
PK	5.34G	59.91	68.20	-8.29	5.31	3	Vertical	356	1.61	54.60	32.92	6.55	34.16
PK	5.455G	65.69	74.00	-8.31	5.37	3	Vertical	356	1.61	60.32	32.90	6.64	34.17
PK	5.467G	66.89	68.20	-1.31	5.37	3	Vertical	356	1.61	61.52	32.90	6.65	34.18
PK	5.518G	109.35	Inf	-Inf	5.42	3	Vertical	356	1.61	103.93	32.90	6.70	34.18
PK	5.739G	60.58	68.20	-7.62	6.42	3	Vertical	356	1.61	54.16	33.76	6.86	34.20

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.74	54.00	-7.26	5.29	3	Horizontal	302	2.51	41.45	32.90	6.55	34.16
AV	5.458G	50.78	54.00	-3.22	5.37	3	Horizontal	302	2.51	45.41	32.90	6.64	34.17
AV	5.542G	99.18	Inf	-Inf	5.44	3	Horizontal	302	2.51	93.74	32.90	6.72	34.18
PK	5.302G	59.70	68.20	-8.50	5.36	3	Horizontal	302	2.51	54.34	33.00	6.52	34.16
PK	5.458G	64.76	74.00	-9.24	5.37	3	Horizontal	302	2.51	59.39	32.90	6.64	34.17
PK	5.468G	66.47	68.20	-1.73	5.37	3	Horizontal	302	2.51	61.10	32.90	6.65	34.18
PK	5.557G	111.30	Inf	-Inf	5.46	3	Horizontal	302	2.51	105.84	32.91	6.73	34.18
PK	5.768G	60.31	68.20	-7.89	6.59	3	Horizontal	302	2.51	53.72	33.91	6.88	34.20


5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7834G	100.30	Inf	-Inf	6.69	3	Vertical	350	1.37	93.61	34.00	6.89	34.20
PK	5.6526G	67.47	70.12	-2.65	5.64	3	Vertical	350	1.37	61.83	33.03	6.80	34.19
PK	5.7858G	112.52	Inf	-Inf	6.70	3	Vertical	350	1.37	105.82	34.01	6.89	34.20
PK	5.9274G	62.36	68.20	-5.84	7.05	3	Vertical	350	1.37	55.31	34.25	7.01	34.21

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7666G	102.21	Inf	-Inf	6.58	3	Horizontal	302	2.15	95.63	33.90	6.88	34.20
PK	5.6502G	67.22	68.35	-1.13	5.61	3	Horizontal	302	2.15	61.61	33.00	6.80	34.19
PK	5.7786G	113.92	Inf	-Inf	6.66	3	Horizontal	302	2.15	107.26	33.97	6.89	34.20
PK	5.9286G	62.96	68.20	-5.24	7.04	3	Horizontal	302	2.15	55.92	34.24	7.01	34.21


5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1.	Pass	AV	14.47194G	52.56	54.00	-1.44	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Height (m)	Comments
Mode 1.	Pass	AV	4.83864G	27.86	54.00	-26.14	3	Vertical	1.50	-
Mode 1.	Pass	AV	11.4888G	46.99	54.00	-7.01	3	Vertical	2.97	-
Mode 1.	Pass	AV	12.05916G	42.99	54.00	-11.01	3	Vertical	1.69	-
Mode 1.	Pass	AV	14.47194G	52.56	54.00	-1.44	3	Vertical	1.93	-
Mode 1.	Pass	PK	4.83216G	41.51	74.00	-32.49	3	Vertical	1.50	-
Mode 1.	Pass	PK	11.48382G	59.76	74.00	-14.24	3	Vertical	2.97	-
Mode 1.	Pass	PK	12.0615G	54.04	74.00	-19.96	3	Vertical	1.69	-
Mode 1.	Pass	PK	14.47188G	59.06	74.00	-14.94	3	Vertical	1.93	-
Mode 1.	Pass	PK	17.24022G	53.68	68.20	-14.52	3	Vertical	1.59	-
Mode 1.	Pass	AV	4.83788G	27.79	54.00	-26.21	3	Horizontal	1.25	-
Mode 1.	Pass	AV	11.49204G	41.55	54.00	-12.45	3	Horizontal	2.36	-
Mode 1.	Pass	AV	12.06072G	42.41	54.00	-11.59	3	Horizontal	1.69	-
Mode 1.	Pass	AV	14.47188G	50.42	54.00	-3.58	3	Horizontal	1.59	-
Mode 1.	Pass	PK	4.83768G	41.58	74.00	-32.42	3	Horizontal	1.25	-
Mode 1.	Pass	PK	11.48586G	55.65	74.00	-18.35	3	Horizontal	2.36	-
Mode 1.	Pass	PK	12.0576G	54.55	74.00	-19.45	3	Horizontal	1.69	-
Mode 1.	Pass	PK	14.472G	58.74	74.00	-15.26	3	Horizontal	1.59	-
Mode 1.	Pass	PK	17.22834G	53.63	68.20	-14.57	3	Horizontal	2.84	-

Radiated Emissions above 1GHz_Mode 1



Radiated Emissions above 1GHz_Mode 1

