




ARLIDA NETWORKING, INC.
MODEL: AP-1000
REV: 10/2010
CC06810
ARLIDA NETWORKING, INC.
10000 ARLIDA DRIVE
SAN JOSE, CA 95131
TEL: 408.255.1000
WWW.ARLIDA.NETWORKING.COM




PART NUMBER BLOCK	
PART NUMBER	REV
4011609	02

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
	RELEASE TO FILE		




- NOTES:
1. MATERIAL: SILVER MATT PET,T=0.05, BACKSIDE ADHESIVE MATERIAL
 2. COLOR:
 - a. COLOR OF BASE: MATERIAL PRIMARY
 - b. COLOR OF FONT: BLACK
 3. TEMPERATURE RESISTANT= 80°C.
 4. ADHESIVE THICKNESS=0.024±0.003mm.
 5. UL APPROVED INK & MATERIAL
 6. REQUIREMENT FOR ADHESIVE GLUE: 3M-467


		UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN mm AND TOLERANCES ARE:						
		INTEGRAL DIMENSIONS ± 0.5 1 PLACE DECIMAL ± 0.3		ANGULAR DIMENSIONS ± 2° HOLES UNDER ϕ 5.00 ± 0.2				
		MATERIAL: SEE NOTES				DWG TITLE LABEL,AGENCY,AP-274		
		FINISH: SEE NOTES						
			DRAWN			SIZE A4	DWG NO. 4011609	REV 02
NEXT ASSY	USED ON		ENGR					
APPLICATION			APVD					

PART NUMBER BLOCK	
PART NUMBER	REV
4011596	02

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
	RELEASE TO FILE		



- NOTES:
1. MATERIAL: SILVER MATT PET,T=0.05, BACKSIDE ADHESIVE MATERIAL
 2. COLOR:
 - a. COLOR OF BASE: MATERIAL PRIMARY
 - b. COLOR OF FONT: BLACK
 3. TEMPERATURE RESISTANT= 80°C.
 4. ADHESIVE THICKNESS=0.024±0.003mm.
 5. UL APPROVED INK & MATERIAL
 6. REQUIREMENT FOR ADHESIVE GLUE: 3M-467

		UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN mm AND TOLERANCES ARE:							
		INTEGRAL DIMENSIONS 1 PLACE DECIMAL		± 0.5 ± 0.3	ANGULAR DIMENSIONS HOLES UNDER ϕ 5.00		± 2° ± 0.2		
		MATERIAL: SEE NOTES				DWG TITLE LABEL,AGENCY,AP-275			
		FINISH: SEE NOTES							
			THIRD ANGLE PROJECTION	DRAWN			SIZE A4	DWG NO. 4011596	REV 02
NEXT ASSY	USED ON			ENGR					
APPLICATION				APVD					
						SCALE 1/1		SHEET 1 OF 1	