


802.11ac VHT80_Nss1,(MCS0)_2TX

PSD

5775MHz

18/07/2020




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5180MHz

20/07/2020




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5200MHz

20/07/2020




802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz

PSD

20/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.05	7.05	4.19	4.01

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz

PSD

17/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.60	10.60	7.46	7.78

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz

PSD

17/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.51	10.51	7.36	7.70

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz

PSD

17/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.53	10.53	7.39	7.66

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz

PSD

20/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.85	3.85	1.38	0.49

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz

PSD

20/07/2020




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.80	3.80	1.33	0.41

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5755MHz

17/07/2020




802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5795MHz

17/07/2020




802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5210MHz

20/07/2020




802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5775MHz

17/07/2020



**Summary**

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	3.56	7.94
802.11n HT20_Nss1,(MCS0)_2TX	2.55	7.08
802.11n HT40_Nss1,(MCS0)_2TX	-0.23	4.08
802.11ac VHT20_Nss1,(MCS0)_2TX	2.69	7.08
802.11ac VHT40_Nss1,(MCS0)_2TX	-0.03	4.39
802.11ac VHT80_Nss1,(MCS0)_2TX	-3.09	1.52
802.11ax HEW20_Nss1,(MCS0)_2TX	2.89	7.35
802.11ax HEW40_Nss1,(MCS0)_2TX	0.10	4.48
802.11ax HEW80_Nss1,(MCS0)_2TX	-2.92	1.76
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	10.22	14.44
802.11n HT20_Nss1,(MCS0)_2TX	9.69	14.00
802.11n HT40_Nss1,(MCS0)_2TX	6.96	11.39
802.11ac VHT20_Nss1,(MCS0)_2TX	9.77	14.00
802.11ac VHT40_Nss1,(MCS0)_2TX	6.95	11.30
802.11ac VHT80_Nss1,(MCS0)_2TX	3.34	7.55
802.11ax HEW20_Nss1,(MCS0)_2TX	9.77	13.94
802.11ax HEW40_Nss1,(MCS0)_2TX	6.99	11.38
802.11ax HEW80_Nss1,(MCS0)_2TX	3.56	7.85

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	7.10	0.84	0.34	3.56	15.90	7.94	23.00
5200MHz	Pass	7.10	0.58	0.16	3.31	15.90	7.68	23.00
5240MHz	Pass	7.10	0.69	0.40	3.48	15.90	7.79	23.00
5745MHz	Pass	7.10	7.34	7.25	10.20	28.90	14.44	36.00
5785MHz	Pass	7.10	7.21	7.34	10.22	28.90	14.44	36.00
5825MHz	Pass	7.10	7.11	7.26	10.15	28.90	14.36	36.00
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	7.10	-0.03	-0.73	2.55	15.90	7.07	23.00
5200MHz	Pass	7.10	-0.02	-0.91	2.43	15.90	7.08	23.00
5240MHz	Pass	7.10	-0.13	-0.64	2.51	15.90	6.97	23.00
5745MHz	Pass	7.10	6.58	6.67	9.51	28.90	13.77	36.00
5785MHz	Pass	7.10	6.87	6.76	9.69	28.90	13.97	36.00
5825MHz	Pass	7.10	6.9	6.54	9.69	28.90	14.00	36.00
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	7.10	-3.02	-3.26	-0.23	15.90	4.08	23.00
5230MHz	Pass	7.10	-3.02	-3.48	-0.28	15.90	4.08	23.00
5755MHz	Pass	7.10	4.29	3.82	6.91	28.90	11.39	36.00
5795MHz	Pass	7.10	4.24	3.87	6.96	28.90	11.34	36.00
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	7.10	-0.02	-0.50	2.69	15.90	7.08	23.00
5200MHz	Pass	7.10	-0.14	-0.65	2.56	15.90	6.96	23.00
5240MHz	Pass	7.10	-0.17	-0.39	2.65	15.90	6.93	23.00
5745MHz	Pass	7.10	6.40	6.62	9.46	28.90	13.72	36.00
5785MHz	Pass	7.10	6.75	6.90	9.77	28.90	14.00	36.00
5825MHz	Pass	7.10	6.55	6.44	9.45	28.90	13.65	36.00
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	7.10	-2.71	-3.04	-0.03	15.90	4.39	23.00
5230MHz	Pass	7.10	-2.90	-3.24	-0.17	15.90	4.20	23.00
5755MHz	Pass	7.10	4.15	3.62	6.82	28.90	11.25	36.00
5795MHz	Pass	7.10	4.20	3.87	6.95	28.90	11.30	36.00
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	7.10	-5.58	-6.26	-3.09	15.90	1.52	23.00
5775MHz	Pass	7.10	0.37	0.45	3.34	28.90	7.55	36.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	7.10	0.25	-0.33	2.89	15.90	7.35	23.00
5200MHz	Pass	7.10	0.03	-0.53	2.71	15.90	7.13	23.00
5240MHz	Pass	7.10	0.03	-0.24	2.82	15.90	7.13	23.00
5745MHz	Pass	7.10	6.58	6.37	9.43	28.90	13.68	36.00
5785MHz	Pass	7.10	6.74	6.84	9.77	28.90	13.94	36.00
5825MHz	Pass	7.10	6.60	6.35	9.42	28.90	13.70	36.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	7.10	-2.62	-3.08	0.10	15.90	4.48	23.00
5230MHz	Pass	7.10	-2.71	-3.32	-0.05	15.90	4.39	23.00



PSD_outdoor Sample 2

Appendix D.4

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5755MHz	Pass	7.10	4.28	3.73	6.99	28.90	11.38	36.00
5795MHz	Pass	7.10	4.15	3.50	6.78	28.90	11.25	36.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	7.10	-5.34	-6.15	-2.92	15.90	1.76	23.00
5775MHz	Pass	7.10	0.75	0.63	3.56	28.90	7.85	36.00

DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;

802.11a_Nss1,(6Mbps)_2TX

5180MHz

PSD

16/07/2020




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.56	3.56	0.84	0.34

802.11a_Nss1,(6Mbps)_2TX

5200MHz

PSD

16/07/2020




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.31	3.31	0.58	0.16

802.11a_Nss1,(6Mbps)_2TX

5240MHz

PSD

16/07/2020



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.48	3.48	0.69	0.40


802.11a_Nss1,(6Mbps)_2TX

5745MHz

PSD

16/07/2020

CF
5.745GHz
Span
30MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.20	10.20	7.34	7.25


802.11a_Nss1,(6Mbps)_2TX

5785MHz

PSD

16/07/2020

CF
5.785GHz
Span
30MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.22	10.22	7.21	7.34


802.11a_Nss1,(6Mbps)_2TX

5825MHz

PSD

16/07/2020

CF
5.825GHz
Span
30MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.15	10.15	7.11	7.26

802.11n HT20_Nss1,(MCS0)_2TX

PSD

5180MHz

22/07/2020




802.11n HT20_Nss1,(MCS0)_2TX

PSD

5200MHz

22/07/2020




802.11n HT20_Nss1,(MCS0)_2TX

PSD

5240MHz

22/07/2020




802.11n HT20_Nss1,(MCS0)_2TX

PSD

5745MHz

22/07/2020

CF
5.745GHz
Span
30MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.51	9.51	6.58	6.67


802.11n HT20_Nss1,(MCS0)_2TX

PSD

5785MHz

22/07/2020

CF
5.785GHz
Span
30MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.69	9.69	6.87	6.76


802.11n HT20_Nss1,(MCS0)_2TX

PSD

5825MHz

22/07/2020

CF
5.825GHz
Span
30MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.69	9.69	6.90	6.54

802.11n HT40_Nss1,(MCS0)_2TX

PSD

5190MHz

22/07/2020




802.11n HT40_Nss1,(MCS0)_2TX

PSD

5230MHz

22/07/2020




802.11n HT40_Nss1,(MCS0)_2TX

PSD

5755MHz

22/07/2020




802.11n HT40_Nss1,(MCS0)_2TX

PSD

5795MHz

22/07/2020




802.11ac VHT20_Nss1,(MCS0)_2TX

PSD

5180MHz

16/07/2020




802.11ac VHT20_Nss1,(MCS0)_2TX

PSD

5200MHz

16/07/2020




802.11ac VHT20_Nss1,(MCS0)_2TX

PSD

5240MHz

16/07/2020




802.11ac VHT20_Nss1,(MCS0)_2TX

PSD

5745MHz

16/07/2020




802.11ac VHT20_Nss1,(MCS0)_2TX

PSD

5785MHz

16/07/2020




802.11ac VHT20_Nss1,(MCS0)_2TX

PSD

5825MHz

16/07/2020




802.11ac VHT40_Nss1,(MCS0)_2TX

PSD

5190MHz

16/07/2020




802.11ac VHT40_Nss1,(MCS0)_2TX

PSD

5230MHz

16/07/2020




802.11ac VHT40_Nss1,(MCS0)_2TX

PSD

5755MHz

16/07/2020




802.11ac VHT40_Nss1,(MCS0)_2TX

PSD

5795MHz

16/07/2020




802.11ac VHT80_Nss1,(MCS0)_2TX

PSD

5210MHz

16/07/2020




802.11ac VHT80_Nss1,(MCS0)_2TX

PSD

5775MHz

16/07/2020




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5180MHz

16/07/2020




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5200MHz

16/07/2020




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5240MHz

16/07/2020

CF
5.24GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.82	2.82	0.03	-0.24


802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5745MHz

16/07/2020

CF
5.745GHz
Span
30MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.43	9.43	6.58	6.37


802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5785MHz

16/07/2020

CF
5.785GHz
Span
30MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.77	9.77	6.74	6.84

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5825MHz

16/07/2020




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.42	9.42	6.60	6.35

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5190MHz

16/07/2020




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.10	0.10	-2.62	-3.08

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5230MHz

16/07/2020




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.05	-0.05	-2.71	-3.32

802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5755MHz

16/07/2020




802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5795MHz

16/07/2020




802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5210MHz

16/07/2020




802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5775MHz

16/07/2020



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
3.56	3.56	0.75	0.63



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	30M	35.52	40.00	-4.48	3	Vertical	360	1.00	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	30M	35.52	40.00	-4.48	3	Vertical	360	1.00	-
5775MHz	Pass	PK	43.58M	30.03	40.00	-9.97	3	Vertical	360	1.00	-
5775MHz	Pass	PK	78.5M	23.89	40.00	-16.11	3	Vertical	360	1.00	-
5775MHz	Pass	PK	266.68M	31.41	46.00	-14.59	3	Vertical	360	1.00	-
5775MHz	Pass	PK	307.42M	32.52	46.00	-13.48	3	Vertical	360	1.00	-
5775MHz	Pass	PK	466.5M	26.40	46.00	-19.60	3	Vertical	360	1.00	-
5775MHz	Pass	PK	30M	24.10	40.00	-15.90	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	62.98M	28.55	40.00	-11.45	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	103.72M	26.99	43.50	-16.51	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	286.08M	39.37	46.00	-6.63	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	305.48M	33.68	46.00	-12.32	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	421.88M	30.66	46.00	-15.34	3	Horizontal	0	1.00	-

802.11ax HEW80_Nss1,(MCS0)_2TX

01/06/2020

5775MHz_PoE




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	35.52	40.00	-4.48	-12.94	3	Vertical	360	1.00	-	48.46	23.77	0.40	37.11
PK	43.58M	30.03	40.00	-9.97	-20.09	3	Vertical	360	1.00	-	50.12	16.63	0.50	37.22
PK	78.5M	23.89	40.00	-16.11	-24.04	3	Vertical	360	1.00	-	47.93	12.21	0.70	36.95
PK	266.68M	31.41	46.00	-14.59	-16.51	3	Vertical	360	1.00	-	47.92	18.60	1.33	36.44
PK	307.42M	32.52	46.00	-13.48	-16.73	3	Vertical	360	1.00	-	49.25	18.31	1.41	36.45
PK	466.5M	26.40	46.00	-19.60	-12.48	3	Vertical	360	1.00	-	38.88	22.51	1.83	36.82

802.11ax HEW80_Nss1,(MCS0)_2TX

01/06/2020

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	24.10	40.00	-15.90	-12.94	3	Horizontal	0	1.00	-	37.04	23.77	0.40	37.11
PK	62.98M	28.55	40.00	-11.45	-25.64	3	Horizontal	0	1.00	-	54.19	10.82	0.60	37.06
PK	103.72M	26.99	43.50	-16.51	-20.49	3	Horizontal	0	1.00	-	47.48	15.34	0.80	36.63
PK	286.08M	39.37	46.00	-6.63	-17.07	3	Horizontal	0	1.00	-	56.44	18.03	1.37	36.47
PK	305.48M	33.68	46.00	-12.32	-16.73	3	Horizontal	0	1.00	-	50.41	18.29	1.41	36.43
PK	421.88M	30.66	46.00	-15.34	-13.16	3	Horizontal	0	1.00	-	43.82	21.80	1.74	36.70

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.0968G	53.19	54.00	-0.81	3	Horizontal	31	2.25	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.101G	52.99	54.00	-1.01	3	Horizontal	300	2.14	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.1496G	53.23	54.00	-0.77	3	Horizontal	292	2.23	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.148G	53.20	54.00	-0.80	3	Horizontal	300	1.98	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.6418G	67.15	68.20	-1.05	3	Horizontal	28	2.15	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.6294G	67.37	68.20	-0.83	3	Horizontal	156	2.20	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.9246G	67.63	68.50	-0.87	3	Horizontal	322	2.17	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.6478G	67.39	68.20	-0.81	3	Horizontal	156	2.09	-

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1478G	51.21	54.00	-2.79	3	Vertical	334	2.21	-
5180MHz	Pass	AV	5.1816G	108.85	Inf	-Inf	3	Vertical	334	2.21	-
5180MHz	Pass	PK	5.148G	68.45	74.00	-5.55	3	Vertical	334	2.21	-
5180MHz	Pass	PK	5.1814G	118.18	Inf	-Inf	3	Vertical	334	2.21	-
5180MHz	Pass	AV	5.148G	53.06	54.00	-0.94	3	Horizontal	31	2.22	-
5180MHz	Pass	AV	5.1816G	110.50	Inf	-Inf	3	Horizontal	31	2.22	-
5180MHz	Pass	PK	5.1474G	72.18	74.00	-1.82	3	Horizontal	31	2.22	-
5180MHz	Pass	PK	5.1814G	119.58	Inf	-Inf	3	Horizontal	31	2.22	-
5180MHz	Pass	AV	15.53808G	46.04	54.00	-7.96	3	Vertical	188	2.44	-
5180MHz	Pass	PK	10.35896G	54.48	68.20	-13.72	3	Vertical	122	1.50	-
5180MHz	Pass	PK	15.53476G	58.79	74.00	-15.21	3	Vertical	188	2.44	-
5180MHz	Pass	AV	15.53476G	45.86	54.00	-8.14	3	Horizontal	186	2.32	-
5180MHz	Pass	PK	10.35916G	53.98	68.20	-14.22	3	Horizontal	299	1.50	-
5180MHz	Pass	PK	15.5496G	58.82	74.00	-15.18	3	Horizontal	186	2.32	-
5200MHz	Pass	AV	5.107G	51.59	54.00	-2.41	3	Vertical	333	2.17	-
5200MHz	Pass	AV	5.1964G	109.24	Inf	-Inf	3	Vertical	333	2.17	-
5200MHz	Pass	AV	5.35G	48.41	54.00	-5.59	3	Vertical	333	2.17	-
5200MHz	Pass	PK	5.1022G	62.81	74.00	-11.19	3	Vertical	333	2.17	-
5200MHz	Pass	PK	5.2066G	118.21	Inf	-Inf	3	Vertical	333	2.17	-
5200MHz	Pass	PK	5.35G	60.13	74.00	-13.87	3	Vertical	333	2.17	-
5200MHz	Pass	AV	5.0968G	53.19	54.00	-0.81	3	Horizontal	31	2.25	-
5200MHz	Pass	AV	5.1964G	111.12	Inf	-Inf	3	Horizontal	31	2.25	-
5200MHz	Pass	AV	5.35G	48.94	54.00	-5.06	3	Horizontal	31	2.25	-
5200MHz	Pass	PK	5.1022G	64.56	74.00	-9.44	3	Horizontal	31	2.25	-
5200MHz	Pass	PK	5.1964G	120.41	Inf	-Inf	3	Horizontal	31	2.25	-
5200MHz	Pass	PK	5.35G	59.85	74.00	-14.15	3	Horizontal	31	2.25	-
5200MHz	Pass	AV	15.5934G	46.09	54.00	-7.91	3	Vertical	173	1.49	-
5200MHz	Pass	PK	10.39856G	54.49	68.20	-13.71	3	Vertical	94	1.50	-
5200MHz	Pass	PK	15.59548G	58.79	74.00	-15.21	3	Vertical	173	1.49	-
5200MHz	Pass	AV	15.6068G	46.05	54.00	-7.95	3	Horizontal	164	1.00	-
5200MHz	Pass	PK	10.3972G	53.98	68.20	-14.22	3	Horizontal	15	1.48	-
5200MHz	Pass	PK	15.60716G	59.21	74.00	-14.79	3	Horizontal	164	1.00	-
5240MHz	Pass	AV	5.1416G	51.93	54.00	-2.07	3	Vertical	332	2.17	-
5240MHz	Pass	AV	5.2412G	109.85	Inf	-Inf	3	Vertical	332	2.17	-
5240MHz	Pass	AV	5.3504G	48.95	54.00	-5.05	3	Vertical	332	2.17	-
5240MHz	Pass	PK	5.1368G	63.85	74.00	-10.15	3	Vertical	332	2.17	-
5240MHz	Pass	PK	5.2364G	119.03	Inf	-Inf	3	Vertical	332	2.17	-
5240MHz	Pass	PK	5.3744G	61.79	74.00	-12.21	3	Vertical	332	2.17	-
5240MHz	Pass	AV	5.1422G	53.12	54.00	-0.88	3	Horizontal	31	2.23	-
5240MHz	Pass	AV	5.2418G	111.61	Inf	-Inf	3	Horizontal	31	2.23	-
5240MHz	Pass	AV	5.35G	49.64	54.00	-4.36	3	Horizontal	31	2.23	-
5240MHz	Pass	PK	5.1428G	65.43	74.00	-8.57	3	Horizontal	31	2.23	-
5240MHz	Pass	PK	5.2412G	120.44	Inf	-Inf	3	Horizontal	31	2.23	-
5240MHz	Pass	PK	5.3516G	61.15	74.00	-12.85	3	Horizontal	31	2.23	-
5240MHz	Pass	AV	15.72752G	45.86	54.00	-8.14	3	Vertical	129	1.37	-
5240MHz	Pass	PK	10.47016G	54.45	68.20	-13.75	3	Vertical	317	1.50	-
5240MHz	Pass	PK	15.71468G	58.29	74.00	-15.71	3	Vertical	129	1.37	-



RSE TX above 1GHz_Sample 1

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	AV	15.72236G	45.76	54.00	-8.24	3	Horizontal	162	2.32	-
5240MHz	Pass	PK	10.47512G	54.02	68.20	-14.18	3	Horizontal	10	1.37	-
5240MHz	Pass	PK	15.729G	58.39	74.00	-15.61	3	Horizontal	162	2.32	-
5745MHz	Pass	AV	5.7462G	111.60	Inf	-Inf	3	Vertical	0	2.14	-
5745MHz	Pass	PK	5.6466G	65.09	68.20	-3.11	3	Vertical	0	2.14	-
5745MHz	Pass	PK	5.751G	121.02	Inf	-Inf	3	Vertical	0	2.14	-
5745MHz	Pass	PK	5.9778G	61.38	68.20	-6.82	3	Vertical	0	2.14	-
5745MHz	Pass	AV	5.7402G	113.16	Inf	-Inf	3	Horizontal	28	2.15	-
5745MHz	Pass	PK	5.6418G	67.15	68.20	-1.05	3	Horizontal	28	2.15	-
5745MHz	Pass	PK	5.7402G	122.00	Inf	-Inf	3	Horizontal	28	2.15	-
5745MHz	Pass	PK	5.9418G	61.77	68.20	-6.43	3	Horizontal	28	2.15	-
5745MHz	Pass	AV	11.4921G	43.94	54.00	-10.06	3	Vertical	145	1.90	-
5745MHz	Pass	PK	11.49246G	56.41	74.00	-17.59	3	Vertical	145	1.90	-
5745MHz	Pass	PK	17.23358G	62.44	68.20	-5.76	3	Vertical	192	2.02	-
5745MHz	Pass	AV	11.49134G	46.01	54.00	-7.99	3	Horizontal	135	1.46	-
5745MHz	Pass	PK	11.49102G	60.02	74.00	-13.98	3	Horizontal	135	1.46	-
5745MHz	Pass	PK	17.23882G	62.73	68.20	-5.47	3	Horizontal	344	2.06	-
5785MHz	Pass	AV	5.7874G	115.88	Inf	-Inf	3	Vertical	124	2.10	-
5785MHz	Pass	PK	5.641G	65.78	68.20	-2.42	3	Vertical	124	2.10	-
5785MHz	Pass	PK	5.7814G	125.86	Inf	-Inf	3	Vertical	124	2.10	-
5785MHz	Pass	PK	5.9254G	65.29	68.20	-2.91	3	Vertical	124	2.10	-
5785MHz	Pass	AV	5.7862G	116.35	Inf	-Inf	3	Horizontal	30	2.17	-
5785MHz	Pass	PK	5.5918G	65.86	68.20	-2.34	3	Horizontal	30	2.17	-
5785MHz	Pass	PK	5.791G	126.08	Inf	-Inf	3	Horizontal	30	2.17	-
5785MHz	Pass	PK	5.9842G	62.75	68.20	-5.45	3	Horizontal	30	2.17	-
5785MHz	Pass	AV	11.56786G	47.51	54.00	-6.49	3	Vertical	262	1.92	-
5785MHz	Pass	PK	11.56762G	61.77	74.00	-12.23	3	Vertical	262	1.92	-
5785MHz	Pass	PK	17.35808G	64.38	68.20	-3.82	3	Vertical	110	1.22	-
5785MHz	Pass	AV	11.56716G	43.82	54.00	-10.18	3	Horizontal	146	1.72	-
5785MHz	Pass	PK	11.56672G	56.83	74.00	-17.17	3	Horizontal	146	1.72	-
5785MHz	Pass	PK	17.35438G	64.07	68.20	-4.13	3	Horizontal	110	2.19	-
5825MHz	Pass	AV	5.8274G	115.26	Inf	-Inf	3	Vertical	122	2.20	-
5825MHz	Pass	PK	5.6318G	63.64	68.20	-4.56	3	Vertical	122	2.20	-
5825MHz	Pass	PK	5.8202G	124.83	Inf	-Inf	3	Vertical	122	2.20	-
5825MHz	Pass	PK	5.9306G	66.75	68.20	-1.45	3	Vertical	122	2.20	-
5825MHz	Pass	AV	5.8214G	116.42	Inf	-Inf	3	Horizontal	28	2.15	-
5825MHz	Pass	PK	5.5802G	66.93	68.20	-1.27	3	Horizontal	28	2.15	-
5825MHz	Pass	PK	5.8202G	125.35	Inf	-Inf	3	Horizontal	28	2.15	-
5825MHz	Pass	PK	5.9258G	66.48	68.20	-1.72	3	Horizontal	28	2.15	-
5825MHz	Pass	AV	11.65088G	52.88	54.00	-1.12	3	Vertical	192	1.42	-
5825MHz	Pass	PK	11.651G	65.91	74.00	-8.09	3	Vertical	192	1.42	-
5825MHz	Pass	PK	17.47036G	65.80	68.20	-2.40	3	Vertical	273	1.03	-
5825MHz	Pass	AV	11.65084G	47.61	54.00	-6.39	3	Horizontal	66	1.76	-
5825MHz	Pass	PK	11.65576G	60.35	74.00	-13.65	3	Horizontal	66	1.76	-
5825MHz	Pass	PK	17.47616G	65.64	68.20	-2.56	3	Horizontal	246	1.50	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1484G	50.92	54.00	-3.08	3	Vertical	266	2.11	-
5180MHz	Pass	AV	5.1816G	106.08	Inf	-Inf	3	Vertical	266	2.11	-
5180MHz	Pass	PK	5.1458G	64.14	74.00	-9.86	3	Vertical	266	2.11	-



RSE TX above 1GHz_Sample 1

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5180MHz	Pass	PK	5.1866G	118.75	Inf	-Inf	3	Vertical	266	2.11	-
5180MHz	Pass	AV	5.1494G	52.93	54.00	-1.07	3	Horizontal	301	2.09	-
5180MHz	Pass	AV	5.1808G	108.14	Inf	-Inf	3	Horizontal	301	2.09	-
5180MHz	Pass	PK	5.1478G	65.63	74.00	-8.37	3	Horizontal	301	2.09	-
5180MHz	Pass	PK	5.178G	120.42	Inf	-Inf	3	Horizontal	301	2.09	-
5180MHz	Pass	AV	15.54812G	46.07	54.00	-7.93	3	Vertical	290	1.81	-
5180MHz	Pass	PK	10.35836G	54.66	68.20	-13.54	3	Vertical	78	1.54	-
5180MHz	Pass	PK	15.54424G	58.86	74.00	-15.14	3	Vertical	290	1.81	-
5180MHz	Pass	AV	15.53644G	46.04	54.00	-7.96	3	Horizontal	295	1.50	-
5180MHz	Pass	PK	10.35068G	54.21	68.20	-13.99	3	Horizontal	44	1.50	-
5180MHz	Pass	PK	15.53868G	58.99	74.00	-15.01	3	Horizontal	295	1.50	-
5200MHz	Pass	AV	5.1082G	50.84	54.00	-3.16	3	Vertical	245	2.23	-
5200MHz	Pass	AV	5.1982G	108.59	Inf	-Inf	3	Vertical	245	2.23	-
5200MHz	Pass	AV	5.35G	48.58	54.00	-5.42	3	Vertical	245	2.23	-
5200MHz	Pass	PK	5.1064G	63.73	74.00	-10.27	3	Vertical	245	2.23	-
5200MHz	Pass	PK	5.1934G	120.44	Inf	-Inf	3	Vertical	245	2.23	-
5200MHz	Pass	PK	5.35G	59.85	74.00	-14.15	3	Vertical	245	2.23	-
5200MHz	Pass	AV	5.101G	52.99	54.00	-1.01	3	Horizontal	300	2.14	-
5200MHz	Pass	AV	5.1952G	109.52	Inf	-Inf	3	Horizontal	300	2.14	-
5200MHz	Pass	AV	5.35G	49.05	54.00	-4.95	3	Horizontal	300	2.14	-
5200MHz	Pass	PK	5.104G	65.07	74.00	-8.93	3	Horizontal	300	2.14	-
5200MHz	Pass	PK	5.1928G	121.43	Inf	-Inf	3	Horizontal	300	2.14	-
5200MHz	Pass	PK	5.35G	59.69	74.00	-14.31	3	Horizontal	300	2.14	-
5200MHz	Pass	AV	15.59064G	46.19	54.00	-7.81	3	Vertical	141	2.29	-
5200MHz	Pass	PK	10.40056G	53.98	68.20	-14.22	3	Vertical	343	1.50	-
5200MHz	Pass	PK	15.59388G	58.75	74.00	-15.25	3	Vertical	141	2.29	-
5200MHz	Pass	AV	15.59096G	46.09	54.00	-7.91	3	Horizontal	260	2.91	-
5200MHz	Pass	PK	10.39404G	54.49	68.20	-13.71	3	Horizontal	139	1.50	-
5200MHz	Pass	PK	15.60484G	59.17	74.00	-14.83	3	Horizontal	260	2.91	-
5240MHz	Pass	AV	5.1356G	51.06	54.00	-2.94	3	Vertical	244	2.19	-
5240MHz	Pass	AV	5.2406G	109.02	Inf	-Inf	3	Vertical	244	2.19	-
5240MHz	Pass	AV	5.35G	48.87	54.00	-5.13	3	Vertical	244	2.19	-
5240MHz	Pass	PK	5.138G	64.14	74.00	-9.86	3	Vertical	244	2.19	-
5240MHz	Pass	PK	5.2328G	120.12	Inf	-Inf	3	Vertical	244	2.19	-
5240MHz	Pass	PK	5.35G	61.16	74.00	-12.84	3	Vertical	244	2.19	-
5240MHz	Pass	AV	5.1482G	52.97	54.00	-1.03	3	Horizontal	300	2.04	-
5240MHz	Pass	AV	5.2382G	110.24	Inf	-Inf	3	Horizontal	300	2.04	-
5240MHz	Pass	AV	5.35G	50.21	54.00	-3.79	3	Horizontal	300	2.04	-
5240MHz	Pass	PK	5.1404G	64.62	74.00	-9.38	3	Horizontal	300	2.04	-
5240MHz	Pass	PK	5.2328G	121.51	Inf	-Inf	3	Horizontal	300	2.04	-
5240MHz	Pass	PK	5.372G	60.99	74.00	-13.01	3	Horizontal	300	2.04	-
5240MHz	Pass	AV	15.71652G	45.88	54.00	-8.12	3	Vertical	92	2.97	-
5240MHz	Pass	PK	10.47224G	53.77	68.20	-14.43	3	Vertical	133	1.50	-
5240MHz	Pass	PK	15.71632G	58.47	74.00	-15.53	3	Vertical	92	2.97	-
5240MHz	Pass	AV	15.728G	45.97	54.00	-8.03	3	Horizontal	11	2.52	-
5240MHz	Pass	PK	10.48712G	54.43	68.20	-13.77	3	Horizontal	117	2.85	-
5240MHz	Pass	PK	15.7288G	59.36	74.00	-14.64	3	Horizontal	11	2.52	-
5745MHz	Pass	AV	5.7486G	112.38	Inf	-Inf	3	Vertical	30	2.14	-
5745MHz	Pass	PK	5.6478G	65.84	68.20	-2.36	3	Vertical	30	2.14	-



RSE TX above 1GHz_Sample 1

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	5.7378G	123.41	Inf	-Inf	3	Vertical	30	2.14	-
5745MHz	Pass	PK	5.9406G	61.33	68.20	-6.87	3	Vertical	30	2.14	-
5745MHz	Pass	AV	5.7474G	111.32	Inf	-Inf	3	Horizontal	153	2.00	-
5745MHz	Pass	PK	5.6502G	67.44	68.35	-0.91	3	Horizontal	153	2.00	-
5745MHz	Pass	PK	5.7498G	122.47	Inf	-Inf	3	Horizontal	153	2.00	-
5745MHz	Pass	PK	5.937G	62.02	68.20	-6.18	3	Horizontal	153	2.00	-
5745MHz	Pass	AV	11.4916G	46.42	54.00	-7.58	3	Vertical	138	2.92	-
5745MHz	Pass	PK	11.48756G	58.95	74.00	-15.05	3	Vertical	138	2.92	-
5745MHz	Pass	PK	17.23872G	62.97	68.20	-5.23	3	Vertical	303	1.59	-
5745MHz	Pass	AV	11.49076G	43.83	54.00	-10.17	3	Horizontal	67	1.84	-
5745MHz	Pass	PK	11.48516G	56.03	74.00	-17.97	3	Horizontal	67	1.84	-
5745MHz	Pass	PK	17.24496G	63.65	68.20	-4.55	3	Horizontal	317	1.35	-
5785MHz	Pass	AV	5.7886G	114.98	Inf	-Inf	3	Vertical	31	2.26	-
5785MHz	Pass	PK	5.593G	65.90	68.20	-2.30	3	Vertical	31	2.26	-
5785MHz	Pass	PK	5.791G	126.40	Inf	-Inf	3	Vertical	31	2.26	-
5785MHz	Pass	PK	5.9854G	63.05	68.20	-5.15	3	Vertical	31	2.26	-
5785MHz	Pass	AV	5.7886G	114.60	Inf	-Inf	3	Horizontal	156	2.23	-
5785MHz	Pass	PK	5.5222G	67.13	68.20	-1.07	3	Horizontal	156	2.23	-
5785MHz	Pass	PK	5.7778G	125.86	Inf	-Inf	3	Horizontal	156	2.23	-
5785MHz	Pass	PK	5.989G	63.53	68.20	-4.67	3	Horizontal	156	2.23	-
5785MHz	Pass	AV	11.5706G	48.29	54.00	-5.71	3	Vertical	186	2.95	-
5785MHz	Pass	PK	11.571G	60.95	74.00	-13.05	3	Vertical	186	2.95	-
5785MHz	Pass	PK	17.3484G	63.85	68.20	-4.35	3	Vertical	86	1.50	-
5785MHz	Pass	AV	11.56592G	45.44	54.00	-8.56	3	Horizontal	64	1.80	-
5785MHz	Pass	PK	11.57104G	58.33	74.00	-15.67	3	Horizontal	64	1.80	-
5785MHz	Pass	PK	17.3636G	64.00	68.20	-4.20	3	Horizontal	297	1.49	-
5825MHz	Pass	AV	5.8226G	113.68	Inf	-Inf	3	Vertical	28	2.21	-
5825MHz	Pass	PK	5.6258G	64.37	68.20	-3.83	3	Vertical	28	2.21	-
5825MHz	Pass	PK	5.8178G	124.34	Inf	-Inf	3	Vertical	28	2.21	-
5825MHz	Pass	PK	5.927G	64.49	68.20	-3.71	3	Vertical	28	2.21	-
5825MHz	Pass	AV	5.8178G	112.83	Inf	-Inf	3	Horizontal	156	2.20	-
5825MHz	Pass	PK	5.6294G	67.37	68.20	-0.83	3	Horizontal	156	2.20	-
5825MHz	Pass	PK	5.8178G	124.30	Inf	-Inf	3	Horizontal	156	2.20	-
5825MHz	Pass	PK	5.9258G	66.46	68.20	-1.74	3	Horizontal	156	2.20	-
5825MHz	Pass	AV	11.651G	52.97	54.00	-1.03	3	Vertical	56	2.12	-
5825MHz	Pass	PK	11.65096G	65.89	74.00	-8.11	3	Vertical	56	2.12	-
5825MHz	Pass	PK	17.48108G	65.70	68.20	-2.50	3	Vertical	323	2.50	-
5825MHz	Pass	AV	11.65108G	49.55	54.00	-4.45	3	Horizontal	66	1.77	-
5825MHz	Pass	PK	11.65112G	62.38	74.00	-11.62	3	Horizontal	66	1.77	-
5825MHz	Pass	PK	17.47888G	65.53	68.20	-2.67	3	Horizontal	122	2.44	-
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1488G	52.40	54.00	-1.60	3	Vertical	249	2.23	-
5190MHz	Pass	AV	5.1956G	101.34	Inf	-Inf	3	Vertical	249	2.23	-
5190MHz	Pass	PK	5.1492G	63.88	74.00	-10.12	3	Vertical	249	2.23	-
5190MHz	Pass	PK	5.1952G	111.48	Inf	-Inf	3	Vertical	249	2.23	-
5190MHz	Pass	AV	5.1496G	53.23	54.00	-0.77	3	Horizontal	292	2.23	-
5190MHz	Pass	AV	5.1956G	103.03	Inf	-Inf	3	Horizontal	292	2.23	-
5190MHz	Pass	PK	5.1472G	64.98	74.00	-9.02	3	Horizontal	292	2.23	-
5190MHz	Pass	PK	5.1952G	114.99	Inf	-Inf	3	Horizontal	292	2.23	-



RSE TX above 1GHz_Sample 1

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5190MHz	Pass	AV	15.56586G	45.43	54.00	-8.57	3	Vertical	74	1.50	-
5190MHz	Pass	PK	10.37946G	53.24	68.20	-14.96	3	Vertical	91	1.50	-
5190MHz	Pass	PK	15.58038G	57.20	74.00	-16.80	3	Vertical	74	1.50	-
5190MHz	Pass	AV	15.56472G	45.47	54.00	-8.53	3	Horizontal	160	1.50	-
5190MHz	Pass	PK	10.38372G	54.33	68.20	-13.87	3	Horizontal	251	2.26	-
5190MHz	Pass	PK	15.57642G	57.63	74.00	-16.37	3	Horizontal	160	1.50	-
5230MHz	Pass	AV	5.1484G	51.39	54.00	-2.61	3	Vertical	242	2.29	-
5230MHz	Pass	AV	5.236G	104.50	Inf	-Inf	3	Vertical	242	2.29	-
5230MHz	Pass	AV	5.3572G	49.76	54.00	-4.24	3	Vertical	242	2.29	-
5230MHz	Pass	PK	5.1094G	62.58	74.00	-11.42	3	Vertical	242	2.29	-
5230MHz	Pass	PK	5.2354G	115.55	Inf	-Inf	3	Vertical	242	2.29	-
5230MHz	Pass	PK	5.35G	60.95	74.00	-13.05	3	Vertical	242	2.29	-
5230MHz	Pass	AV	5.1454G	52.93	54.00	-1.07	3	Horizontal	297	2.02	-
5230MHz	Pass	AV	5.2354G	106.34	Inf	-Inf	3	Horizontal	297	2.02	-
5230MHz	Pass	AV	5.3542G	50.65	54.00	-3.35	3	Horizontal	297	2.02	-
5230MHz	Pass	PK	5.1316G	64.89	74.00	-9.11	3	Horizontal	297	2.02	-
5230MHz	Pass	PK	5.2354G	118.02	Inf	-Inf	3	Horizontal	297	2.02	-
5230MHz	Pass	PK	5.3536G	62.33	74.00	-11.67	3	Horizontal	297	2.02	-
5230MHz	Pass	AV	15.665G	45.25	54.00	-8.75	3	Vertical	199	1.50	-
5230MHz	Pass	PK	10.4552G	53.58	68.20	-14.62	3	Vertical	204	1.50	-
5230MHz	Pass	PK	15.703G	56.94	74.00	-17.06	3	Vertical	199	1.50	-
5230MHz	Pass	AV	15.6752G	45.22	54.00	-8.78	3	Horizontal	20	1.13	-
5230MHz	Pass	PK	10.455G	53.43	68.20	-14.77	3	Horizontal	70	1.50	-
5230MHz	Pass	PK	15.6896G	57.76	74.00	-16.24	3	Horizontal	20	1.13	-
5755MHz	Pass	AV	5.7514G	107.53	Inf	-Inf	3	Vertical	263	2.14	-
5755MHz	Pass	PK	5.6506G	64.47	68.64	-4.17	3	Vertical	263	2.14	-
5755MHz	Pass	PK	5.7598G	117.90	Inf	-Inf	3	Vertical	263	2.14	-
5755MHz	Pass	PK	5.9662G	60.50	68.20	-7.70	3	Vertical	263	2.14	-
5755MHz	Pass	AV	5.749G	107.31	Inf	-Inf	3	Horizontal	324	2.06	-
5755MHz	Pass	PK	5.6434G	67.11	68.20	-1.09	3	Horizontal	324	2.06	-
5755MHz	Pass	PK	5.7514G	118.83	Inf	-Inf	3	Horizontal	324	2.06	-
5755MHz	Pass	PK	5.929G	61.89	68.20	-6.31	3	Horizontal	324	2.06	-
5755MHz	Pass	AV	11.4964G	42.75	54.00	-11.25	3	Vertical	318	1.50	-
5755MHz	Pass	PK	11.5094G	54.67	74.00	-19.33	3	Vertical	318	1.50	-
5755MHz	Pass	PK	17.2578G	62.95	68.20	-5.25	3	Vertical	113	1.50	-
5755MHz	Pass	AV	11.523G	42.76	54.00	-11.24	3	Horizontal	87	1.50	-
5755MHz	Pass	PK	11.4859G	54.94	74.00	-19.06	3	Horizontal	87	1.50	-
5755MHz	Pass	PK	17.2855G	62.71	68.20	-5.49	3	Horizontal	339	1.50	-
5795MHz	Pass	AV	5.7962G	109.09	Inf	-Inf	3	Vertical	262	2.15	-
5795MHz	Pass	PK	5.627G	63.34	68.20	-4.86	3	Vertical	262	2.15	-
5795MHz	Pass	PK	5.7914G	120.49	Inf	-Inf	3	Vertical	262	2.15	-
5795MHz	Pass	PK	5.9258G	65.22	68.20	-2.98	3	Vertical	262	2.15	-
5795MHz	Pass	AV	5.7902G	108.89	Inf	-Inf	3	Horizontal	322	2.17	-
5795MHz	Pass	PK	5.6498G	65.48	68.20	-2.72	3	Horizontal	322	2.17	-
5795MHz	Pass	PK	5.7914G	119.90	Inf	-Inf	3	Horizontal	322	2.17	-
5795MHz	Pass	PK	5.9246G	67.63	68.50	-0.87	3	Horizontal	322	2.17	-
5795MHz	Pass	AV	11.58082G	43.52	54.00	-10.48	3	Vertical	77	2.42	-
5795MHz	Pass	PK	11.5804G	54.71	74.00	-19.29	3	Vertical	77	2.42	-
5795MHz	Pass	PK	17.37318G	63.75	68.20	-4.45	3	Vertical	295	1.50	-



RSE TX above 1GHz_Sample 1


Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5795MHz	Pass	AV	11.58016G	42.99	54.00	-11.01	3	Horizontal	333	1.50	-
5795MHz	Pass	PK	11.58214G	54.89	74.00	-19.11	3	Horizontal	333	1.50	-
5795MHz	Pass	PK	17.38308G	63.10	68.20	-5.10	3	Horizontal	63	1.50	-
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	51.87	54.00	-2.13	3	Vertical	274	2.14	-
5210MHz	Pass	AV	5.199G	97.45	Inf	-Inf	3	Vertical	274	2.14	-
5210MHz	Pass	AV	5.35G	49.52	54.00	-4.48	3	Vertical	274	2.14	-
5210MHz	Pass	PK	5.148G	63.68	74.00	-10.32	3	Vertical	274	2.14	-
5210MHz	Pass	PK	5.192G	108.66	Inf	-Inf	3	Vertical	274	2.14	-
5210MHz	Pass	PK	5.352G	61.53	74.00	-12.47	3	Vertical	274	2.14	-
5210MHz	Pass	AV	5.148G	53.20	54.00	-0.80	3	Horizontal	300	1.98	-
5210MHz	Pass	AV	5.195G	99.26	Inf	-Inf	3	Horizontal	300	1.98	-
5210MHz	Pass	AV	5.35G	50.05	54.00	-3.95	3	Horizontal	300	1.98	-
5210MHz	Pass	PK	5.145G	65.91	74.00	-8.09	3	Horizontal	300	1.98	-
5210MHz	Pass	PK	5.213G	110.91	Inf	-Inf	3	Horizontal	300	1.98	-
5210MHz	Pass	PK	5.356G	61.93	74.00	-12.07	3	Horizontal	300	1.98	-
5210MHz	Pass	AV	15.6225G	45.51	54.00	-8.49	3	Vertical	37	1.05	-
5210MHz	Pass	PK	10.42006G	53.37	68.20	-14.83	3	Vertical	180	1.50	-
5210MHz	Pass	PK	15.61806G	57.69	74.00	-16.31	3	Vertical	37	1.05	-
5210MHz	Pass	AV	15.61854G	45.35	54.00	-8.65	3	Horizontal	176	1.50	-
5210MHz	Pass	PK	10.4122G	53.40	68.20	-14.80	3	Horizontal	176	2.58	-
5210MHz	Pass	PK	15.61698G	57.24	74.00	-16.76	3	Horizontal	176	1.50	-
5775MHz	Pass	AV	5.7606G	101.46	Inf	-Inf	3	Vertical	30	2.16	-
5775MHz	Pass	PK	5.631G	63.97	68.20	-4.23	3	Vertical	30	2.16	-
5775MHz	Pass	PK	5.763G	112.65	Inf	-Inf	3	Vertical	30	2.16	-
5775MHz	Pass	PK	5.925G	61.39	68.20	-6.81	3	Vertical	30	2.16	-
5775MHz	Pass	AV	5.7606G	101.12	Inf	-Inf	3	Horizontal	156	2.09	-
5775MHz	Pass	PK	5.6478G	67.39	68.20	-0.81	3	Horizontal	156	2.09	-
5775MHz	Pass	PK	5.745G	112.61	Inf	-Inf	3	Horizontal	156	2.09	-
5775MHz	Pass	PK	5.9346G	62.30	68.20	-5.90	3	Horizontal	156	2.09	-
5775MHz	Pass	AV	11.56398G	42.92	54.00	-11.08	3	Vertical	120	1.50	-
5775MHz	Pass	PK	11.55186G	54.65	74.00	-19.35	3	Vertical	120	1.50	-
5775MHz	Pass	PK	17.33784G	62.67	68.20	-5.53	3	Vertical	170	1.50	-
5775MHz	Pass	AV	11.565G	42.76	54.00	-11.24	3	Horizontal	22	1.50	-
5775MHz	Pass	PK	11.5605G	54.82	74.00	-19.18	3	Horizontal	22	1.50	-
5775MHz	Pass	PK	17.32146G	63.20	68.20	-5.00	3	Horizontal	328	1.33	-

802.11a_Nss1,(6Mbps)_2TX

29/05/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1478G	51.21	54.00	-2.79	7.72	3	Vertical	334	2.21	-	43.49	34.20	7.57	34.05
AV	5.1816G	108.85	Inf	-Inf	7.74	3	Vertical	334	2.21	-	101.11	34.20	7.59	34.05
PK	5.148G	68.45	74.00	-5.55	7.72	3	Vertical	334	2.21	-	60.73	34.20	7.57	34.05
PK	5.1814G	118.18	Inf	-Inf	7.74	3	Vertical	334	2.21	-	110.44	34.20	7.59	34.05

802.11a_Nss1,(6Mbps)_2TX

29/05/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.06	54.00	-0.94	7.72	3	Horizontal	31	2.22	-	45.34	34.20	7.57	34.05
AV	5.1816G	110.50	Inf	-Inf	7.74	3	Horizontal	31	2.22	-	102.76	34.20	7.59	34.05
PK	5.1474G	72.18	74.00	-1.82	7.72	3	Horizontal	31	2.22	-	64.46	34.20	7.57	34.05
PK	5.1814G	119.58	Inf	-Inf	7.74	3	Horizontal	31	2.22	-	111.84	34.20	7.59	34.05

802.11a_Nss1,(6Mbps)_2TX

29/05/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53808G	46.04	54.00	-7.96	12.61	3	Vertical	188	2.44	-	33.43	43.71	10.91	42.01
PK	10.35896G	54.48	68.20	-13.72	5.72	3	Vertical	122	1.50	-	48.76	39.15	9.69	43.12
PK	15.53476G	58.79	74.00	-15.21	12.62	3	Vertical	188	2.44	-	46.17	43.72	10.91	42.01

802.11a_Nss1,(6Mbps)_2TX

29/05/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53476G	45.86	54.00	-8.14	12.62	3	Horizontal	186	2.32	-	33.24	43.72	10.91	42.01
PK	10.35916G	53.98	68.20	-14.22	5.72	3	Horizontal	299	1.50	-	48.26	39.15	9.69	43.12
PK	15.5496G	58.82	74.00	-15.18	12.57	3	Horizontal	186	2.32	-	46.25	43.68	10.91	42.02

802.11a_Nss1,(6Mbps)_2TX

29/05/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.107G	51.59	54.00	-2.41	7.70	3	Vertical	333	2.17	-	43.89	34.20	7.55	34.05
AV	5.1964G	109.24	Inf	-Inf	7.75	3	Vertical	333	2.17	-	101.49	34.20	7.60	34.05
AV	5.35G	48.41	54.00	-5.59	7.91	3	Vertical	333	2.17	-	40.50	34.30	7.67	34.06
PK	5.1022G	62.81	74.00	-11.19	7.70	3	Vertical	333	2.17	-	55.11	34.20	7.55	34.05
PK	5.2066G	118.21	Inf	-Inf	7.76	3	Vertical	333	2.17	-	110.45	34.21	7.60	34.05
PK	5.35G	60.13	74.00	-13.87	7.91	3	Vertical	333	2.17	-	52.22	34.30	7.67	34.06

802.11a_Nss1,(6Mbps)_2TX

29/05/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0968G	53.19	54.00	-0.81	7.69	3	Horizontal	31	2.25	-	45.50	34.19	7.55	34.05
AV	5.1964G	111.12	Inf	-Inf	7.75	3	Horizontal	31	2.25	-	103.37	34.20	7.60	34.05
AV	5.35G	48.94	54.00	-5.06	7.91	3	Horizontal	31	2.25	-	41.03	34.30	7.67	34.06
PK	5.1022G	64.56	74.00	-9.44	7.70	3	Horizontal	31	2.25	-	56.86	34.20	7.55	34.05
PK	5.1964G	120.41	Inf	-Inf	7.75	3	Horizontal	31	2.25	-	112.66	34.20	7.60	34.05
PK	5.35G	59.85	74.00	-14.15	7.91	3	Horizontal	31	2.25	-	51.94	34.30	7.67	34.06

802.11a_Nss1,(6Mbps)_2TX

29/05/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5934G	46.09	54.00	-7.91	12.46	3	Vertical	173	1.49	-	33.63	43.58	10.92	42.04
PK	10.39856G	54.49	68.20	-13.71	5.75	3	Vertical	94	1.50	-	48.74	39.18	9.70	43.13
PK	15.59548G	58.79	74.00	-15.21	12.44	3	Vertical	173	1.49	-	46.35	43.57	10.92	42.05

802.11a_Nss1,(6Mbps)_2TX

29/05/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6068G	46.05	54.00	-7.95	12.41	3	Horizontal	164	1.00	-	33.64	43.54	10.92	42.05
PK	10.3972G	53.98	68.20	-14.22	5.75	3	Horizontal	15	1.48	-	48.23	39.18	9.70	43.13
PK	15.60716G	59.21	74.00	-14.79	12.41	3	Horizontal	164	1.00	-	46.80	43.54	10.92	42.05

802.11a_Nss1,(6Mbps)_2TX

29/05/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1416G	51.93	54.00	-2.07	7.72	3	Vertical	332	2.17	-	44.21	34.20	7.57	34.05
AV	5.2412G	109.85	Inf	-Inf	7.85	3	Vertical	332	2.17	-	102.00	34.28	7.62	34.05
AV	5.3504G	48.95	54.00	-5.05	7.92	3	Vertical	332	2.17	-	41.03	34.30	7.68	34.06
PK	5.1368G	63.85	74.00	-10.15	7.72	3	Vertical	332	2.17	-	56.13	34.20	7.57	34.05
PK	5.2364G	119.03	Inf	-Inf	7.84	3	Vertical	332	2.17	-	111.19	34.27	7.62	34.05
PK	5.3744G	61.79	74.00	-12.21	7.88	3	Vertical	332	2.17	-	53.91	34.25	7.69	34.06

802.11a_Nss1,(6Mbps)_2TX

29/05/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1422G	53.12	54.00	-0.88	7.72	3	Horizontal	31	2.23	-	45.40	34.20	7.57	34.05
AV	5.2418G	111.61	Inf	-Inf	7.85	3	Horizontal	31	2.23	-	103.76	34.28	7.62	34.05
AV	5.35G	49.64	54.00	-4.36	7.92	3	Horizontal	31	2.23	-	41.72	34.30	7.68	34.06
PK	5.1428G	65.43	74.00	-8.57	7.72	3	Horizontal	31	2.23	-	57.71	34.20	7.57	34.05
PK	5.2412G	120.44	Inf	-Inf	7.85	3	Horizontal	31	2.23	-	112.59	34.28	7.62	34.05
PK	5.3516G	61.15	74.00	-12.85	7.92	3	Horizontal	31	2.23	-	53.23	34.30	7.68	34.06

802.11a_Nss1,(6Mbps)_2TX

29/05/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72752G	45.86	54.00	-8.14	12.08	3	Vertical	129	1.37	-	33.78	43.25	10.95	42.12
PK	10.47016G	54.45	68.20	-13.75	5.80	3	Vertical	317	1.50	-	48.65	39.23	9.72	43.15
PK	15.71468G	58.29	74.00	-15.71	12.11	3	Vertical	129	1.37	-	46.18	43.28	10.94	42.11

802.11a_Nss1,(6Mbps)_2TX

29/05/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72236G	45.76	54.00	-8.24	12.09	3	Horizontal	162	2.32	-	33.67	43.27	10.94	42.12
PK	10.47512G	54.02	68.20	-14.18	5.80	3	Horizontal	10	1.37	-	48.22	39.23	9.72	43.15
PK	15.729G	58.39	74.00	-15.61	12.08	3	Horizontal	162	2.32	-	46.31	43.25	10.95	42.12

802.11a_Nss1,(6Mbps)_2TX

29/05/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	111.60	Inf	-Inf	7.79	3	Vertical	0	2.14	-	103.81	33.99	7.87	34.07
PK	5.6466G	65.09	68.20	-3.11	7.76	3	Vertical	0	2.14	-	57.33	34.01	7.82	34.07
PK	5.751G	121.02	Inf	-Inf	7.80	3	Vertical	0	2.14	-	113.22	34.00	7.88	34.08
PK	5.9778G	61.38	68.20	-6.82	8.67	3	Vertical	0	2.14	-	52.71	34.76	7.99	34.08

802.11a_Nss1,(6Mbps)_2TX

29/05/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7402G	113.16	Inf	-1.05	7.78	3	Horizontal	28	2.15	-	105.38	33.98	7.87	34.07
PK	5.6418G	67.15	68.20	-1.05	7.77	3	Horizontal	28	2.15	-	59.38	34.02	7.82	34.07
PK	5.7402G	122.00	Inf	-Inf	7.78	3	Horizontal	28	2.15	-	114.22	33.98	7.87	34.07
PK	5.9418G	61.77	68.20	-6.43	8.57	3	Horizontal	28	2.15	-	53.20	34.68	7.97	34.08

802.11a_Nss1,(6Mbps)_2TX

29/05/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4921G	43.94	54.00	-10.06	7.93	3	Vertical	145	1.90	-	36.01	40.58	9.97	42.62
PK	11.49246G	56.41	74.00	-17.59	7.93	3	Vertical	145	1.90	-	48.48	40.58	9.97	42.62
PK	17.23358G	62.44	68.20	-5.76	17.03	3	Vertical	192	2.02	-	45.41	46.14	11.56	40.67

802.11a_Nss1,(6Mbps)_2TX

29/05/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49134G	46.01	54.00	-7.99	7.93	3	Horizontal	135	1.46	-	38.08	40.58	9.97	42.62
PK	11.49102G	60.02	74.00	-13.98	7.93	3	Horizontal	135	1.46	-	52.09	40.58	9.97	42.62
PK	17.23882G	62.73	68.20	-5.47	17.07	3	Horizontal	344	2.06	-	45.66	46.18	11.56	40.67

802.11a_Nss1,(6Mbps)_2TX

29/05/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	115.88	Inf	-Inf	7.88	3	Vertical	124	2.10	-	108.00	34.07	7.89	34.08
PK	5.641G	65.78	68.20	-2.42	7.77	3	Vertical	124	2.10	-	58.01	34.02	7.82	34.07
PK	5.7814G	125.86	Inf	-Inf	7.87	3	Vertical	124	2.10	-	117.99	34.06	7.89	34.08
PK	5.9254G	65.29	68.20	-2.91	8.53	3	Vertical	124	2.10	-	56.76	34.65	7.96	34.08

802.11a_Nss1,(6Mbps)_2TX

29/05/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	116.35	Inf	-Inf	7.88	3	Horizontal	30	2.17	-	108.47	34.07	7.89	34.08
PK	5.5918G	65.86	68.20	-2.34	7.84	3	Horizontal	30	2.17	-	58.02	34.11	7.80	34.07
PK	5.791G	126.08	Inf	-Inf	7.90	3	Horizontal	30	2.17	-	118.18	34.08	7.90	34.08
PK	5.9842G	62.75	68.20	-5.45	8.68	3	Horizontal	30	2.17	-	54.07	34.77	7.99	34.08

802.11a_Nss1,(6Mbps)_2TX

29/05/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56786G	47.51	54.00	-6.49	8.14	3	Vertical	262	1.92	-	39.37	40.74	9.99	42.59
PK	11.56762G	61.77	74.00	-12.23	8.14	3	Vertical	262	1.92	-	53.63	40.74	9.99	42.59
PK	17.35808G	64.38	68.20	-3.82	18.02	3	Vertical	110	1.22	-	46.36	46.96	11.61	40.55

802.11a_Nss1,(6Mbps)_2TX

29/05/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56716G	43.82	54.00	-10.18	8.13	3	Horizontal	146	1.72	-	35.69	40.73	9.99	42.59
PK	11.56672G	56.83	74.00	-17.17	8.13	3	Horizontal	146	1.72	-	48.70	40.73	9.99	42.59
PK	17.35438G	64.07	68.20	-4.13	17.99	3	Horizontal	110	2.19	-	46.08	46.94	11.61	40.56

802.11a_Nss1,(6Mbps)_2TX

29/05/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	115.26	Inf	-Inf	8.07	3	Vertical	122	2.20	-	107.19	34.24	7.91	34.08
PK	5.6318G	63.64	68.20	-4.56	7.79	3	Vertical	122	2.20	-	55.85	34.04	7.82	34.07
PK	5.8202G	124.83	Inf	-Inf	8.03	3	Vertical	122	2.20	-	116.80	34.20	7.91	34.08
PK	5.9306G	66.75	68.20	-1.45	8.55	3	Vertical	122	2.20	-	58.20	34.66	7.97	34.08

802.11a_Nss1,(6Mbps)_2TX

29/05/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	116.42	Inf	-Inf	8.04	3	Horizontal	28	2.15	-	108.38	34.21	7.91	34.08
PK	5.5802G	66.93	68.20	-1.27	7.84	3	Horizontal	28	2.15	-	59.09	34.12	7.79	34.07
PK	5.8202G	125.35	Inf	-Inf	8.03	3	Horizontal	28	2.15	-	117.32	34.20	7.91	34.08
PK	5.9258G	66.48	68.20	-1.72	8.53	3	Horizontal	28	2.15	-	57.95	34.65	7.96	34.08

802.11a_Nss1,(6Mbps)_2TX

29/05/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65088G	52.88	54.00	-1.12	8.37	3	Vertical	192	1.42	-	44.51	40.90	10.01	42.54
PK	11.651G	65.91	74.00	-8.09	8.37	3	Vertical	192	1.42	-	57.54	40.90	10.01	42.54
PK	17.47036G	65.80	68.20	-2.40	18.91	3	Vertical	273	1.03	-	46.89	47.70	11.66	40.45

802.11a_Nss1,(6Mbps)_2TX

29/05/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65084G	47.61	54.00	-6.39	8.37	3	Horizontal	66	1.76	-	39.24	40.90	10.01	42.54
PK	11.65576G	60.35	74.00	-13.65	8.38	3	Horizontal	66	1.76	-	51.97	40.91	10.01	42.54
PK	17.47616G	65.64	68.20	-2.56	18.96	3	Horizontal	246	1.50	-	46.68	47.74	11.66	40.44

802.11ax HEW20_Nss1,(MCS0)_2TX

30/05/2020


5180MHz_TX



802.11ax HEW20_Nss1,(MCS0)_2TX

30/05/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	52.93	54.00	-1.07	7.72	3	Horizontal	301	2.09	-	45.21	34.20	7.57	34.05
AV	5.1808G	108.14	Inf	-Inf	7.74	3	Horizontal	301	2.09	-	100.40	34.20	7.59	34.05
PK	5.1478G	65.63	74.00	-8.37	7.72	3	Horizontal	301	2.09	-	57.91	34.20	7.57	34.05
PK	5.178G	120.42	Inf	-Inf	7.74	3	Horizontal	301	2.09	-	112.68	34.20	7.59	34.05

802.11ax HEW20_Nss1,(MCS0)_2TX

30/05/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54812G	46.07	54.00	-7.93	12.57	3	Vertical	290	1.81	-	33.50	43.68	10.91	42.02
PK	10.35836G	54.66	68.20	-13.54	5.72	3	Vertical	78	1.54	-	48.94	39.15	9.69	43.12
PK	15.54424G	58.86	74.00	-15.14	12.58	3	Vertical	290	1.81	-	46.28	43.69	10.91	42.02

802.11ax HEW20_Nss1,(MCS0)_2TX

30/05/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53644G	46.04	54.00	-7.96	12.61	3	Horizontal	295	1.50	-	33.43	43.71	10.91	42.01
PK	10.35068G	54.21	68.20	-13.99	5.72	3	Horizontal	44	1.50	-	48.49	39.15	9.69	43.12
PK	15.53868G	58.99	74.00	-15.01	12.61	3	Horizontal	295	1.50	-	46.38	43.71	10.91	42.01

802.11ax HEW20_Nss1,(MCS0)_2TX

30/05/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1082G	50.84	54.00	-3.16	7.70	3	Vertical	245	2.23	-	43.14	34.20	7.55	34.05
AV	5.1982G	108.59	Inf	-Inf	7.75	3	Vertical	245	2.23	-	100.84	34.20	7.60	34.05
AV	5.35G	48.58	54.00	-5.42	7.91	3	Vertical	245	2.23	-	40.67	34.30	7.67	34.06
PK	5.1064G	63.73	74.00	-10.27	7.70	3	Vertical	245	2.23	-	56.03	34.20	7.55	34.05
PK	5.1934G	120.44	Inf	-Inf	7.75	3	Vertical	245	2.23	-	112.69	34.20	7.60	34.05
PK	5.35G	59.85	74.00	-14.15	7.91	3	Vertical	245	2.23	-	51.94	34.30	7.67	34.06

802.11ax HEW20_Nss1,(MCS0)_2TX

30/05/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.101G	52.99	54.00	-1.01	7.70	3	Horizontal	300	2.14	-	45.29	34.20	7.55	34.05
AV	5.1952G	109.52	Inf	-Inf	7.75	3	Horizontal	300	2.14	-	101.77	34.20	7.60	34.05
AV	5.35G	49.05	54.00	-4.95	7.91	3	Horizontal	300	2.14	-	41.14	34.30	7.67	34.06
PK	5.104G	65.07	74.00	-8.93	7.70	3	Horizontal	300	2.14	-	57.37	34.20	7.55	34.05
PK	5.1928G	121.43	Inf	-Inf	7.75	3	Horizontal	300	2.14	-	113.68	34.20	7.60	34.05
PK	5.35G	59.69	74.00	-14.31	7.91	3	Horizontal	300	2.14	-	51.78	34.30	7.67	34.06

802.11ax HEW20_Nss1,(MCS0)_2TX

30/05/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59064G	46.19	54.00	-7.81	12.46	3	Vertical	141	2.29	-	33.73	43.58	10.92	42.04
PK	10.40056G	53.98	68.20	-14.22	5.75	3	Vertical	343	1.50	-	48.23	39.18	9.70	43.13
PK	15.59388G	58.75	74.00	-15.25	12.45	3	Vertical	141	2.29	-	46.30	43.57	10.92	42.04

802.11ax HEW20_Nss1,(MCS0)_2TX

30/05/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59096G	46.09	54.00	-7.91	12.46	3	Horizontal	260	2.91	-	33.63	43.58	10.92	42.04
PK	10.39404G	54.49	68.20	-13.71	5.75	3	Horizontal	139	1.50	-	48.74	39.18	9.70	43.13
PK	15.60484G	59.17	74.00	-14.83	12.42	3	Horizontal	260	2.91	-	46.75	43.55	10.92	42.05

802.11ax HEW20_Nss1,(MCS0)_2TX

30/05/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1356G	51.06	54.00	-2.94	7.72	3	Vertical	244	2.19	-	43.34	34.20	7.57	34.05
AV	5.2406G	109.02	Inf	-Inf	7.85	3	Vertical	244	2.19	-	101.17	34.28	7.62	34.05
AV	5.355G	48.87	54.00	-5.13	7.92	3	Vertical	244	2.19	-	40.95	34.30	7.68	34.06
PK	5.138G	64.14	74.00	-9.86	7.72	3	Vertical	244	2.19	-	56.42	34.20	7.57	34.05
PK	5.2328G	120.12	Inf	-Inf	7.84	3	Vertical	244	2.19	-	112.28	34.27	7.62	34.05
PK	5.35G	61.16	74.00	-12.84	7.92	3	Vertical	244	2.19	-	53.24	34.30	7.68	34.06

802.11ax HEW20_Nss1,(MCS0)_2TX

30/05/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	52.97	54.00	-1.03	7.72	3	Horizontal	300	2.04	-	45.25	34.20	7.57	34.05
AV	5.2382G	110.24	Inf	-Inf	7.85	3	Horizontal	300	2.04	-	102.39	34.28	7.62	34.05
AV	5.35G	50.21	54.00	-3.79	7.92	3	Horizontal	300	2.04	-	42.29	34.30	7.68	34.06
PK	5.1404G	64.62	74.00	-9.38	7.72	3	Horizontal	300	2.04	-	56.90	34.20	7.57	34.05
PK	5.2328G	121.51	Inf	-Inf	7.84	3	Horizontal	300	2.04	-	113.67	34.27	7.62	34.05
PK	5.372G	60.99	74.00	-13.01	7.89	3	Horizontal	300	2.04	-	53.10	34.26	7.69	34.06

802.11ax HEW20_Nss1,(MCS0)_2TX

30/05/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71652G	45.88	54.00	-8.12	12.10	3	Vertical	92	2.97	-	33.78	43.28	10.94	42.12
PK	10.47224G	53.77	68.20	-14.43	5.80	3	Vertical	133	1.50	-	47.97	39.23	9.72	43.15
PK	15.71632G	58.47	74.00	-15.53	12.10	3	Vertical	92	2.97	-	46.37	43.28	10.94	42.12

802.11ax HEW20_Nss1,(MCS0)_2TX

30/05/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.728G	45.97	54.00	-8.03	12.08	3	Horizontal	11	2.52	-	33.89	43.25	10.95	42.12
PK	10.48712G	54.43	68.20	-13.77	5.80	3	Horizontal	117	2.85	-	48.63	39.24	9.72	43.16
PK	15.7288G	59.36	74.00	-14.64	12.08	3	Horizontal	11	2.52	-	47.28	43.25	10.95	42.12

802.11ax HEW20_Nss1,(MCS0)_2TX

30/05/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7486G	112.38	Inf	-Inf	7.80	3	Vertical	30	2.14	-	104.58	34.00	7.87	34.07
PK	5.6478G	65.84	68.20	-2.36	7.75	3	Vertical	30	2.14	-	58.09	34.00	7.82	34.07
PK	5.7378G	123.41	Inf	-Inf	7.78	3	Vertical	30	2.14	-	115.63	33.98	7.87	34.07
PK	5.9406G	61.33	68.20	-6.87	8.57	3	Vertical	30	2.14	-	52.76	34.68	7.97	34.08

802.11ax HEW20_Nss1,(MCS0)_2TX

30/05/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	111.32	Inf	-Inf	7.79	3	Horizontal	153	2.00	-	103.53	33.99	7.87	34.07
PK	5.6502G	67.44	68.35	-0.91	7.76	3	Horizontal	153	2.00	-	59.68	34.00	7.83	34.07
PK	5.7498G	122.47	Inf	-Inf	7.80	3	Horizontal	153	2.00	-	114.67	34.00	7.87	34.07
PK	5.937G	62.02	68.20	-6.18	8.56	3	Horizontal	153	2.00	-	53.46	34.67	7.97	34.08

802.11ax HEW20_Nss1,(MCS0)_2TX

30/05/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4916G	46.42	54.00	-7.58	7.93	3	Vertical	138	2.92	-	38.49	40.58	9.97	42.62
PK	11.48756G	58.95	74.00	-15.05	7.93	3	Vertical	138	2.92	-	51.02	40.58	9.97	42.62
PK	17.23872G	62.97	68.20	-5.23	17.07	3	Vertical	303	1.59	-	45.90	46.18	11.56	40.67

802.11ax HEW20_Nss1,(MCS0)_2TX

30/05/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49076G	43.83	54.00	-10.17	7.93	3	Horizontal	67	1.84	-	35.90	40.58	9.97	42.62
PK	11.48516G	56.03	74.00	-17.97	7.92	3	Horizontal	67	1.84	-	48.11	40.57	9.97	42.62
PK	17.24496G	63.65	68.20	-4.55	17.12	3	Horizontal	317	1.35	-	46.53	46.22	11.56	40.66

802.11ax HEW20_Nss1,(MCS0)_2TX

30/05/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	114.98	Inf	-Inf	7.89	3	Vertical	31	2.26	-	107.09	34.08	7.89	34.08
PK	5.593G	65.90	68.20	-2.30	7.84	3	Vertical	31	2.26	-	58.06	34.11	7.80	34.07
PK	5.791G	126.40	Inf	-Inf	7.90	3	Vertical	31	2.26	-	118.50	34.08	7.90	34.08
PK	5.9854G	63.05	68.20	-5.15	8.68	3	Vertical	31	2.26	-	54.37	34.77	7.99	34.08

802.11ax HEW20_Nss1,(MCS0)_2TX

30/05/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	114.60	Inf	-Inf	7.89	3	Horizontal	156	2.23	-	106.71	34.08	7.89	34.08
PK	5.5222G	67.13	68.20	-1.07	7.87	3	Horizontal	156	2.23	-	59.26	34.18	7.76	34.07
PK	5.7778G	125.86	Inf	-Inf	7.87	3	Horizontal	156	2.23	-	117.99	34.06	7.89	34.08
PK	5.989G	63.53	68.20	-4.67	8.69	3	Horizontal	156	2.23	-	54.84	34.78	7.99	34.08

802.11ax HEW20_Nss1,(MCS0)_2TX

30/05/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5706G	48.29	54.00	-5.71	8.15	3	Vertical	186	2.95	-	40.14	40.74	9.99	42.58
PK	11.571G	60.95	74.00	-13.05	8.15	3	Vertical	186	2.95	-	52.80	40.74	9.99	42.58
PK	17.3484G	63.85	68.20	-4.35	17.95	3	Vertical	86	1.50	-	45.90	46.90	11.61	40.56

802.11ax HEW20_Nss1,(MCS0)_2TX

30/05/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56592G	45.44	54.00	-8.56	8.13	3	Horizontal	64	1.80	-	37.31	40.73	9.99	42.59
PK	11.57104G	58.33	74.00	-15.67	8.15	3	Horizontal	64	1.80	-	50.18	40.74	9.99	42.58
PK	17.3636G	64.00	68.20	-4.20	18.06	3	Horizontal	297	1.49	-	45.94	47.00	11.61	40.55

802.11ax HEW20_Nss1,(MCS0)_2TX

30/05/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	113.68	Inf	-Inf	8.04	3	Vertical	28	2.21	-	105.64	34.21	7.91	34.08
PK	5.6258G	64.37	68.20	-3.83	7.79	3	Vertical	28	2.21	-	56.58	34.05	7.81	34.07
PK	5.8178G	124.34	Inf	-Inf	8.02	3	Vertical	28	2.21	-	116.32	34.19	7.91	34.08
PK	5.927G	64.49	68.20	-3.71	8.53	3	Vertical	28	2.21	-	55.96	34.65	7.96	34.08

802.11ax HEW20_Nss1,(MCS0)_2TX

30/05/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	112.83	Inf	-Inf	8.02	3	Horizontal	156	2.20	-	104.81	34.19	7.91	34.08
PK	5.6294G	67.37	68.20	-0.83	7.78	3	Horizontal	156	2.20	-	59.59	34.04	7.81	34.07
PK	5.8178G	124.30	Inf	-Inf	8.02	3	Horizontal	156	2.20	-	116.28	34.19	7.91	34.08
PK	5.9258G	66.46	68.20	-1.74	8.53	3	Horizontal	156	2.20	-	57.93	34.65	7.96	34.08

802.11ax HEW20_Nss1,(MCS0)_2TX

30/05/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.651G	52.97	54.00	-1.03	8.37	3	Vertical	56	2.12	-	44.60	40.90	10.01	42.54
PK	11.65096G	65.89	74.00	-8.11	8.37	3	Vertical	56	2.12	-	57.52	40.90	10.01	42.54
PK	17.48108G	65.70	68.20	-2.50	19.01	3	Vertical	323	2.50	-	46.69	47.78	11.67	40.44

802.11ax HEW20_Nss1,(MCS0)_2TX

30/05/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65108G	49.55	54.00	-4.45	8.37	3	Horizontal	66	1.77	-	41.18	40.90	10.01	42.54
PK	11.65112G	62.38	74.00	-11.62	8.37	3	Horizontal	66	1.77	-	54.01	40.90	10.01	42.54
PK	17.47888G	65.53	68.20	-2.67	18.99	3	Horizontal	122	2.44	-	46.54	47.76	11.67	40.44

802.11ax HEW40_Nss1,(MCS0)_2TX

31/05/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	52.40	54.00	-1.60	7.72	3	Vertical	249	2.23	-	44.68	34.20	7.57	34.05
AV	5.1956G	101.34	Inf	-Inf	7.75	3	Vertical	249	2.23	-	93.59	34.20	7.60	34.05
PK	5.1492G	63.88	74.00	-10.12	7.72	3	Vertical	249	2.23	-	56.16	34.20	7.57	34.05
PK	5.1952G	111.48	Inf	-Inf	7.75	3	Vertical	249	2.23	-	103.73	34.20	7.60	34.05

802.11ax HEW40_Nss1,(MCS0)_2TX

31/05/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.23	54.00	-0.77	7.72	3	Horizontal	292	2.23	-	45.51	34.20	7.57	34.05
AV	5.1956G	103.03	Inf	-Inf	7.75	3	Horizontal	292	2.23	-	95.28	34.20	7.60	34.05
PK	5.1472G	64.98	74.00	-9.02	7.72	3	Horizontal	292	2.23	-	57.26	34.20	7.57	34.05
PK	5.1952G	114.99	Inf	-Inf	7.75	3	Horizontal	292	2.23	-	107.24	34.20	7.60	34.05

802.11ax HEW40_Nss1,(MCS0)_2TX

31/05/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56586G	45.43	54.00	-8.57	12.52	3	Vertical	74	1.50	-	32.91	43.64	10.91	42.03
PK	10.37946G	53.24	68.20	-14.96	5.73	3	Vertical	91	1.50	-	47.51	39.17	9.69	43.13
PK	15.58038G	57.20	74.00	-16.80	12.49	3	Vertical	74	1.50	-	44.71	43.61	10.92	42.04

802.11ax HEW40_Nss1,(MCS0)_2TX

31/05/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56472G	45.47	54.00	-8.53	12.52	3	Horizontal	160	1.50	-	32.95	43.64	10.91	42.03
PK	10.38372G	54.33	68.20	-13.87	5.74	3	Horizontal	251	2.26	-	48.59	39.17	9.70	43.13
PK	15.57642G	57.63	74.00	-16.37	12.51	3	Horizontal	160	1.50	-	45.12	43.62	10.92	42.03

802.11ax HEW40_Nss1,(MCS0)_2TX

31/05/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	51.39	54.00	-2.61	7.72	3	Vertical	242	2.29	-	43.67	34.20	7.57	34.05
AV	5.236G	104.50	Inf	-Inf	7.84	3	Vertical	242	2.29	-	96.66	34.27	7.62	34.05
AV	5.3572G	49.76	54.00	-4.24	7.91	3	Vertical	242	2.29	-	41.85	34.29	7.68	34.06
PK	5.1094G	62.58	74.00	-11.42	7.70	3	Vertical	242	2.29	-	54.88	34.20	7.55	34.05
PK	5.2354G	115.55	Inf	-Inf	7.84	3	Vertical	242	2.29	-	107.71	34.27	7.62	34.05
PK	5.35G	60.95	74.00	-13.05	7.92	3	Vertical	242	2.29	-	53.03	34.30	7.68	34.06

802.11ax HEW40_Nss1,(MCS0)_2TX

31/05/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1454G	52.93	54.00	-1.07	7.72	3	Horizontal	297	2.02	-	45.21	34.20	7.57	34.05
AV	5.2354G	106.34	Inf	-Inf	7.84	3	Horizontal	297	2.02	-	98.50	34.27	7.62	34.05
AV	5.3542G	50.65	54.00	-3.35	7.91	3	Horizontal	297	2.02	-	42.74	34.29	7.68	34.06
PK	5.1316G	64.89	74.00	-9.11	7.72	3	Horizontal	297	2.02	-	57.17	34.20	7.57	34.05
PK	5.2354G	118.02	Inf	-Inf	7.84	3	Horizontal	297	2.02	-	110.18	34.27	7.62	34.05
PK	5.3536G	62.33	74.00	-11.67	7.91	3	Horizontal	297	2.02	-	54.42	34.29	7.68	34.06

802.11ax HEW40_Nss1,(MCS0)_2TX

31/05/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.665G	45.25	54.00	-8.75	12.24	3	Vertical	199	1.50	-	33.01	43.40	10.93	42.09
PK	10.4552G	53.58	68.20	-14.62	5.78	3	Vertical	204	1.50	-	47.80	39.22	9.71	43.15
PK	15.703G	56.94	74.00	-17.06	12.14	3	Vertical	199	1.50	-	44.80	43.31	10.94	42.11

802.11ax HEW40_Nss1,(MCS0)_2TX

31/05/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6752G	45.22	54.00	-8.78	12.23	3	Horizontal	20	1.13	-	32.99	43.38	10.94	42.09
PK	10.455G	53.43	68.20	-14.77	5.78	3	Horizontal	70	1.50	-	47.65	39.22	9.71	43.15
PK	15.6896G	57.76	74.00	-16.24	12.18	3	Horizontal	20	1.13	-	45.58	43.34	10.94	42.10

802.11ax HEW40_Nss1,(MCS0)_2TX

31/05/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7514G	107.53	Inf	-Inf	7.80	3	Vertical	263	2.14	-	99.73	34.00	7.88	34.08
PK	5.6506G	64.47	68.64	-4.17	7.76	3	Vertical	263	2.14	-	56.71	34.00	7.83	34.07
PK	5.7598G	117.90	Inf	-Inf	7.82	3	Vertical	263	2.14	-	110.08	34.02	7.88	34.08
PK	5.9662G	60.50	68.20	-7.70	8.63	3	Vertical	263	2.14	-	51.87	34.73	7.98	34.08

802.11ax HEW40_Nss1,(MCS0)_2TX

31/05/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.749G	107.31	Inf	-Inf	7.80	3	Horizontal	324	2.06	-	99.51	34.00	7.87	34.07
PK	5.6434G	67.11	68.20	-1.09	7.76	3	Horizontal	324	2.06	-	59.35	34.01	7.82	34.07
PK	5.7514G	118.83	Inf	-Inf	7.80	3	Horizontal	324	2.06	-	111.03	34.00	7.88	34.08
PK	5.929G	61.89	68.20	-6.31	8.54	3	Horizontal	324	2.06	-	53.35	34.66	7.96	34.08

802.11ax HEW40_Nss1,(MCS0)_2TX

31/05/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4964G	42.75	54.00	-11.25	7.94	3	Vertical	318	1.50	-	34.81	40.59	9.97	42.62
PK	11.5094G	54.67	74.00	-19.33	7.98	3	Vertical	318	1.50	-	46.69	40.62	9.98	42.62
PK	17.2578G	62.95	68.20	-5.25	17.22	3	Vertical	113	1.50	-	45.73	46.30	11.57	40.65

802.11ax HEW40_Nss1,(MCS0)_2TX

31/05/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.523G	42.76	54.00	-11.24	8.02	3	Horizontal	87	1.50	-	34.74	40.65	9.98	42.61
PK	11.4859G	54.94	74.00	-19.06	7.92	3	Horizontal	87	1.50	-	47.02	40.57	9.97	42.62
PK	17.2855G	62.71	68.20	-5.49	17.44	3	Horizontal	339	1.50	-	45.27	46.48	11.58	40.62

802.11ax HEW40_Nss1,(MCS0)_2TX

31/05/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7962G	109.09	Inf	-Inf	7.91	3	Vertical	262	2.15	-	101.18	34.09	7.90	34.08
PK	5.627G	63.34	68.20	-4.86	7.79	3	Vertical	262	2.15	-	55.55	34.05	7.81	34.07
PK	5.7914G	120.49	Inf	-Inf	7.90	3	Vertical	262	2.15	-	112.59	34.08	7.90	34.08
PK	5.9258G	65.22	68.20	-2.98	8.53	3	Vertical	262	2.15	-	56.69	34.65	7.96	34.08

802.11ax HEW40_Nss1,(MCS0)_2TX

31/05/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7902G	108.89	Inf	-Inf	7.90	3	Horizontal	322	2.17	-	100.99	34.08	7.90	34.08
PK	5.6498G	65.48	68.20	-2.72	7.75	3	Horizontal	322	2.17	-	57.73	34.00	7.82	34.07
PK	5.7914G	119.90	Inf	-Inf	7.90	3	Horizontal	322	2.17	-	112.00	34.08	7.90	34.08
PK	5.9246G	67.63	68.50	-0.87	8.53	3	Horizontal	322	2.17	-	59.10	34.65	7.96	34.08

802.11ax HEW40_Nss1,(MCS0)_2TX

31/05/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58082G	43.52	54.00	-10.48	8.18	3	Vertical	77	2.42	-	35.34	40.76	10.00	42.58
PK	11.5804G	54.71	74.00	-19.29	8.18	3	Vertical	77	2.42	-	46.53	40.76	10.00	42.58
PK	17.37318G	63.75	68.20	-4.45	18.14	3	Vertical	295	1.50	-	45.61	47.06	11.62	40.54

802.11ax HEW40_Nss1,(MCS0)_2TX

31/05/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58016G	42.99	54.00	-11.01	8.18	3	Horizontal	333	1.50	-	34.81	40.76	10.00	42.58
PK	11.58214G	54.89	74.00	-19.11	8.18	3	Horizontal	333	1.50	-	46.71	40.76	10.00	42.58
PK	17.38308G	63.10	68.20	-5.10	18.22	3	Horizontal	63	1.50	-	44.88	47.13	11.62	40.53

802.11ax HEW80_Nss1,(MCS0)_2TX

30/05/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.87	54.00	-2.13	7.72	3	Vertical	274	2.14	-	44.15	34.20	7.57	34.05
AV	5.199G	97.45	Inf	-Inf	7.75	3	Vertical	274	2.14	-	89.70	34.20	7.60	34.05
AV	5.35G	49.52	54.00	-4.48	7.92	3	Vertical	274	2.14	-	41.60	34.30	7.68	34.06
PK	5.148G	63.68	74.00	-10.32	7.72	3	Vertical	274	2.14	-	55.96	34.20	7.57	34.05
PK	5.192G	108.66	Inf	-Inf	7.75	3	Vertical	274	2.14	-	100.91	34.20	7.60	34.05
PK	5.352G	61.53	74.00	-12.47	7.92	3	Vertical	274	2.14	-	53.61	34.30	7.68	34.06

802.11ax HEW80_Nss1,(MCS0)_2TX

30/05/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.20	54.00	-0.80	7.72	3	Horizontal	300	1.98	-	45.48	34.20	7.57	34.05
AV	5.195G	99.26	Inf	-Inf	7.75	3	Horizontal	300	1.98	-	91.51	34.20	7.60	34.05
AV	5.35G	50.05	54.00	-3.95	7.92	3	Horizontal	300	1.98	-	42.13	34.30	7.68	34.06
PK	5.145G	65.91	74.00	-8.09	7.72	3	Horizontal	300	1.98	-	58.19	34.20	7.57	34.05
PK	5.213G	110.91	Inf	-Inf	7.79	3	Horizontal	300	1.98	-	103.12	34.23	7.61	34.05
PK	5.356G	61.93	74.00	-12.07	7.91	3	Horizontal	300	1.98	-	54.02	34.29	7.68	34.06

802.11ax HEW80_Nss1,(MCS0)_2TX

30/05/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6225G	45.51	54.00	-8.49	12.37	3	Vertical	37	1.05	-	33.14	43.51	10.92	42.06
PK	10.42006G	53.37	68.20	-14.83	5.76	3	Vertical	180	1.50	-	47.61	39.19	9.71	43.14
PK	15.61806G	57.69	74.00	-16.31	12.38	3	Vertical	37	1.05	-	45.31	43.52	10.92	42.06

802.11ax HEW80_Nss1,(MCS0)_2TX

30/05/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61854G	45.35	54.00	-8.65	12.38	3	Horizontal	176	1.50	-	32.97	43.52	10.92	42.06
PK	10.4122G	53.40	68.20	-14.80	5.75	3	Horizontal	176	2.58	-	47.65	39.19	9.70	43.14
PK	15.61698G	57.24	74.00	-16.76	12.38	3	Horizontal	176	1.50	-	44.86	43.52	10.92	42.06

802.11ax HEW80_Nss1,(MCS0)_2TX

30/05/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7606G	101.46	Inf	-Inf	7.82	3	Vertical	30	2.16	-	93.64	34.02	7.88	34.08
PK	5.631G	63.97	68.20	-4.23	7.79	3	Vertical	30	2.16	-	56.18	34.04	7.82	34.07
PK	5.763G	112.65	Inf	-Inf	7.83	3	Vertical	30	2.16	-	104.82	34.03	7.88	34.08
PK	5.925G	61.39	68.20	-6.81	8.53	3	Vertical	30	2.16	-	52.86	34.65	7.96	34.08

802.11ax HEW80_Nss1,(MCS0)_2TX

30/05/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7606G	101.12	Inf	-Inf	7.82	3	Horizontal	156	2.09	-	93.30	34.02	7.88	34.08
PK	5.6478G	67.39	68.20	-0.81	7.75	3	Horizontal	156	2.09	-	59.64	34.00	7.82	34.07
PK	5.745G	112.61	Inf	-Inf	7.79	3	Horizontal	156	2.09	-	104.82	33.99	7.87	34.07
PK	5.9346G	62.30	68.20	-5.90	8.56	3	Horizontal	156	2.09	-	53.74	34.67	7.97	34.08

802.11ax HEW80_Nss1,(MCS0)_2TX

30/05/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56398G	42.92	54.00	-11.08	8.13	3	Vertical	120	1.50	-	34.79	40.73	9.99	42.59
PK	11.55186G	54.65	74.00	-19.35	8.10	3	Vertical	120	1.50	-	46.55	40.70	9.99	42.59
PK	17.33784G	62.67	68.20	-5.53	17.86	3	Vertical	170	1.50	-	44.81	46.83	11.60	40.57

802.11ax HEW80_Nss1,(MCS0)_2TX

30/05/2020

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.565G	42.76	54.00	-11.24	8.13	3	Horizontal	22	1.50	-	34.63	40.73	9.99	42.59
PK	11.5605G	54.82	74.00	-19.18	8.12	3	Horizontal	22	1.50	-	46.70	40.72	9.99	42.59
PK	17.32146G	63.20	68.20	-5.00	17.72	3	Horizontal	328	1.33	-	45.48	46.72	11.59	40.59

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	AV	5.1392G	49.28	54.00	-4.72	3	Horizontal	147	2.14	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	PK	5.629G	62.70	68.20	-5.50	3	Vertical	179	2.54	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5240MHz_TX	Pass	AV	5.1416G	48.82	54.00	-5.18	3	Vertical	28	2.46	-
5240MHz_TX	Pass	AV	5.2442G	103.71	Inf	-Inf	3	Vertical	28	2.46	-
5240MHz_TX	Pass	AV	5.35G	46.14	54.00	-7.86	3	Vertical	28	2.46	-
5240MHz_TX	Pass	PK	5.1392G	61.37	74.00	-12.63	3	Vertical	28	2.46	-
5240MHz_TX	Pass	PK	5.237G	114.52	Inf	-Inf	3	Vertical	28	2.46	-
5240MHz_TX	Pass	PK	5.3852G	59.25	74.00	-14.75	3	Vertical	28	2.46	-
5240MHz_TX	Pass	AV	5.1392G	49.28	54.00	-4.72	3	Horizontal	147	2.14	-
5240MHz_TX	Pass	AV	5.2442G	105.22	Inf	-Inf	3	Horizontal	147	2.14	-
5240MHz_TX	Pass	AV	5.35G	46.32	54.00	-7.68	3	Horizontal	147	2.14	-
5240MHz_TX	Pass	PK	5.1416G	61.88	74.00	-12.12	3	Horizontal	147	2.14	-
5240MHz_TX	Pass	PK	5.2388G	116.75	Inf	-Inf	3	Horizontal	147	2.14	-
5240MHz_TX	Pass	PK	5.3846G	59.26	74.00	-14.74	3	Horizontal	147	2.14	-
5240MHz_TX	Pass	AV	15.73G	42.47	54.00	-11.53	3	Vertical	265	1.56	-
5240MHz_TX	Pass	PK	10.48396G	57.03	68.20	-11.17	3	Vertical	156	1.50	-
5240MHz_TX	Pass	PK	15.72008G	56.41	74.00	-17.59	3	Vertical	265	1.56	-
5240MHz_TX	Pass	AV	15.71G	42.44	54.00	-11.56	3	Horizontal	315	1.50	-
5240MHz_TX	Pass	PK	10.4778G	56.88	68.20	-11.32	3	Horizontal	71	2.07	-
5240MHz_TX	Pass	PK	15.7116G	56.91	74.00	-17.09	3	Horizontal	315	1.50	-
5785MHz_TX	Pass	AV	5.7826G	110.87	Inf	-Inf	3	Vertical	179	2.54	-
5785MHz_TX	Pass	PK	5.629G	62.70	68.20	-5.50	3	Vertical	179	2.54	-
5785MHz_TX	Pass	PK	5.7826G	120.60	Inf	-Inf	3	Vertical	179	2.54	-
5785MHz_TX	Pass	PK	5.9866G	61.70	68.20	-6.50	3	Vertical	179	2.54	-
5785MHz_TX	Pass	AV	5.7826G	111.62	Inf	-Inf	3	Horizontal	46	2.19	-
5785MHz_TX	Pass	PK	5.5846G	61.85	68.20	-6.35	3	Horizontal	46	2.19	-
5785MHz_TX	Pass	PK	5.7826G	123.08	Inf	-Inf	3	Horizontal	46	2.19	-
5785MHz_TX	Pass	PK	5.9278G	61.24	68.20	-6.96	3	Horizontal	46	2.19	-
5785MHz_TX	Pass	AV	11.57144G	47.18	54.00	-6.82	3	Vertical	166	2.53	-
5785MHz_TX	Pass	PK	11.56628G	60.59	74.00	-13.41	3	Vertical	166	2.53	-
5785MHz_TX	Pass	PK	17.37G	60.95	68.20	-7.25	3	Vertical	318	1.50	-
5785MHz_TX	Pass	AV	11.56886G	43.99	54.00	-10.01	3	Horizontal	160	1.49	-
5785MHz_TX	Pass	PK	11.56898G	57.56	74.00	-16.44	3	Horizontal	160	1.49	-
5785MHz_TX	Pass	PK	17.34336G	60.25	68.20	-7.95	3	Horizontal	28	1.50	-

802.11ac VHT20_Nss1,(MCS0)_2TX

23/07/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1416G	48.82	54.00	-5.18	9.02	3	Vertical	28	2.46	-	39.80	32.00	7.57	30.55
AV	5.2442G	103.71	Inf	-Inf	8.50	3	Vertical	28	2.46	-	95.21	31.43	7.62	30.55
AV	5.35G	46.14	54.00	-7.86	8.42	3	Vertical	28	2.46	-	37.72	31.30	7.68	30.56
PK	5.1392G	61.37	74.00	-12.63	9.02	3	Vertical	28	2.46	-	52.35	32.00	7.57	30.55
PK	5.237G	114.52	Inf	-Inf	8.55	3	Vertical	28	2.46	-	105.97	31.48	7.62	30.55
PK	5.3852G	59.25	74.00	-14.75	8.64	3	Vertical	28	2.46	-	50.61	31.51	7.69	30.56

802.11ac VHT20_Nss1,(MCS0)_2TX

23/07/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1392G	49.28	54.00	-4.72	9.02	3	Horizontal	147	2.14	-	40.26	32.00	7.57	30.55
AV	5.2442G	105.22	Inf	-Inf	8.50	3	Horizontal	147	2.14	-	96.72	31.43	7.62	30.55
AV	5.35G	46.32	54.00	-7.68	8.42	3	Horizontal	147	2.14	-	37.90	31.30	7.68	30.56
PK	5.1416G	61.88	74.00	-12.12	9.02	3	Horizontal	147	2.14	-	52.86	32.00	7.57	30.55
PK	5.2388G	116.75	Inf	-Inf	8.54	3	Horizontal	147	2.14	-	108.21	31.47	7.62	30.55
PK	5.3846G	59.26	74.00	-14.74	8.64	3	Horizontal	147	2.14	-	50.62	31.51	7.69	30.56

802.11ac VHT20_Nss1,(MCS0)_2TX

23/07/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.73G	42.47	54.00	-11.53	16.79	3	Vertical	265	1.56	-	25.68	38.15	10.95	32.31
PK	10.48396G	57.03	68.20	-11.17	18.15	3	Vertical	156	1.50	-	38.88	39.85	9.72	31.42
PK	15.72008G	56.41	74.00	-17.59	16.83	3	Vertical	265	1.56	-	39.58	38.20	10.94	32.31

802.11ac VHT20_Nss1,(MCS0)_2TX

23/07/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71G	42.44	54.00	-11.56	16.88	3	Horizontal	315	1.50	-	25.56	38.25	10.94	32.31
PK	10.4778G	56.88	68.20	-11.32	18.13	3	Horizontal	71	2.07	-	38.75	39.83	9.72	31.42
PK	15.7116G	56.91	74.00	-17.09	16.87	3	Horizontal	315	1.50	-	40.04	38.24	10.94	32.31

802.11ac VHT20_Nss1,(MCS0)_2TX

21/07/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	110.87	Inf	-Inf	9.45	3	Vertical	179	2.54	-	101.42	32.17	7.89	30.61
PK	5.629G	62.70	68.20	-5.50	9.03	3	Vertical	179	2.54	-	53.67	31.80	7.81	30.58
PK	5.7826G	120.60	Inf	-Inf	9.45	3	Vertical	179	2.54	-	111.15	32.17	7.89	30.61
PK	5.9866G	61.70	68.20	-6.50	9.88	3	Vertical	179	2.54	-	51.82	32.53	7.99	30.64

802.11ac VHT20_Nss1,(MCS0)_2TX

21/07/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	111.62	Inf	-Inf	9.45	3	Horizontal	46	2.19	-	102.17	32.17	7.89	30.61
PK	5.5846G	61.85	68.20	-6.35	9.05	3	Horizontal	46	2.19	-	52.80	31.83	7.79	30.57
PK	5.7826G	123.08	Inf	-Inf	9.45	3	Horizontal	46	2.19	-	113.63	32.17	7.89	30.61
PK	5.9278G	61.24	68.20	-6.96	9.89	3	Horizontal	46	2.19	-	51.35	32.56	7.96	30.63

802.11ac VHT20_Nss1,(MCS0)_2TX

21/07/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57144G	47.18	54.00	-6.82	18.44	3	Vertical	166	2.53	-	28.74	39.89	9.99	31.44
PK	11.56628G	60.59	74.00	-13.41	18.46	3	Vertical	166	2.53	-	42.13	39.90	9.99	31.43
PK	17.37G	60.95	68.20	-7.25	20.16	3	Vertical	318	1.50	-	40.79	40.86	11.62	32.32

802.11ac VHT20_Nss1,(MCS0)_2TX

21/07/2020

5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56886G	43.99	54.00	-10.01	18.44	3	Horizontal	160	1.49	-	25.55	39.89	9.99	31.44
PK	11.56898G	57.56	74.00	-16.44	18.44	3	Horizontal	160	1.49	-	39.12	39.89	9.99	31.44
PK	17.34336G	60.25	68.20	-7.95	19.93	3	Horizontal	28	1.50	-	40.32	40.65	11.60	32.32



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	728.4M	32.96	46.00	-13.04	3	Vertical	360	1.00	-


**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	45.52M	25.42	40.00	-14.58	3	Vertical	360	1.00	-
5775MHz	Pass	PK	169.68M	17.50	43.50	-26.00	3	Vertical	360	1.00	-
5775MHz	Pass	PK	288.02M	16.18	46.00	-29.82	3	Vertical	360	1.00	-
5775MHz	Pass	PK	346.22M	17.48	46.00	-28.52	3	Vertical	360	1.00	-
5775MHz	Pass	PK	728.4M	32.96	46.00	-13.04	3	Vertical	360	1.00	-
5775MHz	Pass	PK	961.2M	29.87	54.00	-24.13	3	Vertical	360	1.00	-
5775MHz	Pass	PK	37.76M	17.71	40.00	-22.29	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	113.42M	20.32	43.50	-23.18	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	235.64M	24.12	46.00	-21.88	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	408.3M	20.73	46.00	-25.27	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	745.86M	31.68	46.00	-14.32	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	935.98M	29.07	46.00	-16.93	3	Horizontal	0	1.00	-

802.11ax HEW80_Nss1,(MCS0)_2TX

20/05/2020

5775MHz_PoE




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	45.52M	25.42	40.00	-14.58	-20.84	3	Vertical	360	1.00	-	46.26	15.76	0.50	37.10
PK	169.68M	17.50	43.50	-26.00	-20.65	3	Vertical	360	1.00	-	38.15	14.78	1.05	36.48
PK	288.02M	16.18	46.00	-29.82	-17.00	3	Vertical	360	1.00	-	33.18	18.09	1.38	36.47
PK	346.22M	17.48	46.00	-28.52	-15.73	3	Vertical	360	1.00	-	33.21	19.30	1.49	36.52
PK	728.4M	32.96	46.00	-13.04	-8.49	3	Vertical	360	1.00	-	41.45	26.45	2.46	37.40
PK	961.2M	29.87	54.00	-24.13	-4.26	3	Vertical	360	1.00	-	34.13	30.07	2.92	37.25

802.11ax HEW80_Nss1,(MCS0)_2TX

20/05/2020

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	17.71	40.00	-22.29	-17.01	3	Horizontal	0	1.00	-	34.72	19.80	0.46	37.27
PK	113.42M	20.32	43.50	-23.18	-19.70	3	Horizontal	0	1.00	-	40.02	16.15	0.80	36.65
PK	235.64M	24.12	46.00	-21.88	-19.31	3	Horizontal	0	1.00	-	43.43	15.86	1.24	36.41
PK	408.3M	20.73	46.00	-25.27	-13.62	3	Horizontal	0	1.00	-	34.35	21.28	1.72	36.62
PK	745.86M	31.68	46.00	-14.32	-7.77	3	Horizontal	0	1.00	-	39.45	27.03	2.49	37.29
PK	935.98M	29.07	46.00	-16.93	-5.42	3	Horizontal	0	1.00	-	34.49	29.06	2.87	37.35



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1392G	53.14	54.00	-0.86	3	Horizontal	328	1.73	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.104G	53.04	54.00	-0.96	3	Horizontal	331	1.98	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.1448G	53.12	54.00	-0.88	3	Horizontal	334	1.88	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.17	54.00	-0.83	3	Horizontal	330	2.10	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.653G	69.66	70.42	-0.76	3	Horizontal	353	1.78	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.6494G	67.36	68.20	-0.84	3	Horizontal	359	1.81	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.6426G	67.27	68.20	-0.93	3	Horizontal	4	1.69	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.6478G	67.26	68.20	-0.94	3	Horizontal	3	1.50	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	51.86	54.00	-2.14	3	Vertical	349	2.39	-
5180MHz	Pass	AV	5.1842G	110.18	Inf	-Inf	3	Vertical	349	2.39	-
5180MHz	Pass	PK	5.15G	72.18	74.00	-1.82	3	Vertical	349	2.39	-
5180MHz	Pass	PK	5.1792G	118.59	Inf	-Inf	3	Vertical	349	2.39	-
5180MHz	Pass	AV	5.1492G	52.75	54.00	-1.25	3	Horizontal	327	2.01	-
5180MHz	Pass	AV	5.184G	112.03	Inf	-Inf	3	Horizontal	327	2.01	-
5180MHz	Pass	PK	5.1488G	73.13	74.00	-0.87	3	Horizontal	327	2.01	-
5180MHz	Pass	PK	5.1836G	120.23	Inf	-Inf	3	Horizontal	327	2.01	-
5180MHz	Pass	AV	15.54294G	44.70	54.00	-9.30	3	Vertical	8	1.64	-
5180MHz	Pass	PK	10.35518G	55.73	68.20	-12.47	3	Vertical	160	2.01	-
5180MHz	Pass	PK	15.53796G	57.94	74.00	-16.06	3	Vertical	8	1.64	-
5180MHz	Pass	AV	15.54342G	44.83	54.00	-9.17	3	Horizontal	47	1.99	-
5180MHz	Pass	PK	10.36382G	56.37	68.20	-11.83	3	Horizontal	53	1.80	-
5180MHz	Pass	PK	15.54186G	57.80	74.00	-16.20	3	Horizontal	47	1.99	-
5200MHz	Pass	AV	5.1034G	51.64	54.00	-2.36	3	Vertical	359	2.26	-
5200MHz	Pass	AV	5.1982G	112.21	Inf	-Inf	3	Vertical	359	2.26	-
5200MHz	Pass	PK	5.1496G	62.79	74.00	-11.21	3	Vertical	359	2.26	-
5200MHz	Pass	PK	5.2036G	120.84	Inf	-Inf	3	Vertical	359	2.26	-
5200MHz	Pass	AV	5.104G	53.10	54.00	-0.90	3	Horizontal	327	1.78	-
5200MHz	Pass	AV	5.194G	113.72	Inf	-Inf	3	Horizontal	327	1.78	-
5200MHz	Pass	PK	5.149G	66.12	74.00	-7.88	3	Horizontal	327	1.78	-
5200MHz	Pass	PK	5.194G	122.43	Inf	-Inf	3	Horizontal	327	1.78	-
5200MHz	Pass	AV	15.60036G	46.42	54.00	-7.58	3	Vertical	341	1.49	-
5200MHz	Pass	PK	10.39592G	56.62	68.20	-11.58	3	Vertical	250	1.72	-
5200MHz	Pass	PK	15.60154G	61.41	74.00	-12.59	3	Vertical	341	1.49	-
5200MHz	Pass	AV	15.59584G	45.62	54.00	-8.38	3	Horizontal	103	1.34	-
5200MHz	Pass	PK	10.39706G	56.42	68.20	-11.78	3	Horizontal	297	1.76	-
5200MHz	Pass	PK	15.59994G	58.21	74.00	-15.79	3	Horizontal	103	1.34	-
5240MHz	Pass	AV	5.1386G	51.69	54.00	-2.31	3	Vertical	355	2.60	-
5240MHz	Pass	AV	5.2442G	112.83	Inf	-Inf	3	Vertical	355	2.60	-
5240MHz	Pass	AV	5.351G	47.97	54.00	-6.03	3	Vertical	355	2.60	-
5240MHz	Pass	PK	5.1386G	62.64	74.00	-11.36	3	Vertical	355	2.60	-
5240MHz	Pass	PK	5.2334G	121.13	Inf	-Inf	3	Vertical	355	2.60	-
5240MHz	Pass	PK	5.35G	60.51	74.00	-13.49	3	Vertical	355	2.60	-
5240MHz	Pass	AV	5.1392G	53.14	54.00	-0.86	3	Horizontal	328	1.73	-
5240MHz	Pass	AV	5.2442G	114.21	Inf	-Inf	3	Horizontal	328	1.73	-
5240MHz	Pass	AV	5.35G	48.49	54.00	-5.51	3	Horizontal	328	1.73	-
5240MHz	Pass	PK	5.1344G	64.40	74.00	-9.60	3	Horizontal	328	1.73	-
5240MHz	Pass	PK	5.2442G	122.27	Inf	-Inf	3	Horizontal	328	1.73	-
5240MHz	Pass	PK	5.354G	60.10	74.00	-13.90	3	Horizontal	328	1.73	-
5240MHz	Pass	AV	15.72214G	46.54	54.00	-7.46	3	Vertical	336	2.49	-
5240MHz	Pass	PK	10.47652G	55.97	68.20	-12.23	3	Vertical	154	1.93	-
5240MHz	Pass	PK	15.72112G	61.38	74.00	-12.62	3	Vertical	336	2.49	-
5240MHz	Pass	AV	15.71642G	45.14	54.00	-8.86	3	Horizontal	73	2.54	-
5240MHz	Pass	PK	10.48086G	56.33	68.20	-11.87	3	Horizontal	76	1.35	-
5240MHz	Pass	PK	15.71584G	57.88	74.00	-16.12	3	Horizontal	73	2.54	-
5745MHz	Pass	AV	5.7486G	115.15	Inf	-Inf	3	Vertical	355	1.50	-



RSE TX above 1GHz_Sample 2

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	5.649G	66.97	68.20	-1.23	3	Vertical	355	1.50	-
5745MHz	Pass	PK	5.739G	123.48	Inf	-Inf	3	Vertical	355	1.50	-
5745MHz	Pass	PK	5.943G	61.10	68.20	-7.10	3	Vertical	355	1.50	-
5745MHz	Pass	AV	5.7402G	116.18	Inf	-Inf	3	Horizontal	6	1.91	-
5745MHz	Pass	PK	5.6406G	67.19	68.20	-1.01	3	Horizontal	6	1.91	-
5745MHz	Pass	PK	5.7402G	124.94	Inf	-Inf	3	Horizontal	6	1.91	-
5745MHz	Pass	PK	5.9394G	61.14	68.20	-7.06	3	Horizontal	6	1.91	-
5745MHz	Pass	AV	11.49036G	47.04	54.00	-6.96	3	Vertical	357	2.38	-
5745MHz	Pass	PK	11.49024G	59.68	74.00	-14.32	3	Vertical	357	2.38	-
5745MHz	Pass	PK	17.23722G	63.24	68.20	-4.96	3	Vertical	360	1.77	-
5745MHz	Pass	AV	11.4891G	46.10	54.00	-7.90	3	Horizontal	52	1.50	-
5745MHz	Pass	PK	11.4855G	59.64	74.00	-14.36	3	Horizontal	52	1.50	-
5745MHz	Pass	PK	17.24976G	63.55	68.20	-4.65	3	Horizontal	176	1.50	-
5785MHz	Pass	AV	5.779G	117.98	Inf	-Inf	3	Vertical	360	1.94	-
5785MHz	Pass	PK	5.6422G	65.00	68.20	-3.20	3	Vertical	360	1.94	-
5785MHz	Pass	PK	5.7838G	127.14	Inf	-Inf	3	Vertical	360	1.94	-
5785MHz	Pass	PK	5.9266G	64.30	68.20	-3.90	3	Vertical	360	1.94	-
5785MHz	Pass	AV	5.7778G	118.54	Inf	-Inf	3	Horizontal	353	1.78	-
5785MHz	Pass	PK	5.653G	69.66	70.42	-0.76	3	Horizontal	353	1.78	-
5785MHz	Pass	PK	5.7922G	127.70	Inf	-Inf	3	Horizontal	353	1.78	-
5785MHz	Pass	PK	5.9254G	65.85	68.20	-2.35	3	Horizontal	353	1.78	-
5785MHz	Pass	AV	11.57144G	50.05	54.00	-3.95	3	Vertical	0	2.40	-
5785MHz	Pass	PK	11.57168G	62.76	74.00	-11.24	3	Vertical	0	2.40	-
5785MHz	Pass	PK	17.36112G	64.55	68.20	-3.65	3	Vertical	38	1.44	-
5785MHz	Pass	AV	11.57066G	47.67	54.00	-6.33	3	Horizontal	57	1.79	-
5785MHz	Pass	PK	11.5709G	60.82	74.00	-13.18	3	Horizontal	57	1.79	-
5785MHz	Pass	PK	17.36574G	64.80	68.20	-3.40	3	Horizontal	37	2.07	-
5825MHz	Pass	AV	5.8286G	117.67	Inf	-Inf	3	Vertical	360	1.50	-
5825MHz	Pass	PK	5.6294G	65.66	68.20	-2.54	3	Vertical	360	1.50	-
5825MHz	Pass	PK	5.819G	126.22	Inf	-Inf	3	Vertical	360	1.50	-
5825MHz	Pass	PK	5.9222G	69.47	70.27	-0.80	3	Vertical	360	1.50	-
5825MHz	Pass	AV	5.8178G	117.48	Inf	-Inf	3	Horizontal	350	1.50	-
5825MHz	Pass	PK	5.633G	66.63	68.20	-1.57	3	Horizontal	350	1.50	-
5825MHz	Pass	PK	5.8178G	126.19	Inf	-Inf	3	Horizontal	350	1.50	-
5825MHz	Pass	PK	5.9258G	67.33	68.20	-0.87	3	Horizontal	350	1.50	-
5825MHz	Pass	AV	11.6515G	52.26	54.00	-1.74	3	Vertical	0	2.42	-
5825MHz	Pass	PK	11.6512G	64.75	74.00	-9.25	3	Vertical	0	2.42	-
5825MHz	Pass	PK	17.47566G	66.26	68.20	-1.94	3	Vertical	38	1.50	-
5825MHz	Pass	AV	11.6506G	50.12	54.00	-3.88	3	Horizontal	58	1.73	-
5825MHz	Pass	PK	11.6509G	62.52	74.00	-11.48	3	Horizontal	58	1.73	-
5825MHz	Pass	PK	17.47752G	66.21	68.20	-1.99	3	Horizontal	39	1.48	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1496G	52.40	54.00	-1.60	3	Vertical	340	2.65	-
5180MHz	Pass	AV	5.1774G	108.43	Inf	-Inf	3	Vertical	340	2.65	-
5180MHz	Pass	PK	5.1492G	65.93	74.00	-8.07	3	Vertical	340	2.65	-
5180MHz	Pass	PK	5.177G	119.70	Inf	-Inf	3	Vertical	340	2.65	-
5180MHz	Pass	AV	5.1492G	53.03	54.00	-0.97	3	Horizontal	330	1.71	-
5180MHz	Pass	AV	5.1818G	109.50	Inf	-Inf	3	Horizontal	330	1.71	-
5180MHz	Pass	PK	5.1486G	67.39	74.00	-6.61	3	Horizontal	330	1.71	-



RSE TX above 1GHz_Sample 2

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5180MHz	Pass	PK	5.1768G	121.77	Inf	-Inf	3	Horizontal	330	1.71	-
5180MHz	Pass	AV	15.53767G	45.91	54.00	-8.09	3	Vertical	340	2.91	-
5180MHz	Pass	PK	10.35908G	56.72	68.20	-11.48	3	Vertical	331	1.50	-
5180MHz	Pass	PK	15.54017G	59.22	74.00	-14.78	3	Vertical	340	2.91	-
5180MHz	Pass	AV	15.53835G	45.78	54.00	-8.22	3	Horizontal	11	1.54	-
5180MHz	Pass	PK	10.36142G	57.28	68.20	-10.92	3	Horizontal	237	1.15	-
5180MHz	Pass	PK	15.54106G	58.85	74.00	-15.15	3	Horizontal	11	1.54	-
5200MHz	Pass	AV	5.0992G	51.54	54.00	-2.46	3	Vertical	355	2.50	-
5200MHz	Pass	AV	5.2018G	112.44	Inf	-Inf	3	Vertical	355	2.50	-
5200MHz	Pass	PK	5.1496G	63.91	74.00	-10.09	3	Vertical	355	2.50	-
5200MHz	Pass	PK	5.2066G	123.72	Inf	-Inf	3	Vertical	355	2.50	-
5200MHz	Pass	AV	5.104G	53.04	54.00	-0.96	3	Horizontal	331	1.98	-
5200MHz	Pass	AV	5.2018G	113.50	Inf	-Inf	3	Horizontal	331	1.98	-
5200MHz	Pass	PK	5.1496G	65.96	74.00	-8.04	3	Horizontal	331	1.98	-
5200MHz	Pass	PK	5.197G	125.32	Inf	-Inf	3	Horizontal	331	1.98	-
5200MHz	Pass	AV	15.59776G	46.88	54.00	-7.12	3	Vertical	340	2.51	-
5200MHz	Pass	PK	10.40191G	58.10	68.20	-10.10	3	Vertical	69	1.50	-
5200MHz	Pass	PK	15.60058G	59.61	74.00	-14.39	3	Vertical	340	2.51	-
5200MHz	Pass	AV	15.59882G	46.03	54.00	-7.97	3	Horizontal	334	1.50	-
5200MHz	Pass	PK	10.39857G	56.65	68.20	-11.55	3	Horizontal	132	1.50	-
5200MHz	Pass	PK	15.59924G	58.55	74.00	-15.45	3	Horizontal	334	1.50	-
5240MHz	Pass	AV	5.1416G	51.38	54.00	-2.62	3	Vertical	0	1.77	-
5240MHz	Pass	AV	5.2418G	111.61	Inf	-Inf	3	Vertical	0	1.77	-
5240MHz	Pass	AV	5.35G	49.25	54.00	-4.75	3	Vertical	0	1.77	-
5240MHz	Pass	PK	5.1416G	63.35	74.00	-10.65	3	Vertical	0	1.77	-
5240MHz	Pass	PK	5.2412G	123.32	Inf	-Inf	3	Vertical	0	1.77	-
5240MHz	Pass	PK	5.351G	59.92	74.00	-14.08	3	Vertical	0	1.77	-
5240MHz	Pass	AV	5.144G	53.02	54.00	-0.98	3	Horizontal	330	1.82	-
5240MHz	Pass	AV	5.2418G	113.02	Inf	-Inf	3	Horizontal	330	1.82	-
5240MHz	Pass	AV	5.35G	50.23	54.00	-3.77	3	Horizontal	330	1.82	-
5240MHz	Pass	PK	5.1422G	65.68	74.00	-8.32	3	Horizontal	330	1.82	-
5240MHz	Pass	PK	5.237G	125.24	Inf	-Inf	3	Horizontal	330	1.82	-
5240MHz	Pass	PK	5.351G	60.90	74.00	-13.10	3	Horizontal	330	1.82	-
5240MHz	Pass	AV	15.71964G	46.32	54.00	-7.68	3	Vertical	347	1.49	-
5240MHz	Pass	PK	10.48438G	56.81	68.20	-11.39	3	Vertical	3	2.23	-
5240MHz	Pass	PK	15.7162G	59.06	74.00	-14.94	3	Vertical	347	1.49	-
5240MHz	Pass	AV	15.72038G	45.61	54.00	-8.39	3	Horizontal	359	1.02	-
5240MHz	Pass	PK	10.48024G	57.46	68.20	-10.74	3	Horizontal	31	2.63	-
5240MHz	Pass	PK	15.7179G	58.70	74.00	-15.30	3	Horizontal	359	1.02	-
5745MHz	Pass	AV	5.7462G	114.13	Inf	-Inf	3	Vertical	0	1.74	-
5745MHz	Pass	PK	5.637G	66.36	68.20	-1.84	3	Vertical	0	1.74	-
5745MHz	Pass	PK	5.7414G	125.95	Inf	-Inf	3	Vertical	0	1.74	-
5745MHz	Pass	PK	5.9442G	60.78	68.20	-7.42	3	Vertical	0	1.74	-
5745MHz	Pass	AV	5.7438G	114.80	Inf	-Inf	3	Horizontal	356	1.83	-
5745MHz	Pass	PK	5.6502G	67.47	68.35	-0.88	3	Horizontal	356	1.83	-
5745MHz	Pass	PK	5.7378G	126.08	Inf	-Inf	3	Horizontal	356	1.83	-
5745MHz	Pass	PK	5.9418G	61.14	68.20	-7.06	3	Horizontal	356	1.83	-
5745MHz	Pass	AV	11.48755G	46.42	54.00	-7.58	3	Vertical	1	2.48	-
5745MHz	Pass	PK	11.49228G	59.56	74.00	-14.44	3	Vertical	1	2.48	-



RSE TX above 1GHz_Sample 2

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	17.2358G	62.79	68.20	-5.41	3	Vertical	211	1.50	-
5745MHz	Pass	AV	11.48915G	45.28	54.00	-8.72	3	Horizontal	55	1.50	-
5745MHz	Pass	PK	11.48956G	57.75	74.00	-16.25	3	Horizontal	55	1.50	-
5745MHz	Pass	PK	17.23712G	63.42	68.20	-4.78	3	Horizontal	357	1.50	-
5785MHz	Pass	AV	5.7862G	116.77	Inf	-Inf	3	Vertical	4	1.79	-
5785MHz	Pass	PK	5.6458G	66.70	68.20	-1.50	3	Vertical	4	1.79	-
5785MHz	Pass	PK	5.7886G	127.10	Inf	-Inf	3	Vertical	4	1.79	-
5785MHz	Pass	PK	5.9242G	64.97	68.79	-3.82	3	Vertical	4	1.79	-
5785MHz	Pass	AV	5.7838G	117.29	Inf	-Inf	3	Horizontal	359	1.81	-
5785MHz	Pass	PK	5.6494G	67.36	68.20	-0.84	3	Horizontal	359	1.81	-
5785MHz	Pass	PK	5.7862G	127.14	Inf	-Inf	3	Horizontal	359	1.81	-
5785MHz	Pass	PK	5.9266G	65.82	68.20	-2.38	3	Horizontal	359	1.81	-
5785MHz	Pass	AV	11.56836G	48.75	54.00	-5.25	3	Vertical	4	2.34	-
5785MHz	Pass	PK	11.57308G	61.03	74.00	-12.97	3	Vertical	4	2.34	-
5785MHz	Pass	PK	17.35964G	64.72	68.20	-3.48	3	Vertical	46	1.43	-
5785MHz	Pass	AV	11.57008G	46.23	54.00	-7.77	3	Horizontal	56	1.50	-
5785MHz	Pass	PK	11.568G	58.58	74.00	-15.42	3	Horizontal	56	1.50	-
5785MHz	Pass	PK	17.35294G	63.94	68.20	-4.26	3	Horizontal	0	1.89	-
5825MHz	Pass	AV	5.819G	116.18	Inf	-Inf	3	Vertical	0	1.63	-
5825MHz	Pass	PK	5.6222G	65.45	68.20	-2.75	3	Vertical	0	1.63	-
5825MHz	Pass	PK	5.8178G	126.88	Inf	-Inf	3	Vertical	0	1.63	-
5825MHz	Pass	PK	5.9246G	66.43	68.50	-2.07	3	Vertical	0	1.63	-
5825MHz	Pass	AV	5.8178G	116.46	Inf	-Inf	3	Horizontal	7	1.91	-
5825MHz	Pass	PK	5.6306G	67.35	68.20	-0.85	3	Horizontal	7	1.91	-
5825MHz	Pass	PK	5.8238G	127.18	Inf	-Inf	3	Horizontal	7	1.91	-
5825MHz	Pass	PK	5.9306G	66.79	68.20	-1.41	3	Horizontal	7	1.91	-
5825MHz	Pass	AV	11.64808G	49.82	54.00	-4.18	3	Vertical	6	1.65	-
5825MHz	Pass	PK	11.6462G	62.35	74.00	-11.65	3	Vertical	6	1.65	-
5825MHz	Pass	PK	17.47266G	66.00	68.20	-2.20	3	Vertical	42	1.35	-
5825MHz	Pass	AV	11.64804G	47.89	54.00	-6.11	3	Horizontal	61	1.74	-
5825MHz	Pass	PK	11.65508G	60.40	74.00	-13.60	3	Horizontal	61	1.74	-
5825MHz	Pass	PK	17.47694G	66.67	68.20	-1.53	3	Horizontal	55	1.50	-
802.11ax HEW40_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	51.54	54.00	-2.46	3	Vertical	330	2.40	-
5190MHz	Pass	AV	5.1956G	101.83	Inf	-Inf	3	Vertical	330	2.40	-
5190MHz	Pass	PK	5.1484G	63.25	74.00	-10.75	3	Vertical	330	2.40	-
5190MHz	Pass	PK	5.1952G	113.53	Inf	-Inf	3	Vertical	330	2.40	-
5190MHz	Pass	AV	5.1488G	52.92	54.00	-1.08	3	Horizontal	329	1.97	-
5190MHz	Pass	AV	5.1844G	103.59	Inf	-Inf	3	Horizontal	329	1.97	-
5190MHz	Pass	PK	5.1488G	64.17	74.00	-9.83	3	Horizontal	329	1.97	-
5190MHz	Pass	PK	5.1868G	115.29	Inf	-Inf	3	Horizontal	329	1.97	-
5190MHz	Pass	AV	15.57474G	46.86	54.00	-7.14	3	Vertical	312	1.30	-
5190MHz	Pass	PK	10.3866G	56.94	68.20	-11.26	3	Vertical	342	2.33	-
5190MHz	Pass	PK	15.55998G	58.61	74.00	-15.39	3	Vertical	312	1.30	-
5190MHz	Pass	AV	15.56652G	46.68	54.00	-7.32	3	Horizontal	210	1.97	-
5190MHz	Pass	PK	10.3773G	56.90	68.20	-11.30	3	Horizontal	63	1.55	-
5190MHz	Pass	PK	15.57696G	58.67	74.00	-15.33	3	Horizontal	210	1.97	-
5230MHz	Pass	AV	5.1478G	51.92	54.00	-2.08	3	Vertical	334	2.37	-
5230MHz	Pass	AV	5.2354G	107.27	Inf	-Inf	3	Vertical	334	2.37	-



RSE TX above 1GHz_Sample 2

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5230MHz	Pass	AV	5.3572G	48.24	54.00	-5.76	3	Vertical	334	2.37	-
5230MHz	Pass	PK	5.1466G	64.68	74.00	-9.32	3	Vertical	334	2.37	-
5230MHz	Pass	PK	5.2354G	119.11	Inf	-Inf	3	Vertical	334	2.37	-
5230MHz	Pass	PK	5.35G	60.61	74.00	-13.39	3	Vertical	334	2.37	-
5230MHz	Pass	AV	5.1448G	53.12	54.00	-0.88	3	Horizontal	334	1.88	-
5230MHz	Pass	AV	5.2246G	108.96	Inf	-Inf	3	Horizontal	334	1.88	-
5230MHz	Pass	AV	5.3512G	49.33	54.00	-4.67	3	Horizontal	334	1.88	-
5230MHz	Pass	PK	5.1496G	65.15	74.00	-8.85	3	Horizontal	334	1.88	-
5230MHz	Pass	PK	5.227G	120.72	Inf	-Inf	3	Horizontal	334	1.88	-
5230MHz	Pass	PK	5.3536G	60.56	74.00	-13.44	3	Horizontal	334	1.88	-
5230MHz	Pass	AV	15.70446G	46.70	54.00	-7.30	3	Vertical	51	1.66	-
5230MHz	Pass	PK	10.45646G	56.82	68.20	-11.38	3	Vertical	246	1.11	-
5230MHz	Pass	PK	15.67572G	58.83	74.00	-15.17	3	Vertical	51	1.66	-
5230MHz	Pass	AV	15.69612G	46.48	54.00	-7.52	3	Horizontal	109	1.50	-
5230MHz	Pass	PK	10.45436G	57.64	68.20	-10.56	3	Horizontal	119	1.08	-
5230MHz	Pass	PK	15.68208G	59.06	74.00	-14.94	3	Horizontal	109	1.50	-
5755MHz	Pass	AV	5.749G	110.67	Inf	-Inf	3	Vertical	0	1.72	-
5755MHz	Pass	PK	5.6518G	67.16	69.53	-2.37	3	Vertical	0	1.72	-
5755MHz	Pass	PK	5.7514G	122.16	Inf	-Inf	3	Vertical	0	1.72	-
5755MHz	Pass	PK	5.9722G	60.05	68.20	-8.15	3	Vertical	0	1.72	-
5755MHz	Pass	AV	5.7478G	110.88	Inf	-Inf	3	Horizontal	3	1.88	-
5755MHz	Pass	PK	5.6506G	67.68	68.64	-0.96	3	Horizontal	3	1.88	-
5755MHz	Pass	PK	5.7598G	122.10	Inf	-Inf	3	Horizontal	3	1.88	-
5755MHz	Pass	PK	5.9434G	61.11	68.20	-7.09	3	Horizontal	3	1.88	-
5755MHz	Pass	AV	11.51966G	46.02	54.00	-7.98	3	Vertical	0	1.50	-
5755MHz	Pass	PK	11.51972G	57.64	74.00	-16.36	3	Vertical	0	1.50	-
5755MHz	Pass	PK	17.27352G	64.16	68.20	-4.04	3	Vertical	339	1.50	-
5755MHz	Pass	AV	11.51126G	45.47	54.00	-8.53	3	Horizontal	55	1.60	-
5755MHz	Pass	PK	11.5151G	57.80	74.00	-16.20	3	Horizontal	55	1.60	-
5755MHz	Pass	PK	17.2785G	62.96	68.20	-5.24	3	Horizontal	103	1.70	-
5795MHz	Pass	AV	5.789G	112.26	Inf	-Inf	3	Vertical	360	1.73	-
5795MHz	Pass	PK	5.6222G	65.47	68.20	-2.73	3	Vertical	360	1.73	-
5795MHz	Pass	PK	5.7998G	122.57	Inf	-Inf	3	Vertical	360	1.73	-
5795MHz	Pass	PK	5.9342G	65.99	68.20	-2.21	3	Vertical	360	1.73	-
5795MHz	Pass	AV	5.801G	112.79	Inf	-Inf	3	Horizontal	4	1.69	-
5795MHz	Pass	PK	5.6426G	67.27	68.20	-0.93	3	Horizontal	4	1.69	-
5795MHz	Pass	PK	5.927G	66.84	68.20	-1.36	3	Horizontal	4	1.69	-
5795MHz	Pass	PK	5.7902G	123.87	Inf	-Inf	3	Horizontal	4	1.69	-
5795MHz	Pass	AV	11.59288G	48.13	54.00	-5.87	3	Vertical	1	1.72	-
5795MHz	Pass	PK	11.59096G	59.85	74.00	-14.15	3	Vertical	1	1.72	-
5795MHz	Pass	PK	17.35876G	64.62	68.20	-3.58	3	Vertical	70	1.50	-
5795MHz	Pass	AV	11.59512G	46.19	54.00	-7.81	3	Horizontal	52	1.50	-
5795MHz	Pass	PK	11.58456G	57.66	74.00	-16.34	3	Horizontal	52	1.50	-
5795MHz	Pass	PK	17.42452G	64.11	68.20	-4.09	3	Horizontal	267	1.54	-
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	52.70	54.00	-1.30	3	Vertical	30	2.02	-
5210MHz	Pass	AV	5.2G	98.45	Inf	-Inf	3	Vertical	30	2.02	-
5210MHz	Pass	AV	5.353G	47.29	54.00	-6.71	3	Vertical	30	2.02	-
5210MHz	Pass	PK	5.145G	63.79	74.00	-10.21	3	Vertical	30	2.02	-



RSE TX above 1GHz_Sample 2


Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	PK	5.212G	109.81	Inf	-Inf	3	Vertical	30	2.02	-
5210MHz	Pass	PK	5.362G	58.71	74.00	-15.29	3	Vertical	30	2.02	-
5210MHz	Pass	AV	5.15G	53.17	54.00	-0.83	3	Horizontal	330	2.10	-
5210MHz	Pass	AV	5.199G	100.03	Inf	-Inf	3	Horizontal	330	2.10	-
5210MHz	Pass	AV	5.35G	48.24	54.00	-5.76	3	Horizontal	330	2.10	-
5210MHz	Pass	PK	5.144G	64.51	74.00	-9.49	3	Horizontal	330	2.10	-
5210MHz	Pass	PK	5.207G	111.14	Inf	-Inf	3	Horizontal	330	2.10	-
5210MHz	Pass	PK	5.361G	58.91	74.00	-15.09	3	Horizontal	330	2.10	-
5210MHz	Pass	AV	15.5908G	46.73	54.00	-7.27	3	Vertical	148	1.50	-
5210MHz	Pass	PK	10.39712G	56.84	68.20	-11.36	3	Vertical	344	1.53	-
5210MHz	Pass	PK	15.5916G	59.69	74.00	-14.31	3	Vertical	148	1.50	-
5210MHz	Pass	AV	15.5916G	46.88	54.00	-7.12	3	Horizontal	90	1.50	-
5210MHz	Pass	PK	10.45936G	56.43	68.20	-11.77	3	Horizontal	67	2.01	-
5210MHz	Pass	PK	15.64968G	58.51	74.00	-15.49	3	Horizontal	90	1.50	-
5775MHz	Pass	AV	5.7642G	104.69	Inf	-Inf	3	Vertical	360	1.74	-
5775MHz	Pass	PK	5.649G	67.03	68.20	-1.17	3	Vertical	360	1.74	-
5775MHz	Pass	PK	5.757G	116.19	Inf	-Inf	3	Vertical	360	1.74	-
5775MHz	Pass	PK	5.925G	61.40	68.20	-6.80	3	Vertical	360	1.74	-
5775MHz	Pass	AV	5.7606G	104.75	Inf	-Inf	3	Horizontal	3	1.50	-
5775MHz	Pass	PK	5.6478G	67.26	68.20	-0.94	3	Horizontal	3	1.50	-
5775MHz	Pass	PK	5.7786G	116.01	Inf	-Inf	3	Horizontal	3	1.50	-
5775MHz	Pass	PK	5.9262G	61.09	68.20	-7.11	3	Horizontal	3	1.50	-
5775MHz	Pass	AV	11.56552G	45.00	54.00	-9.00	3	Vertical	187	1.50	-
5775MHz	Pass	PK	11.53G	57.90	74.00	-16.10	3	Vertical	187	1.50	-
5775MHz	Pass	PK	17.35524G	63.94	68.20	-4.26	3	Vertical	108	1.50	-
5775MHz	Pass	AV	11.56072G	45.35	54.00	-8.65	3	Horizontal	281	1.50	-
5775MHz	Pass	PK	11.58376G	57.56	74.00	-16.44	3	Horizontal	281	1.50	-
5775MHz	Pass	PK	17.29252G	63.47	68.20	-4.73	3	Horizontal	195	3.00	-

802.11a_Nss1,(6Mbps)_2TX

15/05/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	51.86	54.00	-2.14	5.32	3	Vertical	349	2.39	-	46.54	31.80	7.57	34.05
AV	5.1842G	110.18	Inf	-Inf	5.20	3	Vertical	349	2.39	-	104.98	31.66	7.59	34.05
PK	5.15G	72.18	74.00	-1.82	5.32	3	Vertical	349	2.39	-	66.86	31.80	7.57	34.05
PK	5.1792G	118.59	Inf	-Inf	5.22	3	Vertical	349	2.39	-	113.37	31.68	7.59	34.05

802.11a_Nss1,(6Mbps)_2TX

15/05/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	52.75	54.00	-1.25	5.32	3	Horizontal	327	2.01	-	47.43	31.80	7.57	34.05
AV	5.184G	112.03	Inf	-Inf	5.20	3	Horizontal	327	2.01	-	106.83	31.66	7.59	34.05
PK	5.1488G	73.13	74.00	-0.87	5.32	3	Horizontal	327	2.01	-	67.81	31.80	7.57	34.05
PK	5.1836G	120.23	Inf	-Inf	5.21	3	Horizontal	327	2.01	-	115.02	31.67	7.59	34.05

802.11a_Nss1,(6Mbps)_2TX

15/05/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54294G	44.70	54.00	-9.30	15.82	3	Vertical	8	1.64	-	28.88	38.92	10.91	34.01
PK	10.35518G	55.73	68.20	-12.47	14.50	3	Vertical	160	2.01	-	41.23	39.36	9.69	34.55
PK	15.53796G	57.94	74.00	-16.06	15.83	3	Vertical	8	1.64	-	42.11	38.93	10.91	34.01

802.11a_Nss1,(6Mbps)_2TX

15/05/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54342G	44.83	54.00	-9.17	15.82	3	Horizontal	47	1.99	-	29.01	38.92	10.91	34.01
PK	10.36382G	56.37	68.20	-11.83	14.52	3	Horizontal	53	1.80	-	41.85	39.37	9.69	34.54
PK	15.54186G	57.80	74.00	-16.20	15.82	3	Horizontal	47	1.99	-	41.98	38.92	10.91	34.01

802.11a_Nss1,(6Mbps)_2TX

15/05/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1034G	51.64	54.00	-2.36	5.49	3	Vertical	359	2.26	-	46.15	31.99	7.55	34.05
AV	5.1982G	112.21	Inf	-Inf	5.16	3	Vertical	359	2.26	-	107.05	31.61	7.60	34.05
PK	5.1496G	62.79	74.00	-11.21	5.32	3	Vertical	359	2.26	-	57.47	31.80	7.57	34.05
PK	5.2036G	120.84	Inf	-Inf	5.14	3	Vertical	359	2.26	-	115.70	31.59	7.60	34.05

802.11a_Nss1,(6Mbps)_2TX

15/05/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.104G	53.10	54.00	-0.90	5.48	3	Horizontal	327	1.78	-	47.62	31.98	7.55	34.05
AV	5.194G	113.72	Inf	-Inf	5.17	3	Horizontal	327	1.78	-	108.55	31.62	7.60	34.05
PK	5.149G	66.12	74.00	-7.88	5.32	3	Horizontal	327	1.78	-	60.80	31.80	7.57	34.05
PK	5.194G	122.43	Inf	-Inf	5.17	3	Horizontal	327	1.78	-	117.26	31.62	7.60	34.05

802.11a_Nss1,(6Mbps)_2TX

15/05/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60036G	46.42	54.00	-7.58	15.59	3	Vertical	341	1.49	-	30.83	38.74	10.92	34.07
PK	10.39592G	56.62	68.20	-11.58	14.59	3	Vertical	250	1.72	-	42.03	39.41	9.70	34.52
PK	15.60154G	61.41	74.00	-12.59	15.59	3	Vertical	341	1.49	-	45.82	38.74	10.92	34.07

802.11a_Nss1,(6Mbps)_2TX

15/05/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59584G	45.62	54.00	-8.38	15.60	3	Horizontal	103	1.34	-	30.02	38.75	10.92	34.07
PK	10.39706G	56.42	68.20	-11.78	14.60	3	Horizontal	297	1.76	-	41.82	39.42	9.70	34.52
PK	15.59994G	58.21	74.00	-15.79	15.59	3	Horizontal	103	1.34	-	42.62	38.74	10.92	34.07

802.11a_Nss1,(6Mbps)_2TX

15/05/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1386G	51.69	54.00	-2.31	5.37	3	Vertical	355	2.60	-	46.32	31.85	7.57	34.05
AV	5.2442G	112.83	Inf	-Inf	4.99	3	Vertical	355	2.60	-	107.84	31.42	7.62	34.05
AV	5.351G	47.97	54.00	-6.03	4.97	3	Vertical	355	2.60	-	43.00	31.35	7.68	34.06
PK	5.1386G	62.64	74.00	-11.36	5.37	3	Vertical	355	2.60	-	57.27	31.85	7.57	34.05
PK	5.2334G	121.13	Inf	-Inf	5.04	3	Vertical	355	2.60	-	116.09	31.47	7.62	34.05
PK	5.35G	60.51	74.00	-13.49	4.97	3	Vertical	355	2.60	-	55.54	31.35	7.68	34.06

802.11a_Nss1,(6Mbps)_2TX

15/05/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1392G	53.14	54.00	-0.86	5.36	3	Horizontal	328	1.73	-	47.78	31.84	7.57	34.05
AV	5.2442G	114.21	Inf	-Inf	4.99	3	Horizontal	328	1.73	-	109.22	31.42	7.62	34.05
AV	5.35G	48.49	54.00	-5.51	4.97	3	Horizontal	328	1.73	-	43.52	31.35	7.68	34.06
PK	5.1344G	64.40	74.00	-9.60	5.38	3	Horizontal	328	1.73	-	59.02	31.86	7.57	34.05
PK	5.2442G	122.27	Inf	-Inf	4.99	3	Horizontal	328	1.73	-	117.28	31.42	7.62	34.05
PK	5.354G	60.10	74.00	-13.90	4.98	3	Horizontal	328	1.73	-	55.12	31.36	7.68	34.06

802.11a_Nss1,(6Mbps)_2TX

15/05/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72214G	46.54	54.00	-7.46	15.10	3	Vertical	336	2.49	-	31.44	38.36	10.94	34.20
PK	10.47652G	55.97	68.20	-12.23	14.77	3	Vertical	154	1.93	-	41.20	39.52	9.72	34.47
PK	15.72112G	61.38	74.00	-12.62	15.10	3	Vertical	336	2.49	-	46.28	38.36	10.94	34.20

802.11a_Nss1,(6Mbps)_2TX

15/05/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71642G	45.14	54.00	-8.86	15.13	3	Horizontal	73	2.54	-	30.01	38.38	10.94	34.19
PK	10.48086G	56.33	68.20	-11.87	14.78	3	Horizontal	76	1.35	-	41.55	39.53	9.72	34.47
PK	15.71584G	57.88	74.00	-16.12	15.13	3	Horizontal	73	2.54	-	42.75	38.38	10.94	34.19

802.11a_Nss1,(6Mbps)_2TX

15/05/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7486G	115.15	Inf	-Inf	5.75	3	Vertical	355	1.50	-	109.40	31.95	7.87	34.07
PK	5.649G	66.97	68.20	-1.23	5.45	3	Vertical	355	1.50	-	61.52	31.70	7.82	34.07
PK	5.739G	123.48	Inf	-Inf	5.72	3	Vertical	355	1.50	-	117.76	31.92	7.87	34.07
PK	5.943G	61.10	68.20	-7.10	6.29	3	Vertical	355	1.50	-	54.81	32.40	7.97	34.08

802.11a_Nss1,(6Mbps)_2TX

15/05/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7402G	116.18	Inf	-Inf	5.72	3	Horizontal	6	1.91	-	110.46	31.92	7.87	34.07
PK	5.6406G	67.19	68.20	-1.01	5.43	3	Horizontal	6	1.91	-	61.76	31.68	7.82	34.07
PK	5.7402G	124.94	Inf	-Inf	5.72	3	Horizontal	6	1.91	-	119.22	31.92	7.87	34.07
PK	5.9394G	61.14	68.20	-7.06	6.29	3	Horizontal	6	1.91	-	54.85	32.40	7.97	34.08

802.11a_Nss1,(6Mbps)_2TX

15/05/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49036G	47.04	54.00	-6.96	15.34	3	Vertical	357	2.38	-	31.70	39.56	9.97	34.19
PK	11.49024G	59.68	74.00	-14.32	15.34	3	Vertical	357	2.38	-	44.34	39.56	9.97	34.19
PK	17.23722G	63.24	68.20	-4.96	19.92	3	Vertical	360	1.77	-	43.32	41.84	11.56	33.48

802.11a_Nss1,(6Mbps)_2TX

15/05/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4891G	46.10	54.00	-7.90	15.34	3	Horizontal	52	1.50	-	30.76	39.56	9.97	34.19
PK	11.4855G	59.64	74.00	-14.36	15.35	3	Horizontal	52	1.50	-	44.29	39.57	9.97	34.19
PK	17.24976G	63.55	68.20	-4.65	20.00	3	Horizontal	176	1.50	-	43.55	41.92	11.56	33.48

802.11a_Nss1,(6Mbps)_2TX

15/05/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.779G	117.98	Inf	-Inf	5.85	3	Vertical	360	1.94	-	112.13	32.04	7.89	34.08
PK	5.6422G	65.00	68.20	-3.20	5.43	3	Vertical	360	1.94	-	59.57	31.68	7.82	34.07
PK	5.7838G	127.14	Inf	-Inf	5.86	3	Vertical	360	1.94	-	121.28	32.05	7.89	34.08
PK	5.9266G	64.30	68.20	-3.90	6.28	3	Vertical	360	1.94	-	58.02	32.40	7.96	34.08

802.11a_Nss1,(6Mbps)_2TX

15/05/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	118.54	Inf	-Inf	5.84	3	Horizontal	353	1.78	-	112.70	32.03	7.89	34.08
PK	5.653G	69.66	70.42	-0.76	5.47	3	Horizontal	353	1.78	-	64.19	31.71	7.83	34.07
PK	5.7922G	127.70	Inf	-Inf	5.90	3	Horizontal	353	1.78	-	121.80	32.08	7.90	34.08
PK	5.9254G	65.85	68.20	-2.35	6.28	3	Horizontal	353	1.78	-	59.57	32.40	7.96	34.08

802.11a_Nss1,(6Mbps)_2TX

15/05/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57144G	50.05	54.00	-3.95	15.26	3	Vertical	0	2.40	-	34.79	39.46	9.99	34.19
PK	11.57168G	62.76	74.00	-11.24	15.26	3	Vertical	0	2.40	-	47.50	39.46	9.99	34.19
PK	17.36112G	64.55	68.20	-3.65	20.80	3	Vertical	38	1.44	-	43.75	42.69	11.61	33.50

802.11a_Nss1,(6Mbps)_2TX

15/05/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57066G	47.67	54.00	-6.33	15.26	3	Horizontal	57	1.79	-	32.41	39.46	9.99	34.19
PK	11.5709G	60.82	74.00	-13.18	15.26	3	Horizontal	57	1.79	-	45.56	39.46	9.99	34.19
PK	17.36574G	64.80	68.20	-3.40	20.83	3	Horizontal	37	2.07	-	43.97	42.72	11.61	33.50

802.11a_Nss1,(6Mbps)_2TX

15/05/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	117.67	Inf	-Inf	6.02	3	Vertical	360	1.50	-	111.65	32.19	7.91	34.08
PK	5.6294G	65.66	68.20	-2.54	5.40	3	Vertical	360	1.50	-	60.26	31.66	7.81	34.07
PK	5.819G	126.22	Inf	-Inf	5.99	3	Vertical	360	1.50	-	120.23	32.16	7.91	34.08
PK	5.9222G	69.47	70.27	-0.80	6.28	3	Vertical	360	1.50	-	63.19	32.40	7.96	34.08

802.11a_Nss1,(6Mbps)_2TX

15/05/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	117.48	Inf	-Inf	5.98	3	Horizontal	350	1.50	-	111.50	32.15	7.91	34.08
PK	5.633G	66.63	68.20	-1.57	5.42	3	Horizontal	350	1.50	-	61.21	31.67	7.82	34.07
PK	5.8178G	126.19	Inf	-Inf	5.98	3	Horizontal	350	1.50	-	120.21	32.15	7.91	34.08
PK	5.9258G	67.33	68.20	-0.87	6.28	3	Horizontal	350	1.50	-	61.05	32.40	7.96	34.08

802.11a_Nss1,(6Mbps)_2TX

15/05/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6515G	52.26	54.00	-1.74	15.16	3	Vertical	0	2.42	-	37.10	39.35	10.01	34.20
PK	11.6512G	64.75	74.00	-9.25	15.16	3	Vertical	0	2.42	-	49.59	39.35	10.01	34.20
PK	17.47566G	66.26	68.20	-1.94	21.61	3	Vertical	38	1.50	-	44.65	43.48	11.66	33.53

802.11a_Nss1,(6Mbps)_2TX

15/05/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6506G	50.12	54.00	-3.88	15.16	3	Horizontal	58	1.73	-	34.96	39.35	10.01	34.20
PK	11.6509G	62.52	74.00	-11.48	15.16	3	Horizontal	58	1.73	-	47.36	39.35	10.01	34.20
PK	17.47752G	66.21	68.20	-1.99	21.62	3	Horizontal	39	1.48	-	44.59	43.49	11.66	33.53

802.11ax HEW20_Nss1,(MCS0)_2TX

15/05/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	52.40	54.00	-1.60	5.32	3	Vertical	340	2.65	-	47.08	31.80	7.57	34.05
AV	5.1774G	108.43	Inf	-Inf	5.23	3	Vertical	340	2.65	-	103.20	31.69	7.59	34.05
PK	5.1492G	65.93	74.00	-8.07	5.32	3	Vertical	340	2.65	-	60.61	31.80	7.57	34.05
PK	5.177G	119.70	Inf	-Inf	5.23	3	Vertical	340	2.65	-	114.47	31.69	7.59	34.05

802.11ax HEW20_Nss1,(MCS0)_2TX

15/05/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	53.03	54.00	-0.97	5.32	3	Horizontal	330	1.71	-	47.71	31.80	7.57	34.05
AV	5.1818G	109.50	Inf	-Inf	5.21	3	Horizontal	330	1.71	-	104.29	31.67	7.59	34.05
PK	5.1486G	67.39	74.00	-6.61	5.33	3	Horizontal	330	1.71	-	62.06	31.81	7.57	34.05
PK	5.1768G	121.77	Inf	-Inf	5.23	3	Horizontal	330	1.71	-	116.54	31.69	7.59	34.05

802.11ax HEW20_Nss1,(MCS0)_2TX

15/05/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53767G	45.91	54.00	-8.09	15.83	3	Vertical	340	2.91	-	30.08	38.93	10.91	34.01
PK	10.35908G	56.72	68.20	-11.48	14.52	3	Vertical	331	1.50	-	42.20	39.37	9.69	34.54
PK	15.54017G	59.22	74.00	-14.78	15.83	3	Vertical	340	2.91	-	43.39	38.93	10.91	34.01

802.11ax HEW20_Nss1,(MCS0)_2TX

15/05/2020


5180MHz_TX



802.11ax HEW20_Nss1,(MCS0)_2TX

15/05/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0992G	51.54	54.00	-2.46	5.50	3	Vertical	355	2.50	-	46.04	32.00	7.55	34.05
AV	5.2018G	112.44	Inf	-Inf	5.14	3	Vertical	355	2.50	-	107.30	31.59	7.60	34.05
PK	5.1496G	63.91	74.00	-10.09	5.32	3	Vertical	355	2.50	-	58.59	31.80	7.57	34.05
PK	5.2066G	123.72	Inf	-Inf	5.12	3	Vertical	355	2.50	-	118.60	31.57	7.60	34.05

802.11ax HEW20_Nss1,(MCS0)_2TX

15/05/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.104G	53.04	54.00	-0.96	5.48	3	Horizontal	331	1.98	-	47.56	31.98	7.55	34.05
AV	5.2018G	113.50	Inf	-Inf	5.14	3	Horizontal	331	1.98	-	108.36	31.59	7.60	34.05
PK	5.1496G	65.96	74.00	-8.04	5.32	3	Horizontal	331	1.98	-	60.64	31.80	7.57	34.05
PK	5.197G	125.32	Inf	-Inf	5.16	3	Horizontal	331	1.98	-	120.16	31.61	7.60	34.05

802.11ax HEW20_Nss1,(MCS0)_2TX

15/05/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59776G	46.88	54.00	-7.12	15.60	3	Vertical	340	2.51	-	31.28	38.75	10.92	34.07
PK	10.40191G	58.10	68.20	-10.10	14.60	3	Vertical	69	1.50	-	43.50	39.42	9.70	34.52
PK	15.60058G	59.61	74.00	-14.39	15.59	3	Vertical	340	2.51	-	44.02	38.74	10.92	34.07

802.11ax HEW20_Nss1,(MCS0)_2TX

15/05/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59882G	46.03	54.00	-7.97	15.59	3	Horizontal	334	1.50	-	30.44	38.74	10.92	34.07
PK	10.39857G	56.65	68.20	-11.55	14.60	3	Horizontal	132	1.50	-	42.05	39.42	9.70	34.52
PK	15.59924G	58.55	74.00	-15.45	15.59	3	Horizontal	334	1.50	-	42.96	38.74	10.92	34.07

802.11ax HEW20_Nss1,(MCS0)_2TX

15/05/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1416G	51.38	54.00	-2.62	5.35	3	Vertical	0	1.77	-	46.03	31.83	7.57	34.05
AV	5.2418G	111.61	Inf	-Inf	5.00	3	Vertical	0	1.77	-	106.61	31.43	7.62	34.05
AV	5.351G	49.25	54.00	-4.75	4.97	3	Vertical	0	1.77	-	44.28	31.35	7.68	34.06
PK	5.1416G	63.35	74.00	-10.65	5.35	3	Vertical	0	1.77	-	58.00	31.83	7.57	34.05
PK	5.2412G	123.32	Inf	-Inf	5.01	3	Vertical	0	1.77	-	118.31	31.44	7.62	34.05
PK	5.351G	59.92	74.00	-14.08	4.97	3	Vertical	0	1.77	-	54.95	31.35	7.68	34.06

802.11ax HEW20_Nss1,(MCS0)_2TX

15/05/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	53.02	54.00	-0.98	5.34	3	Horizontal	330	1.82	-	47.68	31.82	7.57	34.05
AV	5.2418G	113.02	Inf	-Inf	5.00	3	Horizontal	330	1.82	-	108.02	31.43	7.62	34.05
AV	5.35G	50.23	54.00	-3.77	4.97	3	Horizontal	330	1.82	-	45.26	31.35	7.68	34.06
PK	5.1422G	65.68	74.00	-8.32	5.35	3	Horizontal	330	1.82	-	60.33	31.83	7.57	34.05
PK	5.237G	125.24	Inf	-Inf	5.02	3	Horizontal	330	1.82	-	120.22	31.45	7.62	34.05
PK	5.351G	60.90	74.00	-13.10	4.97	3	Horizontal	330	1.82	-	55.93	31.35	7.68	34.06

802.11ax HEW20_Nss1,(MCS0)_2TX

15/05/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71964G	46.32	54.00	-7.68	15.12	3	Vertical	347	1.49	-	31.20	38.37	10.94	34.19
PK	10.48438G	56.81	68.20	-11.39	14.78	3	Vertical	3	2.23	-	42.03	39.53	9.72	34.47
PK	15.7162G	59.06	74.00	-14.94	15.13	3	Vertical	347	1.49	-	43.93	38.38	10.94	34.19

802.11ax HEW20_Nss1,(MCS0)_2TX

15/05/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72038G	45.61	54.00	-8.39	15.12	3	Horizontal	359	1.02	-	30.49	38.37	10.94	34.19
PK	10.48024G	57.46	68.20	-10.74	14.77	3	Horizontal	31	2.63	-	42.69	39.52	9.72	34.47
PK	15.7179G	58.70	74.00	-15.30	15.12	3	Horizontal	359	1.02	-	43.58	38.37	10.94	34.19

802.11ax HEW20_Nss1,(MCS0)_2TX

15/05/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	114.13	Inf	-Inf	5.74	3	Vertical	0	1.74	-	108.39	31.94	7.87	34.07
PK	5.637G	66.36	68.20	-1.84	5.42	3	Vertical	0	1.74	-	60.94	31.67	7.82	34.07
PK	5.7414G	125.95	Inf	-Inf	5.72	3	Vertical	0	1.74	-	120.23	31.92	7.87	34.07
PK	5.9442G	60.78	68.20	-7.42	6.29	3	Vertical	0	1.74	-	54.49	32.40	7.97	34.08

802.11ax HEW20_Nss1,(MCS0)_2TX

15/05/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	114.80	Inf	-Inf	5.73	3	Horizontal	356	1.83	-	109.07	31.93	7.87	34.07
PK	5.6502G	67.47	68.35	-0.88	5.46	3	Horizontal	356	1.83	-	62.01	31.70	7.83	34.07
PK	5.7378G	126.08	Inf	-Inf	5.71	3	Horizontal	356	1.83	-	120.37	31.91	7.87	34.07
PK	5.9418G	61.14	68.20	-7.06	6.29	3	Horizontal	356	1.83	-	54.85	32.40	7.97	34.08

802.11ax HEW20_Nss1,(MCS0)_2TX

15/05/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48755G	46.42	54.00	-7.58	15.35	3	Vertical	1	2.48	-	31.07	39.57	9.97	34.19
PK	11.49228G	59.56	74.00	-14.44	15.34	3	Vertical	1	2.48	-	44.22	39.56	9.97	34.19
PK	17.2358G	62.79	68.20	-5.41	19.91	3	Vertical	211	1.50	-	42.88	41.83	11.56	33.48

802.11ax HEW20_Nss1,(MCS0)_2TX

15/05/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48915G	45.28	54.00	-8.72	15.34	3	Horizontal	55	1.50	-	29.94	39.56	9.97	34.19
PK	11.48956G	57.75	74.00	-16.25	15.34	3	Horizontal	55	1.50	-	42.41	39.56	9.97	34.19
PK	17.23712G	63.42	68.20	-4.78	19.92	3	Horizontal	357	1.50	-	43.50	41.84	11.56	33.48

802.11ax HEW20_Nss1,(MCS0)_2TX

15/05/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	116.77	Inf	-Inf	5.87	3	Vertical	4	1.79	-	110.90	32.06	7.89	34.08
PK	5.6458G	66.70	68.20	-1.50	5.44	3	Vertical	4	1.79	-	61.26	31.69	7.82	34.07
PK	5.7886G	127.10	Inf	-Inf	5.88	3	Vertical	4	1.79	-	121.22	32.07	7.89	34.08
PK	5.9242G	64.97	68.79	-3.82	6.28	3	Vertical	4	1.79	-	58.69	32.40	7.96	34.08

802.11ax HEW20_Nss1,(MCS0)_2TX

15/05/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	117.29	Inf	-Inf	5.86	3	Horizontal	359	1.81	-	111.43	32.05	7.89	34.08
PK	5.6494G	67.36	68.20	-0.84	5.45	3	Horizontal	359	1.81	-	61.91	31.70	7.82	34.07
PK	5.7862G	127.14	Inf	-Inf	5.87	3	Horizontal	359	1.81	-	121.27	32.06	7.89	34.08
PK	5.9266G	65.82	68.20	-2.38	6.28	3	Horizontal	359	1.81	-	59.54	32.40	7.96	34.08

802.11ax HEW20_Nss1,(MCS0)_2TX

15/05/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56836G	48.75	54.00	-5.25	15.26	3	Vertical	4	2.34	-	33.49	39.46	9.99	34.19
PK	11.57308G	61.03	74.00	-12.97	15.25	3	Vertical	4	2.34	-	45.78	39.45	9.99	34.19
PK	17.35964G	64.72	68.20	-3.48	20.79	3	Vertical	46	1.43	-	43.93	42.68	11.61	33.50

802.11ax HEW20_Nss1,(MCS0)_2TX

15/05/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57008G	46.23	54.00	-7.77	15.26	3	Horizontal	56	1.50	-	30.97	39.46	9.99	34.19
PK	11.568G	58.58	74.00	-15.42	15.26	3	Horizontal	56	1.50	-	43.32	39.46	9.99	34.19
PK	17.35294G	63.94	68.20	-4.26	20.75	3	Horizontal	0	1.89	-	43.19	42.64	11.61	33.50

802.11ax HEW20_Nss1,(MCS0)_2TX

15/05/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.819G	116.18	Inf	-Inf	5.99	3	Vertical	0	1.63	-	110.19	32.16	7.91	34.08
PK	5.6222G	65.45	68.20	-2.75	5.38	3	Vertical	0	1.63	-	60.07	31.64	7.81	34.07
PK	5.8178G	126.88	Inf	-Inf	5.98	3	Vertical	0	1.63	-	120.90	32.15	7.91	34.08
PK	5.9246G	66.43	68.50	-2.07	6.28	3	Vertical	0	1.63	-	60.15	32.40	7.96	34.08

802.11ax HEW20_Nss1,(MCS0)_2TX

15/05/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	116.46	Inf	-Inf	5.98	3	Horizontal	7	1.91	-	110.48	32.15	7.91	34.08
PK	5.6306G	67.35	68.20	-0.85	5.41	3	Horizontal	7	1.91	-	61.94	31.66	7.82	34.07
PK	5.8238G	127.18	Inf	-Inf	6.00	3	Horizontal	7	1.91	-	121.18	32.17	7.91	34.08
PK	5.9306G	66.79	68.20	-1.41	6.29	3	Horizontal	7	1.91	-	60.50	32.40	7.97	34.08

802.11ax HEW20_Nss1,(MCS0)_2TX

15/05/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64808G	49.82	54.00	-4.18	15.17	3	Vertical	6	1.65	-	34.65	39.36	10.01	34.20
PK	11.6462G	62.35	74.00	-11.65	15.17	3	Vertical	6	1.65	-	47.18	39.36	10.01	34.20
PK	17.47266G	66.00	68.20	-2.20	21.60	3	Vertical	42	1.35	-	44.40	43.46	11.66	33.52

802.11ax HEW20_Nss1,(MCS0)_2TX

15/05/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64804G	47.89	54.00	-6.11	15.17	3	Horizontal	61	1.74	-	32.72	39.36	10.01	34.20
PK	11.65508G	60.40	74.00	-13.60	15.16	3	Horizontal	61	1.74	-	45.24	39.35	10.01	34.20
PK	17.47694G	66.67	68.20	-1.53	21.62	3	Horizontal	55	1.50	-	45.05	43.49	11.66	33.53

802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.54	54.00	-2.46	5.32	3	Vertical	330	2.40	-	46.22	31.80	7.57	34.05
AV	5.1956G	101.83	Inf	-Inf	5.17	3	Vertical	330	2.40	-	96.66	31.62	7.60	34.05
PK	5.1484G	63.25	74.00	-10.75	5.33	3	Vertical	330	2.40	-	57.92	31.81	7.57	34.05
PK	5.1952G	113.53	Inf	-Inf	5.17	3	Vertical	330	2.40	-	108.36	31.62	7.60	34.05

802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	52.92	54.00	-1.08	5.32	3	Horizontal	329	1.97	-	47.60	31.80	7.57	34.05
AV	5.1844G	103.59	Inf	-Inf	5.20	3	Horizontal	329	1.97	-	98.39	31.66	7.59	34.05
PK	5.1488G	64.17	74.00	-9.83	5.32	3	Horizontal	329	1.97	-	58.85	31.80	7.57	34.05
PK	5.1868G	115.29	Inf	-Inf	5.19	3	Horizontal	329	1.97	-	110.10	31.65	7.59	34.05

802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57474G	46.86	54.00	-7.14	15.68	3	Vertical	312	1.30	-	31.18	38.82	10.91	34.05
PK	10.3866G	56.94	68.20	-11.26	14.57	3	Vertical	342	2.33	-	42.37	39.40	9.70	34.53
PK	15.55998G	58.61	74.00	-15.39	15.74	3	Vertical	312	1.30	-	42.87	38.86	10.91	34.03

802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56652G	46.68	54.00	-7.32	15.71	3	Horizontal	210	1.97	-	30.97	38.84	10.91	34.04
PK	10.3773G	56.90	68.20	-11.30	14.55	3	Horizontal	63	1.55	-	42.35	39.39	9.69	34.53
PK	15.57696G	58.67	74.00	-15.33	15.68	3	Horizontal	210	1.97	-	42.99	38.81	10.92	34.05

802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1478G	51.92	54.00	-2.08	5.33	3	Vertical	334	2.37	-	46.59	31.81	7.57	34.05
AV	5.2354G	107.27	Inf	-Inf	5.03	3	Vertical	334	2.37	-	102.24	31.46	7.62	34.05
AV	5.3572G	48.24	54.00	-5.76	4.99	3	Vertical	334	2.37	-	43.25	31.37	7.68	34.06
PK	5.1466G	64.68	74.00	-9.32	5.33	3	Vertical	334	2.37	-	59.35	31.81	7.57	34.05
PK	5.2354G	119.11	Inf	-Inf	5.03	3	Vertical	334	2.37	-	114.08	31.46	7.62	34.05
PK	5.35G	60.61	74.00	-13.39	4.97	3	Vertical	334	2.37	-	55.64	31.35	7.68	34.06

802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1448G	53.12	54.00	-0.88	5.34	3	Horizontal	334	1.88	-	47.78	31.82	7.57	34.05
AV	5.2246G	108.96	Inf	-Inf	5.06	3	Horizontal	334	1.88	-	103.90	31.50	7.61	34.05
AV	5.3512G	49.33	54.00	-4.67	4.97	3	Horizontal	334	1.88	-	44.36	31.35	7.68	34.06
PK	5.1496G	65.15	74.00	-8.85	5.32	3	Horizontal	334	1.88	-	59.83	31.80	7.57	34.05
PK	5.227G	120.72	Inf	-Inf	5.05	3	Horizontal	334	1.88	-	115.67	31.49	7.61	34.05
PK	5.3536G	60.56	74.00	-13.44	4.98	3	Horizontal	334	1.88	-	55.58	31.36	7.68	34.06

802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70446G	46.70	54.00	-7.30	15.18	3	Vertical	51	1.66	-	31.52	38.42	10.94	34.18
PK	10.45646G	56.82	68.20	-11.38	14.71	3	Vertical	246	1.11	-	42.11	39.49	9.71	34.49
PK	15.67572G	58.83	74.00	-15.17	15.30	3	Vertical	51	1.66	-	43.53	38.51	10.94	34.15

802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69612G	46.48	54.00	-7.52	15.21	3	Horizontal	109	1.50	-	31.27	38.44	10.94	34.17
PK	10.45436G	57.64	68.20	-10.56	14.71	3	Horizontal	119	1.08	-	42.93	39.49	9.71	34.49
PK	15.68208G	59.06	74.00	-14.94	15.27	3	Horizontal	109	1.50	-	43.79	38.49	10.94	34.16

802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.749G	110.67	Inf	-Inf	5.75	3	Vertical	0	1.72	-	104.92	31.95	7.87	34.07
PK	5.6518G	67.16	69.53	-2.37	5.46	3	Vertical	0	1.72	-	61.70	31.70	7.83	34.07
PK	5.7514G	122.16	Inf	-Inf	5.75	3	Vertical	0	1.72	-	116.41	31.95	7.88	34.08
PK	5.9722G	60.05	68.20	-8.15	6.31	3	Vertical	0	1.72	-	53.74	32.40	7.99	34.08

802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7478G	110.88	Inf	-Inf	5.74	3	Horizontal	3	1.88	-	105.14	31.94	7.87	34.07
PK	5.6506G	67.68	68.64	-0.96	5.46	3	Horizontal	3	1.88	-	62.22	31.70	7.83	34.07
PK	5.7598G	122.10	Inf	-Inf	5.78	3	Horizontal	3	1.88	-	116.32	31.98	7.88	34.08
PK	5.9434G	61.11	68.20	-7.09	6.29	3	Horizontal	3	1.88	-	54.82	32.40	7.97	34.08

802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51966G	46.02	54.00	-7.98	15.31	3	Vertical	0	1.50	-	30.71	39.52	9.98	34.19
PK	11.51972G	57.64	74.00	-16.36	15.31	3	Vertical	0	1.50	-	42.33	39.52	9.98	34.19
PK	17.27352G	64.16	68.20	-4.04	20.18	3	Vertical	339	1.50	-	43.98	42.09	11.57	33.48

802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51126G	45.47	54.00	-8.53	15.33	3	Horizontal	55	1.60	-	30.14	39.54	9.98	34.19
PK	11.5151G	57.80	74.00	-16.20	15.32	3	Horizontal	55	1.60	-	42.48	39.53	9.98	34.19
PK	17.2785G	62.96	68.20	-5.24	20.21	3	Horizontal	103	1.70	-	42.75	42.12	11.58	33.49

802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	112.26	Inf	-Inf	5.88	3	Vertical	360	1.73	-	106.38	32.07	7.89	34.08
PK	5.6222G	65.47	68.20	-2.73	5.38	3	Vertical	360	1.73	-	60.09	31.64	7.81	34.07
PK	5.7998G	122.57	Inf	-Inf	5.92	3	Vertical	360	1.73	-	116.65	32.10	7.90	34.08
PK	5.9342G	65.99	68.20	-2.21	6.29	3	Vertical	360	1.73	-	59.70	32.40	7.97	34.08

802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.801G	112.79	Inf	-Inf	5.92	3	Horizontal	4	1.69	-	106.87	32.10	7.90	34.08
PK	5.6426G	67.27	68.20	-0.93	5.44	3	Horizontal	4	1.69	-	61.83	31.69	7.82	34.07
PK	5.927G	66.84	68.20	-1.36	6.28	3	Horizontal	4	1.69	-	60.56	32.40	7.96	34.08
PK	5.7902G	123.87	Inf	-Inf	5.89	3	Horizontal	4	1.69	-	117.98	32.07	7.90	34.08

802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59288G	48.13	54.00	-5.87	15.23	3	Vertical	1	1.72	-	32.90	39.43	10.00	34.20
PK	11.59096G	59.85	74.00	-14.15	15.23	3	Vertical	1	1.72	-	44.62	39.43	10.00	34.20
PK	17.35876G	64.62	68.20	-3.58	20.79	3	Vertical	70	1.50	-	43.83	42.68	11.61	33.50

802.11ax HEW40_Nss1,(MCS0)_2TX

16/05/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59512G	46.19	54.00	-7.81	15.23	3	Horizontal	52	1.50	-	30.96	39.43	10.00	34.20
PK	11.58456G	57.66	74.00	-16.34	15.24	3	Horizontal	52	1.50	-	42.42	39.44	10.00	34.20
PK	17.42452G	64.11	68.20	-4.09	21.26	3	Horizontal	267	1.54	-	42.85	43.13	11.64	33.51

802.11ax HEW80_Nss1,(MCS0)_2TX

16/05/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.70	54.00	-1.30	5.32	3	Vertical	30	2.02	-	47.38	31.80	7.57	34.05
AV	5.2G	98.45	Inf	-Inf	5.15	3	Vertical	30	2.02	-	93.30	31.60	7.60	34.05
AV	5.353G	47.29	54.00	-6.71	4.98	3	Vertical	30	2.02	-	42.31	31.36	7.68	34.06
PK	5.145G	63.79	74.00	-10.21	5.34	3	Vertical	30	2.02	-	58.45	31.82	7.57	34.05
PK	5.212G	109.81	Inf	-Inf	5.11	3	Vertical	30	2.02	-	104.70	31.55	7.61	34.05
PK	5.362G	58.71	74.00	-15.29	5.01	3	Vertical	30	2.02	-	53.70	31.39	7.68	34.06

802.11ax HEW80_Nss1,(MCS0)_2TX

16/05/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.17	54.00	-0.83	5.32	3	Horizontal	330	2.10	-	47.85	31.80	7.57	34.05
AV	5.199G	100.03	Inf	-Inf	5.15	3	Horizontal	330	2.10	-	94.88	31.60	7.60	34.05
AV	5.35G	48.24	54.00	-5.76	4.97	3	Horizontal	330	2.10	-	43.27	31.35	7.68	34.06
PK	5.144G	64.51	74.00	-9.49	5.34	3	Horizontal	330	2.10	-	59.17	31.82	7.57	34.05
PK	5.207G	111.14	Inf	-Inf	5.12	3	Horizontal	330	2.10	-	106.02	31.57	7.60	34.05
PK	5.361G	58.91	74.00	-15.09	5.00	3	Horizontal	330	2.10	-	53.91	31.38	7.68	34.06

802.11ax HEW80_Nss1,(MCS0)_2TX

16/05/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5908G	46.73	54.00	-7.27	15.63	3	Vertical	148	1.50	-	31.10	38.77	10.92	34.06
PK	10.39712G	56.84	68.20	-11.36	14.60	3	Vertical	344	1.53	-	42.24	39.42	9.70	34.52
PK	15.5916G	59.69	74.00	-14.31	15.63	3	Vertical	148	1.50	-	44.06	38.77	10.92	34.06

802.11ax HEW80_Nss1,(MCS0)_2TX

16/05/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5916G	46.88	54.00	-7.12	15.63	3	Horizontal	90	1.50	-	31.25	38.77	10.92	34.06
PK	10.45936G	56.43	68.20	-11.77	14.73	3	Horizontal	67	2.01	-	41.70	39.50	9.71	34.48
PK	15.64968G	58.51	74.00	-15.49	15.40	3	Horizontal	90	1.50	-	43.11	38.59	10.93	34.12

802.11ax HEW80_Nss1,(MCS0)_2TX

16/05/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7642G	104.69	Inf	-Inf	5.79	3	Vertical	360	1.74	-	98.90	31.99	7.88	34.08
PK	5.649G	67.03	68.20	-1.17	5.45	3	Vertical	360	1.74	-	61.58	31.70	7.82	34.07
PK	5.757G	116.19	Inf	-Inf	5.77	3	Vertical	360	1.74	-	110.42	31.97	7.88	34.08
PK	5.925G	61.40	68.20	-6.80	6.28	3	Vertical	360	1.74	-	55.12	32.40	7.96	34.08

802.11ax HEW80_Nss1,(MCS0)_2TX

16/05/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7606G	104.75	Inf	-Inf	5.78	3	Horizontal	3	1.50	-	98.97	31.98	7.88	34.08
PK	5.6478G	67.26	68.20	-0.94	5.45	3	Horizontal	3	1.50	-	61.81	31.70	7.82	34.07
PK	5.7786G	116.01	Inf	-Inf	5.85	3	Horizontal	3	1.50	-	110.16	32.04	7.89	34.08
PK	5.9262G	61.09	68.20	-7.11	6.28	3	Horizontal	3	1.50	-	54.81	32.40	7.96	34.08

802.11ax HEW80_Nss1,(MCS0)_2TX

16/05/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56552G	45.00	54.00	-9.00	15.26	3	Vertical	187	1.50	-	29.74	39.46	9.99	34.19
PK	11.53G	57.90	74.00	-16.10	15.30	3	Vertical	187	1.50	-	42.60	39.51	9.98	34.19
PK	17.35524G	63.94	68.20	-4.26	20.76	3	Vertical	108	1.50	-	43.18	42.65	11.61	33.50

802.11ax HEW80_Nss1,(MCS0)_2TX

16/05/2020

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56072G	45.35	54.00	-8.65	15.27	3	Horizontal	281	1.50	-	30.08	39.47	9.99	34.19
PK	11.58376G	57.56	74.00	-16.44	15.24	3	Horizontal	281	1.50	-	42.32	39.44	10.00	34.20
PK	17.29252G	63.47	68.20	-4.73	20.31	3	Horizontal	195	3.00	-	43.16	42.22	11.58	33.49

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	AV	5.1392G	52.33	54.00	-1.67	3	Horizontal	332	1.94	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	PK	5.9266G	66.67	68.20	-1.53	3	Horizontal	3	2.62	-


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5240MHz_TX	Pass	AV	5.1404G	50.63	54.00	-3.37	3	Vertical	329	1.85	-
5240MHz_TX	Pass	AV	5.2406G	108.34	Inf	-Inf	3	Vertical	329	1.85	-
5240MHz_TX	Pass	AV	5.35G	46.91	54.00	-7.09	3	Vertical	329	1.85	-
5240MHz_TX	Pass	PK	5.1476G	62.80	74.00	-11.20	3	Vertical	329	1.85	-
5240MHz_TX	Pass	PK	5.2382G	119.68	Inf	-Inf	3	Vertical	329	1.85	-
5240MHz_TX	Pass	PK	5.3786G	59.83	74.00	-14.17	3	Vertical	329	1.85	-
5240MHz_TX	Pass	AV	5.1392G	52.33	54.00	-1.67	3	Horizontal	332	1.94	-
5240MHz_TX	Pass	AV	5.2394G	110.87	Inf	-Inf	3	Horizontal	332	1.94	-
5240MHz_TX	Pass	AV	5.35G	47.84	54.00	-6.16	3	Horizontal	332	1.94	-
5240MHz_TX	Pass	PK	5.1362G	64.89	74.00	-9.11	3	Horizontal	332	1.94	-
5240MHz_TX	Pass	PK	5.2394G	120.42	Inf	-Inf	3	Horizontal	332	1.94	-
5240MHz_TX	Pass	PK	5.3696G	60.99	74.00	-13.01	3	Horizontal	332	1.94	-
5240MHz_TX	Pass	AV	15.71646G	43.96	54.00	-10.04	3	Vertical	336	2.85	-
5240MHz_TX	Pass	PK	10.48816G	57.26	68.20	-10.94	3	Vertical	262	2.37	-
5240MHz_TX	Pass	PK	15.72372G	57.83	74.00	-16.17	3	Vertical	336	2.85	-
5240MHz_TX	Pass	AV	15.70866G	44.13	54.00	-9.87	3	Horizontal	330	1.73	-
5240MHz_TX	Pass	PK	10.46548G	56.93	68.20	-11.27	3	Horizontal	215	1.50	-
5240MHz_TX	Pass	PK	15.71124G	58.12	74.00	-15.88	3	Horizontal	330	1.73	-
5785MHz_TX	Pass	AV	5.7826G	114.46	Inf	-Inf	3	Vertical	0	1.80	-
5785MHz_TX	Pass	PK	5.6434G	64.53	68.20	-3.67	3	Vertical	0	1.80	-
5785MHz_TX	Pass	PK	5.7826G	124.90	Inf	-Inf	3	Vertical	0	1.80	-
5785MHz_TX	Pass	PK	5.9398G	63.30	68.20	-4.90	3	Vertical	0	1.80	-
5785MHz_TX	Pass	AV	5.7862G	115.86	Inf	-Inf	3	Horizontal	3	2.62	-
5785MHz_TX	Pass	PK	5.6434G	64.83	68.20	-3.37	3	Horizontal	3	2.62	-
5785MHz_TX	Pass	PK	5.7826G	126.77	Inf	-Inf	3	Horizontal	3	2.62	-
5785MHz_TX	Pass	PK	5.9266G	66.67	68.20	-1.53	3	Horizontal	3	2.62	-
5785MHz_TX	Pass	AV	11.5706G	44.16	54.00	-9.84	3	Vertical	10	1.45	-
5785MHz_TX	Pass	PK	11.5679G	57.32	74.00	-16.68	3	Vertical	10	1.45	-
5785MHz_TX	Pass	PK	17.327G	59.95	68.20	-8.25	3	Vertical	244	1.85	-
5785MHz_TX	Pass	AV	11.568G	43.14	54.00	-10.86	3	Horizontal	92	1.49	-
5785MHz_TX	Pass	PK	11.5653G	56.84	74.00	-17.16	3	Horizontal	92	1.49	-
5785MHz_TX	Pass	PK	17.3394G	60.61	68.20	-7.59	3	Horizontal	321	1.50	-

802.11ac VHT20_Nss1,(MCS0)_2TX

23/07/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1404G	50.63	54.00	-3.37	9.02	3	Vertical	329	1.85	-	41.61	32.00	7.57	30.55
AV	5.2406G	108.34	Inf	-Inf	8.53	3	Vertical	329	1.85	-	99.81	31.46	7.62	30.55
AV	5.35G	46.91	54.00	-7.09	8.42	3	Vertical	329	1.85	-	38.49	31.30	7.68	30.56
PK	5.1476G	62.80	74.00	-11.20	9.02	3	Vertical	329	1.85	-	53.78	32.00	7.57	30.55
PK	5.2382G	119.68	Inf	-Inf	8.54	3	Vertical	329	1.85	-	111.14	31.47	7.62	30.55
PK	5.3786G	59.83	74.00	-14.17	8.60	3	Vertical	329	1.85	-	51.23	31.47	7.69	30.56

802.11ac VHT20_Nss1,(MCS0)_2TX

23/07/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1392G	52.33	54.00	-1.67	9.02	3	Horizontal	332	1.94	-	43.31	32.00	7.57	30.55
AV	5.2394G	110.87	Inf	-Inf	8.53	3	Horizontal	332	1.94	-	102.34	31.46	7.62	30.55
AV	5.35G	47.84	54.00	-6.16	8.42	3	Horizontal	332	1.94	-	39.42	31.30	7.68	30.56
PK	5.1362G	64.89	74.00	-9.11	9.02	3	Horizontal	332	1.94	-	55.87	32.00	7.57	30.55
PK	5.2394G	120.42	Inf	-Inf	8.53	3	Horizontal	332	1.94	-	111.89	31.46	7.62	30.55
PK	5.3696G	60.99	74.00	-13.01	8.54	3	Horizontal	332	1.94	-	52.45	31.42	7.68	30.56

802.11ac VHT20_Nss1,(MCS0)_2TX

23/07/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71646G	43.96	54.00	-10.04	16.85	3	Vertical	336	2.85	-	27.11	38.22	10.94	32.31
PK	10.48816G	57.26	68.20	-10.94	18.16	3	Vertical	262	2.37	-	39.10	39.86	9.72	31.42
PK	15.72372G	57.83	74.00	-16.17	16.81	3	Vertical	336	2.85	-	41.02	38.18	10.94	32.31

802.11ac VHT20_Nss1,(MCS0)_2TX

23/07/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70866G	44.13	54.00	-9.87	16.89	3	Horizontal	330	1.73	-	27.24	38.26	10.94	32.31
PK	10.46548G	56.93	68.20	-11.27	18.10	3	Horizontal	215	1.50	-	38.83	39.80	9.72	31.42
PK	15.71124G	58.12	74.00	-15.88	16.87	3	Horizontal	330	1.73	-	41.25	38.24	10.94	32.31

802.11ac VHT20_Nss1,(MCS0)_2TX

21/07/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	114.46	Inf	-Inf	9.45	3	Vertical	0	1.80	-	105.01	32.17	7.89	30.61
PK	5.6434G	64.53	68.20	-3.67	9.04	3	Vertical	0	1.80	-	55.49	31.80	7.82	30.58
PK	5.7826G	124.90	Inf	-Inf	9.45	3	Vertical	0	1.80	-	115.45	32.17	7.89	30.61
PK	5.9398G	63.30	68.20	-4.90	9.92	3	Vertical	0	1.80	-	53.38	32.58	7.97	30.63

802.11ac VHT20_Nss1,(MCS0)_2TX

21/07/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	115.86	Inf	-Inf	9.45	3	Horizontal	3	2.62	-	106.41	32.17	7.89	30.61
PK	5.6434G	64.83	68.20	-3.37	9.04	3	Horizontal	3	2.62	-	55.79	31.80	7.82	30.58
PK	5.7826G	126.77	Inf	-Inf	9.45	3	Horizontal	3	2.62	-	117.32	32.17	7.89	30.61
PK	5.9266G	66.67	68.20	-1.53	9.88	3	Horizontal	3	2.62	-	56.79	32.55	7.96	30.63

802.11ac VHT20_Nss1,(MCS0)_2TX

21/07/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5706G	44.16	54.00	-9.84	18.44	3	Vertical	10	1.45	-	25.72	39.89	9.99	31.44
PK	11.5679G	57.32	74.00	-16.68	18.46	3	Vertical	10	1.45	-	38.86	39.90	9.99	31.43
PK	17.327G	59.95	68.20	-8.25	19.80	3	Vertical	244	1.85	-	40.15	40.52	11.60	32.32

802.11ac VHT20_Nss1,(MCS0)_2TX

21/07/2020

5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.568G	43.14	54.00	-10.86	18.46	3	Horizontal	92	1.49	-	24.68	39.90	9.99	31.43
PK	11.5653G	56.84	74.00	-17.16	18.46	3	Horizontal	92	1.49	-	38.38	39.90	9.99	31.43
PK	17.3394G	60.61	68.20	-7.59	19.90	3	Horizontal	321	1.50	-	40.71	40.62	11.60	32.32