


APIN0344 - Label

			WNC PROPRIETARY			
PART NUMBER	COLOR 1	COLOR 2	REVISIONS			
4L-RVABA53-001			REV	DESCRIPTION	DATE	APPROVED
	PANTONE COOL GRAY 3 C	PANTONE BLACK C	A	RELEASE	05/10/17	EDWARD SU



NOTE:

- MATERIAL: PC FILM/SABIC-LEXAN 8B35, t=0.254 mm
- ADHESIVE: 3M 467膠, t=0.05 mm
- TEMPERATURE RESISTANT=135 C.
- 被貼物: 鋁下蓋
- 成張出貨
- 刀模: _____


7. TEST REQUIREMENTS

	TEST ITEM	TEST SPEC	TEST CONDITION	CRITERIA
1	附著力測試	ISO Class.: 1 ASTM Class.: 4 B	ASTM D3359-02/ ISO 2409:2007	Detachment of small flakes of the coating at the intersections of the cuts. A cross-cut area not significantly greater than 5% is affected.

WNC 啟碁科技股份有限公司 Wistron NeWeb Corp. 20 Park Avenue II, Hsinchu Science Park, Hsinchu 308, Taiwan, R.O.C. Tel: 886-3-6667799 Fax: 886-3-5788726	
DWG TITLE	
SIZE A3	DWG NO.
SCALE 1/1	SHEET 1 OF 1
DRAWN	
APVD	

APIN0345 - Label

			WNC PROPRIETARY			
PART NUMBER	COLOR 1	COLOR 2	REVISIONS			
4L-RVABA53-001			REV	DESCRIPTION	DATE	APPROVED
	PANTONE COOL GRAY 3 C	PANTONE BLACK C	A	RELEASE	05/10/17	EDWARD SU



NOTE:

- MATERIAL: PC FILM/SABIC-LEXAN 8B35, t=0.254 mm
- ADHESIVE: 3M 467膠, t=0.05 mm
- TEMPERATURE RESISTANT=135 C.
- 被貼物: 鋁下蓋
- 成張出貨
- 刀模: _____
- TEST REQUIREMENTS

	TEST ITEM	TEST SPEC	TEST CONDITION	CRITERIA
1	附著力測試	ISO Class.: 1 ASTM Class.: 4 B	ASTM D3359-02/ ISO 2409:2007	Detachment of small flakes of the coating at the intersections of the cuts. A cross-cut area not significantly greater than 5% is affected.

WNC 啟碁科技股份有限公司 Wistron NeWeb Corp. 20 Park Avenue II, Hsinchu Science Park, Hsinchu 308, Taiwan, R.O.C. Tel: 886-3-6667799 Fax: 886-3-5788726	
DWG TITLE	
SIZE A3	DWG NO.
SCALE 1/1	SHEET 1 OF 1
DRAWN	
APVD	

Label Location

