

Company: Hewlett Packard Enterprise

Product Name: APIN0344 & APIN0345

Report No.: HPEN111 – Test Setup Photos

PHOTOS - TEST SETUP




1. Test Setup Photographs

1.1. Test Setup - DFS - Conducted




HPEN111 AP344 Conducted DFS Setup


1.2. Test Setup - Radiated Emissions




HPEN111 AP344 AP- ANT-13B Transmitter Spurious




HPEN111 AP344 AP- ANT-19 Transmitter Spurious



HPEN111 AP344 AP- ANT-1W Transmitter Spurious




HPEN111 AP344 AP- ANT-20W Transmitter Spurious




HPEN111 AP344 AP- ANT-40 Transmitter Spurious



HPEN111 AP344 AP- ANT-45 Transmitter Spurious



HPEN111 AP344 AP- ANT-48 Transmitter Spurious




HPEN111 AP345 Metal Sheet Transmitter Spurious

1.3. Test Setup - RF#2 - Conducted



RF Conducted

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. All changes will be noted in the Document History section of the report.



RF Conducted BLE



575 Boulder Court
Pleasanton, California 94566, USA
Tel: +1 (925) 462 0304
Fax: +1 (925) 462 0306
www.micomlabs.com