






802.11be-EHT80 26dB Bandwidth

Channel 7 (5985MHz)




Channel 55 (6225MHz)




Channel 87 (6385MHz)




Channel 103 (6465MHz)



Channel 119 (6545MHz)




Channel 135 (6625MHz)




802.11be-EHT80 26dB Bandwidth

Channel 151 (6705MHz)




Channel 167 (6785MHz)



Channel 183 (6865MHz)



Channel 199 (6945MHz)




Channel 215 (7025MHz)




802.11be-EHT160 26dB Bandwidth

Channel 15 (6025MHz)




Channel 47 (6185MHz)




Channel 79 (6345MHz)



Channel 111 (6505MHz)




Channel 143 (6665MHz)



Channel 175 (6825MHz)





A.3 Output Power Test Result

Test Site	WJ-SR2	Test Engineer	Jake Lan
Test Date	2025-02-25		

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Ant 0 Average Power (dBm)	Ant 1 Average Power (dBm)	Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
802.11ax-HE20	MCS0	1	5955	8.73	8.81	11.78	4.84	16.62	≤ 30.00
802.11ax-HE20	MCS0	49	6195	9.31	9.22	12.28	4.84	17.12	≤ 30.00
802.11ax-HE20	MCS0	93	6415	9.26	8.46	11.89	4.84	16.73	≤ 30.00
802.11ax-HE20	MCS0	97	6435	9.46	8.43	11.99	4.84	16.83	≤ 30.00
802.11ax-HE20	MCS0	105	6475	9.09	8.84	11.98	4.84	16.82	≤ 30.00
802.11ax-HE20	MCS0	113	6515	8.54	9.18	11.88	4.84	16.72	≤ 30.00
802.11ax-HE20	MCS0	117	6535	9.72	8.33	12.09	4.84	16.93	≤ 30.00
802.11ax-HE20	MCS0	149	6695	8.86	9.97	12.46	4.84	17.30	≤ 30.00
802.11ax-HE20	MCS0	181	6855	8.02	8.89	11.49	4.84	16.33	≤ 30.00
802.11ax-HE20	MCS0	185	6875	9.06	8.05	11.59	4.84	16.43	≤ 30.00
802.11ax-HE20	MCS0	189	6895	9.19	9.12	12.17	4.84	17.01	≤ 30.00
802.11ax-HE20	MCS0	209	6995	8.42	8.31	11.38	4.84	16.22	≤ 30.00
802.11ax-HE20	MCS0	229	7095	9.89	9.51	12.71	4.84	17.55	≤ 30.00
802.11ax-HE40	MCS0	3	5965	10.75	11.31	14.05	4.84	18.89	≤ 30.00
802.11ax-HE40	MCS0	51	6205	11.85	11.15	14.52	4.84	19.36	≤ 30.00
802.11ax-HE40	MCS0	91	6405	11.35	11.23	14.30	4.84	19.14	≤ 30.00
802.11ax-HE40	MCS0	99	6445	11.38	11.26	14.33	4.84	19.17	≤ 30.00
802.11ax-HE40	MCS0	107	6485	11.40	11.09	14.26	4.84	19.10	≤ 30.00
802.11ax-HE40	MCS0	115	6525	11.49	10.99	14.26	4.84	19.10	≤ 30.00
802.11ax-HE40	MCS0	123	6565	11.73	11.13	14.45	4.84	19.29	≤ 30.00
802.11ax-HE40	MCS0	147	6685	11.18	11.03	14.12	4.84	18.96	≤ 30.00
802.11ax-HE40	MCS0	179	6845	11.26	11.38	14.33	4.84	19.17	≤ 30.00
802.11ax-HE40	MCS0	187	6885	11.06	11.29	14.19	4.84	19.03	≤ 30.00
802.11ax-HE40	MCS0	195	6925	10.96	11.39	14.19	4.84	19.03	≤ 30.00
802.11ax-HE40	MCS0	211	7005	10.63	11.29	13.98	4.84	18.82	≤ 30.00
802.11ax-HE40	MCS0	227	7085	10.71	11.34	14.05	4.84	18.89	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Ant 0 Average Power (dBm)	Ant 1 Average Power (dBm)	Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
802.11ax-HE80	MCS0	7	5985	13.55	13.81	16.69	4.84	21.53	≤ 30.00
802.11ax-HE80	MCS0	55	6225	14.17	13.64	16.92	4.84	21.76	≤ 30.00
802.11ax-HE80	MCS0	87	6385	13.38	13.63	16.52	4.84	21.36	≤ 30.00
802.11ax-HE80	MCS0	103	6465	13.89	13.56	16.74	4.84	21.58	≤ 30.00
802.11ax-HE80	MCS0	119	6545	14.06	13.77	16.93	4.84	21.77	≤ 30.00
802.11ax-HE80	MCS0	135	6625	14.16	13.82	17.00	4.84	21.84	≤ 30.00
802.11ax-HE80	MCS0	151	6705	14.08	13.51	16.81	4.84	21.65	≤ 30.00
802.11ax-HE80	MCS0	167	6785	14.32	14.21	17.28	4.84	22.12	≤ 30.00
802.11ax-HE80	MCS0	183	6865	14.19	13.98	17.10	4.84	21.94	≤ 30.00
802.11ax-HE80	MCS0	199	6945	13.89	13.85	16.88	4.84	21.72	≤ 30.00
802.11ax-HE80	MCS0	215	7025	14.53	14.41	17.48	4.84	22.32	≤ 30.00
802.11ax-HE160	MCS0	15	6025	17.56	16.65	20.14	4.84	24.98	≤ 30.00
802.11ax-HE160	MCS0	47	6185	17.37	16.61	20.02	4.84	24.86	≤ 30.00
802.11ax-HE160	MCS0	79	6345	17.15	16.87	20.02	4.84	24.86	≤ 30.00
802.11ax-HE160	MCS0	111	6505	17.25	16.65	19.97	4.84	24.81	≤ 30.00
802.11ax-HE160	MCS0	143	6665	17.10	16.13	19.65	4.84	24.49	≤ 30.00
802.11ax-HE160	MCS0	175	6825	17.04	16.32	19.71	4.84	24.55	≤ 30.00
802.11ax-HE160	MCS0	207	6985	17.19	16.37	19.81	4.84	24.65	≤ 30.00
802.11be-EHT20	MCS0	1	5955	8.30	8.81	11.57	4.84	16.41	≤ 30.00
802.11be-EHT20	MCS0	49	6195	8.99	9.25	12.13	4.84	16.97	≤ 30.00
802.11be-EHT20	MCS0	93	6415	8.40	8.95	11.69	4.84	16.53	≤ 30.00
802.11be-EHT20	MCS0	97	6435	9.15	8.24	11.73	4.84	16.57	≤ 30.00
802.11be-EHT20	MCS0	105	6475	8.98	8.65	11.83	4.84	16.67	≤ 30.00
802.11be-EHT20	MCS0	113	6515	8.90	9.37	12.15	4.84	16.99	≤ 30.00
802.11be-EHT20	MCS0	117	6535	9.53	8.28	11.96	4.84	16.80	≤ 30.00
802.11be-EHT20	MCS0	149	6695	8.56	9.03	11.81	4.84	16.65	≤ 30.00
802.11be-EHT20	MCS0	181	6855	9.14	8.95	12.06	4.84	16.90	≤ 30.00
802.11be-EHT20	MCS0	185	6875	9.10	8.89	12.01	4.84	16.85	≤ 30.00
802.11be-EHT20	MCS0	189	6895	9.01	8.79	11.91	4.84	16.75	≤ 30.00
802.11be-EHT20	MCS0	209	6995	8.24	8.74	11.51	4.84	16.35	≤ 30.00
802.11be-EHT20	MCS0	229	7095	8.46	9.17	11.84	4.84	16.68	≤ 30.00

Test Mode	Data Rate/MCS	Channel No.	Freq. (MHz)	Ant 0 Average Power (dBm)	Ant 1 Average Power (dBm)	Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
802.11be-EHT40	MCS0	3	5965	11.12	11.74	14.45	4.84	19.29	≤ 30.00
802.11be-EHT40	MCS0	51	6205	12.11	11.73	14.93	4.84	19.77	≤ 30.00
802.11be-EHT40	MCS0	91	6405	11.38	11.52	14.46	4.84	19.30	≤ 30.00
802.11be-EHT40	MCS0	99	6445	11.31	11.39	14.36	4.84	19.20	≤ 30.00
802.11be-EHT40	MCS0	107	6485	11.18	11.41	14.31	4.84	19.15	≤ 30.00
802.11be-EHT40	MCS0	115	6525	11.32	11.19	14.27	4.84	19.11	≤ 30.00
802.11be-EHT40	MCS0	123	6565	11.59	11.42	14.52	4.84	19.36	≤ 30.00
802.11be-EHT40	MCS0	147	6685	11.89	11.86	14.89	4.84	19.73	≤ 30.00
802.11be-EHT40	MCS0	179	6845	12.53	12.41	15.48	4.84	20.32	≤ 30.00
802.11be-EHT40	MCS0	187	6885	12.43	12.25	15.35	4.84	20.19	≤ 30.00
802.11be-EHT40	MCS0	195	6925	12.20	12.64	15.44	4.84	20.28	≤ 30.00
802.11be-EHT40	MCS0	211	7005	11.70	11.95	14.84	4.84	19.68	≤ 30.00
802.11be-EHT40	MCS0	227	7085	11.35	11.68	14.53	4.84	19.37	≤ 30.00
802.11be-EHT80	MCS0	7	5985	14.25	14.18	17.23	4.84	22.07	≤ 30.00
802.11be-EHT80	MCS0	55	6225	14.24	13.91	17.09	4.84	21.93	≤ 30.00
802.11be-EHT80	MCS0	87	6385	13.83	13.96	16.91	4.84	21.75	≤ 30.00
802.11be-EHT80	MCS0	103	6465	13.99	13.88	16.95	4.84	21.79	≤ 30.00
802.11be-EHT80	MCS0	119	6545	14.19	13.60	16.92	4.84	21.76	≤ 30.00
802.11be-EHT80	MCS0	135	6625	13.79	13.44	16.63	4.84	21.47	≤ 30.00
802.11be-EHT80	MCS0	151	6705	14.21	13.83	17.03	4.84	21.87	≤ 30.00
802.11be-EHT80	MCS0	167	6785	14.40	13.57	17.02	4.84	21.86	≤ 30.00
802.11be-EHT80	MCS0	183	6865	13.93	13.60	16.78	4.84	21.62	≤ 30.00
802.11be-EHT80	MCS0	199	6945	13.97	14.02	17.01	4.84	21.85	≤ 30.00
802.11be-EHT80	MCS0	215	7025	14.03	13.91	16.98	4.84	21.82	≤ 30.00
802.11be-EHT160	MCS0	15	6025	16.76	16.19	19.49	4.84	24.33	≤ 30.00
802.11be-EHT160	MCS0	47	6185	16.37	15.92	19.16	4.84	24.00	≤ 30.00
802.11be-EHT160	MCS0	79	6345	16.44	16.21	19.34	4.84	24.18	≤ 30.00
802.11be-EHT160	MCS0	111	6505	16.51	15.76	19.16	4.84	24.00	≤ 30.00
802.11be-EHT160	MCS0	143	6665	16.88	15.65	19.32	4.84	24.16	≤ 30.00
802.11be-EHT160	MCS0	175	6825	16.82	16.07	19.47	4.84	24.31	≤ 30.00
802.11be-EHT160	MCS0	207	6985	16.64	16.30	19.48	4.84	24.32	≤ 30.00

Note 1: Total Average Power (dBm) = $10 \cdot \log \{10^{(\text{Ant 0 Average Power} / 10)} + 10^{(\text{Ant 1 Average Power} / 10)}\}$.

Note 2: EIRP (dBm) = Total Average Power (dBm) + Antenna Gain (dBi).

A.4 Power Spectral Density Test Result

Test Site	WJ-SR2	Test Engineer	Jake Lan
Test Date	2025-01-05 ~ 2025-02-19		

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Ant 0 PSD (dBm/MHz)	Ant 1 PSD (dBm/MHz)	Duty Cycle (%)	Antenna Gain (dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11ax-HE20	MCS0	1	5955	-3.078	-3.039	98.10	4.84	4.79	≤ 5.00
802.11ax-HE20	MCS0	49	6195	-3.119	-3.398	98.10	4.84	4.59	≤ 5.00
802.11ax-HE20	MCS0	93	6415	-3.047	-2.920	98.10	4.84	4.87	≤ 5.00
802.11ax-HE20	MCS0	97	6435	-3.015	-3.163	98.10	4.84	4.76	≤ 5.00
802.11ax-HE20	MCS0	105	6475	-2.967	-2.855	98.10	4.84	4.94	≤ 5.00
802.11ax-HE20	MCS0	113	6515	-3.692	-3.097	98.10	4.84	4.47	≤ 5.00
802.11ax-HE20	MCS0	117	6535	-2.972	-3.127	98.10	4.84	4.80	≤ 5.00
802.11ax-HE20	MCS0	149	6695	-3.125	-3.117	98.10	4.84	4.73	≤ 5.00
802.11ax-HE20	MCS0	181	6855	-3.113	-2.903	98.10	4.84	4.84	≤ 5.00
802.11ax-HE20	MCS0	185	6875	-3.206	-3.066	98.10	4.84	4.71	≤ 5.00
802.11ax-HE20	MCS0	189	6895	-3.023	-2.961	98.10	4.84	4.86	≤ 5.00
802.11ax-HE20	MCS0	209	6995	-3.271	-2.774	98.10	4.84	4.83	≤ 5.00
802.11ax-HE20	MCS0	229	7095	-3.376	-2.847	98.10	4.84	4.75	≤ 5.00
802.11ax-HE40	MCS0	3	5965	-3.308	-3.853	95.97	4.84	4.46	≤ 5.00
802.11ax-HE40	MCS0	51	6205	-2.895	-3.398	95.97	4.84	4.89	≤ 5.00
802.11ax-HE40	MCS0	91	6405	-3.116	-3.088	95.97	4.84	4.93	≤ 5.00
802.11ax-HE40	MCS0	99	6445	-3.150	-3.143	95.97	4.84	4.88	≤ 5.00
802.11ax-HE40	MCS0	107	6485	-3.231	-3.216	95.97	4.84	4.81	≤ 5.00
802.11ax-HE40	MCS0	115	6525	-3.275	-3.332	95.97	4.84	4.73	≤ 5.00
802.11ax-HE40	MCS0	123	6565	-2.986	-3.367	95.97	4.84	4.86	≤ 5.00
802.11ax-HE40	MCS0	147	6685	-3.192	-3.334	95.97	4.84	4.77	≤ 5.00
802.11ax-HE40	MCS0	179	6845	-3.390	-3.359	95.97	4.84	4.65	≤ 5.00
802.11ax-HE40	MCS0	187	6885	-3.465	-3.193	95.97	4.84	4.70	≤ 5.00
802.11ax-HE40	MCS0	195	6925	-3.372	-2.929	95.97	4.84	4.88	≤ 5.00
802.11ax-HE40	MCS0	211	7005	-3.737	-3.124	95.97	4.84	4.61	≤ 5.00
802.11ax-HE40	MCS0	227	7085	-3.624	-3.067	95.97	4.84	4.69	≤ 5.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Ant 0 PSD (dBm/MHz)	Ant 1 PSD (dBm/MHz)	Duty Cycle (%)	Antenna Gain (dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11ax-HE80	MCS0	7	5985	-3.678	-3.173	92.24	4.84	4.78	≤ 5.00
802.11ax-HE80	MCS0	55	6225	-3.554	-3.681	92.24	4.84	4.58	≤ 5.00
802.11ax-HE80	MCS0	87	6385	-3.606	-3.464	92.24	4.84	4.67	≤ 5.00
802.11ax-HE80	MCS0	103	6465	-3.098	-3.615	92.24	4.84	4.85	≤ 5.00
802.11ax-HE80	MCS0	119	6545	-3.227	-3.627	92.24	4.84	4.78	≤ 5.00
802.11ax-HE80	MCS0	135	6625	-3.431	-3.701	92.24	4.84	4.64	≤ 5.00
802.11ax-HE80	MCS0	151	6705	-3.337	-3.773	92.24	4.84	4.65	≤ 5.00
802.11ax-HE80	MCS0	167	6785	-3.347	-3.515	92.24	4.84	4.77	≤ 5.00
802.11ax-HE80	MCS0	183	6865	-3.528	-3.782	92.24	4.84	4.55	≤ 5.00
802.11ax-HE80	MCS0	199	6945	-3.411	-3.877	92.24	4.84	4.56	≤ 5.00
802.11ax-HE80	MCS0	215	7025	-3.514	-3.671	92.24	4.84	4.61	≤ 5.00
802.11ax-HE160	MCS0	15	6025	-3.384	-3.930	88.12	4.84	4.75	≤ 5.00
802.11ax-HE160	MCS0	47	6185	-3.311	-4.298	88.12	4.84	4.62	≤ 5.00
802.11ax-HE160	MCS0	79	6345	-3.450	-3.754	88.12	4.84	4.80	≤ 5.00
802.11ax-HE160	MCS0	111	6505	-3.138	-3.856	88.12	4.84	4.92	≤ 5.00
802.11ax-HE160	MCS0	143	6665	-3.626	-4.194	88.12	4.84	4.50	≤ 5.00
802.11ax-HE160	MCS0	175	6825	-3.546	-4.168	88.12	4.84	4.55	≤ 5.00
802.11ax-HE160	MCS0	207	6985	-3.460	-4.019	88.12	4.84	4.67	≤ 5.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Ant 0 PSD (dBm/MHz)	Ant 1 PSD (dBm/MHz)	Duty Cycle (%)	Antenna Gain (dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11be-EHT20	MCS0	1	5955	-3.223	-3.088	98.02	4.84	4.70	≤ 5.00
802.11be-EHT20	MCS0	49	6195	-3.042	-2.932	98.02	4.84	4.86	≤ 5.00
802.11be-EHT20	MCS0	93	6415	-3.122	-2.928	98.02	4.84	4.83	≤ 5.00
802.11be-EHT20	MCS0	97	6435	-3.311	-2.956	98.02	4.84	4.72	≤ 5.00
802.11be-EHT20	MCS0	105	6475	-3.035	-3.322	98.02	4.84	4.67	≤ 5.00
802.11be-EHT20	MCS0	113	6515	-3.561	-2.620	98.02	4.84	4.79	≤ 5.00
802.11be-EHT20	MCS0	117	6535	-2.955	-3.273	98.02	4.84	4.74	≤ 5.00
802.11be-EHT20	MCS0	149	6695	-3.119	-2.882	98.02	4.84	4.85	≤ 5.00
802.11be-EHT20	MCS0	181	6855	-2.867	-3.380	98.02	4.84	4.73	≤ 5.00
802.11be-EHT20	MCS0	185	6875	-2.756	-3.146	98.02	4.84	4.90	≤ 5.00
802.11be-EHT20	MCS0	189	6895	-3.047	-3.237	98.02	4.84	4.71	≤ 5.00
802.11be-EHT20	MCS0	209	6995	-3.223	-2.867	98.02	4.84	4.81	≤ 5.00
802.11be-EHT20	MCS0	229	7095	-3.099	-2.732	98.02	4.84	4.94	≤ 5.00
802.11be-EHT40	MCS0	3	5965	-3.695	-3.175	95.79	4.84	4.61	≤ 5.00
802.11be-EHT40	MCS0	51	6205	-3.402	-3.536	95.79	4.84	4.57	≤ 5.00
802.11be-EHT40	MCS0	91	6405	-3.653	-3.337	95.79	4.84	4.54	≤ 5.00
802.11be-EHT40	MCS0	99	6445	-3.286	-3.374	95.79	4.84	4.71	≤ 5.00
802.11be-EHT40	MCS0	107	6485	-3.389	-3.520	95.79	4.84	4.58	≤ 5.00
802.11be-EHT40	MCS0	115	6525	-3.408	-3.543	95.79	4.84	4.56	≤ 5.00
802.11be-EHT40	MCS0	123	6565	-3.255	-3.427	95.79	4.84	4.70	≤ 5.00
802.11be-EHT40	MCS0	147	6685	-3.325	-3.423	95.79	4.84	4.66	≤ 5.00
802.11be-EHT40	MCS0	179	6845	-3.453	-3.105	95.79	4.84	4.76	≤ 5.00
802.11be-EHT40	MCS0	187	6885	-3.422	-3.035	95.79	4.84	4.81	≤ 5.00
802.11be-EHT40	MCS0	195	6925	-3.513	-2.871	95.79	4.84	4.86	≤ 5.00
802.11be-EHT40	MCS0	211	7005	-3.184	-3.370	95.79	4.84	4.76	≤ 5.00
802.11be-EHT40	MCS0	227	7085	-3.353	-3.035	95.79	4.84	4.85	≤ 5.00


Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Ant 0 PSD (dBm/MHz)	Ant 1 PSD (dBm/MHz)	Duty Cycle (%)	Antenna Gain (dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11be-EHT80	MCS0	7	5985	-3.470	-3.286	92.00	4.84	4.84	≤ 5.00
802.11be-EHT80	MCS0	55	6225	-2.984	-3.816	92.00	4.84	4.83	≤ 5.00
802.11be-EHT80	MCS0	87	6385	-3.410	-3.207	92.00	4.84	4.91	≤ 5.00
802.11be-EHT80	MCS0	103	6465	-3.627	-2.963	92.00	4.84	4.93	≤ 5.00
802.11be-EHT80	MCS0	119	6545	-3.256	-3.308	92.00	4.84	4.93	≤ 5.00
802.11be-EHT80	MCS0	135	6625	-3.555	-3.831	92.00	4.84	4.52	≤ 5.00
802.11be-EHT80	MCS0	151	6705	-3.212	-3.611	92.00	4.84	4.81	≤ 5.00
802.11be-EHT80	MCS0	167	6785	-3.226	-3.550	92.00	4.84	4.83	≤ 5.00
802.11be-EHT80	MCS0	183	6865	-3.633	-3.666	92.00	4.84	4.56	≤ 5.00
802.11be-EHT80	MCS0	199	6945	-3.215	-3.353	92.00	4.84	4.93	≤ 5.00
802.11be-EHT80	MCS0	215	7025	-3.376	-3.415	92.00	4.84	4.82	≤ 5.00
802.11be-EHT160	MCS0	15	6025	-3.593	-4.192	87.40	4.84	4.55	≤ 5.00
802.11be-EHT160	MCS0	47	6185	-3.279	-4.188	87.40	4.84	4.73	≤ 5.00
802.11be-EHT160	MCS0	79	6345	-3.616	-4.065	87.40	4.84	4.60	≤ 5.00
802.11be-EHT160	MCS0	111	6505	-3.524	-4.350	87.40	4.84	4.52	≤ 5.00
802.11be-EHT160	MCS0	143	6665	-3.134	-3.999	87.40	4.84	4.89	≤ 5.00
802.11be-EHT160	MCS0	175	6825	-3.403	-4.140	87.40	4.84	4.68	≤ 5.00
802.11be-EHT160	MCS0	207	6985	-3.519	-3.746	87.40	4.84	4.80	≤ 5.00

Note: When EUT duty cycle < 98%, EIRP PSD (dBm/MHz) = $10 \cdot \log \{10^{(\text{Ant 0 PSD}/10)} + 10^{(\text{Ant 1 PSD}/10)}\}$ (dBm/MHz) + $10 \cdot \log (1/\text{Duty Cycle})$ + Antenna Gain (dBi).


When EUT duty cycle ≥ 98%, EIRP PSD (dBm/MHz) = $10 \cdot \log \{10^{(\text{Ant 0 PSD}/10)} + 10^{(\text{Ant 1 PSD}/10)}\}$ (dBm/MHz) + Antenna Gain (dBi).

802.11ax-HE20 Power Spectral Density- Ant 0


Channel 1 (5955MHz)




Channel 49 (6195MHz)




Channel 93 (6415MHz)




Channel 97 (6435MHz)



Channel 105 (6475MHz)




Channel 113 (6515MHz)



802.11ax-HE20 Power Spectral Density- Ant 0


Channel 117 (6535MHz)



Channel 149 (6695MHz)




Channel 181 (6855MHz)




Channel 185 (6875MHz)



Channel 189 (6895MHz)




Channel 209 (6995MHz)




802.11ax-HE20 Power Spectral Density- Ant 0

Channel 229 (7095MHz)



802.11ax-HE40 Power Spectral Density- Ant 0

Channel 3 (5965MHz)




Channel 51 (6205MHz)




Channel 91 (6405MHz)




Channel 99 (6445MHz)



Channel 107 (6485MHz)




Channel 115 (6525MHz)




802.11ax-HE40 Power Spectral Density- Ant 0


Channel 123 (6565MHz)




Channel 147 (6685MHz)




Channel 179 (6845MHz)




Channel 187 (6885MHz)




Channel 195 (6925MHz)




Channel 211 (7005MHz)





802.11ax-HE80 Power Spectral Density- Ant 0

Channel 7 (5985MHz)



Channel 55 (6225MHz)




Channel 87 (6385MHz)




Channel 103 (6465MHz)



Channel 119 (6545MHz)




Channel 135 (6625MHz)




802.11ax-HE80 Power Spectral Density- Ant 0


Channel 151 (6705MHz)




Channel 167 (6785MHz)




Channel 183 (6865MHz)



Channel 199 (6945MHz)




Channel 215 (7025MHz)




802.11ax-HE160 Power Spectral Density- Ant 0


Channel 15 (6025MHz)




Channel 47 (6185MHz)




Channel 79 (6345MHz)




Channel 111 (6505MHz)



Channel 143 (6665MHz)




Channel 175 (6825MHz)




802.11ax-HE160 Power Spectral Density- Ant 0

Channel 207 (6985MHz)




802.11be-EHT20 Power Spectral Density- Ant 0


Channel 1 (5955MHz)



Channel 49 (6195MHz)




Channel 93 (6415MHz)



Channel 97 (6435MHz)



Channel 105 (6475MHz)




Channel 113 (6515MHz)



802.11be-EHT20 Power Spectral Density- Ant 0

Channel 117 (6535MHz)



Channel 149 (6695MHz)



Channel 181 (6855MHz)



Channel 185 (6875MHz)



Channel 189 (6895MHz)



Channel 209 (6995MHz)



