


Site: WZ-AC2	Test Date: 2024-05-16
Limit: FCC_2.4G_RE(3m)	Engineer: Ajin Fan
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2468MHz Ant 3 - Filter 7# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2468.091	99.120	66.745	N/A	N/A	32.375	AV
2		2480.042	106.276	73.892	N/A	N/A	32.384	AV
3		2483.500	43.235	10.853	-10.765	54.000	32.382	AV
4		2491.857	48.214	15.836	-5.786	54.000	32.378	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-05-16
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2470MHz Ant 3 - Filter 7# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2470.272	100.355	67.976	N/A	N/A	32.380	PK
2	*	2479.712	90.731	58.347	N/A	N/A	32.384	PK
3		2483.500	56.082	23.700	-17.918	74.000	32.382	PK
4		2489.808	60.984	28.605	-13.016	74.000	32.379	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-05-16
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2470MHz Ant 3 - Filter 7# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2470.080	99.815	67.436	N/A	N/A	32.379	AV
2	*	2480.128	92.048	59.664	N/A	N/A	32.384	AV
3		2483.500	43.471	11.089	-10.529	54.000	32.382	AV
4		2490.000	52.927	20.548	-1.073	54.000	32.379	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-05-16
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2470MHz Ant 3 - Filter 7# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2470.128	94.476	62.097	N/A	N/A	32.379	PK
2		2479.696	106.573	74.189	N/A	N/A	32.384	PK
3		2483.500	55.222	22.840	-18.778	74.000	32.382	PK
4		2489.408	59.329	26.949	-14.671	74.000	32.380	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-05-16
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2470MHz Ant 3 - Filter 7# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2469.968	93.970	61.591	N/A	N/A	32.379	AV
2		2480.080	106.024	73.640	N/A	N/A	32.384	AV
3		2483.500	43.704	11.322	-10.296	54.000	32.382	AV
4		2489.984	48.512	16.133	-5.488	54.000	32.379	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-05-16
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2472MHz Ant 3 - Filter 7# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2471.680	95.389	63.007	N/A	N/A	32.382	PK
2	*	2480.110	93.557	61.173	N/A	N/A	32.384	PK
3		2483.500	54.693	22.311	-19.307	74.000	32.382	PK
4		2487.685	60.914	28.534	-13.086	74.000	32.380	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-05-16
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2472MHz Ant 3 - Filter 7# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2472.070	95.065	62.682	N/A	N/A	32.383	AV
2	*	2480.065	92.080	59.696	N/A	N/A	32.384	AV
3		2483.500	42.804	10.422	-11.196	54.000	32.382	AV
4		2487.880	53.311	20.931	-0.689	54.000	32.380	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-05-16
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2472MHz Ant 3 - Filter 7# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2471.665	89.894	57.512	N/A	N/A	32.382	PK
2		2479.735	106.872	74.488	N/A	N/A	32.384	PK
3		2483.500	53.489	21.107	-20.511	74.000	32.382	PK
4		2487.580	59.497	27.117	-14.503	74.000	32.380	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-05-16
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2472MHz Ant 3 - Filter 7# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2471.995	89.179	56.796	N/A	N/A	32.383	AV
2		2480.020	106.157	73.773	N/A	N/A	32.384	AV
3		2483.500	44.056	11.674	-9.944	54.000	32.382	AV
4		2487.715	49.325	16.945	-4.675	54.000	32.380	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-05-16
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2474MHz Ant 3 - Filter 7# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2474.212	91.027	58.640	N/A	N/A	32.387	PK
2	*	2479.784	90.452	58.068	N/A	N/A	32.384	PK
3		2483.500	54.247	21.865	-19.753	74.000	32.382	PK
4		2485.930	61.405	29.024	-12.595	74.000	32.381	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-05-16
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2474MHz Ant 3 - Filter 7# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2473.946	90.426	58.039	N/A	N/A	32.387	AV
2		2479.994	91.974	59.590	N/A	N/A	32.384	AV
3		2483.500	43.254	10.872	-10.746	54.000	32.382	AV
4		2485.874	53.126	20.745	-0.874	54.000	32.381	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-05-16
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2474MHz Ant 3 - Filter 7# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1	*	2473.778	85.499	53.112	N/A	N/A	32.386	PK
2		2479.784	106.867	74.483	N/A	N/A	32.384	PK
3		2483.500	54.323	21.941	-19.677	74.000	32.382	PK
4		2485.552	59.617	27.236	-14.383	74.000	32.381	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-05-16
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2474MHz Ant 3 - Filter 7# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2473.904	84.193	51.806	N/A	N/A	32.387	AV
2		2479.966	106.268	73.884	N/A	N/A	32.384	AV
3		2483.500	43.452	11.070	-10.548	54.000	32.382	AV
4		2485.706	49.125	16.744	-4.875	54.000	32.381	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-05-17
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2476MHz Ant 3 - Filter 7# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2475.664	83.126	50.740	N/A	N/A	32.386	PK
2		2479.967	97.767	65.383	N/A	N/A	32.384	PK
3		2483.500	59.760	27.378	-14.240	74.000	32.382	PK
4		2485.011	61.799	29.417	-12.201	74.000	32.382	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-05-17
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2476MHz Ant 3 - Filter 7# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2476.041	85.247	52.861	N/A	N/A	32.386	AV
2		2480.084	96.655	64.271	N/A	N/A	32.384	AV
3		2483.500	51.535	19.153	-2.465	54.000	32.382	AV
4		2483.971	52.940	20.558	-1.060	54.000	32.382	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-05-17
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2476MHz Ant 3 - Filter 7# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2476.054	80.085	47.699	N/A	N/A	32.386	PK
2		2479.967	105.723	73.339	N/A	N/A	32.384	PK
3		2483.500	59.268	26.886	-14.732	74.000	32.382	PK
4		2487.832	61.913	29.533	-12.087	74.000	32.380	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-05-17
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2476MHz Ant 3 - Filter 7# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2476.145	78.991	46.605	N/A	N/A	32.386	AV
2		2480.084	104.697	72.313	N/A	N/A	32.384	AV
3		2483.500	47.911	15.529	-6.089	54.000	32.382	AV
4		2487.949	50.421	18.041	-3.579	54.000	32.380	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-05-17
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2478MHz Ant 3 - Filter 7# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2478.016	104.297	71.912	N/A	N/A	32.385	PK
2		2483.500	60.374	27.992	-13.626	74.000	32.382	PK
3	*	2483.536	61.379	28.997	-12.621	74.000	32.382	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-05-17
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2478MHz Ant 3 - Filter 7# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2478.040	102.940	70.555	N/A	N/A	32.385	AV
2	*	2480.032	95.325	62.941	N/A	N/A	32.384	AV
3		2483.500	51.367	18.985	-2.633	54.000	32.382	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-05-17
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2478MHz Ant 3 - Filter 7# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2480.128	105.192	72.808	N/A	N/A	32.384	PK
2		2483.500	60.641	28.259	-13.359	74.000	32.382	PK
3	*	2484.376	61.105	28.723	-12.895	74.000	32.382	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-05-17
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2478MHz Ant 3 - Filter 7# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2478.064	101.906	69.521	N/A	N/A	32.385	AV
2		2480.020	104.383	71.999	N/A	N/A	32.384	AV
3		2483.500	51.309	18.927	-2.691	54.000	32.382	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-05-23
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2480MHz Ant 3 - Filter 7# - 2478MHz	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		2477.968	97.889	65.504	N/A	N/A	32.385	PK
2	*	2480.128	83.574	51.190	N/A	N/A	32.384	PK
3		2483.500	60.327	27.945	-13.673	74.000	32.382	PK
4		2484.388	61.551	29.169	-12.449	74.000	32.382	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-05-23
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2480MHz Ant 3 - Filter 7# - 2478MHz	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		2477.956	96.945	64.560	N/A	N/A	32.385	AV
2	*	2480.128	82.696	50.312	N/A	N/A	32.384	AV
3		2483.500	53.207	20.825	-0.793	54.000	32.382	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-05-23
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2480MHz Ant 3 - Filter 7# - 2478MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2478.148	107.183	74.798	N/A	N/A	32.385	PK
2	*	2480.356	79.243	46.859	N/A	N/A	32.384	PK
3		2483.500	58.576	26.194	-15.424	74.000	32.382	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-05-23
Limit: FCC_2.4G_RE(3m)	Engineer: Carl Jiang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2480MHz Ant 3 - Filter 7# - 2478MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2478.040	106.323	73.938	N/A	N/A	32.385	AV
2	*	2479.996	78.352	45.968	N/A	N/A	32.384	AV
3		2483.500	49.454	17.072	-4.546	54.000	32.382	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 3# - 2480MHz Ant 3 - Filter 7# - 2474MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2474.296	106.260	73.873	N/A	N/A	32.387	PK
2	*	2480.204	92.563	60.179	N/A	N/A	32.384	PK
3		2483.500	53.139	20.757	-20.861	74.000	32.382	PK
4		2491.110	62.408	30.029	-11.592	74.000	32.379	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 3# - 2480MHz Ant 3 - Filter 7# - 2474MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2473.960	105.571	73.184	N/A	N/A	32.387	AV
2	*	2480.078	91.594	59.210	N/A	N/A	32.384	AV
3		2483.500	40.023	7.641	-13.977	54.000	32.382	AV
4		2491.488	53.228	20.849	-0.772	54.000	32.379	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 3# - 2480MHz Ant 3 - Filter 7# - 2474MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2474.338	99.102	66.715	N/A	N/A	32.387	PK
2	*	2480.218	87.239	54.855	N/A	N/A	32.384	PK
3		2483.500	52.616	20.234	-21.384	74.000	32.382	PK
4		2492.650	59.232	26.851	-14.768	74.000	32.380	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 3# - 2480MHz Ant 3 - Filter 7# - 2474MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2474.072	98.593	66.206	N/A	N/A	32.387	AV
2	*	2479.994	86.636	54.252	N/A	N/A	32.384	AV
3		2483.500	40.019	7.637	-13.981	54.000	32.382	AV
4		2491.376	47.629	15.250	-6.371	54.000	32.379	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 3# - 2480MHz Ant 3 - Filter 7# - 2476MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2476.327	105.926	73.540	N/A	N/A	32.386	PK
2	*	2480.331	89.462	57.078	N/A	N/A	32.384	PK
3		2483.500	59.569	27.187	-14.431	74.000	32.382	PK
4		2487.156	63.316	30.935	-10.684	74.000	32.381	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 3# - 2480MHz Ant 3 - Filter 7# - 2476MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2476.002	105.333	72.947	N/A	N/A	32.386	AV
2	*	2480.097	88.556	56.172	N/A	N/A	32.384	AV
3		2483.500	51.679	19.297	-2.321	54.000	32.382	AV
4		2487.624	53.388	21.008	-0.612	54.000	32.380	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 3# - 2480MHz Ant 3 - Filter 7# - 2476MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2476.132	98.741	66.355	N/A	N/A	32.386	PK
2	*	2479.694	84.159	51.775	N/A	N/A	32.384	PK
3		2483.500	53.665	21.283	-20.335	74.000	32.382	PK
4		2487.299	59.718	27.337	-14.282	74.000	32.381	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 3# - 2480MHz Ant 3 - Filter 7# - 2476MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2475.989	98.127	65.741	N/A	N/A	32.386	AV
2	*	2480.058	83.554	51.170	N/A	N/A	32.384	AV
3		2483.500	45.267	12.885	-8.733	54.000	32.382	AV
4		2487.377	48.445	16.064	-5.555	54.000	32.381	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2468MHz Ant 3 - Filter 9# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2468.363	91.301	58.925	N/A	N/A	32.376	PK
2	*	2480.110	90.800	58.416	N/A	N/A	32.384	PK
3		2483.500	53.333	20.951	-20.667	74.000	32.382	PK
4		2492.044	59.979	27.600	-14.021	74.000	32.379	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2468MHz Ant 3 - Filter 9# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2467.938	90.388	58.013	N/A	N/A	32.375	AV
2	*	2479.940	89.757	57.373	N/A	N/A	32.384	AV
3		2483.500	40.126	7.744	-13.874	54.000	32.382	AV
4		2491.840	52.007	19.629	-1.993	54.000	32.378	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2468MHz Ant 3 - Filter 9# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2468.312	85.722	53.347	N/A	N/A	32.376	PK
2		2480.263	105.943	73.559	N/A	N/A	32.384	PK
3		2483.500	54.063	21.681	-19.937	74.000	32.382	PK
4		2489.579	58.664	26.284	-15.336	74.000	32.379	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2468MHz Ant 3 - Filter 9# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2468.006	85.067	52.692	N/A	N/A	32.375	AV
2		2480.161	104.976	72.592	N/A	N/A	32.384	AV
3		2483.500	40.358	7.976	-13.642	54.000	32.382	AV
4		2491.874	47.715	15.337	-6.285	54.000	32.378	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2470MHz Ant 3 - Filter 9# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2469.680	91.292	58.914	N/A	N/A	32.378	PK
2	*	2479.680	90.686	58.302	N/A	N/A	32.384	PK
3		2483.500	53.052	20.670	-20.948	74.000	32.382	PK
4		2490.448	60.727	28.348	-13.273	74.000	32.380	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2470MHz Ant 3 - Filter 9# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2470.016	90.832	58.453	N/A	N/A	32.379	AV
2	*	2479.904	89.726	57.342	N/A	N/A	32.384	AV
3		2483.500	40.104	7.722	-13.896	54.000	32.382	AV
4		2489.984	52.718	20.339	-1.282	54.000	32.379	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2470MHz Ant 3 - Filter 9# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2470.272	86.306	53.927	N/A	N/A	32.380	PK
2		2480.176	106.014	73.630	N/A	N/A	32.384	PK
3		2483.500	52.685	20.303	-21.315	74.000	32.382	PK
4		2499.504	61.382	28.976	-12.618	74.000	32.406	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2470MHz Ant 3 - Filter 9# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2470.016	85.189	52.810	N/A	N/A	32.379	AV
2		2480.128	105.291	72.907	N/A	N/A	32.384	AV
3		2483.500	40.803	8.421	-13.197	54.000	32.382	AV
4		2499.808	51.635	19.228	-2.365	54.000	32.407	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2472MHz Ant 3 - Filter 9# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2472.220	91.283	58.900	N/A	N/A	32.384	PK
2	*	2479.660	90.683	58.299	N/A	N/A	32.384	PK
3		2483.500	51.884	19.502	-22.116	74.000	32.382	PK
4		2487.655	60.900	28.520	-13.100	74.000	32.380	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2472MHz Ant 3 - Filter 9# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2472.055	90.357	57.974	N/A	N/A	32.383	AV
2	*	2480.065	90.084	57.700	N/A	N/A	32.384	AV
3		2483.500	39.914	7.532	-14.086	54.000	32.382	AV
4		2487.910	53.561	21.181	-0.439	54.000	32.380	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2472MHz Ant 3 - Filter 9# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2472.310	85.528	53.144	N/A	N/A	32.384	PK
2		2479.765	106.184	73.800	N/A	N/A	32.384	PK
3		2483.500	53.364	20.982	-20.636	74.000	32.382	PK
4		2495.575	63.150	30.760	-10.850	74.000	32.390	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2472MHz Ant 3 - Filter 9# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2471.920	84.829	52.446	N/A	N/A	32.383	AV
2		2479.930	105.255	72.871	N/A	N/A	32.384	AV
3		2483.500	41.249	8.867	-12.751	54.000	32.382	AV
4		2496.145	53.487	21.095	-0.513	54.000	32.392	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2474MHz Ant 3 - Filter 9# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2474.296	87.019	54.632	N/A	N/A	32.387	PK
2		2479.686	90.746	58.362	N/A	N/A	32.384	PK
3		2483.500	54.599	22.217	-19.401	74.000	32.382	PK
4		2485.818	59.829	27.448	-14.171	74.000	32.381	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2474MHz Ant 3 - Filter 9# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2474.072	86.356	53.969	N/A	N/A	32.387	AV
2		2480.134	89.752	57.368	N/A	N/A	32.384	AV
3		2483.500	41.227	8.845	-12.773	54.000	32.382	AV
4		2485.902	51.547	19.166	-2.453	54.000	32.381	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2474MHz Ant 3 - Filter 9# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2474.170	81.422	49.035	N/A	N/A	32.387	PK
2		2479.742	106.101	73.717	N/A	N/A	32.384	PK
3		2483.500	52.542	20.160	-21.458	74.000	32.382	PK
4		2491.642	63.202	30.823	-10.798	74.000	32.378	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2474MHz Ant 3 - Filter 9# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2474.072	80.843	48.456	N/A	N/A	32.387	AV
2		2480.078	105.325	72.941	N/A	N/A	32.384	AV
3		2483.500	40.069	7.687	-13.931	54.000	32.382	AV
4		2491.852	53.412	21.034	-0.588	54.000	32.378	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2476MHz Ant 3 - Filter 9# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2475.729	85.492	53.106	N/A	N/A	32.386	PK
2		2480.305	90.669	58.285	N/A	N/A	32.384	PK
3		2483.500	59.617	27.235	-14.383	74.000	32.382	PK
4		2484.309	61.018	28.636	-12.982	74.000	32.382	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2476MHz Ant 3 - Filter 9# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2475.963	84.776	52.390	N/A	N/A	32.386	AV
2		2480.032	90.050	57.666	N/A	N/A	32.384	AV
3		2483.500	50.153	17.771	-3.847	54.000	32.382	AV
4		2483.867	53.113	20.731	-0.887	54.000	32.382	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2476MHz Ant 3 - Filter 9# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1	*	2476.171	80.486	48.100	N/A	N/A	32.386	PK
2		2480.331	105.915	73.531	N/A	N/A	32.384	PK
3		2483.500	55.797	23.415	-18.203	74.000	32.382	PK
4		2487.247	61.840	29.459	-12.160	74.000	32.381	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2476MHz Ant 3 - Filter 9# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2476.132	79.008	46.622	N/A	N/A	32.386	AV
2		2479.928	105.256	72.872	N/A	N/A	32.384	AV
3		2483.500	45.914	13.532	-8.086	54.000	32.382	AV
4		2488.092	52.566	20.186	-1.434	54.000	32.380	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2478MHz Ant 3 - Filter 9# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2477.968	104.971	72.586	N/A	N/A	32.385	PK
2	*	2479.828	91.276	58.892	N/A	N/A	32.384	PK
3		2483.500	62.223	29.841	-11.777	74.000	32.382	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2478MHz Ant 3 - Filter 9# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2478.148	103.700	71.315	N/A	N/A	32.385	AV
2	*	2479.960	90.351	57.967	N/A	N/A	32.384	AV
3		2483.500	53.048	20.666	-0.952	54.000	32.382	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2478MHz Ant 3 - Filter 9# - 2480MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2478.232	99.436	67.051	N/A	N/A	32.385	PK
2		2479.636	105.912	73.528	N/A	N/A	32.384	PK
3		2483.500	61.147	28.765	-12.853	74.000	32.382	PK
4		2483.680	62.928	30.546	-11.072	74.000	32.382	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2024-06-05
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit at Ant 6 - Filter 1# - 2478MHz Ant 3 - Filter 9# - 2480MHz	



No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2478.076	98.221	65.836	N/A	N/A	32.385	AV
2		2480.056	105.451	73.067	N/A	N/A	32.384	AV
3		2483.500	53.133	20.751	-0.867	54.000	32.382	AV
4		2483.536	53.284	20.902	-0.716	54.000	32.382	AV


Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

A.8 AC Conducted Emissions Test Result

Site: WZ-SR2	Test Date: 2024-02-22
Limit: FCC_Part15.207_CE_AC Power	Engineer: Linda Wei
Probe: ENV216_101683_Filter Off_C	Polarity: Line
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit by BLE 1M at channel 2440MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV)	Factor (dB)	Type
1		0.158	51.847	42.131	-13.721	65.568	9.716	QP
2		0.158	34.858	25.142	-20.710	55.568	9.716	AV
3		0.198	42.611	32.885	-21.083	63.694	9.725	QP
4		0.198	24.938	15.213	-28.756	53.694	9.725	AV
5		0.414	41.527	31.725	-16.041	57.568	9.802	QP
6	*	0.414	36.235	26.433	-11.332	47.568	9.802	AV
7		0.638	24.488	14.583	-31.512	56.000	9.905	QP
8		0.638	18.841	8.936	-27.159	46.000	9.905	AV
9		4.726	24.624	14.451	-31.376	56.000	10.173	QP
10		4.726	17.368	7.195	-28.632	46.000	10.173	AV
11		21.862	35.401	24.638	-24.599	60.000	10.763	QP
12		21.862	29.696	18.934	-20.304	50.000	10.763	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV) = Reading Level (dBμV) + Factor (dB).

Note 3: Factor (dB) = Cable Loss (dB) + LISN Factor (dB).

Site: WZ-SR2	Test Date: 2024-02-22
Limit: FCC_Part15.207_CE_AC Power	Engineer: Linda Wei
Probe: ENV216_101683_Filter Off_C	Polarity: Neutral
EUT: ACCESS POINT	Power: AC 120V/60Hz
Test Mode: Transmit by BLE 1M at channel 2440MHz	



No	Mark	Frequency (MHz)	Measure Level (dBμV)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV)	Factor (dB)	Type
1		0.154	50.961	41.256	-14.820	65.781	9.705	QP
2		0.154	32.396	22.692	-23.385	55.781	9.705	AV
3		0.186	46.063	36.351	-18.150	64.213	9.712	QP
4		0.186	28.398	18.686	-25.815	54.213	9.712	AV
5		0.206	43.634	33.917	-19.731	63.365	9.718	QP
6		0.206	25.499	15.782	-27.866	53.365	9.718	AV
7		0.410	37.953	28.163	-19.695	57.648	9.790	QP
8	*	0.410	33.400	23.610	-14.248	47.648	9.790	AV
9		2.218	27.455	17.360	-28.545	56.000	10.095	QP
10		2.218	21.386	11.291	-24.614	46.000	10.095	AV
11		21.870	36.054	25.393	-23.946	60.000	10.661	QP
12		21.870	30.508	19.847	-19.492	50.000	10.661	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV) = Reading Level (dBμV) + Factor (dB).

Note 3: Factor (dB) = Cable Loss (dB) + LISN Factor (dB).

Appendix B - Test Setup Photograph

Refer to “2311RSU031-UT” file.

Appendix C - EUT Photograph

Refer to “2311RSU031-UE” file.

The End
