







Group 3 Radio 0 LB


Test Site	WZ-SR5	Test Engineer	Luis Yang
Test Date	2024-04-26	Filter	4#

Test Mode	Data Rate/ MCS	Channel No.	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)	Test Limit (MHz)
802.11ax-HE20	MCS0	1	5955	21.75	19.125	≤ 320
802.11ax-HE20	MCS0	49	6195	21.94	19.089	≤ 320
802.11ax-HE20	MCS0	93	6415	21.74	19.090	≤ 320
802.11ax-HE40	MCS0	3	5965	40.48	37.672	≤ 320
802.11ax-HE40	MCS0	51	6205	40.47	37.720	≤ 320
802.11ax-HE40	MCS0	91	6405	40.37	37.643	≤ 320
802.11ax-HE80	MCS0	7	5985	80.92	77.149	≤ 320
802.11ax-HE80	MCS0	55	6225	81.08	77.137	≤ 320
802.11ax-HE80	MCS0	87	6385	81.54	77.081	≤ 320
802.11ax-HE160	MCS0	15	6025	164.1	155.86	≤ 320
802.11ax-HE160	MCS0	47	6185	163.6	155.93	≤ 320
802.11ax-HE160	MCS0	79	6345	162.6	155.84	≤ 320
802.11be-EHT20	MCS0	1	5955	21.45	19.098	≤ 320
802.11be-EHT20	MCS0	49	6195	21.60	19.063	≤ 320
802.11be-EHT20	MCS0	93	6415	21.42	19.096	≤ 320
802.11be-EHT40	MCS0	3	5965	40.22	37.650	≤ 320
802.11be-EHT40	MCS0	51	6205	40.43	37.683	≤ 320
802.11be-EHT40	MCS0	91	6405	40.36	37.705	≤ 320
802.11be-EHT80	MCS0	7	5985	80.82	76.856	≤ 320
802.11be-EHT80	MCS0	55	6225	81.12	77.083	≤ 320
802.11be-EHT80	MCS0	87	6385	81.26	77.082	≤ 320
802.11be-EHT160	MCS0	15	6025	163.1	155.83	≤ 320
802.11be-EHT160	MCS0	47	6185	163.4	156.25	≤ 320
802.11be-EHT160	MCS0	79	6345	163.4	155.99	≤ 320
802.11be-EHT320	MCS0	31	6105	327.9	313.18	≤ 320
802.11be-EHT320	MCS0	63	6265	326.4	313.14	≤ 320


Note:


For channels with a nominal bandwidth less than 320 MHz compliance is demonstrated by way of the 26 dB EBW.

For channels with a nominal bandwidth of 320 MHz compliance is demonstrated by way of the 99% BW.
















802.11be-EHT80 26 dB & 99% Bandwidth


Channel 7 (5985 MHz)



Channel 55 (6225 MHz)




Channel 87 (6385 MHz)




802.11be-EHT160 26 dB & 99% Bandwidth


Channel 15 (6025 MHz)




Channel 47 (6185 MHz)



Channel 79 (6345 MHz)





A.3 Output Power Test Result

Group 3 Radio 2 HB

Test Site	SIP-AC2	Test Engineer	Allen Zou
Test Date	2024-05-05 ~ 2024-05-07	Filter	3#

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP (dBμV/m)	EIRP (dBm)	Duty Cycle (%)	10×log (1/Duty cycle)	Total EIRP (dBm)	Limit (dBm)
802.11ax-HE20	MCS0	117	6535	113.3	18.1	93.05	0.31	18.41	≤ 30.00
802.11ax-HE20	MCS0	153	6715	112.9	17.7	93.05	0.31	18.01	≤ 30.00
802.11ax-HE20	MCS0	181	6855	112.4	17.2	93.05	0.31	17.51	≤ 30.00
802.11ax-HE20	MCS0	185	6875	112.3	17.1	93.05	0.31	17.41	≤ 30.00
802.11ax-HE20	MCS0	189	6895	112.8	17.6	93.05	0.31	17.91	≤ 30.00
802.11ax-HE20	MCS0	213	7015	112.1	16.9	93.05	0.31	17.21	≤ 30.00
802.11ax-HE20	MCS0	229	7095	112.2	17.0	93.05	0.31	17.31	≤ 30.00
802.11ax-HE40	MCS0	123	6565	115.6	20.4	89.00	0.51	20.91	≤ 30.00
802.11ax-HE40	MCS0	147	6685	115.4	20.2	89.00	0.51	20.71	≤ 30.00
802.11ax-HE40	MCS0	179	6845	115.4	20.2	89.00	0.51	20.71	≤ 30.00
802.11ax-HE40	MCS0	187	6885	114.9	19.7	89.00	0.51	20.21	≤ 30.00
802.11ax-HE40	MCS0	195	6925	115.1	19.9	89.00	0.51	20.41	≤ 30.00
802.11ax-HE40	MCS0	211	7005	114.9	19.7	89.00	0.51	20.21	≤ 30.00
802.11ax-HE40	MCS0	227	7085	114.5	19.3	89.00	0.51	19.81	≤ 30.00
802.11ax-HE80	MCS0	135	6625	117.2	22.0	83.96	0.75	22.76	≤ 30.00
802.11ax-HE80	MCS0	151	6705	117.0	21.8	83.96	0.75	22.56	≤ 30.00
802.11ax-HE80	MCS0	167	6785	117.5	22.3	83.96	0.75	23.06	≤ 30.00
802.11ax-HE80	MCS0	183	6865	117.1	21.9	83.96	0.75	22.66	≤ 30.00
802.11ax-HE80	MCS0	199	6945	117.6	22.4	83.96	0.75	23.16	≤ 30.00
802.11ax-HE80	MCS0	215	7025	116.8	21.6	83.96	0.75	22.36	≤ 30.00
802.11ax-HE160	MCS0	143	6665	119.5	24.3	79.85	0.97	25.28	≤ 30.00
802.11ax-HE160	MCS0	175	6825	119.7	24.5	79.85	0.97	25.48	≤ 30.00
802.11ax-HE160	MCS0	207	6985	119.3	24.1	79.85	0.97	25.08	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP (dBμV/m)	EIRP (dBm)	Duty Cycle (%)	10×log (1/Duty cycle)	Total EIRP (dBm)	Limit (dBm)
802.11be-EHT20	MCS0	117	6535	113.3	18.1	93.30	0.32	18.40	≤ 30.00
802.11be-EHT20	MCS0	153	6715	112.7	17.5	93.30	0.32	17.80	≤ 30.00
802.11be-EHT20	MCS0	181	6855	112.8	17.6	93.30	0.32	17.90	≤ 30.00
802.11be-EHT20	MCS0	185	6875	113.0	17.8	93.30	0.32	18.10	≤ 30.00
802.11be-EHT20	MCS0	189	6895	112.3	17.1	93.30	0.32	17.40	≤ 30.00
802.11be-EHT20	MCS0	213	7015	112.7	17.5	93.30	0.32	17.80	≤ 30.00
802.11be-EHT20	MCS0	229	7095	112.7	17.5	93.30	0.32	17.80	≤ 30.00
802.11be-EHT40	MCS0	123	6565	115.1	19.9	89.31	0.49	20.39	≤ 30.00
802.11be-EHT40	MCS0	147	6685	115.4	20.2	89.31	0.49	20.69	≤ 30.00
802.11be-EHT40	MCS0	179	6845	115.3	20.1	89.31	0.49	20.59	≤ 30.00
802.11be-EHT40	MCS0	187	6885	115.4	20.2	89.31	0.49	20.69	≤ 30.00
802.11be-EHT40	MCS0	195	6925	115.0	19.8	89.31	0.49	20.29	≤ 30.00
802.11be-EHT40	MCS0	211	7005	115.4	20.2	89.31	0.49	20.69	≤ 30.00
802.11be-EHT40	MCS0	227	7085	114.7	19.5	89.31	0.49	19.99	≤ 30.00
802.11be-EHT80	MCS0	135	6625	117.5	22.3	84.62	0.73	23.03	≤ 30.00
802.11be-EHT80	MCS0	151	6705	117.5	22.3	84.62	0.73	23.03	≤ 30.00
802.11be-EHT80	MCS0	167	6785	118.2	23.0	84.62	0.73	23.73	≤ 30.00
802.11be-EHT80	MCS0	183	6865	117.6	22.4	84.62	0.73	23.13	≤ 30.00
802.11be-EHT80	MCS0	199	6945	117.4	22.2	84.62	0.73	22.93	≤ 30.00
802.11be-EHT80	MCS0	215	7025	117.4	22.2	84.62	0.73	22.93	≤ 30.00
802.11be-EHT160	MCS0	143	6665	119.4	24.2	80.12	0.97	25.17	≤ 30.00
802.11be-EHT160	MCS0	175	6825	119.5	24.3	80.12	0.97	25.27	≤ 30.00
802.11be-EHT160	MCS0	207	6985	118.4	23.2	80.12	0.97	24.17	≤ 30.00
802.11be-EHT320	MCS0	159	6745	120.0	24.8	78.04	1.08	25.88	≤ 30.00
802.11be-EHT320	MCS0	191	6905	118.8	23.6	78.04	1.08	24.68	≤ 30.00

Note 1: EIRP (dBm) = EIRP (dBμV/m) - 95.2.

Note 2: Total EIRP (dBm) = EIRP (dBm) + 10×log(1/duty cycle).

Group 3 Radio 0 LB

Test Site	SIP-AC2	Test Engineer	Allen Zou
Test Date	2024-04-18 ~ 2024-04-19	Filter	4#

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP (dBμV/m)	EIRP (dBm)	Duty Cycle (%)	10×log (1/Duty Cycle)	Total EIRP (dBm)	Limit (dBm)
802.11ax-HE20	MCS0	1	5955	112.8	17.6	97.84	0.09	17.69	≤ 30.00
802.11ax-HE20	MCS0	49	6195	113.1	17.9	97.84	0.09	17.99	≤ 30.00
802.11ax-HE20	MCS0	93	6415	112.8	17.6	97.84	0.09	17.69	≤ 30.00
802.11ax-HE40	MCS0	3	5965	115.2	20.0	96.08	0.17	20.17	≤ 30.00
802.11ax-HE40	MCS0	51	6205	115.4	20.2	96.08	0.17	20.37	≤ 30.00
802.11ax-HE40	MCS0	91	6405	115.1	19.9	96.08	0.17	20.07	≤ 30.00
802.11ax-HE80	MCS0	7	5985	117.4	22.2	92.67	0.33	22.53	≤ 30.00
802.11ax-HE80	MCS0	55	6225	117.7	22.5	92.67	0.33	22.83	≤ 30.00
802.11ax-HE80	MCS0	87	6385	116.7	21.5	92.67	0.33	21.83	≤ 30.00
802.11ax-HE160	MCS0	15	6025	119.6	24.4	88.33	0.54	24.94	≤ 30.00
802.11ax-HE160	MCS0	47	6185	119.7	24.5	88.33	0.54	25.04	≤ 30.00
802.11ax-HE160	MCS0	79	6345	118.7	23.5	88.33	0.54	24.04	≤ 30.00
802.11be-EHT20	MCS0	1	5955	112.4	17.2	97.84	0.09	17.29	≤ 30.00
802.11be-EHT20	MCS0	49	6195	113.0	17.8	97.84	0.09	17.89	≤ 30.00
802.11be-EHT20	MCS0	93	6415	113.1	17.9	97.84	0.09	17.99	≤ 30.00
802.11be-EHT40	MCS0	3	5965	115.3	20.1	95.94	0.18	20.28	≤ 30.00
802.11be-EHT40	MCS0	51	6205	115.2	20.0	95.94	0.18	20.18	≤ 30.00
802.11be-EHT40	MCS0	91	6405	115.0	19.8	95.94	0.18	19.98	≤ 30.00
802.11be-EHT80	MCS0	7	5985	117.6	22.4	92.75	0.33	22.73	≤ 30.00
802.11be-EHT80	MCS0	55	6225	117.1	21.9	92.75	0.33	22.23	≤ 30.00
802.11be-EHT80	MCS0	87	6385	116.3	21.1	92.75	0.33	21.43	≤ 30.00
802.11be-EHT160	MCS0	15	6025	119.9	24.7	88.27	0.54	25.24	≤ 30.00
802.11be-EHT160	MCS0	47	6185	119.9	24.7	88.27	0.54	25.24	≤ 30.00
802.11be-EHT160	MCS0	79	6345	119.1	23.9	88.27	0.54	24.44	≤ 30.00
802.11be-EHT320	MCS0	31	6105	120.5	25.3	83.32	0.79	26.09	≤ 30.00
802.11be-EHT320	MCS0	63	6265	121.2	26.0	83.32	0.79	26.79	≤ 30.00

Note 1: EIRP (dBm) = EIRP (dBμV/m) - 95.2.

Note 2: Total EIRP (dBm) = EIRP (dBm) + 10×log(1/duty cycle).

A.4 Power Spectral Density Test Result

Group 3 Radio 2 HB

Test Site	SIP-AC2	Test Engineer	Allen Zou
Test Date	2024-05-05 ~ 2024-05-07	Filter	3#

Test Mode	Data Rate/MCS	Channel No.	Freq. (MHz)	EIRP PSD (dBμV/m/MHz)	EIRP PSD (dBm/MHz)	Duty Cycle (%)	10×log (1/Duty Cycle)	Final EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11ax-HE20	MCS0	117	6535	99.819	4.619	93.05	0.31	4.93	≤ 5.00
802.11ax-HE20	MCS0	153	6715	99.652	4.452	93.05	0.31	4.76	≤ 5.00
802.11ax-HE20	MCS0	181	6855	99.261	4.061	93.05	0.31	4.37	≤ 5.00
802.11ax-HE20	MCS0	185	6875	99.619	4.419	93.05	0.31	4.73	≤ 5.00
802.11ax-HE20	MCS0	189	6895	99.703	4.503	93.05	0.31	4.82	≤ 5.00
802.11ax-HE20	MCS0	213	7015	99.316	4.116	93.05	0.31	4.43	≤ 5.00
802.11ax-HE20	MCS0	229	7095	99.724	4.524	93.05	0.31	4.84	≤ 5.00
802.11ax-HE40	MCS0	123	6565	99.549	4.349	89.00	0.51	4.86	≤ 5.00
802.11ax-HE40	MCS0	147	6685	99.590	4.390	89.00	0.51	4.90	≤ 5.00
802.11ax-HE40	MCS0	179	6845	99.573	4.373	89.00	0.51	4.88	≤ 5.00
802.11ax-HE40	MCS0	187	6885	99.311	4.111	89.00	0.51	4.62	≤ 5.00
802.11ax-HE40	MCS0	195	6925	99.522	4.322	89.00	0.51	4.83	≤ 5.00
802.11ax-HE40	MCS0	211	7005	99.452	4.252	89.00	0.51	4.76	≤ 5.00
802.11ax-HE40	MCS0	227	7085	99.443	4.243	89.00	0.51	4.75	≤ 5.00
802.11ax-HE80	MCS0	135	6625	99.147	3.947	83.96	0.76	4.71	≤ 5.00
802.11ax-HE80	MCS0	151	6705	99.221	4.021	83.96	0.76	4.78	≤ 5.00
802.11ax-HE80	MCS0	167	6785	99.047	3.847	83.96	0.76	4.61	≤ 5.00
802.11ax-HE80	MCS0	183	6865	99.332	4.132	83.96	0.76	4.89	≤ 5.00
802.11ax-HE80	MCS0	199	6945	99.043	3.843	83.96	0.76	4.60	≤ 5.00
802.11ax-HE80	MCS0	215	7025	99.321	4.121	83.96	0.76	4.88	≤ 5.00
802.11ax-HE160	MCS0	143	6665	99.036	3.836	79.85	0.98	4.81	≤ 5.00
802.11ax-HE160	MCS0	175	6825	99.058	3.858	79.85	0.98	4.84	≤ 5.00
802.11ax-HE160	MCS0	207	6985	99.018	3.818	79.85	0.98	4.80	≤ 5.00


Test Mode	Data Rate/MCS	Channel No.	Freq. (MHz)	EIRP PSD (dBμV/m/ MHz)	EIRP PSD (dBm/MHz)	Duty Cycle (%)	10×log (1/Duty Cycle)	Final EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11be-EHT20	MCS0	117	6535	99.747	4.547	93.30	0.30	4.85	≤ 5.00
802.11be-EHT20	MCS0	153	6715	99.675	4.475	93.30	0.30	4.78	≤ 5.00
802.11be-EHT20	MCS0	181	6855	99.730	4.530	93.30	0.30	4.83	≤ 5.00
802.11be-EHT20	MCS0	185	6875	99.764	4.564	93.30	0.30	4.87	≤ 5.00
802.11be-EHT20	MCS0	189	6895	99.648	4.448	93.30	0.30	4.75	≤ 5.00
802.11be-EHT20	MCS0	213	7015	99.730	4.530	93.30	0.30	4.83	≤ 5.00
802.11be-EHT20	MCS0	229	7095	99.760	4.560	93.30	0.30	4.86	≤ 5.00
802.11be-EHT40	MCS0	123	6565	99.476	4.276	89.31	0.49	4.77	≤ 5.00
802.11be-EHT40	MCS0	147	6685	99.524	4.324	89.31	0.49	4.81	≤ 5.00
802.11be-EHT40	MCS0	179	6845	99.405	4.205	89.31	0.49	4.70	≤ 5.00
802.11be-EHT40	MCS0	187	6885	99.336	4.136	89.31	0.49	4.63	≤ 5.00
802.11be-EHT40	MCS0	195	6925	99.600	4.400	89.31	0.49	4.89	≤ 5.00
802.11be-EHT40	MCS0	211	7005	99.528	4.328	89.31	0.49	4.82	≤ 5.00
802.11be-EHT40	MCS0	227	7085	99.439	4.239	89.31	0.49	4.73	≤ 5.00
802.11be-EHT80	MCS0	135	6625	99.359	4.159	84.62	0.73	4.88	≤ 5.00
802.11be-EHT80	MCS0	151	6705	98.903	3.703	84.62	0.73	4.43	≤ 5.00
802.11be-EHT80	MCS0	167	6785	99.324	4.124	84.62	0.73	4.85	≤ 5.00
802.11be-EHT80	MCS0	183	6865	99.259	4.059	84.62	0.73	4.78	≤ 5.00
802.11be-EHT80	MCS0	199	6945	99.336	4.136	84.62	0.73	4.86	≤ 5.00
802.11be-EHT80	MCS0	215	7025	98.962	3.762	84.62	0.73	4.49	≤ 5.00
802.11be-EHT160	MCS0	143	6665	98.892	3.692	80.06	0.97	4.66	≤ 5.00
802.11be-EHT160	MCS0	175	6825	99.036	3.836	80.06	0.97	4.80	≤ 5.00
802.11be-EHT160	MCS0	207	6985	99.183	3.983	80.06	0.97	4.95	≤ 5.00
802.11be-EHT320	MCS0	159	6745	97.531	2.331	78.04	1.08	3.41	≤ 5.00
802.11be-EHT320	MCS0	191	6905	97.259	2.059	78.04	1.08	3.14	≤ 5.00

Note 1: EIRP PSD (dBm/MHz) = EIRP PSD (dBμV/m/ MHz) - 95.2.


Note 2: Final EIRP PSD (dBm/MHz) = EIRP PSD (dBm/MHz) + 10×log(1/duty cycle).

802.11ax-HE20 - EIRP PSD


Channel 117 (6535 MHz)




Channel 153 (6715 MHz)




Channel 181 (6855 MHz)




Channel 185 (6875 MHz)




Channel 189 (6895 MHz)



Channel 213 (7015 MHz)




Channel 229 (7095 MHz)




802.11ax-HE40 - EIRP PSD


Channel 123 (6565 MHz)




Channel 147 (6685 MHz)




Channel 179 (6845 MHz)




Channel 187 (6885 MHz)




Channel 195 (6925 MHz)



Channel 211 (7005 MHz)




Channel 227 (7085 MHz)




802.11ax-HE80 - EIRP PSD


Channel 135 (6625 MHz)




Channel 151 (6705 MHz)




Channel 167 (6785 MHz)




Channel 183 (6865 MHz)



Channel 199 (6945 MHz)




Channel 215 (7025 MHz)




802.11ax-HE160 - EIRP PSD


Channel 143 (6665 MHz)



Channel 175 (6825 MHz)




Channel 207 (6985 MHz)




802.11be-EHT20 - EIRP PSD


Channel 117 (6535 MHz)




Channel 153 (6715 MHz)




Channel 181 (6855 MHz)




Channel 185 (6875 MHz)




Channel 189 (6895 MHz)



Channel 213 (7015 MHz)




Channel 229 (7095 MHz)




802.11be-EHT40 - EIRP PSD


Channel 123 (6565 MHz)




Channel 147 (6685 MHz)




Channel 179 (6845 MHz)




Channel 187 (6885 MHz)




Channel 195 (6925 MHz)



Channel 211 (7005 MHz)




Channel 227 (7085 MHz)




802.11be-EHT80 - EIRP PSD


Channel 135 (6625 MHz)




Channel 151 (6705 MHz)




Channel 167 (6785 MHz)




Channel 183 (6865 MHz)





Channel 199 (6945 MHz)



Channel 215 (7025 MHz)







Group 3 Radio 0 LB

Test Site	SIP-AC2	Test Engineer	Allen Zou
Test Date	2024-04-18 ~ 2024-04-19	Filter	4#

Test Mode	Data Rate/MCS	Channel No.	Freq. (MHz)	EIRP PSD (dBμV/m/MHz)	EIRP PSD (dBm/MHz)	Duty Cycle (%)	10×log(1/Duty Cycle)	Final EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11ax-HE20	MCS0	1	5955	99.681	4.481	97.84	0.09	4.58	≤ 5.00
802.11ax-HE20	MCS0	49	6195	99.663	4.463	97.84	0.09	4.56	≤ 5.00
802.11ax-HE20	MCS0	93	6415	99.609	4.409	97.84	0.09	4.50	≤ 5.00
802.11ax-HE40	MCS0	3	5965	99.521	4.321	96.08	0.17	4.49	≤ 5.00
802.11ax-HE40	MCS0	51	6205	99.566	4.366	96.08	0.17	4.54	≤ 5.00
802.11ax-HE40	MCS0	91	6405	99.550	4.350	96.08	0.17	4.52	≤ 5.00
802.11ax-HE80	MCS0	7	5985	99.356	4.156	92.67	0.33	4.49	≤ 5.00
802.11ax-HE80	MCS0	55	6225	99.221	4.021	92.67	0.33	4.35	≤ 5.00
802.11ax-HE80	MCS0	87	6385	99.257	4.057	92.67	0.33	4.39	≤ 5.00
802.11ax-HE160	MCS0	15	6025	99.047	3.847	88.33	0.54	4.39	≤ 5.00
802.11ax-HE160	MCS0	47	6185	99.011	3.811	88.33	0.54	4.35	≤ 5.00
802.11ax-HE160	MCS0	79	6345	98.976	3.776	88.33	0.54	4.31	≤ 5.00
802.11be-EHT20	MCS0	1	5955	99.603	4.403	97.84	0.09	4.50	≤ 5.00
802.11be-EHT20	MCS0	49	6195	99.660	4.460	97.84	0.09	4.55	≤ 5.00
802.11be-EHT20	MCS0	93	6415	99.718	4.518	97.84	0.09	4.61	≤ 5.00
802.11be-EHT40	MCS0	3	5965	99.455	4.255	95.94	0.18	4.44	≤ 5.00
802.11be-EHT40	MCS0	51	6205	99.486	4.286	95.94	0.18	4.47	≤ 5.00
802.11be-EHT40	MCS0	91	6405	99.479	4.279	95.94	0.18	4.46	≤ 5.00
802.11be-EHT80	MCS0	7	5985	99.366	4.166	92.75	0.33	4.49	≤ 5.00
802.11be-EHT80	MCS0	55	6225	99.269	4.069	92.75	0.33	4.40	≤ 5.00
802.11be-EHT80	MCS0	87	6385	99.250	4.050	92.75	0.33	4.38	≤ 5.00
802.11be-EHT160	MCS0	15	6025	99.121	3.921	88.27	0.54	4.46	≤ 5.00
802.11be-EHT160	MCS0	47	6185	99.103	3.903	88.27	0.54	4.44	≤ 5.00
802.11be-EHT160	MCS0	79	6345	99.058	3.858	88.27	0.54	4.40	≤ 5.00
802.11be-EHT320	MCS0	31	6105	97.210	2.010	83.32	0.79	2.80	≤ 5.00
802.11be-EHT320	MCS0	63	6265	97.815	2.615	83.32	0.79	3.41	≤ 5.00

Note 1: EIRP PSD (dBm/MHz) = EIRP PSD (dBμV/m/ MHz) - 95.2.

Note 2: Final EIRP PSD (dBm/MHz) = EIRP PSD (dBm/MHz) + 10×log(1/duty cycle).