802.11be-EHT40 26dB Bandwidth & 99% Bandwidth

Channel 3 (5965MHz)

Channel 51 (6205MHz)



Channel 91 (6405MHz)



Channel 99 (6445MHz)



Channel 107 (6485MHz)

Channel 115 (6525MHz)



Channel 123 (6565MHz)

Channel 147 (6685MHz)



802.11be-EHT40 26dB Bandwidth & 99% Bandwidth	
Channel 179 (6845MHz)	Channel 187 (6885MHz)
Channel 195 (6925MHz)	Channel 211 (7005MHz)
	
Channel 227 (7085MHz)	
	

802.11be-EHT80 26dB Bandwidth & 99% Bandwidth

Channel 7 (5985MHz)



Channel 55 (6225MHz)



Channel 87 (6385MHz)



Channel 103 (6465MHz)



Channel 119 (6545MHz)

Channel 135 (6625MHz)



Channel 151 (6705MHz)



Channel 167 (6785MHz)



802.11be-EHT80 26dB Bandwidth & 99% Bandwidth	
Channel 183 (6865MHz)	Channel 199 (6945MHz)
Channel 215 (7025MHz)	

802.11be-EHT160 26dB Bandwidth & 99% Bandwidth

Channel 15 (6025MHz)

Channel 47 (6185MHz)



Channel 79 (6345MHz)



Channel 111 (6505MHz)



Channel 143 (6665MHz)



Channel 175 (6825MHz)



Channel 207 (6985MHz)

A.3 Output Power Test Result

Test Site	SIP-AC3	Test Engineer	Fusco Pan
Test Date	2025-09-01 ~ 2025-09-09		

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP (dBμV/m)	EIRP (dBm)	Duty Cycle (%)	Total EIRP (dBm)	Limit (dBm)
802.11ax-HE20	MCS0	1	5955	103.3	8.10	91.35	8.49	≤ 24.00
802.11ax-HE20	MCS0	49	6195	103.1	7.90	91.35	8.29	≤ 24.00
802.11ax-HE20	MCS0	93	6415	102.2	7.00	91.35	7.39	≤ 24.00
802.11ax-HE20	MCS0	97	6435	103.3	8.10	91.35	8.49	≤ 24.00
802.11ax-HE20	MCS0	105	6475	102.2	7.00	91.35	7.39	≤ 24.00
802.11ax-HE20	MCS0	113	6515	102.8	7.60	91.35	7.99	≤ 24.00
802.11ax-HE20	MCS0	117	6535	103.1	7.90	91.35	8.29	≤ 24.00
802.11ax-HE20	MCS0	149	6695	103.0	7.80	91.35	8.19	≤ 24.00
802.11ax-HE20	MCS0	181	6855	102.3	7.10	91.35	7.49	≤ 24.00
802.11ax-HE20	MCS0	185	6875	102.4	7.20	91.35	7.59	≤ 24.00
802.11ax-HE20	MCS0	189	6895	102.7	7.50	91.35	7.89	≤ 24.00
802.11ax-HE20	MCS0	209	6995	102.6	7.40	91.35	7.79	≤ 24.00
802.11ax-HE20	MCS0	229	7095	102.3	7.10	91.35	7.49	≤ 24.00
802.11ax-HE40	MCS0	3	5965	105.3	10.10	84.60	10.83	≤ 24.00
802.11ax-HE40	MCS0	51	6205	105.4	10.20	84.60	10.93	≤ 24.00
802.11ax-HE40	MCS0	91	6405	105.4	10.20	84.60	10.93	≤ 24.00
802.11ax-HE40	MCS0	99	6445	105.0	9.80	84.60	10.53	≤ 24.00
802.11ax-HE40	MCS0	107	6485	105.1	9.90	84.60	10.63	≤ 24.00
802.11ax-HE40	MCS0	115	6525	104.9	9.70	84.60	10.43	≤ 24.00
802.11ax-HE40	MCS0	123	6565	105.0	9.80	84.60	10.53	≤ 24.00
802.11ax-HE40	MCS0	147	6685	105.6	10.40	84.60	11.13	≤ 24.00
802.11ax-HE40	MCS0	179	6845	105.3	10.10	84.60	10.83	≤ 24.00
802.11ax-HE40	MCS0	187	6885	104.0	8.80	84.60	9.53	≤ 24.00
802.11ax-HE40	MCS0	195	6925	104.5	9.30	84.60	10.03	≤ 24.00
802.11ax-HE40	MCS0	211	7005	104.9	9.70	84.60	10.43	≤ 24.00
802.11ax-HE40	MCS0	227	7085	104.3	9.10	84.60	9.83	≤ 24.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP (dBμV/m)	EIRP (dBm)	Duty Cycle (%)	Total EIRP (dBm)	Limit (dBm)
802.11ax-HE80	MCS0	7	5985	107.7	12.50	74.62	13.77	≤ 24.00
802.11ax-HE80	MCS0	55	6225	107.6	12.40	74.62	13.67	≤ 24.00
802.11ax-HE80	MCS0	87	6385	107.3	12.10	74.62	13.37	≤ 24.00
802.11ax-HE80	MCS0	103	6465	107.6	12.40	74.62	13.67	≤ 24.00
802.11ax-HE80	MCS0	119	6545	107.7	12.50	74.62	13.77	≤ 24.00
802.11ax-HE80	MCS0	135	6625	107.7	12.50	74.62	13.77	≤ 24.00
802.11ax-HE80	MCS0	151	6705	106.8	11.60	74.62	12.87	≤ 24.00
802.11ax-HE80	MCS0	167	6785	107.1	11.90	74.62	13.17	≤ 24.00
802.11ax-HE80	MCS0	183	6865	107.0	11.80	74.62	13.07	≤ 24.00
802.11ax-HE80	MCS0	199	6945	107.2	12.00	74.62	13.27	≤ 24.00
802.11ax-HE80	MCS0	215	7025	107.2	12.00	74.62	13.27	≤ 24.00
802.11ax-HE160	MCS0	15	6025	110.8	15.60	63.63	17.56	≤ 24.00
802.11ax-HE160	MCS0	47	6185	112.0	16.80	63.63	18.76	≤ 24.00
802.11ax-HE160	MCS0	79	6345	111.9	16.70	63.63	18.66	≤ 24.00
802.11ax-HE160	MCS0	111	6505	112.5	17.30	63.63	19.26	≤ 24.00
802.11ax-HE160	MCS0	143	6665	110.8	15.60	63.63	17.56	≤ 24.00
802.11ax-HE160	MCS0	175	6825	110.6	15.40	63.63	17.36	≤ 24.00
802.11ax-HE160	MCS0	207	6985	110.3	15.10	63.63	17.06	≤ 24.00
802.11be-EHT20	MCS0	1	5955	104.7	9.50	91.41	9.89	≤ 24.00
802.11be-EHT20	MCS0	49	6195	104.2	9.00	91.41	9.39	≤ 24.00
802.11be-EHT20	MCS0	93	6415	103.8	8.60	91.41	8.99	≤ 24.00
802.11be-EHT20	MCS0	97	6435	103.4	8.20	91.41	8.59	≤ 24.00
802.11be-EHT20	MCS0	105	6475	103.7	8.50	91.41	8.89	≤ 24.00
802.11be-EHT20	MCS0	113	6515	102.7	7.50	91.41	7.89	≤ 24.00
802.11be-EHT20	MCS0	117	6535	103.0	7.80	91.41	8.19	≤ 24.00
802.11be-EHT20	MCS0	149	6695	104.2	9.00	91.41	9.39	≤ 24.00
802.11be-EHT20	MCS0	181	6855	103.0	7.80	91.41	8.19	≤ 24.00
802.11be-EHT20	MCS0	185	6875	103.1	7.90	91.41	8.29	≤ 24.00
802.11be-EHT20	MCS0	189	6895	103.9	8.70	91.41	9.09	≤ 24.00
802.11be-EHT20	MCS0	209	6995	102.0	6.80	91.41	7.19	≤ 24.00
802.11be-EHT20	MCS0	229	7095	102.6	7.40	91.41	7.79	≤ 24.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP (dBμV/m)	EIRP (dBm)	Duty Cycle (%)	Total EIRP (dBm)	Limit (dBm)
802.11be-EHT40	MCS0	3	5965	105.6	10.40	85.37	11.09	≤ 24.00
802.11be-EHT40	MCS0	51	6205	107.9	12.70	85.37	13.39	≤ 24.00
802.11be-EHT40	MCS0	91	6405	106.5	11.30	85.37	11.99	≤ 24.00
802.11be-EHT40	MCS0	99	6445	106.1	10.90	85.37	11.59	≤ 24.00
802.11be-EHT40	MCS0	107	6485	106.8	11.60	85.37	12.29	≤ 24.00
802.11be-EHT40	MCS0	115	6525	105.2	10.00	85.37	10.69	≤ 24.00
802.11be-EHT40	MCS0	123	6565	105.8	10.60	85.37	11.29	≤ 24.00
802.11be-EHT40	MCS0	147	6685	106.0	10.80	85.37	11.49	≤ 24.00
802.11be-EHT40	MCS0	179	6845	106.1	10.90	85.37	11.59	≤ 24.00
802.11be-EHT40	MCS0	187	6885	106.5	11.30	85.37	11.99	≤ 24.00
802.11be-EHT40	MCS0	195	6925	106.4	11.20	85.37	11.89	≤ 24.00
802.11be-EHT40	MCS0	211	7005	105.4	10.20	85.37	10.89	≤ 24.00
802.11be-EHT40	MCS0	227	7085	105.3	10.10	85.37	10.79	≤ 24.00
802.11be-EHT80	MCS0	7	5985	107.6	12.40	74.75	13.66	≤ 24.00
802.11be-EHT80	MCS0	55	6225	108.6	13.40	74.75	14.66	≤ 24.00
802.11be-EHT80	MCS0	87	6385	108.7	13.50	74.75	14.76	≤ 24.00
802.11be-EHT80	MCS0	103	6465	107.8	12.60	74.75	13.86	≤ 24.00
802.11be-EHT80	MCS0	119	6545	108.4	13.20	74.75	14.46	≤ 24.00
802.11be-EHT80	MCS0	135	6625	108.4	13.20	74.75	14.46	≤ 24.00
802.11be-EHT80	MCS0	151	6705	108.6	13.40	74.75	14.66	≤ 24.00
802.11be-EHT80	MCS0	167	6785	108.6	13.40	74.75	14.66	≤ 24.00
802.11be-EHT80	MCS0	183	6865	108.2	13.00	74.75	14.26	≤ 24.00
802.11be-EHT80	MCS0	199	6945	108.2	13.00	74.75	14.26	≤ 24.00
802.11be-EHT80	MCS0	215	7025	106.6	11.40	74.75	12.66	≤ 24.00
802.11be-EHT160	MCS0	15	6025	110.5	15.30	64.54	17.20	≤ 24.00
802.11be-EHT160	MCS0	47	6185	110.6	15.40	64.54	17.30	≤ 24.00
802.11be-EHT160	MCS0	79	6345	111.0	15.80	64.54	17.70	≤ 24.00
802.11be-EHT160	MCS0	111	6505	111.3	16.10	64.54	18.00	≤ 24.00
802.11be-EHT160	MCS0	143	6665	110.9	15.70	64.54	17.60	≤ 24.00
802.11be-EHT160	MCS0	175	6825	110.1	14.90	64.54	16.80	≤ 24.00
802.11be-EHT160	MCS0	207	6985	109.3	14.10	64.54	16.00	≤ 24.00

Note 1: EIRP (dBm) = EIRP (dBμV/m) + Correction Factor @ 3m, Correction Factor @ 3m = 20log(D) - 104.7; where D is the measurement distance @3m = -95.2dB

Note 2: For Duty cycle ≥ 98%, Total EIRP (dBm) = EIRP (dBm).

For Duty cycle < 98%,Total EIRP (dBm) = EIRP (dBm) +10*log(1/Duty Cycle).

A.4 Power Spectral Density Test Result

Test Site	SIP-TR1	Test Engineer	Fusco Pan
Test Date	2025-09-01 ~ 2025-09-02		

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP PSD (dBμV/m)	EIRP PSD (dBm)	Duty Cycle (%)	Total EIRP PSD (dBm/MHz)	EIRP PSD Limit (dBm/MHz)
802.11ax-HE20	MCS0	1	5955	93.020	-2.18	91.35	-1.79	≤ -1.00
802.11ax-HE20	MCS0	49	6195	93.285	-1.92	91.35	-1.52	≤ -1.00
802.11ax-HE20	MCS0	93	6415	92.746	-2.45	91.35	-2.06	≤ -1.00
802.11ax-HE20	MCS0	97	6435	93.598	-1.60	91.35	-1.21	≤ -1.00
802.11ax-HE20	MCS0	105	6475	92.620	-2.58	91.35	-2.19	≤ -1.00
802.11ax-HE20	MCS0	113	6515	93.431	-1.77	91.35	-1.38	≤ -1.00
802.11ax-HE20	MCS0	117	6535	93.226	-1.97	91.35	-1.58	≤ -1.00
802.11ax-HE20	MCS0	149	6695	92.818	-2.38	91.35	-1.99	≤ -1.00
802.11ax-HE20	MCS0	181	6855	93.003	-2.20	91.35	-1.80	≤ -1.00
802.11ax-HE20	MCS0	185	6875	93.060	-2.14	91.35	-1.75	≤ -1.00
802.11ax-HE20	MCS0	189	6895	93.024	-2.18	91.35	-1.78	≤ -1.00
802.11ax-HE20	MCS0	209	6995	93.474	-1.73	91.35	-1.33	≤ -1.00
802.11ax-HE20	MCS0	229	7095	93.232	-1.97	91.35	-1.58	≤ -1.00
802.11ax-HE40	MCS0	3	5965	93.113	-2.09	84.60	-1.36	≤ -1.00
802.11ax-HE40	MCS0	51	6205	93.220	-1.98	84.60	-1.25	≤ -1.00
802.11ax-HE40	MCS0	91	6405	92.854	-2.35	84.60	-1.62	≤ -1.00
802.11ax-HE40	MCS0	99	6445	92.848	-2.35	84.60	-1.63	≤ -1.00
802.11ax-HE40	MCS0	107	6485	92.750	-2.45	84.60	-1.72	≤ -1.00
802.11ax-HE40	MCS0	115	6525	92.801	-2.40	84.60	-1.67	≤ -1.00
802.11ax-HE40	MCS0	123	6565	92.500	-2.70	84.60	-1.97	≤ -1.00
802.11ax-HE40	MCS0	147	6685	92.751	-2.45	84.60	-1.72	≤ -1.00
802.11ax-HE40	MCS0	179	6845	92.959	-2.24	84.60	-1.51	≤ -1.00
802.11ax-HE40	MCS0	187	6885	92.126	-3.07	84.60	-2.35	≤ -1.00
802.11ax-HE40	MCS0	195	6925	92.696	-2.50	84.60	-1.78	≤ -1.00
802.11ax-HE40	MCS0	211	7005	92.884	-2.32	84.60	-1.59	≤ -1.00
802.11ax-HE40	MCS0	227	7085	92.689	-2.51	84.60	-1.78	≤ -1.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP PSD (dBμV/m)	EIRP PSD (dBm)	Duty Cycle (%)	Total EIRP PSD (dBm/MHz)	EIRP PSD Limit (dBm/MHz)
802.11ax-HE80	MCS0	7	5985	92.029	-3.17	74.62	-1.90	≤ -1.00
802.11ax-HE80	MCS0	55	6225	92.211	-2.99	74.62	-1.72	≤ -1.00
802.11ax-HE80	MCS0	87	6385	91.985	-3.22	74.62	-1.94	≤ -1.00
802.11ax-HE80	MCS0	103	6465	92.039	-3.16	74.62	-1.89	≤ -1.00
802.11ax-HE80	MCS0	119	6545	92.489	-2.71	74.62	-1.44	≤ -1.00
802.11ax-HE80	MCS0	135	6625	92.119	-3.08	74.62	-1.81	≤ -1.00
802.11ax-HE80	MCS0	151	6705	91.404	-3.80	74.62	-2.52	≤ -1.00
802.11ax-HE80	MCS0	167	6785	92.158	-3.04	74.62	-1.77	≤ -1.00
802.11ax-HE80	MCS0	183	6865	91.801	-3.40	74.62	-2.13	≤ -1.00
802.11ax-HE80	MCS0	199	6945	91.989	-3.21	74.62	-1.94	≤ -1.00
802.11ax-HE80	MCS0	215	7025	92.163	-3.04	74.62	-1.77	≤ -1.00
802.11ax-HE160	MCS0	15	6025	91.796	-3.40	63.63	-1.44	≤ -1.00
802.11ax-HE160	MCS0	47	6185	91.998	-3.20	63.63	-1.24	≤ -1.00
802.11ax-HE160	MCS0	79	6345	91.830	-3.37	63.63	-1.41	≤ -1.00
802.11ax-HE160	MCS0	111	6505	91.953	-3.25	63.63	-1.28	≤ -1.00
802.11ax-HE160	MCS0	143	6665	92.121	-3.08	63.63	-1.12	≤ -1.00
802.11ax-HE160	MCS0	175	6825	91.760	-3.44	63.63	-1.48	≤ -1.00
802.11ax-HE160	MCS0	207	6985	91.651	-3.55	63.63	-1.59	≤ -1.00
802.11be-EHT20	MCS0	1	5955	93.709	-1.49	91.41	-1.10	≤ -1.00
802.11be-EHT20	MCS0	49	6195	93.313	-1.90	91.41	-1.50	≤ -1.00
802.11be-EHT20	MCS0	93	6415	93.557	-1.64	91.41	-1.25	≤ -1.00
802.11be-EHT20	MCS0	97	6435	93.569	-1.63	91.41	-1.24	≤ -1.00
802.11be-EHT20	MCS0	105	6475	93.660	-1.54	91.41	-1.15	≤ -1.00
802.11be-EHT20	MCS0	113	6515	93.580	-1.62	91.41	-1.23	≤ -1.00
802.11be-EHT20	MCS0	117	6535	93.454	-1.75	91.41	-1.36	≤ -1.00
802.11be-EHT20	MCS0	149	6695	93.664	-1.54	91.41	-1.15	≤ -1.00
802.11be-EHT20	MCS0	181	6855	93.107	-2.09	91.41	-1.70	≤ -1.00
802.11be-EHT20	MCS0	185	6875	93.605	-1.60	91.41	-1.20	≤ -1.00
802.11be-EHT20	MCS0	189	6895	93.608	-1.59	91.41	-1.20	≤ -1.00
802.11be-EHT20	MCS0	209	6995	93.508	-1.69	91.41	-1.30	≤ -1.00
802.11be-EHT20	MCS0	229	7095	93.372	-1.83	91.41	-1.44	≤ -1.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	EIRP PSD (dBμV/m)	EIRP PSD (dBm)	Duty Cycle (%)	Total EIRP PSD (dBm/MHz)	EIRP PSD Limit (dBm/MHz)
802.11be-EHT40	MCS0	3	5965	91.838	-3.36	85.37	-2.67	≤ -1.00
802.11be-EHT40	MCS0	51	6205	93.236	-1.96	85.37	-1.28	≤ -1.00
802.11be-EHT40	MCS0	91	6405	92.689	-2.51	85.37	-1.82	≤ -1.00
802.11be-EHT40	MCS0	99	6445	93.079	-2.12	85.37	-1.43	≤ -1.00
802.11be-EHT40	MCS0	107	6485	93.191	-2.01	85.37	-1.32	≤ -1.00
802.11be-EHT40	MCS0	115	6525	93.221	-1.98	85.37	-1.29	≤ -1.00
802.11be-EHT40	MCS0	123	6565	93.307	-1.89	85.37	-1.21	≤ -1.00
802.11be-EHT40	MCS0	147	6685	92.812	-2.39	85.37	-1.70	≤ -1.00
802.11be-EHT40	MCS0	179	6845	92.946	-2.25	85.37	-1.57	≤ -1.00
802.11be-EHT40	MCS0	187	6885	93.085	-2.12	85.37	-1.43	≤ -1.00
802.11be-EHT40	MCS0	195	6925	93.299	-1.90	85.37	-1.21	≤ -1.00
802.11be-EHT40	MCS0	211	7005	93.297	-1.90	85.37	-1.22	≤ -1.00
802.11be-EHT40	MCS0	227	7085	92.801	-2.40	85.37	-1.71	≤ -1.00
802.11be-EHT80	MCS0	7	5985	92.006	-3.19	74.75	-1.93	≤ -1.00
802.11be-EHT80	MCS0	55	6225	92.337	-2.86	74.75	-1.60	≤ -1.00
802.11be-EHT80	MCS0	87	6385	92.517	-2.68	74.75	-1.42	≤ -1.00
802.11be-EHT80	MCS0	103	6465	92.553	-2.65	74.75	-1.38	≤ -1.00
802.11be-EHT80	MCS0	119	6545	92.060	-3.14	74.75	-1.88	≤ -1.00
802.11be-EHT80	MCS0	135	6625	92.009	-3.19	74.75	-1.93	≤ -1.00
802.11be-EHT80	MCS0	151	6705	92.495	-2.71	74.75	-1.44	≤ -1.00
802.11be-EHT80	MCS0	167	6785	92.344	-2.86	74.75	-1.59	≤ -1.00
802.11be-EHT80	MCS0	183	6865	92.135	-3.07	74.75	-1.80	≤ -1.00
802.11be-EHT80	MCS0	199	6945	92.367	-2.83	74.75	-1.57	≤ -1.00
802.11be-EHT80	MCS0	215	7025	92.228	-2.97	74.75	-1.71	≤ -1.00
802.11be-EHT160	MCS0	15	6025	91.917	-3.28	64.54	-1.38	≤ -1.00
802.11be-EHT160	MCS0	47	6185	91.890	-3.31	64.54	-1.41	≤ -1.00
802.11be-EHT160	MCS0	79	6345	91.736	-3.46	64.54	-1.56	≤ -1.00
802.11be-EHT160	MCS0	111	6505	91.680	-3.52	64.54	-1.62	≤ -1.00
802.11be-EHT160	MCS0	143	6665	91.610	-3.59	64.54	-1.69	≤ -1.00
802.11be-EHT160	MCS0	175	6825	91.482	-3.72	64.54	-1.82	≤ -1.00
802.11be-EHT160	MCS0	207	6985	91.658	-3.54	64.54	-1.64	≤ -1.00

Note 1: EIRP PSD (dBm/MHz) = EIRP PSD (dBμV/m/MHz) + Correction Factor @ 3m, Correction Factor @ 3m = 20log(D) - 104.7; where D is the measurement distance @3m = -95.2dB

Note 2: For Duty cycle ≥ 98%, Final EIRP PSD (dBm/MHz) = EIRP PSD (dBm/MHz).

For Duty cycle < 98%, Final EIRP PSD (dBm/MHz) = EIRP (dBm)+10*log(1/x).

802.11ax-HE20 EIRP PSD

Channel 1 (5955MHz)



Channel 49 (6195MHz)



Channel 93 (6415MHz)

Channel 97 (6435MHz)

Channel 105 (6475MHz)



Channel 113 (6515MHz)



Channel 117 (6535MHz)



Channel 149 (6695MHz)



802.11ax-HE20 EIRP PSD	
Channel 181 (6855MHz)	Channel 185 (6875MHz)
	
Channel 189 (6895MHz)	Channel 209 (6995MHz)
	
Channel 229 (7095MHz)	
	

802.11ax-HE40 EIRP PSD

Channel 3 (5965MHz)



Channel 51 (6205MHz)



Channel 91 (6405MHz)



Channel 99 (6445MHz)



Channel 107 (6485MHz)



Channel 115 (6525MHz)



Channel 123 (6565MHz)



Channel 147 (6685MHz)



802.11ax-HE40 EIRP PSD	
Channel 179 (6845MHz)	Channel 187 (6885MHz)
	
Channel 195 (6925MHz)	Channel 211 (7005MHz)
	
Channel 227 (7085MHz)	
	

802.11ax-HE80 EIRP PSD

Channel 7 (5985MHz)



Channel 55 (6225MHz)



Channel 87 (6385MHz)



Channel 103 (6465MHz)



Channel 119 (6545MHz)



Channel 135 (6625MHz)



Channel 151 (6705MHz)



Channel 167 (6785MHz)



802.11ax-HE80 EIRP PSD	
Channel 183 (6865MHz)	Channel 199 (6945MHz)
	
Channel 215 (7025MHz)	
	

802.11ax-HE160 EIRP PSD

Channel 15 (6025MHz)



Channel 47 (6185MHz)



Channel 79 (6345MHz)

Channel 111 (6505MHz)

Channel 143 (6665MHz)



Channel 175 (6825MHz)



Channel 207 (6985MHz)