


















HNT Co. Ltd

Portable Digital Assistant

Model : Ex101G1 (EX101G1 Series)

Rated : +5Vdc, 2A Max.

05/01



THIS DEVICE COMPLIES WITH PART 13 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MUST NOT CAUSE HARMFUL INTERFERENCE, AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION.

FCC ID :

Made in Korea

EX101G1PP11




DVE
AC/DC POWER SUPPLY
MODEL DVE-1200-2.5A
INPUT: 100-240V 50/60Hz
OUTPUT: 12VDC 2.5A
POWER: 30W
REGULATED
SAFETY CLASS II
UL LISTED
38727215

CAUTION:
DO NOT OPEN CASE
ATTENTION:
NE PAS OUVRIR LE BOÎTIER

DVE®

SWITCHING POWER SUPPLY
MODEL: DSA-0151F-05 A




91-58547

DEE VAN ELE.

INPUT: AC100-120V 50/60Hz 40VA
OUTPUT: DC +5V/2.8A

INPUT: 100-240VAC 50/60Hz 0.4A
OUTPUT: +5V $\equiv$ 2.8A

LEVEL 3
I.T.E L.P.S



US LISTED

檢磁 3872F215

81GJ E135856 (F)

CAUTION:
"RISK OF ELECTRIC SHOCK"
"DRY LOCATION USE ONLY"
ATTENTION:
POUR UTILISATION À
L'INTÉRIEUR SEULEMENT

