








11N20MIMO_Ant1_5580




Date: 20.NOV.2021 14:02:44

11N20MIMO_Ant2_5580




Date: 20.NOV.2021 14:04:33






11N20MIMO_Ant1_5720



Date: 20.NOV.2021 21:12:17

11N20MIMO_Ant2_5720



Date: 20.NOV.2021 21:12:31



11N40MIMO_Ant1_5270



Date: 20.NOV.2021 14:15:49


11N40MIMO_Ant2_5270



Date: 20.NOV.2021 14:18:40



11N40MIMO_Ant1_5310



Date: 20.NOV.2021 14:21:46


11N40MIMO_Ant2_5310



Date: 20.NOV.2021 14:23:20




11N40MIMO_Ant1_5510



Date: 20.NOV.2021 14:29:53

11N40MIMO_Ant2_5510



Date: 20.NOV.2021 14:31:11




11N40MIMO_Ant1_5550



Date: 20.NOV.2021 14:37:51

11N40MIMO_Ant2_5550



Date: 20.NOV.2021 14:39:02




11N40MIMO_Ant1_5670



Date: 20.NOV.2021 14:43:34


11N40MIMO_Ant2_5670



Date: 20.NOV.2021 14:47:13




11N40MIMO_Ant1_5710





Date: 21.NOV.2021 10:19:24

11N40MIMO_Ant2_5710




Date: 21.NOV.2021 10:27:40








11AC80MIMO_Ant1_5610



Date: 20.NOV.2021 14:59:20


11AC80MIMO_Ant2_5610



Date: 20.NOV.2021 15:01:01




11A80MIMO_Ant1_5690



Date: 21.NOV.2021 10:36:03

11AC80MIMO_Ant2_5690




Date: 21.NOV.2021 10:40:46




U-NII-3

11A_Ant1_5720



Date: 20.NOV.2021 21:06:09


11A_Ant2_5720



Date: 20.NOV.2021 21:10:22



11N20MIMO_Ant1_5720



Date: 20.NOV.2021 21:12:22


11N20MIMO_Ant2_5720




Date: 20.NOV.2021 21:12:36



11N40MIMO_Ant1_5710




11N40MIMO_Ant2_5710






11AC80MIMO_Ant1_5690



Date: 21.NOV.2021 10:36:08

11AC80MIMO_Ant2_5690



Date: 21.NOV.2021 10:40:51



5.6 Appendix F: FREQUENCY STABILITY

5.6.1 Test Result

Voltage								
TestMode	Antenna	Frequency [MHz]	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	NT	-44000.00	-8.494208	20	PASS
			LV	NT	-45000.00	-8.687259	20	PASS
			HV	NT	-45000.00	-8.687259	20	PASS

Temperature								
TestMode	Antenna	Frequency [MHz]	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	-30	-46000.00	-8.880309	20	PASS
			NV	-20	-46000.00	-8.880309	20	PASS
			NV	-10	-46000.00	-8.880309	20	PASS
			NV	0	-47000.00	-9.073359	20	PASS
			NV	10	-47000.00	-9.073359	20	PASS
			NV	20	-47000.00	-9.073359	20	PASS
			NV	30	-47000.00	-9.073359	20	PASS
			NV	40	-47000.00	-9.073359	20	PASS
			NV	50	-46000.00	-8.880309	20	PASS



Important

- (1) The test report is valid with the official seal of the laboratory and the signatures of Test engineer, Author and Reviewer simultaneously.
- (2) The test report is invalid if altered.
- (3) Any photocopies or part photocopies in the test report are forbidden without the written permission from the laboratory.
- (4) Objections to the test report must be submitted to the laboratory within 15 days.
- (5) Generally, commission test is responsible for the tested samples only.

Address of the laboratory:

CVC Testing Technology Co., Ltd.

Address: No.3, Tiantaiyi Road, Kaitai Avenue, Science City, Guangzhou, China

Post Code: 510663 Tel: 020-32293888

FAX: 020-32293889 E-mail: office@cvc.org.cn