

ANNEX 1 - Tx Spurious/Harmonic Emissions at Antenna Terminal(Conducted)

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 89


FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: 5(3), Tx Frequency: 5775 MHz, Power Output: 20.5 dBm
Modulation: [] BPSK (9Mb/s), [] QPSK (18Mb/s), [] 16QAM (36Mb/s), [x] 64QAM (54Mb/s)
Transmitter Antenna Power Conducted Emissions

Date: June 27 2002
Tested by: Hung Trinh

PLOT # 89



ANNEX 1 - Tx Spurious/Harmonic Emissions at Antenna Terminal(Conducted)

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 90


FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: 5(3), Tx Frequency: 5.735 MHz, Power Output: 20.5 dBm
Modulation: [] BPSK (9Mb/s), [] QPSK (18Mb/s), [] 16QAM (36Mb/s), [x] 64QAM (54Mb/s)
Transmitter Antenna Power Conducted Emissions

Date: June 07 2002
Tested by: Hung Trinh

PLOT # 90



ANNEX 1 - Tx Spurious/Harmonic Emissions at Antenna Terminal(Conducted)

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 91


FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: 9 (5), Tx Frequency: 5.815 MHz, Power Output: -3 dBm
Modulation: [] BPSK (9Mb/s), [] QPSK (18Mb/s), [] 16QAM (36Mb/s), [x] 64QAM (54Mb/s)
Transmitter Antenna Power Conducted Emissions

Date: June 27 2002
Tested by: Hung Trinh

PLOT #91



ANNEX 1 - Tx Spurious/Harmonic Emissions at Antenna Terminal(Conducted)

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 92


FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: 9(5), Tx Frequency: 5815 MHz, Power Output: -7.4 dBm
Modulation: [] BPSK (9Mb/s), [] QPSK (18Mb/s), [] 16QAM (36Mb/s), [x] 64QAM (54Mb/s)
Transmitter Antenna Power Conducted Emissions

Date: June 07 2002
Tested by: Hung Trinh

PLOT 892



ANNEX 1 - Tx Spurious/Harmonic Emissions at Antenna Terminal(Conducted)

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 93


FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: 9(5), Tx Frequency: 5815 MHz, Power Output: -7.4 dBm
Modulation: [] BPSK (9Mb/s), [] QPSK (18Mb/s), [] 16QAM (36Mb/s), [] 64QAM (54Mb/s)
Transmitter Antenna Power Conducted Emissions

Date: June 27 2002
Tested by: Hung Trinh

PLOT # 93



ANNEX 1 - Tx Spurious/Harmonic Emissions at Antenna Terminal(Conducted)

ACCESS NODE (5.735-5.815 GHz), Model AN-50

PLOT # 94

FCC ID: QC8-AN50



REDLINE COMMUNICATIONS INC.
UNII DEVICES, MODEL: AN 50
Channel: Q (5), Tx Frequency: 5.815 MHz, Power Output: -7.4 dBm
Modulation: [] BPSK (9Mb/s), [] QPSK (18Mb/s), [] 16QAM (36Mb/s), [x] 64QAM (54Mb/s)
Transmitter Antenna Power Conducted Emissions

Date: June 07 2002
Tested by: Hung Trinh

PLOT # 94

