








Appendix H: Emissions in Restricted Bands


Test Result



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.89	40.56	2.67	74.00	33.44	150	30	PK	Horizontal	PASS
2	2317.5400	39.79	42.69	2.90	74.00	31.31	150	160	PK	Horizontal	PASS
3	2332.2300	38.41	41.17	2.76	74.00	32.83	150	240	PK	Horizontal	PASS
4	2341.5900	39.91	42.79	2.88	74.00	31.21	150	210	PK	Horizontal	PASS
5	2363.4300	39.09	42.02	2.93	74.00	31.98	150	340	PK	Horizontal	PASS
6	2390.0000	37.29	40.24	2.95	74.00	33.76	150	40	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level



NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.19	39.86	2.67	74.00	34.14	150	170	PK	Vertical	PASS
2	2345.3600	39.18	42.16	2.98	74.00	31.84	150	160	PK	Vertical	PASS
3	2351.2100	40.07	43.07	3.00	74.00	30.93	150	30	PK	Vertical	PASS
4	2367.9800	39.05	42.05	3.00	74.00	31.95	150	150	PK	Vertical	PASS
5	2375.5200	39.40	42.42	3.02	74.00	31.58	150	280	PK	Vertical	PASS
6	2390.0000	36.76	39.71	2.95	74.00	34.29	150	40	PK	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	35.94	39.40	3.46	74.00	34.60	150	320	PK	Horizontal	PASS
2	2485.2500	38.59	42.11	3.52	74.00	31.89	150	350	PK	Horizontal	PASS
3	2489.1500	39.16	42.72	3.56	74.00	31.28	150	130	PK	Horizontal	PASS
4	2494.1000	38.87	42.46	3.59	74.00	31.54	150	100	PK	Horizontal	PASS
5	2496.6000	39.20	42.78	3.58	74.00	31.22	150	170	PK	Horizontal	PASS
6	2500.0000	38.27	41.77	3.50	74.00	32.23	150	350	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	37.49	40.95	3.46	74.00	33.05	150	110	PK	Vertical	PASS
2	2485.7500	38.67	42.16	3.49	74.00	31.84	150	40	PK	Vertical	PASS
3	2490.7000	39.44	43.00	3.56	74.00	31.00	150	350	PK	Vertical	PASS
4	2492.1500	39.71	43.27	3.56	74.00	30.73	150	190	PK	Vertical	PASS
5	2496.4000	38.45	42.02	3.57	74.00	31.98	150	280	PK	Vertical	PASS
6	2500.0000	37.58	41.08	3.50	74.00	32.92	150	170	PK	Vertical	PASS


Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.32	39.99	2.67	74.00	34.01	150	360	PK	Horizontal	PASS
2	2329.3700	38.56	41.38	2.82	74.00	32.62	150	350	PK	Horizontal	PASS
3	2346.0100	38.93	41.90	2.97	74.00	32.10	150	260	PK	Horizontal	PASS
4	2368.8900	39.16	42.18	3.02	74.00	31.82	150	250	PK	Horizontal	PASS
5	2383.0600	38.53	41.55	3.02	74.00	32.45	150	160	PK	Horizontal	PASS
6	2390.0000	37.51	40.46	2.95	74.00	33.54	150	290	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor


(2) Margin = Limit - Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	36.96	39.63	2.67	74.00	34.37	150	30	PK	Vertical	PASS
2	2317.4100	39.24	42.14	2.90	74.00	31.86	150	0	PK	Vertical	PASS
3	2356.2800	38.91	41.87	2.96	74.00	32.13	150	120	PK	Vertical	PASS
4	2367.3300	38.84	41.83	2.99	74.00	32.17	150	90	PK	Vertical	PASS
5	2377.3400	38.68	41.76	3.08	74.00	32.24	150	240	PK	Vertical	PASS
6	2390.0000	38.40	41.35	2.95	74.00	32.65	150	250	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	37.35	40.81	3.46	74.00	33.19	150	270	PK	Horizontal	PASS
2	2485.4500	38.90	42.41	3.51	74.00	31.59	150	310	PK	Horizontal	PASS
3	2487.3000	38.50	42.02	3.52	74.00	31.98	150	70	PK	Horizontal	PASS
4	2490.9500	38.10	41.65	3.55	74.00	32.35	150	140	PK	Horizontal	PASS
5	2494.8500	39.19	42.75	3.56	74.00	31.25	150	190	PK	Horizontal	PASS
6	2500.0000	38.06	41.56	3.50	74.00	32.44	150	80	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	37.33	40.79	3.46	74.00	33.21	150	170	PK	Vertical	PASS
2	2485.6500	38.98	42.47	3.49	74.00	31.53	150	110	PK	Vertical	PASS
3	2488.0000	38.84	42.30	3.46	74.00	31.70	150	20	PK	Vertical	PASS
4	2495.1000	39.82	43.38	3.56	74.00	30.62	150	340	PK	Vertical	PASS
5	2498.6000	39.12	42.65	3.53	74.00	31.35	150	350	PK	Vertical	PASS
6	2500.0000	37.05	40.55	3.50	74.00	33.45	150	300	PK	Vertical	PASS


Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.24	39.91	2.67	74.00	34.09	150	40	PK	Horizontal	PASS
2	2327.6800	39.84	42.70	2.86	74.00	31.30	150	140	PK	Horizontal	PASS
3	2338.7300	40.03	42.86	2.83	74.00	31.14	150	110	PK	Horizontal	PASS
4	2374.8700	38.62	41.61	2.99	74.00	32.39	150	250	PK	Horizontal	PASS
5	2382.8000	38.63	41.65	3.02	74.00	32.35	150	300	PK	Horizontal	PASS
6	2390.0000	37.28	40.23	2.95	74.00	33.77	150	60	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.16	39.83	2.67	74.00	34.17	150	310	PK	Vertical	PASS
2	2324.8200	38.88	41.73	2.85	74.00	32.27	150	160	PK	Vertical	PASS
3	2351.7300	39.13	42.10	2.97	74.00	31.90	150	50	PK	Vertical	PASS
4	2365.5100	38.95	41.94	2.99	74.00	32.06	150	190	PK	Vertical	PASS
5	2382.9300	39.03	42.05	3.02	74.00	31.95	150	180	PK	Vertical	PASS
6	2390.0000	37.62	40.57	2.95	74.00	33.43	150	320	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	36.97	40.43	3.46	74.00	33.57	150	20	PK	Horizontal	PASS
2	2484.4500	38.49	41.99	3.50	74.00	32.01	150	10	PK	Horizontal	PASS
3	2488.2500	38.46	41.94	3.48	74.00	32.06	150	300	PK	Horizontal	PASS
4	2491.2000	39.51	43.06	3.55	74.00	30.94	150	250	PK	Horizontal	PASS
5	2494.1500	38.56	42.15	3.59	74.00	31.85	150	70	PK	Horizontal	PASS
6	2500.0000	37.02	40.52	3.50	74.00	33.48	150	20	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	36.97	40.43	3.46	74.00	33.57	150	0	PK	Vertical	PASS
2	2485.2500	38.75	42.27	3.52	74.00	31.73	150	200	PK	Vertical	PASS
3	2489.9500	39.28	42.85	3.57	74.00	31.15	150	100	PK	Vertical	PASS
4	2492.3000	38.79	42.35	3.56	74.00	31.65	150	30	PK	Vertical	PASS
5	2495.5000	38.44	42.00	3.56	74.00	32.00	150	140	PK	Vertical	PASS
6	2500.0000	36.81	40.31	3.50	74.00	33.69	150	40	PK	Vertical	PASS


Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.79	40.46	2.67	74.00	33.54	150	196	PK	Horizontal	PASS
2	2320.7900	41.70	44.61	2.91	74.00	29.39	150	82	PK	Horizontal	PASS
3	2365.1200	41.24	44.23	2.99	74.00	29.77	150	93	PK	Horizontal	PASS
4	2370.3200	40.46	43.49	3.03	74.00	30.51	150	101	PK	Horizontal	PASS
5	2386.5700	41.15	44.13	2.98	74.00	29.87	150	85	PK	Horizontal	PASS
6	2390.0000	38.48	41.43	2.95	74.00	32.57	150	261	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	37.48	40.15	2.67	74.00	33.85	150	113	PK	Vertical	PASS
2	2329.7600	39.29	42.11	2.82	74.00	31.89	150	170	PK	Vertical	PASS
3	2367.5900	41.15	44.14	2.99	74.00	29.86	150	113	PK	Vertical	PASS
4	2379.8100	39.11	42.15	3.04	74.00	31.85	150	339	PK	Vertical	PASS
5	2386.3100	42.48	45.47	2.99	74.00	28.53	150	200	PK	Vertical	PASS
6	2390.0000	38.00	40.95	2.95	74.00	33.05	150	239	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	40.33	43.79	3.46	74.00	30.21	150	100	PK	Horizontal	PASS
2	2485.1500	46.41	49.94	3.53	74.00	24.06	150	290	PK	Horizontal	PASS
3	2485.6000	45.24	48.74	3.50	74.00	25.26	150	250	PK	Horizontal	PASS
4	2489.2000	46.10	49.66	3.56	74.00	24.34	150	80	PK	Horizontal	PASS
5	2494.8500	44.72	48.28	3.56	74.00	25.72	150	300	PK	Horizontal	PASS
6	2500.0000	38.46	41.96	3.50	74.00	32.04	150	250	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	37.52	40.98	3.46	74.00	33.02	150	120	PK	Vertical	PASS
2	2485.0000	41.75	45.29	3.54	74.00	28.71	150	80	PK	Vertical	PASS
3	2487.0000	42.01	45.55	3.54	74.00	28.45	150	20	PK	Vertical	PASS
4	2489.7500	41.60	45.17	3.57	74.00	28.83	150	250	PK	Vertical	PASS
5	2492.9500	39.74	43.31	3.57	74.00	30.69	150	120	PK	Vertical	PASS
6	2500.0000	36.76	40.26	3.50	74.00	33.74	150	300	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level


Appendix I: Spurious emissions

Test Result

Note:

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.


During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (B-2412MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	41.6412	28.53	12.69	-15.84	40.00	27.31	150	150	PK	Horizontal	PASS
2	66.5727	30.48	12.97	-17.51	40.00	27.03	150	340	PK	Horizontal	PASS
3	170.4700	30.94	14.59	-16.35	43.50	28.91	150	300	PK	Horizontal	PASS
4	297.7468	31.31	15.42	-15.89	46.00	30.58	150	280	PK	Horizontal	PASS
5	585.1865	31.72	22.88	-8.84	46.00	23.12	150	80	PK	Horizontal	PASS
6	829.4569	32.43	27.37	-5.06	46.00	18.63	150	300	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	45.6186	28.48	12.62	-15.86	40.00	27.38	150	160	PK	Vertical	PASS
2	66.5727	29.28	11.77	-17.51	40.00	28.23	150	60	PK	Vertical	PASS
3	152.4262	30.48	14.71	-15.77	43.50	28.79	150	80	PK	Vertical	PASS
4	276.9867	30.95	14.23	-16.72	46.00	31.77	150	190	PK	Vertical	PASS
5	498.2658	30.86	19.44	-11.42	46.00	26.56	150	270	PK	Vertical	PASS
6	799.6750	31.89	26.05	-5.84	46.00	19.95	150	60	PK	Vertical	PASS


Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1232.8000	39.32	38.84	-0.48	74.00	35.16	150	47	PK	Horizontal	PASS
2	1707.2000	41.22	41.89	0.67	74.00	32.11	150	47	PK	Horizontal	PASS
3	4823.5000	60.63	45.70	-14.93	74.00	28.30	150	62	PK	Horizontal	PASS
4	9128.5000	51.95	45.98	-5.97	74.00	28.02	150	224	PK	Horizontal	PASS
5	13892.500	48.27	49.02	0.75	74.00	24.98	150	162	PK	Horizontal	PASS
6	17189.500	48.06	52.05	3.99	74.00	21.95	150	224	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor


(2) Margin = Limit - Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1316.0000	39.12	38.86	-0.26	74.00	35.14	150	244	PK	Vertical	PASS
2	2076.6000	38.91	40.94	2.03	74.00	33.06	150	84	PK	Vertical	PASS
3	3945.0000	60.48	42.91	-17.57	74.00	31.09	150	52	PK	Vertical	PASS
4	5253.5000	56.41	42.96	-13.45	74.00	31.04	150	27	PK	Vertical	PASS
5	9801.5000	50.51	46.02	-4.49	74.00	27.98	150	161	PK	Vertical	PASS
6	17423.000	47.66	51.53	3.87	74.00	22.47	150	208	PK	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1374.6000	39.17	38.82	-0.35	74.00	35.18	150	237	PK	Horizontal	PASS
2	2321.2000	40.08	42.98	2.90	74.00	31.02	150	140	PK	Horizontal	PASS
3	4405.5000	54.49	38.18	-16.31	74.00	35.82	150	140	PK	Horizontal	PASS
4	4874.0000	64.08	49.88	-14.20	74.00	24.12	150	85	PK	Horizontal	PASS
5	10476.000	50.14	46.37	-3.77	74.00	27.63	150	263	PK	Horizontal	PASS
6	16006.000	45.96	49.67	3.71	74.00	24.33	150	186	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor


(2) Margin = Limit - Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1316.2000	39.53	39.27	-0.26	74.00	34.73	150	129	PK	Vertical	PASS
2	2221.0000	38.94	41.52	2.58	74.00	32.48	150	281	PK	Vertical	PASS
3	3944.0000	58.00	40.36	-17.64	74.00	33.64	150	139	PK	Vertical	PASS
4	4874.0000	59.29	45.09	-14.20	74.00	28.91	150	139	PK	Vertical	PASS
5	7651.0000	53.12	44.63	-8.49	74.00	29.37	150	115	PK	Vertical	PASS
6	13557.500	48.61	48.84	0.23	74.00	25.16	150	216	PK	Vertical	PASS

Note: (1) Level = Reading + Factor


(2) Margin = Limit - Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1475.6000	39.38	39.36	-0.02	74.00	34.64	150	148	PK	Horizontal	PASS
2	1907.4000	38.94	40.41	1.47	74.00	33.59	150	276	PK	Horizontal	PASS
3	4924.0000	64.85	51.17	-13.68	74.00	22.83	150	78	PK	Horizontal	PASS
4	8441.0000	51.99	45.05	-6.94	74.00	28.95	150	131	PK	Horizontal	PASS
5	9890.5000	50.67	46.33	-4.34	74.00	27.67	150	0	PK	Horizontal	PASS
6	14078.000	47.64	48.97	1.33	74.00	25.03	150	215	PK	Horizontal	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1151.6000	39.39	39.00	-0.39	74.00	35.00	150	274	PK	Vertical	PASS
2	1648.6000	39.46	39.89	0.43	74.00	34.11	150	32	PK	Vertical	PASS
3	3952.0000	62.00	44.63	-17.37	74.00	29.37	150	39	PK	Vertical	PASS
4	4924.0000	60.04	46.36	-13.68	74.00	27.64	150	62	PK	Vertical	PASS
5	6570.0000	55.91	45.78	-10.13	74.00	28.22	150	62	PK	Vertical	PASS
6	9965.5000	51.05	46.97	-4.08	74.00	27.03	150	55	PK	Vertical	PASS


Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1163.2000	39.00	38.74	-0.26	74.00	35.26	150	63	PK	Horizontal	PASS
2	1631.2000	39.00	39.47	0.47	74.00	34.53	150	218	PK	Horizontal	PASS
3	5096.5000	53.41	40.04	-13.37	74.00	33.96	150	0	PK	Horizontal	PASS
4	6398.0000	53.89	43.15	-10.74	74.00	30.85	150	92	PK	Horizontal	PASS
5	10265.000	49.67	45.71	-3.96	74.00	28.29	150	309	PK	Horizontal	PASS
6	13769.500	47.94	48.73	0.79	74.00	25.27	150	253	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1212.2000	39.19	38.91	-0.28	74.00	35.09	150	302	PK	Vertical	PASS
2	2167.8000	39.82	42.02	2.20	74.00	31.98	150	324	PK	Vertical	PASS
3	3950.0000	61.29	44.05	-17.24	74.00	29.95	150	47	PK	Vertical	PASS
4	5273.5000	56.71	43.15	-13.56	74.00	30.85	150	47	PK	Vertical	PASS
5	9402.5000	51.21	45.94	-5.27	74.00	28.06	150	100	PK	Vertical	PASS
6	11054.000	49.02	46.17	-2.85	74.00	27.83	150	316	PK	Vertical	PASS


Note:(1)Level=Reading+Factor
 (2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1461.2000	39.55	39.48	-0.07	74.00	34.52	150	291	PK	Horizontal	PASS
2	1796.6000	39.43	40.45	1.02	74.00	33.55	150	184	PK	Horizontal	PASS
3	4876.5000	56.21	42.05	-14.16	74.00	31.95	150	40	PK	Horizontal	PASS
4	5721.5000	54.63	42.06	-12.57	74.00	31.94	150	63	PK	Horizontal	PASS
5	7118.5000	53.43	43.72	-9.71	74.00	30.28	150	93	PK	Horizontal	PASS
6	11542.000	48.40	46.08	-2.32	74.00	27.92	150	155	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1151.0000	39.68	39.28	-0.40	74.00	34.72	150	359	PK	Vertical	PASS
2	2298.2000	39.59	42.36	2.77	74.00	31.64	150	243	PK	Vertical	PASS
3	3942.5000	57.49	39.75	-17.74	74.00	34.25	150	116	PK	Vertical	PASS
4	6590.5000	52.63	42.58	-10.05	74.00	31.42	150	61	PK	Vertical	PASS
5	10376.000	50.33	46.14	-4.19	74.00	27.86	150	15	PK	Vertical	PASS
6	13810.000	48.30	49.45	1.15	74.00	24.55	150	163	PK	Vertical	PASS

Note: (1) Level = Reading + Factor


(2) Margin = Limit - Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1158.2000	39.64	39.29	-0.35	74.00	34.71	150	246	PK	Horizontal	PASS
2	2119.2000	39.78	41.96	2.18	74.00	32.04	150	314	PK	Horizontal	PASS
3	3813.0000	56.06	37.74	-18.32	74.00	36.26	150	261	PK	Horizontal	PASS
4	4924.0000	58.67	44.99	-13.68	74.00	29.01	150	75	PK	Horizontal	PASS
5	8758.0000	51.74	45.05	-6.69	74.00	28.95	150	153	PK	Horizontal	PASS
6	13646.500	47.17	48.14	0.97	74.00	25.86	150	230	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor


(2) Margin = Limit - Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1318.2000	38.95	38.70	-0.25	74.00	35.30	150	128	PK	Vertical	PASS
2	2036.4000	39.50	41.38	1.88	74.00	32.62	150	89	PK	Vertical	PASS
3	3936.5000	58.31	40.38	-17.93	74.00	33.62	150	128	PK	Vertical	PASS
4	5257.0000	55.02	41.70	-13.32	74.00	32.30	150	175	PK	Vertical	PASS
5	8433.5000	51.82	44.80	-7.02	74.00	29.20	150	20	PK	Vertical	PASS
6	17328.500	47.19	51.49	4.30	74.00	22.51	150	144	PK	Vertical	PASS

Note: (1) Level = Reading + Factor


(2) Margin = Limit - Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1152.0000	39.03	38.64	-0.39	74.00	35.36	150	205	PK	Horizontal	PASS
2	1851.0000	39.13	40.41	1.28	74.00	33.59	150	353	PK	Horizontal	PASS
3	3837.5000	56.01	38.51	-17.50	74.00	35.49	150	309	PK	Horizontal	PASS
4	5038.5000	53.97	40.51	-13.46	74.00	33.49	150	247	PK	Horizontal	PASS
5	8213.0000	51.84	44.64	-7.20	74.00	29.36	150	325	PK	Horizontal	PASS
6	16652.000	46.13	50.77	4.64	74.00	23.23	150	317	PK	Horizontal	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1316.8000	40.82	40.56	-0.26	74.00	33.44	150	134	PK	Vertical	PASS
2	2078.0000	39.94	41.96	2.02	74.00	32.04	150	308	PK	Vertical	PASS
3	3950.0000	61.81	44.57	-17.24	74.00	29.43	150	146	PK	Vertical	PASS
4	5255.5000	56.37	42.99	-13.38	74.00	31.01	150	186	PK	Vertical	PASS
5	10612.000	50.05	46.35	-3.70	74.00	27.65	150	280	PK	Vertical	PASS
6	13753.500	48.35	48.79	0.44	74.00	25.21	150	349	PK	Vertical	PASS


Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1305.0000	39.44	39.06	-0.38	74.00	34.94	150	234	PK	Horizontal	PASS
2	1531.4000	39.87	39.94	0.07	74.00	34.06	150	220	PK	Horizontal	PASS
3	3664.5000	56.63	37.42	-19.21	74.00	36.58	150	154	PK	Horizontal	PASS
4	4874.0000	56.34	42.14	-14.20	74.00	31.86	150	84	PK	Horizontal	PASS
5	8340.0000	51.27	44.01	-7.26	74.00	29.99	150	308	PK	Horizontal	PASS
6	13933.000	48.16	48.61	0.45	74.00	25.39	150	22	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor


(2) Margin = Limit - Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1244.6000	39.51	39.01	-0.50	74.00	34.99	150	79	PK	Vertical	PASS
2	2029.0000	39.01	40.78	1.77	74.00	33.22	150	207	PK	Vertical	PASS
3	3952.5000	58.05	40.65	-17.40	74.00	33.35	150	122	PK	Vertical	PASS
4	5251.5000	58.30	44.78	-13.52	74.00	29.22	150	263	PK	Vertical	PASS
5	6587.5000	56.30	46.25	-10.05	74.00	27.75	150	98	PK	Vertical	PASS
6	16034.500	46.84	50.28	3.44	74.00	23.72	150	75	PK	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1278.0000	39.54	39.14	-0.40	74.00	34.86	150	187	PK	Horizontal	PASS
2	1724.4000	40.88	41.53	0.65	74.00	32.47	150	219	PK	Horizontal	PASS
3	4312.0000	55.99	39.67	-16.32	74.00	34.33	150	325	PK	Horizontal	PASS
4	4911.5000	55.96	42.80	-13.16	74.00	31.20	150	69	PK	Horizontal	PASS
5	9220.5000	50.95	46.02	-4.93	74.00	27.98	150	117	PK	Horizontal	PASS
6	13882.000	48.03	49.02	0.99	74.00	24.98	150	271	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1314.6000	40.00	39.73	-0.27	74.00	34.27	150	124	PK	Vertical	PASS
2	1903.8000	38.60	40.13	1.53	74.00	33.87	150	114	PK	Vertical	PASS
3	4281.0000	54.81	38.51	-16.30	74.00	35.49	150	332	PK	Vertical	PASS
4	5259.5000	55.92	42.69	-13.23	74.00	31.31	150	42	PK	Vertical	PASS
5	6571.0000	54.91	44.79	-10.12	74.00	29.21	150	64	PK	Vertical	PASS
6	13760.500	48.00	48.66	0.66	74.00	25.34	150	26	PK	Vertical	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1130.4000	39.43	39.06	-0.37	74.00	34.94	150	303	PK	Horizontal	PASS
2	2095.4000	39.30	41.44	2.14	74.00	32.56	150	197	PK	Horizontal	PASS
3	3833.0000	55.29	37.50	-17.79	74.00	36.50	150	18	PK	Horizontal	PASS
4	5086.0000	53.58	40.60	-12.98	74.00	33.40	150	64	PK	Horizontal	PASS
5	9025.0000	51.72	45.39	-6.33	74.00	28.61	150	341	PK	Horizontal	PASS
6	14982.500	46.35	48.44	2.09	74.00	25.56	150	310	PK	Horizontal	PASS


Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1312.2000	39.63	39.35	-0.28	74.00	34.65	150	143	PK	Vertical	PASS
2	2077.2000	39.12	41.14	2.02	74.00	32.86	150	50	PK	Vertical	PASS
3	3952.0000	57.24	39.87	-17.37	74.00	34.13	150	161	PK	Vertical	PASS
4	5252.0000	58.77	45.26	-13.51	74.00	28.74	150	92	PK	Vertical	PASS
5	6574.5000	57.10	47.02	-10.08	74.00	26.98	150	53	PK	Vertical	PASS
6	13705.000	47.39	48.16	0.77	74.00	25.84	150	232	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1212.8000	39.74	39.44	-0.30	74.00	34.56	150	75	PK	Horizontal	PASS
2	2086.8000	39.76	41.78	2.02	74.00	32.22	150	357	PK	Horizontal	PASS
3	4492.5000	54.69	38.93	-15.76	74.00	35.07	150	0	PK	Horizontal	PASS
4	6607.0000	51.84	41.93	-9.91	74.00	32.07	150	191	PK	Horizontal	PASS
5	9225.0000	50.72	45.79	-4.93	74.00	28.21	150	340	PK	Horizontal	PASS
6	15152.500	47.88	49.98	2.10	74.00	24.02	150	23	PK	Horizontal	PASS


Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1042.2000	39.72	39.33	-0.39	74.00	34.67	150	272	PK	Vertical	PASS
2	2115.0000	40.26	42.40	2.14	74.00	31.60	150	181	PK	Vertical	PASS
3	3955.0000	56.67	39.10	-17.57	74.00	34.90	150	154	PK	Vertical	PASS
4	5262.0000	56.51	43.21	-13.30	74.00	30.79	150	124	PK	Vertical	PASS
5	6587.0000	53.38	43.33	-10.05	74.00	30.67	150	69	PK	Vertical	PASS
6	10140.000	50.37	46.34	-4.03	74.00	27.66	150	115	PK	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1189.0000	39.95	39.47	-0.48	74.00	34.53	150	254	PK	Horizontal	PASS
2	1989.6000	39.66	41.50	1.84	74.00	32.50	150	111	PK	Horizontal	PASS
3	3666.0000	57.05	37.90	-19.15	74.00	36.10	150	56	PK	Horizontal	PASS
4	5086.5000	54.04	41.05	-12.99	74.00	32.95	150	194	PK	Horizontal	PASS
5	9260.0000	49.57	45.10	-4.47	74.00	28.90	150	56	PK	Horizontal	PASS
6	13674.000	48.58	49.32	0.74	74.00	24.68	150	25	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1521.6000	39.91	40.01	0.10	74.00	33.99	150	134	PK	Vertical	PASS
2	2185.4000	39.18	41.62	2.44	74.00	32.38	150	277	PK	Vertical	PASS
3	3951.0000	60.18	42.87	-17.31	74.00	31.13	150	122	PK	Vertical	PASS
4	5260.5000	54.94	41.71	-13.23	74.00	32.29	150	76	PK	Vertical	PASS
5	6580.0000	58.55	48.54	-10.01	74.00	25.46	150	99	PK	Vertical	PASS
6	11537.500	48.85	46.49	-2.36	74.00	27.51	150	177	PK	Vertical	PASS

Note: (1) Level = Reading + Factor


(2) Margin = Limit - Level

Appendix J: Conducted emission AC power port

Test Result



Final Data List												
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBμV]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Reading [dBμV]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1588	10.27	30.32	40.59	65.53	24.94	17.73	28.00	55.53	27.53	L1	PASS
2	0.4814	10.26	25.87	36.13	56.32	20.19	21.94	32.20	46.32	14.12	L1	PASS
3	1.0654	10.35	19.44	29.79	56.00	26.21	17.43	27.78	46.00	18.22	L1	PASS
4	2.5554	10.29	25.59	35.88	56.00	20.12	23.77	34.06	46.00	11.94	L1	PASS
5	5.3091	10.35	11.67	22.02	60.00	37.98	8.36	18.71	50.00	31.29	L1	PASS
6	13.8095	10.54	11.68	22.22	60.00	37.78	8.02	18.56	50.00	31.44	L1	PASS



Final Data List

NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBμV]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Reading [dBμV]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1596	10.35	26.12	36.47	65.48	29.01	11.37	21.72	55.48	33.76	N	PASS
2	0.4851	10.25	23.04	33.29	56.25	22.96	17.07	27.32	46.25	18.93	N	PASS
3	0.9200	10.26	14.39	24.65	56.00	31.35	9.86	20.12	46.00	25.88	N	PASS
4	2.5559	10.39	23.97	34.36	56.00	21.64	22.77	33.16	46.00	12.84	N	PASS
5	6.8417	10.42	15.65	26.07	60.00	33.93	9.85	20.27	50.00	29.73	N	PASS
6	13.9075	10.62	15.71	26.33	60.00	33.67	9.61	20.23	50.00	29.77	N	PASS