











Appendix G: Duty Cycle

Test Result

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]
BLE_1M	Ant1	2402	2.13	2.50	85.20
		2440	2.13	2.50	85.20
		2480	2.13	2.50	85.20
BLE_2M	Ant1	2402	1.08	2.50	43.20
		2440	1.08	2.50	43.20
		2480	1.08	2.50	43.20

Test Graphs








Appendix H: Emissions in Restricted Bands

Test Result




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	36.37	39.04	2.67	74.00	34.96	150	240	PK	Horizontal	PASS
2	2357.9700	38.36	41.31	2.95	74.00	32.69	150	350	PK	Horizontal	PASS
3	2378.3800	39.81	42.88	3.07	74.00	31.12	150	20	PK	Horizontal	PASS
4	2381.5000	39.12	42.15	3.03	74.00	31.85	150	330	PK	Horizontal	PASS
5	2386.9600	38.32	41.28	2.96	74.00	32.72	150	100	PK	Horizontal	PASS
6	2390.0000	38.03	40.98	2.95	74.00	33.02	150	300	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	36.85	39.52	2.67	74.00	34.48	150	320	PK	Vertical	PASS
2	2334.4400	37.74	40.54	2.80	74.00	33.46	150	100	PK	Vertical	PASS
3	2352.5100	39.12	42.07	2.95	74.00	31.93	150	40	PK	Vertical	PASS
4	2366.1600	37.97	40.97	3.00	74.00	33.03	150	310	PK	Vertical	PASS
5	2379.0300	39.29	42.34	3.05	74.00	31.66	150	70	PK	Vertical	PASS
6	2390.0000	37.27	40.22	2.95	74.00	33.78	150	300	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M


Channel: 2480MHz

Test Graph

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	44.83	48.29	3.46	74.00	25.71	150	200	PK	Horizontal	PASS
2	2484.2500	43.65	47.13	3.48	74.00	26.87	150	130	PK	Horizontal	PASS
3	2487.2500	39.70	43.22	3.52	74.00	30.78	150	310	PK	Horizontal	PASS
4	2491.6500	38.38	41.94	3.56	74.00	32.06	150	100	PK	Horizontal	PASS
5	2495.0500	38.71	42.27	3.56	74.00	31.73	150	320	PK	Horizontal	PASS
6	2500.0000	36.65	40.15	3.50	74.00	33.85	150	230	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	38.09	41.55	3.46	74.00	32.45	150	160	PK	Vertical	PASS
2	2484.5000	38.05	41.55	3.50	74.00	32.45	150	130	PK	Vertical	PASS
3	2486.9000	38.59	42.12	3.53	74.00	31.88	150	290	PK	Vertical	PASS
4	2490.8500	38.13	41.68	3.55	74.00	32.32	150	250	PK	Vertical	PASS
5	2494.1500	37.85	41.44	3.59	74.00	32.56	150	110	PK	Vertical	PASS
6	2500.0000	37.00	40.50	3.50	74.00	33.50	150	90	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	36.49	39.16	2.67	74.00	34.84	150	80	PK	Horizontal	PASS
2	2353.4200	38.78	41.74	2.96	74.00	32.26	150	340	PK	Horizontal	PASS
3	2369.1500	38.42	41.44	3.02	74.00	32.56	150	360	PK	Horizontal	PASS
4	2377.9900	39.71	42.79	3.08	74.00	31.21	150	340	PK	Horizontal	PASS
5	2388.2600	38.92	41.86	2.94	74.00	32.14	150	180	PK	Horizontal	PASS
6	2390.0000	38.45	41.40	2.95	74.00	32.60	150	100	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	36.66	39.33	2.67	74.00	34.67	150	10	PK	Vertical	PASS
2	2339.6400	38.24	41.09	2.85	74.00	32.91	150	50	PK	Vertical	PASS
3	2356.1500	38.99	41.95	2.96	74.00	32.05	150	250	PK	Vertical	PASS
4	2370.0600	39.10	42.14	3.04	74.00	31.86	150	90	PK	Vertical	PASS
5	2383.8400	38.18	41.21	3.03	74.00	32.79	150	150	PK	Vertical	PASS
6	2390.0000	38.35	41.30	2.95	74.00	32.70	150	200	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	42.82	46.28	3.46	74.00	27.72	150	100	PK	Horizontal	PASS
2	2484.2000	43.27	46.75	3.48	74.00	27.25	150	360	PK	Horizontal	PASS
3	2486.4000	41.05	44.55	3.50	74.00	29.45	150	170	PK	Horizontal	PASS
4	2490.5500	40.02	43.58	3.56	74.00	30.42	150	330	PK	Horizontal	PASS
5	2493.9500	38.41	42.00	3.59	74.00	32.00	150	40	PK	Horizontal	PASS
6	2500.0000	37.49	40.99	3.50	74.00	33.01	150	260	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480MHz

Test Graph

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	36.84	40.30	3.46	74.00	33.70	150	210	PK	Vertical	PASS
2	2484.3000	38.40	41.88	3.48	74.00	32.12	150	280	PK	Vertical	PASS
3	2489.3000	37.83	41.39	3.56	74.00	32.61	150	70	PK	Vertical	PASS
4	2491.8500	38.37	41.93	3.56	74.00	32.07	150	230	PK	Vertical	PASS
5	2495.4000	37.85	41.41	3.56	74.00	32.59	150	30	PK	Vertical	PASS
6	2500.0000	37.11	40.61	3.50	74.00	33.39	150	340	PK	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Appendix I: Spurious emissions

Note:

The low frequency, which starts from 9 kHz to 30 MHz, is pre scanned and the result which is 20 dB lower than the limit line is not reported.

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst case (1M 2402MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	40.6711	28.85	12.91	-15.94	40.00	27.09	150	330	PK	Horizontal	PASS
2	59.9760	31.15	14.35	-16.80	40.00	25.65	150	20	PK	Horizontal	PASS
3	144.5685	31.49	15.24	-16.25	43.50	28.26	150	260	PK	Horizontal	PASS
4	267.2857	29.84	12.93	-16.91	46.00	33.07	150	160	PK	Horizontal	PASS
5	386.8017	31.74	18.00	-13.74	46.00	28.00	150	110	PK	Horizontal	PASS
6	615.4535	33.36	24.55	-8.81	46.00	21.45	150	270	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	56.1926	36.73	20.13	-16.60	40.00	19.87	150	10	PK	Vertical	PASS
2	108.1898	29.75	10.81	-18.94	43.50	32.69	150	300	PK	Vertical	PASS
3	190.2600	31.58	13.08	-18.50	43.50	30.42	150	270	PK	Vertical	PASS
4	467.0287	31.38	19.79	-11.59	46.00	26.21	150	120	PK	Vertical	PASS
5	713.6274	31.42	23.67	-7.75	46.00	22.33	150	210	PK	Vertical	PASS
6	890.9611	31.88	27.95	-3.93	46.00	18.05	150	110	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1281.6000	39.66	39.27	-0.39	74.00	34.73	150	220	PK	Horizontal	PASS
2	1671.6000	38.78	39.15	0.37	74.00	34.85	150	220	PK	Horizontal	PASS
3	4801.0000	56.09	41.40	-14.69	74.00	32.60	150	80	PK	Horizontal	PASS
4	6415.0000	52.79	42.34	-10.45	74.00	31.66	150	200	PK	Horizontal	PASS
5	9508.5000	50.41	45.64	-4.77	74.00	28.36	150	230	PK	Horizontal	PASS
6	11174.500	49.30	46.58	-2.72	74.00	27.42	150	130	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2402MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1376.8000	38.83	38.48	-0.35	74.00	35.52	150	240	PK	Vertical	PASS
2	1724.4000	42.03	42.68	0.65	74.00	31.32	150	30	PK	Vertical	PASS
3	4910.0000	53.04	39.93	-13.11	74.00	34.07	150	280	PK	Vertical	PASS
4	7790.5000	52.21	43.86	-8.35	74.00	30.14	150	30	PK	Vertical	PASS
5	10941.000	49.37	46.16	-3.21	74.00	27.84	150	70	PK	Vertical	PASS
6	12321.500	48.33	46.76	-1.57	74.00	27.24	150	220	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2440MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1248.6000	38.53	38.00	-0.53	74.00	36.00	150	80	PK	Horizontal	PASS
2	1866.6000	38.49	39.85	1.36	74.00	34.15	150	290	PK	Horizontal	PASS
3	4156.5000	54.38	37.23	-17.15	74.00	36.77	150	280	PK	Horizontal	PASS
4	4880.0000	55.78	41.71	-14.07	74.00	32.29	150	30	PK	Horizontal	PASS
5	6995.0000	51.83	42.41	-9.42	74.00	31.59	150	140	PK	Horizontal	PASS
6	9687.0000	50.29	45.69	-4.60	74.00	28.31	150	220	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2440MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1210.6000	38.45	38.22	-0.23	74.00	35.78	150	200	PK	Vertical	PASS
2	1904.2000	38.25	39.77	1.52	74.00	34.23	150	250	PK	Vertical	PASS
3	4880.5000	54.94	40.89	-14.05	74.00	33.11	150	200	PK	Vertical	PASS
4	6370.0000	52.78	42.39	-10.39	74.00	31.61	150	270	PK	Vertical	PASS
5	7650.0000	52.11	43.63	-8.48	74.00	30.37	150	300	PK	Vertical	PASS
6	9753.5000	51.63	46.99	-4.64	74.00	27.01	150	210	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1328.8000	38.50	37.93	-0.57	74.00	36.07	150	220	PK	Horizontal	PASS
2	1643.8000	38.61	38.95	0.34	74.00	35.05	150	280	PK	Horizontal	PASS
3	5016.0000	54.35	40.65	-13.70	74.00	33.35	150	300	PK	Horizontal	PASS
4	7140.5000	52.56	42.77	-9.79	74.00	31.23	150	330	PK	Horizontal	PASS
5	9508.0000	49.56	44.78	-4.78	74.00	29.22	150	160	PK	Horizontal	PASS
6	9914.0000	51.07	46.73	-4.34	74.00	27.27	150	170	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 1M

Channel: 2480MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1422.0000	38.85	38.56	-0.29	74.00	35.44	150	260	PK	Vertical	PASS
2	1913.6000	38.00	39.40	1.40	74.00	34.60	150	230	PK	Vertical	PASS
3	4930.5000	54.52	40.57	-13.95	74.00	33.43	150	50	PK	Vertical	PASS
4	7005.5000	51.52	42.25	-9.27	74.00	31.75	150	200	PK	Vertical	PASS
5	8093.5000	52.29	44.57	-7.72	74.00	29.43	150	330	PK	Vertical	PASS
6	9914.0000	50.44	46.10	-4.34	74.00	27.90	150	220	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1320.2000	38.42	38.16	-0.26	74.00	35.84	150	150	PK	Horizontal	PASS
2	1842.0000	37.52	38.85	1.33	74.00	35.15	150	140	PK	Horizontal	PASS
3	4175.5000	55.74	38.56	-17.18	74.00	35.44	150	50	PK	Horizontal	PASS
4	6228.0000	52.24	41.78	-10.46	74.00	32.22	150	270	PK	Horizontal	PASS
5	8593.0000	50.91	43.84	-7.07	74.00	30.16	150	320	PK	Horizontal	PASS
6	9813.0000	50.35	46.00	-4.35	74.00	28.00	150	160	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2402MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1332.4000	38.92	38.36	-0.56	74.00	35.64	150	300	PK	Vertical	PASS
2	1724.6000	38.48	39.13	0.65	74.00	34.87	150	260	PK	Vertical	PASS
3	4433.0000	53.57	37.62	-15.95	74.00	36.38	150	100	PK	Vertical	PASS
4	6408.0000	52.05	41.57	-10.48	74.00	32.43	150	340	PK	Vertical	PASS
5	7913.5000	52.21	44.12	-8.09	74.00	29.88	150	50	PK	Vertical	PASS
6	9743.0000	50.29	45.58	-4.71	74.00	28.42	150	10	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2440MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1243.0000	38.77	38.29	-0.48	74.00	35.71	150	150	PK	Horizontal	PASS
2	1730.4000	39.18	39.85	0.67	74.00	34.15	150	350	PK	Horizontal	PASS
3	4308.5000	54.22	37.83	-16.39	74.00	36.17	150	0	PK	Horizontal	PASS
4	5810.0000	52.59	40.22	-12.37	74.00	33.78	150	130	PK	Horizontal	PASS
5	7698.0000	51.46	43.12	-8.34	74.00	30.88	150	90	PK	Horizontal	PASS
6	9648.0000	50.36	45.63	-4.73	74.00	28.37	150	60	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2440MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1387.0000	38.71	38.30	-0.41	74.00	35.70	150	360	PK	Vertical	PASS
2	1695.8000	38.34	38.89	0.55	74.00	35.11	150	180	PK	Vertical	PASS
3	3785.5000	54.84	36.21	-18.63	74.00	37.79	150	180	PK	Vertical	PASS
4	5541.0000	53.08	40.29	-12.79	74.00	33.71	150	0	PK	Vertical	PASS
5	7694.5000	51.91	43.54	-8.37	74.00	30.46	150	210	PK	Vertical	PASS
6	9582.0000	50.14	45.33	-4.81	74.00	28.67	150	240	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1318.6000	38.52	38.27	-0.25	74.00	35.73	150	290	PK	Horizontal	PASS
2	1599.2000	38.87	39.21	0.34	74.00	34.79	150	20	PK	Horizontal	PASS
3	4898.5000	53.44	39.89	-13.55	74.00	34.11	150	130	PK	Horizontal	PASS
4	5688.0000	53.05	40.40	-12.65	74.00	33.60	150	120	PK	Horizontal	PASS
5	7693.5000	51.35	42.97	-8.38	74.00	31.03	150	130	PK	Horizontal	PASS
6	9542.5000	49.79	45.03	-4.76	74.00	28.97	150	320	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2M

Channel: 2480MHz


Test Graph

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1314.6000	38.63	38.36	-0.27	74.00	35.64	150	30	PK	Vertical	PASS
2	1817.6000	38.62	39.75	1.13	74.00	34.25	150	160	PK	Vertical	PASS
3	4291.5000	53.94	37.84	-16.10	74.00	36.16	150	220	PK	Vertical	PASS
4	6423.5000	53.05	42.52	-10.53	74.00	31.48	150	330	PK	Vertical	PASS
5	7795.5000	52.46	43.96	-8.50	74.00	30.04	150	150	PK	Vertical	PASS
6	9913.5000	51.53	47.18	-4.35	74.00	26.82	150	180	PK	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Appendix J: Conducted emission AC power port



Final Data List

NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBμV]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Reading [dBμV]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1593	10.27	27.45	37.72	65.50	27.78	14.05	24.32	55.50	31.18	L1	PASS
2	0.2073	10.35	21.24	31.59	63.31	31.72	10.04	20.39	53.31	32.92	L1	PASS
3	0.4839	10.26	24.80	35.06	56.27	21.21	18.87	29.13	46.27	17.14	L1	PASS
4	1.5461	10.32	13.07	23.39	56.00	32.61	7.51	17.83	46.00	28.17	L1	PASS
5	2.5526	10.29	25.86	36.15	56.00	19.85	24.73	35.02	46.00	10.98	L1	PASS
6	5.9742	10.38	11.43	21.81	60.00	38.19	7.37	17.75	50.00	32.25	L1	PASS


Final Data List

NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBμV]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Reading [dBμV]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1587	10.35	26.55	36.90	65.53	28.63	11.56	21.91	55.53	33.62	N	PASS
2	0.4844	10.26	23.08	33.34	56.26	22.92	17.35	27.61	46.26	18.65	N	PASS
3	1.2141	10.28	14.89	25.17	56.00	30.83	9.78	20.06	46.00	25.94	N	PASS
4	2.5532	10.39	23.93	34.32	56.00	21.68	22.63	33.02	46.00	12.98	N	PASS
5	6.3141	10.42	17.78	28.20	60.00	31.80	11.40	21.82	50.00	28.18	N	PASS
6	13.9130	10.62	15.55	26.17	60.00	33.83	9.49	20.11	50.00	29.89	N	PASS