

IDQX65-1

LCD MONITOR

Made in China



この装置は、クラスA情報技術装置です。この装置を家庭環境で使用する
と電波妨害を引き起こすことがあります。この場合には使用者が適切な対策
を講ずるよう要求されることがあります。 VCCI-A

100-240V~, 6.1-2.7A, 50/60Hz
100-240V~, 2.5-1.1A, 50/60Hz, 250W

CAN ICES-003(A) / NMB-003(A)

Contains IC: 24278-SKIWB921AU1, IC: 4302A-IDNMOD1, and
IC: 4302A-IDQXMOD1

Contains FCC ID: 2AR82-SKIWB921AU1,
FCC ID: QCI-IDNMOD1, and FCC ID: QCI-IDQXMOD1

USB3.0: 5V --- 0.9A

Service 1: 5V --- 0.5A

Service 2: 5V --- 0.9A

5V --- 0.9A

5V --- 0.9A

USB-C 1: 5V --- 3A

USB-C 2: 5V --- 3.0A / 9V --- 3.0A / 12V --- 3.0A
15V --- 3.0A / 20V --- 3.25A

VARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTTAG.

ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.

VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA VARUSTETTUUN PISTORASIAAN.

ADVARSEL: APPARATETS STIKPROP SKAL TILSLUTTET EN STIKKONTAKT MED JORD, SOM GIVER FORBINDELSE TIL STIKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

© 2022 SMART Technologies ULC. All rights reserved. SMART Board, the
SMART logo and smarttech are trademarks or registered trademarks of SMART
Technologies ULC in the U.S. and/or other countries.

smarttech.com/support

smarttech.com/compliance

smarttech.com/patents



I.T.E.
64RJ
E364616



210-192431



SMART Board® SMART
SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1,
CANADA

103xxxx - 0x

IDQX75-1

LCD MONITOR

Made in China

HDMITM
HIGH-DEFINITION MULTIMEDIA INTERFACE

 100-240V~, 6.3-2.7A, 50/60Hz
 100-240V~, 2.5-1.1A, 50/60Hz, 250W

CAN ICES-003(A) / NMB-003(A)

Contains IC: 24278-SKIWB921AU1, IC: 4302A-IDNMOD1, and IC: 4302A-IDQXMOD1

Contains FCC ID: 2AR82-SKIWB921AU1, FCC ID: QCI-IDNMOD1, and FCC ID: QCI-IDQXMOD1

USB3.0: 5V --- 0.9A

Service 1: 5V --- 0.5A

Service 2: 5V --- 0.9A

 5V --- 0.9A

 5V --- 0.9A

USB-C 1: 5V --- 3A

USB-C 2: 5V --- 3.0A / 9V --- 3.0A / 12V --- 3.0A
15V --- 3.0A / 20V --- 3.25A

VARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTTAG.

ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.

VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA VARUSTETTUUN PISTORASIAAN.

ADVARSEL: APPARATETS STIKPROP SKAL TILSLUTTES EN STIKKONTAKT MED JORD, SOM GIVER FORBINDELSE TIL STIKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

© 2022 SMART Technologies ULC. All rights reserved. SMART Board, the SMART logo and smarttech are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries.

smarttech.com/support
smarttech.com/compliance
smarttech.com/patents



210-192431



SMART Board® SMART®

SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1,
CANADA

103xxxx -0x

この装置は、クラスA情報技術装置です。この装置を家庭環境で使用する
と電波妨害を引き起こすことがあります。この場合には使用者が適切な対策
を講ずるよう要求されることがあります。 VCCI-A

IDQX86-1

LCD MONITOR

Made in China

HDMI™
HIGH-DEFINITION MULTIMEDIA INTERFACE

この装置は、クラスA情報技術装置です。この装置を家庭環境で使用する
と電波妨害を引き起こすことがあります。この場合には使用者が適切な対策
を講ずるよう要求されることがあります。 VCCI-A

100-240V~, 7.7-3.1A, 50/60Hz
100-240V~, 2.5-1.1A, 50/60Hz, 250W

CAN ICES-003(A) / NMB-003(A)

Contains IC: 24278-SKIWB921AU1, IC: 4302A-IDNMOD1, and
IC: 4302A-IDQXMOD1

Contains FCC ID: 2AR82-SKIWB921AU1,
FCC ID: QCI-IDNMOD1, and FCC ID: QCI-IDQXMOD1

USB3.0: 5V --- 0.9A

Service 1: 5V --- 0.5A

Service 2: 5V --- 0.9A

5V --- 0.9A

5V --- 0.9A

USB-C 1: 5V --- 3A

USB-C 2: 5V --- 3.0A / 9V --- 3.0A / 12V --- 3.0A

15V --- 3.0A / 20V --- 3.25A

VARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTTAG.

ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.

VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA VARUSTETTUUN PISTORASIAAN.

ADVARSEL: APPARATETS STIKPROP SKAL TILSLUTTES EN STIKKONTAKT MED JORD, SOM GIVER FORBINDELSE TIL STIKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and

(2) This device must accept any interference received, including interference that may cause undesired operation.

© 2022 SMART Technologies ULC. All rights reserved. SMART Board, the
SMART logo and smarttech are trademarks or registered trademarks of SMART
Technologies ULC in the U.S. and/or other countries.

smarttech.com/support

smarttech.com/compliance

smarttech.com/patents



I.T.E.
64RJ
E364616



210-192431



SMART Board®

SMART®

SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1,
CANADA

103xxxx -0x

IDX55-4

55" LCD MONITOR

Made in China



Input: 100-240V~, 4.0-1.75A, 50/60Hz

CAUTION

RISK OF ELECTRIC SHOCK. DO NOT OPEN.
RISQUE D'ELECTROCUTION. NE PAS OUVRIR.

CAN ICES-003 (A) / NMB-003 (A)

Contains FCC ID: QCI-IDNMOD1 and FCC ID: 2AR82-SKIWB921AU1

Contains IC: 4302A-IDNMOD1 and IC: 24728-SKIWB921AU1

USB3.0: 5V --- 0.9A

Service 1: 5V - 0.5A

Service 2: 5V - 0.9A

 5V --- 0.9A

 5V --- 0.9A

USB-C 1: 5V - 3A

USB-C 2: 5V - 3A / 9V - 3A / 12V-- 3A / 15V- 3A / 20V-- 3.25A

VARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTTAG.

ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.

VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA
VARUSTETTUUN PISTORASIAAN.

ADVARSEL: APPARATETS STIKKPROP SKAL TILSLUTTES EN STIKKONTAKT
MED JORD, SOM GIVER FORBINDELSE TIL STIKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation



I.T.E.
64RJ
E364616



UK
CA



SMART Technologies ULC. All rights reserved. SMART Board, the SMART logo and smarttech are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries.

SMART Board® SMART

SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1, CANADA

smarttech.com/support • smarttech.com/compliance • smarttech.com/patents

1038833-02

IDX65-4

65" LCD MONITOR

Made in China



Input: 100-240V~, 4.25-2.0A, 50/60Hz

CAUTION

RISK OF ELECTRIC SHOCK. DO NOT OPEN.
RISQUE D'ELECTROCUTION. NE PAS OUVRIR.

CAN ICES-003 (A) / NMB-003 (A)

Contains FCC ID: QCI-IDNMOD1 and FCC ID: 2AR82-SKIWB921AU1

Contains IC: 4302A-IDNMOD1 and IC: 24728-SKIWB921AU1

USB3.0: 5V $\equiv$ 0.9A

Service 1: 5V $\equiv$ 0.5A

Service 2: 5V $\equiv$ 0.9A

 5V $\equiv$ 0.9A

 5V $\equiv$ 0.9A

USB-C 1: 5V $\equiv$ 3A

USB-C 2: 5V $\equiv$ 3A / 9V $\equiv$ 3A / 12V $\equiv$ 3A / 15V $\equiv$ 3A / 20V $\equiv$ 3.25A

VARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTTAG.

ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.

VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA
VARUSTETTUUN PISTORASIAAN.

ADVARSEL: APPARATETS STIKKPROP SKAL TILSLUTTES EN STIKKONTAKT
MED JORD, SOM GIVER FORBINDELSE TIL STIKKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation



LISTED

I.T.E.
64RJ
E364616



UK
CA



SMART Technologies ULC. All rights reserved. SMART Board, the SMART logo and smarttech are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries.

SMART Board® SMART®

SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1, CANADA

smarttech.com/support • smarttech.com/compliance • smarttech.com/patents

1038838-02

IDX75-4

75" LCD MONITOR

Made in China



Input: 100-240V~, 5.75-2.5A, 50/60Hz

CAUTION

RISK OF ELECTRIC SHOCK. DO NOT OPEN.
RISQUE D'ELECTROCUTION. NE PAS OUVRIR.

CAN ICES-003 (A) / NMB-003 (A)

Contains FCC ID: QCI-IDNMOD1 and FCC ID: 2AR82-SKIWB921AU1

Contains IC: 4302A-IDNMOD1 and IC: 24728-SKIWB921AU1

USB3.0: 5V $\equiv$ 0.9A

Service 1: 5V $\equiv$ 0.5A

Service 2: 5V $\equiv$ 0.9A

 5V $\equiv$ 0.9A

 5V $\equiv$ 0.9A

USB-C 1: 5V $\equiv$ 3A

USB-C 2: 5V $\equiv$ 3A / 9V $\equiv$ 3A / ~~12V~~ $\equiv$ 3A / 15V $\equiv$ 3A / 20V $\equiv$ 3.25A

VARNING: APPARATEN SKALL ANSLUTAS TILL JORDÄT UTTAG.

ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.

VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA
VARUSTETTUUN PISTORÄSIAAN.

ADVARSEL: APPARATETS STIKPROP SKAL TILSLUTTES EN STIKKONTAKT
MED JORD, SOM GIVER FORBINDELSE TIL STIKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation

SMART Technologies ULC. All rights reserved. SMART Board, the SMART logo and smarttech are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries.



LISTED

I.T.E.
64RJ
E364616



UK
CA



SMART Board® SMART

SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1, CANADA

smarttech.com/support • smarttech.com/compliance • smarttech.com/patents

1038843-02

IDX86-4

86" LCD MONITOR

Made in China



Input: 100-240V~, 6.25-2.8A, 50/60Hz

CAUTION

RISK OF ELECTRIC SHOCK. DO NOT OPEN.
RISQUE D'ELECTROCUTION. NE PAS OUVRIR.

CAN ICES-003 (A) / NMB-003 (A)

Contains FCC ID: QCI-IDNMOD1 and FCC ID: 2AR82-SKIWB921AU1

Contains IC: 4302A-IDNMOD1 and IC: 24728-SKIWB921AU1

USB3.0: 5V --- 0.9A

Service 1: 5V --- 0.5A

Service 2: 5V --- 0.9A

 5V --- 0.9A

 5V --- 0.9A

USB-C 1: 5V --- 3A

USB-C 2: 5V --- 3A / 9V --- 3A / 12V --- 3A / 15V --- 3A / 20V --- 3.25A

WARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTGÅG.

ADVARSEL: APPARATET MÅ TILKOPLSES JORDET STIKKONTAKT.

VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA
VARUSTETTUUN PISTORASIAAN.

ADVARSEL: APPARATETS STIKPROP SKAL TILSLUTTES EN STIKKONTAKT
MED JORD, SOM GIVER FORBINDELSE TIL STIKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation

SMART Technologies ULC. All rights reserved. SMART Board, the SMART logo and smarttech are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries.



LISTED

I.T.E.
64RJ
E364616



SMART Board® SMART

SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1, CANADA

smarttech.com/support • smarttech.com/compliance • smarttech.com/patents

1038848-02

SBID-MX055-V4

55" LCD MONITOR

Made in China



Input: 100-240V~, 4.0-1.75A, 50/60Hz

CAUTION

RISK OF ELECTRIC SHOCK. DO NOT OPEN.
RISQUE D'ELECTROCUTION. NE PAS OUVRIR.

CAN ICES-003 (A) / NMB-003 (A)

Contains FCC ID: QCI-IDNMOD1 and FCC ID: 2AR82-SKIWB921AU1

Contains IC: 4302A-IDNMOD1 and IC: 24728-SKIWB921AU1

USB3.0: 5V --- 0.9A

Service 1: 5V - 0.5A

Service 2: 5V - 0.9A

 5V --- 0.9A

 5V --- 0.9A

USB-C 1: 5V - 3A

USB-C 2: 5V - 3A / 9V - 3A / 12V-- 3A / 15V- 3A / 20V-- 3.25A

VARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTTAG.

ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.

VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA
VARUSTETTUUN PISTORASIAAN.

ADVARSEL: APPARATETS STIKKPROP SKAL TILSLUTTES EN STIKKONTAKT
MED JORD, SOM GIVER FORBINDELSE TIL STIKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation



I.T.E.
64RJ
E364616



UK
CA



SMART Technologies ULC. All rights reserved. SMART Board, the SMART logo and smarttech are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries.

SMART Board® SMART

SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1, CANADA

smarttech.com/support • smarttech.com/compliance • smarttech.com/patents

1038833-02

SBID-MX065-V4

65" LCD MONITOR

Made in China



Input: 100-240V~, 4.25-2.0A, 50/60Hz

CAUTION

RISK OF ELECTRIC SHOCK. DO NOT OPEN.
RISQUE D'ELECTROCUTION. NE PAS OUVRIR.

CAN ICES-003 (A) / NMB-003 (A)

Contains FCC ID: QCI-IDNMOD1 and FCC ID: 2AR82-SKIWB921AU1

Contains IC: 4302A-IDNMOD1 and IC: 24728-SKIWB921AU1

USB3.0: 5V --- 0.9A

Service 1: 5V --- 0.5A

Service 2: 5V --- 0.9A

 5V --- 0.9A

 5V --- 0.9A

USB-C 1: 5V --- 3A

USB-C 2: 5V --- 3A / 9V --- 3A / 12V --- 3A / 15V --- 3A / 20V --- 3.25A

VARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTTAG.

ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.

VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA
VARUSTETTUUN PISTORASIAAN.

ADVARSEL: APPARATETS STIKPROP SKAL TILSLUTTES EN STIKKONTAKT
MED JORD, SOM GIVER FORBINDELSE TIL STIKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation

SMART Technologies ULC. All rights reserved. SMART Board, the SMART logo and smarttech are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries.



LISTED

I.T.E.
64RJ
E364616



UK
CA



SMART Board®

SMART®

SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1, CANADA

smarttech.com/support • smarttech.com/compliance • smarttech.com/patents

1038838-02

SBID-MX075-V4

75" LCD MONITOR

Made in China



Input: 100-240V~, 5.75-2.5A, 50/60Hz

CAUTION

RISK OF ELECTRIC SHOCK. DO NOT OPEN.
RISQUE D'ELECTROCUTION. NE PAS OUVRIR.

CAN ICES-003 (A) / NMB-003 (A)

Contains FCC ID: QCI-IDNMOD1 and FCC ID: 2AR82-SKIWB921AU1

Contains IC: 4302A-IDNMOD1 and IC: 24728-SKIWB921AU1

USB3.0: 5V $\Rightarrow$ 0.9A

Service 1: 5V $\Rightarrow$ 0.5A

Service 2: 5V $\Rightarrow$ 0.9A

 5V $\Rightarrow$ 0.9A

 5V $\Rightarrow$ 0.9A

USB-C 1: 5V $\Rightarrow$ 3A

USB-C 2: 5V $\Rightarrow$ 3A / 9V $\Rightarrow$ 3A / ~~12V~~ $\Rightarrow$ 3A / 15V $\Rightarrow$ 3A / 20V $\Rightarrow$ 3.25A

VARNING: APPARATEN SKALL ANSLUTAS TILL JORDÄT UTTAG.

ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.

VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA
VARUSTETTUUN PISTORÄSIAAN.

ADVARSEL: APPARATETS STIKPROP SKAL TILSLUTTES EN STIKKONTAKT
MED JORD, SOM GIVER FORBINDELSE TIL STIKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation



LISTED

I.T.E.
64RJ
E364616



UK
CA



SMART Technologies ULC. All rights reserved. SMART Board, the SMART logo and smarttech are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries.

SMART Board® SMART®

SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1, CANADA

smarttech.com/support • smarttech.com/compliance • smarttech.com/patents

1038843-02

SBID-MX086-V4

86" LCD MONITOR

Made in China



Input: 100-240V~, 6.25-2.8A, 50/60Hz

CAUTION

RISK OF ELECTRIC SHOCK. DO NOT OPEN.
RISQUE D'ELECTROCUTION. NE PAS OUVRIR.

CAN ICES-003 (A) / NMB-003 (A)

Contains FCC ID: QCI-IDNMOD1 and FCC ID: 2AR82-SKIWB921AU1

Contains IC: 4302A-IDNMOD1 and IC: 24728-SKIWB921AU1

USB3.0: 5V --- 0.9A

Service 1: 5V --- 0.5A

Service 2: 5V --- 0.9A

 5V --- 0.9A

 5V --- 0.9A

USB-C 1: 5V --- 3A

USB-C 2: 5V --- 3A / 9V --- 3A / 12V --- 3A / 15V --- 3A / 20V --- 3.25A

VARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTTAG.

ADVARSEL: APPARATET MÅ TILKOPLER JORDET STIKKONTAKT.

VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA
VARUSTETTUUN PISTORASIAAN.

ADVARSEL: APPARATETS STIKPROP SKAL TILSLUTTES EN STIKKONTAKT
MED JORD, SOM GIVER FORBINDELSE TIL STIKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation

SMART Technologies ULC. All rights reserved. SMART Board, the SMART logo and smarttech are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries.



LISTED

I.T.E.
64RJ
E364616



UK
CA



SMART Board® SMART

SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1, CANADA

smarttech.com/support • smarttech.com/compliance • smarttech.com/patents

1038848-02

SBID-QX065

LCD MONITOR

Made in China

HDMITM
HIGH-DEFINITION MULTIMEDIA INTERFACE

100-240V~, 6.1-2.7A, 50/60Hz
100-240V~, 2.5-1.1A, 50/60Hz, 250W

CAN ICES-003(A) / NMB-003(A)

Contains IC: 24278-SKIWB921AU1, IC: 4302A-IDNMOD1, and IC: 4302A-IDQXMOD1

Contains FCC ID: 2AR82-SKIWB921AU1, FCC ID: QCI-IDNMOD1, and FCC ID: QCI-IDQXMOD1

USB3.0: 5V --- 0.9A

Service 1: 5V --- 0.5A

Service 2: 5V --- 0.9A

5V --- 0.9A

5V --- 0.9A

USB-C 1: 5V --- 3A

USB-C 2: 5V --- 3.0A / 9V --- 3.0A / 12V --- 3.0A
15V --- 3.0A / 20V --- 3.25A

VARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTTAG.

ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.

VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA VARUSTETTUUN PISTORASIAAN.

ADVARSEL: APPARATETS STIKPROP SKAL TILSLUTTET EN STIKKONTAKT MED JORD, SOM GIVER FORBINDELSE TIL STIKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

© 2022 SMART Technologies ULC. All rights reserved. SMART Board, the SMART logo and smarttech are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries.

smarttech.com/support

smarttech.com/compliance

smarttech.com/patents



I.T.E.
64RJ
E364616



210-192431



SMART Board® SMART®

SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1,
CANADA

103xxxx - 0x

この装置は、クラスA情報技術装置です。この装置を家庭環境で使用する
と電波妨害を引き起こすことがあります。この場合には使用者が適切な対策
を講ずるよう要求されることがあります。 VCCI-A

SBID-QX075

LCD MONITOR

Made in China

HDMITM
HIGH-DEFINITION MULTIMEDIA INTERFACE

100-240V~, 6.3-2.7A, 50/60Hz
100-240V~, 2.5-1.1A, 50/60Hz, 250W

CAN ICES-003(A) / NMB-003(A)

Contains IC: 24278-SKIWB921AU1, IC: 4302A-IDNMOD1, and
IC: 4302A-IDQXMOD1

Contains FCC ID: 2AR82-SKIWB921AU1,
FCC ID: QCI-IDNMOD1, and FCC ID: QCI-IDQXMOD1

USB3.0: 5V --- 0.9A

Service 1: 5V --- 0.5A

Service 2: 5V --- 0.9A

5V --- 0.9A

5V --- 0.9A

USB-C 1: 5V --- 3A

USB-C 2: 5V --- 3.0A / 9V --- 3.0A / 12V --- 3.0A

15V --- 3.0A / 20V --- 3.25A

VARNING: APPARATEN SKALL ANSLUTAS TILL JORDAT UTTAG.

ADVARSEL: APPARATET MÅ TILKOPLES JORDET STIKKONTAKT.

VAROITUS: LAITE ON LIITETTÄVÄ SUOJAMAADOITUSKOSKETTIMILLA VARUSTETTUUN PISTORASIAAN.

ADVARSEL: APPARATETS STIKPROP SKAL TILSLUTTET EN STIKKONTAKT MED JORD, SOM GIVER FORBINDELSE TIL STIKPROPPENS JORD

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and

(2) This device must accept any interference received, including interference that may cause undesired operation.

© 2022 SMART Technologies ULC. All rights reserved. SMART Board, the
SMART logo and smarttech are trademarks or registered trademarks of SMART
Technologies ULC in the U.S. and/or other countries.

smarttech.com/support

smarttech.com/compliance

smarttech.com/patents



SMART Board®

SMART®

SMART Technologies ULC
3636 Research Road NW
Calgary, AB T2L 1Y1,
CANADA

103xxx -0x