



ANNEX 1 - TEST DATA PLOTS

Plot # 1
 99% Emission Bandwidth
 Carrier Frequency: 806.0125 MHz
 Channel Spacing: 25 kHz
 Power: 2 W
 Modulation: FM with 19.2 kbps random data rate




ANNEX 1 - TEST DATA PLOTS

Plot # 2
 99% Emission Bandwidth
 Carrier Frequency: 815.0875 MHz
 Channel Spacing: 25 kHz
 Power: 2 W
 Modulation: FM with 19.2 kbps random data rate



ANNEX 1 - TEST DATA PLOTS

Plot # 3
99% Emission Bandwidth
Carrier Frequency: 824.9875 MHz
Channel Spacing: 25 kHz
Power: 2 W
Modulation: FM with 19.2 kbps random data rate



ANNEX 1 - TEST DATA PLOTS


Plot # 4
Emission Mask G
Carrier Frequency: 806.0125 MHz
Channel Spacing: 25 kHz
Power: 2 W
Modulation: FM with 19.2 kbps random data rate



PAMNET SYSTEM CO.
DATATAC OEM MODEM (806-824 MHz)
FREQUENCY 806.0125 MHz OUTPUT POWER 33 dBm
FM MODULATION WITH 19.2 kbps , FREQUENCY DEV 5.6 KHz
MASK G


Date: MAY 28 2022
Tested By: Wayne

ACTV DET: PEAK
MEAS DET: PEAK QP AVG
No user
Menu




ANNEX 1 - TEST DATA PLOTS

Plot # 5
 Emission Mask G
 Carrier Frequency: 815.0875 MHz
 Channel Spacing: 25 kHz
 Power: 2 W
 Modulation: FM with 19.2 kbps random data rate



ANNEX 1 - TEST DATA PLOTS

Plot # 6
 Emission Mask G
 Carrier Frequency: 824.9875 MHz
 Channel Spacing: 25 kHz
 Power: 2 W
 Modulation: FM with 19.2 kbps random data rate



ANNEX 1 - TEST DATA PLOTS

Plot # 7


Spurious Emissions at Antenna Terminals

Carrier Frequency: 806.0125 MHz

Channel Spacing: 25 kHz

Power: 2 W

Modulation: FM with 19.2 kbps random data rate



ANNEX 1 - TEST DATA PLOTS

Plot # 8


Spurious Emissions at Antenna Terminals

Carrier Frequency: 806.0125 MHz

Channel Spacing: 25 kHz

Power: 2 W

Modulation: FM with 19.2 kbps random data rate



ANNEX 1 - TEST DATA PLOTS

Plot # 9


Spurious Emissions at Antenna Terminals

Carrier Frequency: 806.0125 MHz

Channel Spacing: 25 kHz

Power: 2 W

Modulation: FM with 19.2 kbps random data rate



ANNEX 1 - TEST DATA PLOTS

Plot # 10


Spurious Emissions at Antenna Terminals

Carrier Frequency: 815.0875 MHz

Channel Spacing: 25 kHz

Power: 2 W

Modulation: FM with 19.2 kbps random data rate



ANNEX 1 - TEST DATA PLOTS

Plot # 11


Spurious Emissions at Antenna Terminals

Carrier Frequency: 815.0875 MHz

Channel Spacing: 25 kHz

Power: 2 W

Modulation: FM with 19.2 kbps random data rate



ANNEX 1 - TEST DATA PLOTS

Plot # 12


Spurious Emissions at Antenna Terminals

Carrier Frequency: 815.0875 MHz

Channel Spacing: 25 kHz

Power: 2 W

Modulation: FM with 19.2 kbps random data rate



ANNEX 1 - TEST DATA PLOTS

Plot # 13


Spurious Emissions at Antenna Terminals

Carrier Frequency: 824.9875 MHz

Channel Spacing: 25 kHz

Power: 2 W

Modulation: FM with 19.2 kbps random data rate



ANNEX 1 - TEST DATA PLOTS

Plot #14


Spurious Emissions at Antenna Terminals

Carrier Frequency: 824.9875 MHz

Channel Spacing: 25 kHz

Power: 2 W

Modulation: FM with 19.2 kbps random data rate



ANNEX 1 - TEST DATA PLOTS

Plot # 15

Spurious Emissions at Antenna Terminals

Carrier Frequency: 824.9875 MHz

Channel Spacing: 25 kHz

Power: 2 W

Modulation: FM with 19.2 kbps random data rate

