



TE Confidential

天线技术规格书

客户	NEXCOM
机种名称	
客户 P/N	603ANT0143X00 & 603ANT0144X00
泰科 P/N	2-1513472-1 & 2-1513472-2
天线类型	PIFA type Antenna

结构工程师	射频工程师	审核	批准
Ares	Jessica Wu	Aku Huang	Richard Gong

客户批准



TE Confidential


目录

1. 目录
2. 天线结构图
3. 天线图片
4. 天线参数
5. 天线测试条件
6. 测试结果

2. 天线结构图

2.1 WIFI Antenna (2-1513472-1 & 2-1513472-2)

603ANT0143X00 & 603ANT0144X00



3. 天线图片


WIFI (P/N: 2-1513472-1)

603ANT0143X00



WIFI (P/N: 2-1513472-2)

603ANT0144X00





TE Confidential

4. 天线参数

天线频段范围：2400~2500MHz & 5150-5875MHz


连接头：RF Connector

线材：Coaxial Dia. 1.13mm

阻抗：50 Ω

5. 天线测试条件


(Testing by SG24 3D anechoic chamber)




6. 测试结果

6.1 Return Loss

P/N:2-1513472-1



P/N:2-1513472-2





TE Confidential

6.2 Efficiency and Peak Gain

P/N: 2-1513472-1



Freq(MHz)	Efficiency	Peak gain
2400	-3.4	0.9
2442	-2.6	0.9
2484	-2.3	1.1
5150	-2.4	2.2
5250	-1.4	4.8
5350	-0.9	3.7
5470	-0.7	4.8
5725	-1.4	3.9
5785	-1.3	5.1
5875	-2.5	4.2

P/N: 2-1513472-2


Freq (MHz)	Efficiency	Peak gain
2400	-3.7	-0.2
2442	-2.8	0.9
2484	-2.9	0.9
5150	-2.3	3.2
5250	-1.6	4.6
5350	-0.8	4.7
5470	-0.7	5.8
5725	-1.1	4.2
5785	-0.7	4.3
5875	-1.4	4.1

6.3 方向图 (2D)


P/N: 2-1513472-1




Phi=0 (Y-Z plane)



Phi=90 (X-Z plane)




Theta=90 (X-Y plane)




P/N: 2-1513472-2

Phi=0 (Y-Z plane)



Phi=90 (X-Z plane)



Theta=90 (X-Y plane)

