

CommScope Technologies, LLC

TEST REPORT

SCOPE OF WORK

EMISSIONS TESTING – RPM-A5A11-B66 (Band 10)

REPORT NUMBER

105081151BOX-002

ISSUE DATE

June 13, 2022

[REVISED DATE]

July 15, 2022

DOCUMENT CONTROL NUMBER

Non-Specific Radio Report Shell Rev. December 2017
© 2017 INTERTEK



EMISSIONS TEST REPORT


(FULL COMPLIANCE)

Report Number: 105081151BOX-002**Project Number:** G105081151**Report Issue Date:** 06/13/2022**Report Revision Date:** 07/15/2022**Model(s) Tested:** RPM-A5A11-B66 (Band 10)**Model(s) Partially Tested:** None**Model(s) Not Tested but declared equivalent by the client:** None**Standards:** CFR47 FCC Part 27 (06/2022)

Tested by:
Intertek Testing Services NA, Inc.
70 Codman Hill Road
Boxborough, MA 01719
USA

Client:
CommScope Technologies LLC
900 Chelmsford St.
Lowell, MA 01851
USA

Report prepared by



Vathana Ven / EMC Engineering Supervisor

Report reviewed by



Kouma Sinn / EMC Engineering Supervisor

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

Table of Contents

1	<i>Introduction and Conclusion</i>	4
2	<i>Test Summary</i>	4
3	<i>Client Information</i>	5
4	<i>Description of Equipment Under Test and Variant Models</i>	5
5	<i>System Setup and Method</i>	6
6	<i>Maximum Peak Output Power</i>	8
7	<i>Peak-to-Average Power Ratio (PAPR)</i>	47
8	<i>26 dB Bandwidth and Occupied Bandwidth</i>	85
9	<i>Upper Band Edge Compliance</i>	154
10	<i>Revision History</i>	176

1 Introduction and Conclusion

The tests indicated in section 2.0 were performed on the product constructed as described in section 4.0. The remaining test sections are the verbatim text from the actual data sheets used during the investigation. These test sections include the test name, the specified test Method, a list of the actual Test Equipment Used, documentation Photos, Results and raw Data. No additions, deviations, or exclusions have been made from the standard(s) unless specifically noted.

Based on the results of our investigation, we have concluded the product tested **complies** with the requirements of the standard(s) indicated. The results obtained in this test report pertain only to the item(s) tested. Intertek does not make any claims of compliance for samples or variants which were not tested.

2 Test Summary

Section	Test full name	Result
3	Client Information	--
4	Description of Equipment Under Test and Variant Models	--
5	System Setup and Method	--
6	Maximum Peak Output Power CFR47 FCC Parts 2.1046 and 27.50(d)(1-2)	Pass
7	Peak-to-Average Power Ratio (PAPR) CFR47 FCC Part 27.50(d)(5)	Pass
8	26 dB Bandwidth and Occupied Bandwidth CFR47 FCC Parts 2.1049 and 27.53(h)(3)	Pass
9	Band Edge Compliance CFR47 FCC 2.1051, 2.1053, and 27.53(h)	Pass
10	Transmitter Spurious Emissions CFR47 Parts 2.1051, 2.1053, 2.1057, and 27.53(h)	Pass
11	Revision History	--

Notes: Band 10 is a subset of Band 66 the hardware is identical. It was added as a class 2 permissive change to Band 66 module.

3 Client Information

This EUT was tested at the request of:

Client: CommScope Technologies LLC
900 Chelmsford St.
Lowell, MA 01851
USA

Contact: Mr. Zac Johnson
Telephone: (978) 250-2678
Fax: None
Email: zac.johnson@commscope.com

4 Description of Equipment Under Test and Variant Models

Manufacturer: CommScope Telecommunications (China) Ltd.
68 Su Hong Xi Lu, Suzhou Industrial Park.
Suzhou, Jiangsu, 215021, China

Equipment Under Test			
Description	Manufacturer	Model Number	Serial Number
Band 10 Radio Module	CommScope Technologies LLC	RPM-A5A11-B66 (Band 10)	19473000001

Notes: Band 10 is a subset of Band 66 the hardware is identical. It was added as a class 2 permissive change to Band 66 module.

Receive Date:	06/03/2022
Received Condition:	Good
Type:	Production

Description of Equipment Under Test (provided by client)

The Radio Module is band specific using the Analog devices RF Agile Transceiver IC, AD936x. The device combines an RF front end with a flexible mixed-signal baseband section and integrated frequency synthesizers providing a configurable digital interface to the processor. The Radio Module also contains a band specific front end, band specific antenna and required power rails. All power rails required are derived from the 12 VDC bus supplied by the Baseband card. The reference frequency for the radio IC is 38.4 MHz is derived from the from an OCXO which is disciplined from a 1588 reference clock. It supports bandwidths of 5, 10, 15, and 20 MHz with four modulations; TM1.1-QPSK, TM3.2-16QAM, TM3.1-64QAM, and TM3.1a-256QAM. The radio is fixed.

Description of Radio Host (provided by client)

The OneCell® RP5100 family is factory configurable with 2 – 4 Radios Modules mounted to a Baseband card. The same PCB's will be used in both indoor and outdoor version of the radio point. The device is fixed.

The baseband card is the host for the modular radios. It contains a two ethernet PHY's with one supporting 100M/1G/2.5G/5G/10G ethernet and the other supporting 100M/1G. The main processor is Zynlinx Ultrascale+ MPSoC with 2 GB DDR3 and 4 GB Flash memory. The baseband PCBA converts POE power to +12 VDC bus voltage require as input to the radio modules.

Equipment Under Test Power Configuration			
Rated Voltage	Rated Current	Rated Frequency	Number of Phases
48 VDC	0.960 mA per pair max	DC	N/A

Operating modes of the EUT:

No.	Descriptions of EUT Exercising
1	Pre-programmed to transmit at Low, Mid, and High channels at four different modulations, TM1.1-QPSK, TM3.2-16QAM, TM3.1-64QAM, and TM3.1a-256QAM.

Software used by the EUT:

No.	Descriptions of EUT Exercising
1	RP5200_B4_B10

Radio/Receiver Characteristics	
Frequency Band(s)	2110-2170 MHz
Modulation Type(s)	TM1.1-QPSK, TM3.2-16QAM, TM3.1-64 QAM, TM3.1a-256QAM
Maximum Output Power (conducted)	22.73 dBm (Conducted)
Test Channels	Low, Middle, High Channels of 5 MHz, 10 MHz, 15 MHz, and 20 MHz Bandwidths, Single Channel operation only
Occupied Bandwidth	MHz (Worst-case)
MIMO Information (# of Transmit and Receive antenna ports)	2x2 MIMO using cross polarized antennas and uncorrelated data streams
Equipment Type	Module in a host
Antenna Type and Gain	Detachable Antenna: +4 dBi (as provided by the client. Intertek takes no responsibility for the accuracy of this information. Actual antenna gain will be determined at the time of licensing)

Variant Models:

The following variant models were not tested as part of this evaluation, but have been identified by the manufacturer as being electrically identical models, depopulated models, or with reasonable similarity to the model(s) tested. Intertek does not make any claims of compliance for samples or variants which were not tested.

None

5 System Setup and Method

Cables					
ID	Description	Length (m)	Shielding	Ferrites	Termination
--	LAN (POE Power Cable)	2.58	Shielded	None	POE P/S
--	LAN (Communication)	9.00	Shielded	None	Laptop


Support Equipment			
Description	Manufacturer	Model Number	Serial Number
Laptop	Dell	LATITUDE 3520	None
Power Device Analyzer	Sifos Technologies	PDA-604A	604A0107
OneCell® RP5200*	CommScope Technologies LLC	RP-A52xxi	16361780004

*Radio host used for testing

5.1 Method:

Configuration as required by ANSI C63.26-2015, KDB662911, and CFR47 FCC Part 27 (06/2022).

5.2 EUT Block Diagram:



6 Maximum Peak Output Power

6.1 Method

Tests are performed in accordance with CFR47 FCC Parts 2.1046 and 27, KDB 662911, and ANSI C63.26 Section 5.2.4.4.

TEST SITE: EMC Lab

The EMC Lab has one Semi-anechoic Chamber and one Shielded Chamber. AC Mains Power is available at 120, 230, and 277 Single Phase; 208, 400, and 480 3-Phase. Large reference ground-planes are installed in the general lab area to facilitate EMC work not requiring a shielded environment.

6.2 Test Equipment Used:

Asset	Description	Manufacturer	Model	Serial	Cal Date	Cal Due
CEN001*	DC-40GHz attenuator 20dB	Centric RF	C411-20	CEN001	01/26/2022	01/26/2023
CBLHF2012-2M-2	2m 9kHz-40GHz Coaxial Cable – SET2	Huber & Suhner	SF102	252675001	02/10/2022	02/10/2023
ROS005-1*	Signal and Spectrum Analyzer	Rohde and Schwartz	FSW43	100646	11/02/2021	11/02/2022
DAV005*	Weather Station	Davis	6250	MS191218083	02/11/2022	02/11/2023

Software Utilized:

Name	Manufacturer	Version
None	--	--

6.3 Results:

The maximum conducted output power was measured to be 22.73 dBm, which is much less than the EIRP limit of 27.50(d)(1-2). The sample tested was found to Comply. Antenna gain limitations will depend on the location of deployment. Output power from the two antenna ports was not summed since the data streams are uncorrelated and the antennas are cross polarized.

FCC Part §27.50(d) The following power and antenna height requirements apply to stations transmitting in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz and 2180-2200 MHz bands:

(1) The power of each fixed or base station transmitting in the 1995-2000 MHz, 2110-2155 MHz, 2155-2180 MHz or 2180-2200 MHz band and located in any county with population density of 100 or fewer persons per square mile, based upon the most recently available population statistics from the Bureau of the Census, is limited to:

(i) An equivalent isotropically radiated power (EIRP) of 3280 watts when transmitting with an emission bandwidth of 1 MHz or less;

(ii) An EIRP of 3280 watts/MHz when transmitting with an emission bandwidth greater than 1 MHz.

(2) The power of each fixed or base station transmitting in the 1995-2000 MHz, the 2110-2155 MHz 2155-2180 MHz band, or 2180-2200 MHz band and situated in any geographic location other than that described in paragraph (d)(1) of this section is limited to:

(i) An equivalent isotropically radiated power (EIRP) of 1640 watts when transmitting with an emission bandwidth of 1 MHz or less;

(ii) An EIRP of 1640 watts/MHz when transmitting with an emission bandwidth greater than 1 MHz.

Intertek

Report Number: 105081151BOX-002

Issued: 06/13/2022

Revised: 07/15/2022

Band 10, Bandwidth: 5 MHz, Modulation: TM1.1-QPSK

Channel	Frequency (MHz)	Antenna Port	Antenna Gain (dBi)	Conducted Output Power (dBm)	EIRP Output power (dBm)
Mid	2140.00	ANT0	4	22.31	26.31
		ANT1	4	21.84	25.84
High	2167.50	ANT0	4	22.32	26.32
		ANT1	4	22.73	26.73

Band 10, Bandwidth: 10 MHz, Modulation: TM1.1-QPSK

Channel	Frequency (MHz)	Antenna Port	Antenna Gain (dBi)	Conducted Output Power (dBm)	EIRP Output power (dBm)
Mid	2140.00	ANT0	4	22.62	26.62
		ANT1	4	21.98	25.98
High	2165.00	ANT0	4	21.97	25.97
		ANT1	4	22.62	26.62

Band 10, Bandwidth: 15 MHz, Modulation: TM1.1-QPSK

Channel	Frequency (MHz)	Antenna Port	Antenna Gain (dBi)	Conducted Output Power (dBm)	EIRP Output power (dBm)
Mid	2140.00	ANT0	4	22.46	26.46
		ANT1	4	21.95	25.95
High	2162.50	ANT0	4	22.08	26.08
		ANT1	4	22.65	26.65

Band 10, Bandwidth: 20 MHz, Modulation: TM1.1-QPSK

Channel	Frequency (MHz)	Antenna Port	Antenna Gain (dBi)	Conducted Output Power (dBm)	EIRP Output power (dBm)
Mid	2140.00	ANT0	4	22.43	26.43
		ANT1	4	21.93	25.93
High	2160.00	ANT0	4	22.17	26.17
		ANT1	4	22.66	26.66

Band 10, Bandwidth: 5 MHz, Modulation: TM3.2-16QAM

Channel	Frequency (MHz)	Antenna Port	Antenna Gain (dBi)	Conducted Output Power (dBm)	EIRP Output power (dBm)
Mid	2140.00	ANT0	4	22.01	26.01
		ANT1	4	21.53	25.53
High	2167.50	ANT0	4	21.58	25.58
		ANT1	4	22.05	26.05

Band 10, Bandwidth: 10 MHz, Modulation: TM3.2-16QAM

Channel	Frequency (MHz)	Antenna Port	Antenna Gain (dBi)	Conducted Output Power (dBm)	EIRP Output power (dBm)
Mid	2140.00	ANT0	4	21.95	25.95
		ANT1	4	21.53	25.53
High	2165.00	ANT0	4	21.45	25.45
		ANT1	4	22.18	26.18

Intertek

Report Number: 105081151BOX-002

Issued: 06/13/2022

Revised: 07/15/2022

Band 10, Bandwidth: 15 MHz, Modulation: TM3.2-16QAM

Channel	Frequency (MHz)	Antenna Port	Antenna Gain (dBi)	Conducted Output Power (dBm)	EIRP Output power (dBm)
Mid	2140.00	ANT0	4	21.76	25.76
		ANT1	4	21.30	25.30
High	2162.50	ANT0	4	21.41	25.41
		ANT1	4	22.01	26.01

Band 10, Bandwidth: 20 MHz, Modulation: TM3.2-16QAM

Channel	Frequency (MHz)	Antenna Port	Antenna Gain (dBi)	Conducted Output Power (dBm)	EIRP Output power (dBm)
Mid	2140.00	ANT0	4	21.95	25.95
		ANT1	4	21.60	25.60
High	2160.00	ANT0	4	21.73	25.73
		ANT1	4	22.40	26.40

Band 10, Bandwidth: 5 MHz, Modulation: TM3.1-64QAM

Channel	Frequency (MHz)	Antenna Port	Antenna Gain (dBi)	Conducted Output Power (dBm)	EIRP Output power (dBm)
Mid	2140.00	ANT0	4	22.64	26.64
		ANT1	4	22.22	26.22
High	2167.50	ANT0	4	22.19	26.19
		ANT1	4	22.51	26.51

Band 10, Bandwidth: 10 MHz, Modulation: TM3.1-64QAM

Channel	Frequency (MHz)	Antenna Port	Antenna Gain (dBi)	Conducted Output Power (dBm)	EIRP Output power (dBm)
Mid	2140.00	ANT0	4	22.69	26.69
		ANT1	4	21.99	25.99
High	2165.00	ANT0	4	22.00	26.00
		ANT1	4	22.66	26.66

Band 10 Bandwidth: 15 MHz, Modulation: TM3.1-64QAM

Channel	Frequency (MHz)	Antenna Port	Antenna Gain (dBi)	Conducted Output Power (dBm)	EIRP Output power (dBm)
Mid	2140.00	ANT0	4	22.46	26.46
		ANT1	4	21.97	25.97
High	2162.50	ANT0	4	22.07	26.07
		ANT1	4	22.59	26.59

Band 10, Bandwidth: 20 MHz, Modulation: TM3.1-64QAM

Channel	Frequency (MHz)	Antenna Port	Antenna Gain (dBi)	Conducted Output Power (dBm)	EIRP Output power (dBm)
Mid	2140.00	ANT0	4	22.46	26.46
		ANT1	4	21.78	25.78
High	2160.00	ANT0	4	22.12	26.12
		ANT1	4	22.65	26.65

Intertek

Report Number: 105081151BOX-002

Issued: 06/13/2022

Revised: 07/15/2022

Band 10, Bandwidth: 5 MHz, Modulation: TM3.1a-256QAM

Channel	Frequency (MHz)	Antenna Port	Antenna Gain (dBi)	Conducted Output Power (dBm)	EIRP Output power (dBm)
Mid	2140.00	ANT0	4	22.34	26.34
		ANT1	4	21.91	25.91
High	2167.50	ANT0	4	22.13	26.13
		ANT1	4	22.56	26.56

Band 10, Bandwidth: 10 MHz, Modulation: TM3.1a-256QAM

Channel	Frequency (MHz)	Antenna Port	Antenna Gain (dBi)	Conducted Output Power (dBm)	EIRP Output power (dBm)
Mid	2140.00	ANT0	4	22.42	26.42
		ANT1	4	21.94	25.94
High	2165.00	ANT0	4	21.99	25.99
		ANT1	4	22.68	26.68

Band 10, Bandwidth: 15 MHz, Modulation: TM3.1a-256QAM

Channel	Frequency (MHz)	Antenna Port	Antenna Gain (dBi)	Conducted Output Power (dBm)	EIRP Output power (dBm)
Mid	2140.00	ANT0	4	22.27	26.27
		ANT1	4	21.85	25.85
High	2162.50	ANT0	4	22.68	26.68
		ANT1	4	22.07	26.07

Band 10, Bandwidth: 20 MHz, Modulation: TM3.1a-256QAM


Channel	Frequency (MHz)	Antenna Port	Antenna Gain (dBi)	Conducted Output Power (dBm)	EIRP Output power (dBm)
Mid	2140.00	ANT0	4	22.48	26.48
		ANT1	4	21.99	25.99
High	2160.00	ANT0	4	22.09	26.09
		ANT1	4	22.71	26.71

6.4 Setup Photograph:

Confidential – Photos not included in this report


6.5 Plots/Data:

TM1.1-QPSK_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, Output Power = 22.31 dBm




17:17:15 07.06.2022

TM1.1-QPSK_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, Output Power = 21.84 dBm




17:20:57 07.06.2022

TM1.1-QPSK_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2167.5 MHz, Output Power = 22.32 dBm




17:38:35 07.06.2022

TM1.1-QPSK_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2167.5 MHz, Output Power = 22.73 dBm




17:28:27 07.06.2022

TM1.1-QPSK_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, Output Power = 22.62 dBm




18:26:48 07.06.2022

TM1.1-QPSK_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, Output Power = 21.98 dBm




18:27:57 07.06.2022

TM1.1-QPSK_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2165MHz, Output Power = 22.00 dBm




18:36:28 07.06.2022

TM1.1-QPSK_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2165 MHz, Output Power = 22.62 dBm




18:30:57 07.06.2022

TM1.1-QPSK_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, Output Power = 22.46 dBm




20:24:52 07.06.2022

TM1.1-QPSK_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, Output Power = 21.95 dBm




20:26:08 07.06.2022


TM1.1-QPSK_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2162.5 MHz, Output Power = 22.08 dBm



TM1.1-QPSK_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2162.5 MHz, Output Power = 22.66 dBm




TM1.1-QPSK_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, Output Power = 22.43 dBm




21:27:13 07.06.2022

TM1.1-QPSK_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, Output Power = 21.93 dBm




21:26:08 07.06.2022

TM1.1-QPSK_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2160 MHz, Output Power = 22.17 dBm



21:30:16 07.06.2022

TM1.1-QPSK_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2160 MHz, Output Power = 22.66 dBm




21:37:25 07.06.2022


TM3.2-16QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, Output Power = 22.01 dBm




TM3.2-16QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, Output Power = 21.53 dBm



TM3.2-16QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2167.5 MHz, Output Power = 21.58 dBm



TM3.2-16QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2167.5 MHz, Output Power = 22.05 dBm




TM3.2-16QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, Output Power = 21.95 dBm




20:18:58 07.06.2022

TM3.2-16QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, Output Power = 21.53 dBm




20:17:46 07.06.2022

TM3.2-16QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, Output Power = 21.76 dBm



TM3.2-16QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, Output Power = 21.30 dBm




TM3.2-16QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2162.5 MHz, Output Power = 21.41 dBm



TM3.2-16QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2162.5 MHz, Output Power = 21.41 dBm




TM3.2-16QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, Output Power = 21.95 dBm



22:24:56 07.06.2022

TM3.2-16QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, Output Power = 21.60 dBm




22:23:49 07.06.2022

TM3.2-16QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2160 MHz, Output Power = 21.73 dBm




22:16:58 07.06.2022

TM3.2-16QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2160 MHz, Output Power = 22.40 dBm




22:20:13 07.06.2022

TM3.1-64QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, Output Power = 22.64 dBm




17:51:09 07.06.2022

TM3.1-64QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, Output Power = 22.22 dBm




17:49:36 07.06.2022

TM3.1-64QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2167.5 MHz, Output Power = 22.19 dBm




17:42:51 07.06.2022

TM3.1-64QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2167.5 MHz, Output Power = 22.51 dBm




17:44:30 07.06.2022

TM3.1-64QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, Output Power = 22.69 dBm




18:42:19 07.06.2022

TM3.1-64QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, Output Power = 21.99 dBm




18:41:02 07.06.2022

TM3.1-64QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2165 MHz, Output Power = 22.00 dBm




18:36:28 07.06.2022

TM3.1-64QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2165 MHz, Output Power = 22.66 dBm




18:38:23 07.06.2022

TM3.1-64QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, Output Power = 22.46 dBm




20:45:23 07.06.2022

TM3.1-64QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, Output Power = 21.97 dBm




20:44:03 07.06.2022

TM3.1-64QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2162.5 MHz, Output Power = 22.07 dBm




20:39:30 07.06.2022

TM3.1-64QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2162.5 MHz, Output Power = 22.59 dBm




20:41:26 07.06.2022


TM3.1-64QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, Output Power = 22.48 dBm




TM3.1-64QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, Output Power = 21.78 dBm




TM3.1-64QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2160 MHz, Output Power = 22.12 dBm



TM3.1-64QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2160 MHz, Output Power = 22.65 dBm




TM3.1a-256QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, Output Power = 22.34 dBm




17:54:56 07.06.2022

TM3.1a-256QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, Output Power = 21.91 dBm




17:56:21 07.06.2022

TM3.1a-256QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2167.5 MHz, Output Power = 22.13 dBm




18:01:50 07.06.2022

TM3.1a-256QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2167.5 MHz, Output Power = 22.56 dBm




17:59:40 07.06.2022

TM3.1a-256QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, Output Power = 22.42 dBm




19:01:32 07.06.2022

TM3.1a-256QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, Output Power = 21.94 dBm




19:03:06 07.06.2022

TM3.1a-256QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2165 MHz, Output Power = 21.99 dBm




19:09:19 07.06.2022

TM3.1a-256QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2165 MHz, Output Power = 22.68 dBm




19:06:30 07.06.2022

TM3.1a-256QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, Output Power = 22.27 dBm




20:50:04 07.06.2022

TM3.1a-256QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, Output Power = 21.85 dBm




20:51:17 07.06.2022

TM3.1a-256QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2162.5 MHz, Output Power = 22.68 dBm




20:54:15 07.06.2022

TM3.1a-256QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2162.5 MHz, Output Power = 22.07 dBm




20:56:45 07.06.2022

TM3.1a-256QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, Output Power = 21.99 dBm




22:07:47 07.06.2022

TM3.1a-256QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, Output Power = 21.99 dBm




22:07:47 07.06.2022

TM3.1a-256QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2160 MHz, Output Power = 22.09 dBm



22:13:09 07.06.2022

TM3.1a-256QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2160 MHz, Output Power = 22.71 dBm



22:11:13 07.06.2022

Test Personnel: Vathana Ven 
Supervising/Reviewing
Engineer:
(Where Applicable) N/A

Test Date: 06/07/2022

Product Standard: FCC Part 27
Input Voltage: 48 VDC (POE)

Limit Applied: See report section 6.3

Pretest Verification w/
Ambient Signals or
BB Source: N/A

Ambient Temperature: 25 °C

Relative Humidity: 43 %

Atmospheric Pressure: 1006 mbars

Deviations, Additions, or Exclusions: None

7 Peak-to-Average Power Ratio (PAPR)

7.1 Method

Tests are performed in accordance with ANSI C63.26 and CFR47 FCC Part 27.

TEST SITE: EMC Lab

The EMC Lab has one Semi-anechoic Chamber and one Shielded Chamber. AC Mains Power is available at 120, 230, and 277 Single Phase; 208, 400, and 480 3-Phase. Large reference ground-planes are installed in the general lab area to facilitate EMC work not requiring a shielded environment.

7.2 Test Equipment Used:

Asset	Description	Manufacturer	Model	Serial	Cal Date	Cal Due
CEN001'	DC-40GHz attenuator 20dB	Centric RF	C411-20	CEN001	01/26/2022	01/26/2023
CBLHF2012-2M-2	2m 9kHz-40GHz Coaxial Cable – SET2	Huber & Suhner	SF102	252675001	02/10/2022	02/10/2023
ROS005-1'	Signal and Spectrum Analyzer	Rohde and Schwartz	FSW43	100646	11/02/2021	11/02/2022
DAV005'	Weather Station	Davis	6250	MS191218083	02/11/2022	02/11/2023

Software Utilized:

Name	Manufacturer	Version
None	--	--

7.3 Results:

The sample tested was found to Comply.

FCC Part §27.50(d)(5) The peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

Intertek

Report Number: 105081151BOX-002

Issued: 06/13/2022

Revised: 07/15/2022

Band 10, Bandwidth: 5 MHz, Modulation: TM1.1-QPSK

Channel	Frequency (MHz)	Antenna Port	PAPR (dB)
Mid	2140.00	ANT0	10.22
		ANT1	10.24
High	2167.50	ANT0	11.11
		ANT1	10.25

Band 10, Bandwidth: 10 MHz, Modulation: TM1.1-QPSK

Channel	Frequency (MHz)	Antenna Port	PAPR (dB)
Mid	2140.00	ANT0	10.26
		ANT1	10.08
High	2165.00	ANT0	10.29
		ANT1	10.18

Band 10, Bandwidth: 15 MHz, Modulation: TM1.1-QPSK

Channel	Frequency (MHz)	Antenna Port	PAPR (dB)
Mid	2140.00	ANT0	11.63
		ANT1	11.84
High	2162.50	ANT0	11.08
		ANT1	11.58

Band 10, Bandwidth: 20 MHz, Modulation: TM1.1-QPSK

Channel	Frequency (MHz)	Antenna Port	PAPR (dB)
Mid	2140.00	ANT0	11.26
		ANT1	11.36
High	2160.00	ANT0	11.25
		ANT1	10.57

Band 10, Bandwidth: 5 MHz, Modulation: TM3.2-16QAM

Channel	Frequency (MHz)	Antenna Port	PAPR (dB)
Mid	2140.00	ANT0	9.78
		ANT1	9.87
High	2167.50	ANT0	10.61
		ANT1	10.46

Band 10, Bandwidth: 10 MHz, Modulation: TM3.2-16QAM

Channel	Frequency (MHz)	Antenna Port	PAPR (dB)
Mid	2140.00	ANT0	10.74
		ANT1	10.41
High	2165.00	ANT0	10.86
		ANT1	10.74

Band 10, Bandwidth: 15 MHz, Modulation: TM3.2-16QAM

Channel	Frequency (MHz)	Antenna Port	PAPR (dB)
Mid	2140.00	ANT0	10.73
		ANT1	10.87
High	2162.50	ANT0	10.80
		ANT1	10.01

Band 10, Bandwidth: 20 MHz, Modulation: TM3.2-16QAM

Channel	Frequency (MHz)	Antenna Port	PAPR (dB)
Mid	2140.00	ANT0	11.07
		ANT1	11.21
High	2160.00	ANT0	10.68
		ANT1	10.11

Intertek

Report Number: 105081151BOX-002

Issued: 06/13/2022

Revised: 07/15/2022

Band 10, Bandwidth: 5 MHz, Modulation: TM3.1-64QAM

Channel	Frequency (MHz)	Antenna Port	PAPR (dB)
Mid	2140.00	ANT0	9.92
		ANT1	10.22
High	2167.50	ANT0	9.77
		ANT1	10.02

Band 10, Bandwidth: 10 MHz, Modulation: TM3.1-64QAM

Channel	Frequency (MHz)	Antenna Port	PAPR (dB)
Mid	2140.00	ANT0	10.65
		ANT1	11.06
High	2165.00	ANT0	11.10
		ANT1	10.11

Band 10, Bandwidth: 15 MHz, Modulation: TM3.1-64QAM

Channel	Frequency (MHz)	Antenna Port	PAPR (dB)
Mid	2140.00	ANT0	10.38
		ANT1	10.55
High	2162.50	ANT0	10.51
		ANT1	11.47

Band 10, Bandwidth: 20 MHz, Modulation: TM3.1-64QAM

Channel	Frequency (MHz)	Antenna Port	PAPR (dB)
Mid	2140.00	ANT0	11.81
		ANT1	10.49
High	2160.00	ANT0	10.64
		ANT1	10.20

Band 10, Bandwidth: 5 MHz, Modulation: TM3.1a-256QAM

Channel	Frequency (MHz)	Antenna Port	PAPR (dB)
Mid	2140.00	ANT0	10.08
		ANT1	10.27
High	2167.50	ANT0	10.21
		ANT1	10.02

Band 10, Bandwidth: 10 MHz, Modulation: TM3.1a-256QAM

Channel	Frequency (MHz)	Antenna Port	PAPR (dB)
Mid	2140.00	ANT0	9.90
		ANT1	10.17
High	2165.00	ANT0	10.88
		ANT1	10.52

Band 10, Bandwidth: 15 MHz, Modulation: TM3.1a-256QAM

Channel	Frequency (MHz)	Antenna Port	PAPR (dB)
Mid	2140.00	ANT0	9.81
		ANT1	11.34
High	2162.50	ANT0	10.75
		ANT1	10.26

Band 10, Bandwidth: 20 MHz, Modulation: TM3.1a-256QAM

Channel	Frequency (MHz)	Antenna Port	PAPR (dB)
Mid	2140.00	ANT0	10.28
		ANT1	10.32
High	2160.00	ANT0	10.39

Intertek

Report Number: 105081151BOX-002

Issued: 06/13/2022
Revised: 07/15/2022


		ANT1	10.57
--	--	------	-------

7.4 Setup Photograph:


Confidential – Photos not included in this report


7.5 Plots/Data:

TM1.1-QPSK_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, PAPR = 10.22 dB




TM1.1-QPSK_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, PAPR = 10.24 dB




TM1.1-QPSK_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2167.5 MHz, PAPR = 11.11 dB


17:37:56 07.06.2022

TM1.1-QPSK_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2167.5 MHz, PAPR = 10.25 dB

17:37:21 07.06.2022


TM1.1-QPSK_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, PAPR = 10.26 dB

18:27:12 07.06.2022


TM1.1-QPSK_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, PAPR = 10.08 dB

18:27:41 07.06.2022


TM1.1-QPSK_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2165 MHz, PAPR = 10.18 dB



TM1.1-QPSK_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2165 MHz, PAPR = 20.26 dB




TM1.1-QPSK_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, PAPR = 11.63 dB




20:25:15 07.06.2022

TM1.1-QPSK_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, PAPR = 11.84 dB




20:25:52 07.06.2022

TM1.1-QPSK_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2162.5 MHz, PAPR = 11.08 dB




20:30:40 07.06.2022

TM1.1-QPSK_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2162.5 PAPR = 11.58 dB




20:30:05 07.06.2022

TM1.1-QPSK_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, PAPR = 11.26 dB




21:26:59 07.06.2022

TM1.1-QPSK_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, PAPR = 11.36 dB




21:26:30 07.06.2022

TM1.1-QPSK_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2160 MHz, PAPR = 11.25 dB




21:35:55 07.06.2022


TM1.1-QPSK_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2160 MHz, PAPR = 10.57 dB




21:36:54 07.06.2022

TM3.2-16QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, PAPR = 9.78 dB


18:05:50 07.06.2022

TM3.2-16QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, PAPR = 9.87 dB

18:06:20 07.06.2022


TM3.2-16QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2167.5 MHz, PAPR = 10.61 dB

18:11:02 07.06.2022

TM3.2-16QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2167.5 MHz, PAPR = 10.46 dB


18:10:31 07.06.2022

TM3.2-16QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, PAPR = 10.74 dB




20:18:40 07.06.2022

TM3.2-16QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, PAPR = 10.41 dB




20:18:07 07.06.2022

TM3.2-16QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2165 MHz, PAPR = 10.86 dB




20:10:33 07.06.2022

TM3.2-16QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2165 MHz, PAPR = 10.47 dB




20:11:16 07.06.2022


TM3.2-16QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, PAPR = 10.73 dB



TM3.2-16QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, PAPR = 10.87 dB




TM3.2-16QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2162.5 MHz, PAPR = 10.80 dB




21:03:52 07.06.2022


TM3.2-16QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2162.5 MHz, PAPR = 10.01 dB



21:04:37 07.06.2022


TM3.2-16QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, PAPR = 11.07 dB

22:24:39 07.06.2022

TM3.2-16QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, PAPR = 11.21 dB


22:24:16 07.06.2022

TM3.2-16QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2160 MHz, PAPR = 10.68 dB




22:17:40 07.06.2022


TM3.2-16QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2160 MHz, PAPR = 10.11 dB



22:19:30 07.06.2022


TM3.1-64QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, PAPR = 9.92 dB

17:50:36 07.06.2022

TM3.1-64QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, PAPR = 10.22 dB


17:50:10 07.06.2022

TM3.1-64QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2167.5 MHz, PAPR = 9.77 dB




17:43:27 07.06.2022

TM3.1-64QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2167.5 MHz, PAPR = 10.22 dB




17:50:10 07.06.2022

TM3.1-64QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, PAPR = 10.65 dB




18:41:57 07.06.2022

TM3.1-64QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, PAPR = 11.06 dB




18:41:27 07.06.2022

**TM3.1-64QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2165 MHz, PAPR = 11.10 dB**




18:37:12 07.06.2022

**TM3.1-64QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2165 MHz, PAPR = 10.11 dB**




18:37:43 07.06.2022

TM3.1-64QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, PAPR = 10.38 dB




20:45:03 07.06.2022

TM3.1-64QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, PAPR = 10.55 dB




20:44:33 07.06.2022

TM3.1-64QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2162.5 MHz, PAPR = 11.08 dB




20:30:40 07.06.2022

TM3.1-64QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2162.5 MHz, PAPR = 11.47 dB




20:40:50 07.06.2022

TM3.1-64QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, PAPR = 11.81 dB




22:03:04 07.06.2022


TM3.1-64QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, PAPR = 10.49 dB




22:02:25 07.06.2022

TM3.1-64QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2160 MHz, PAPR = 10.64 dB


21:56:32 07.06.2022

TM3.1-64QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2160 MHz, PAPR = 11.47 dB

20:40:50 07.06.2022


TM3.1a-256QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, PAPR = 10.08 dB

17:55:27 07.06.2022

TM3.1a-256QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, PAPR = 10.27 dB


17:56:01 07.06.2022

TM3.1a-256QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2167.5 MHz, PAPR = 10.21 dB




18:00:56 07.06.2022


TM3.1a-256QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2167.5 MHz, PAPR = 10.02 dB



18:00:24 07.06.2022


TM3.1a-256QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, PAPR = 9.90 dB

19:01:58 07.06.2022

TM3.1a-256QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, PAPR = 10.17 dB


19:02:38 07.06.2022

TM3.1a-256QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2165 MHz, PAPR = 10.88 dB




19:08:36 07.06.2022


TM3.1a-256QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2165 MHz, PAPR = 10.52 dB



19:07:44 07.06.2022


TM3.1a-256QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz, PAPR = 9.81 dB

20:50:23 07.06.2022

TM3.1a-256QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz, PAPR = 11.34 dB


20:50:54 07.06.2022

TM3.1a-256QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2162.5 MHz, PAPR = 10.75 dB




20:55:05 07.06.2022


TM3.1a-256QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2162.5 MHz, PAPR = 10.26 dB




20:55:42 07.06.2022

TM3.1a-256QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2120 MHz, PAPR = 10.28 dB


22:06:55 07.06.2022

TM3.1a-256QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2120 MHz, PAPR = 10.32 dB

22:07:26 07.06.2022

TM3.1a-256QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2160 MHz, PAPR = 10.39 dB

22:12:28 07.06.2022

TM3.1a-256QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2160 MHz, PAPR = 10.57 dB

22:11:57 07.06.2022

Test Personnel: Vathana Ven 
Supervising/Reviewing
Engineer:
(Where Applicable) N/A

Test Date: 06/07/2022

Product Standard: FCC Part 27
Input Voltage: 48 VDC (POE)

Limit Applied: See report section 7.3

Pretest Verification w/
Ambient Signals or
BB Source: N/A

Ambient Temperature: 25 °C

Relative Humidity: 43 %

Atmospheric Pressure: 1006 mbars

Deviations, Additions, or Exclusions: None

8 26 dB Bandwidth and Occupied Bandwidth

8.1 Method

Tests are performed in accordance with ANSI C63.26 and CFR47 FCC Parts 2.1049 and 27.

TEST SITE: EMC Lab

The EMC Lab has one Semi-anechoic Chamber and one Shielded Chamber. AC Mains Power is available at 120, 230, and 277 Single Phase; 208, 400, and 480 3-Phase. Large reference ground-planes are installed in the general lab area to facilitate EMC work not requiring a shielded environment.

8.2 Test Equipment Used:

Asset	Description	Manufacturer	Model	Serial	Cal Date	Cal Due
CEN001'	DC-40GHz attenuator 20dB	Centric RF	C411-20	CEN001	01/26/2022	01/26/2023
CBLHF2012-2M-2	2m 9kHz-40GHz Coaxial Cable -- SET2	Huber & Suhner	SF102	252675001	02/10/2022	02/10/2023
ROS005-1'	Signal and Spectrum Analyzer	Rohde and Schwartz	FSW43	100646	11/02/2021	11/02/2022
DAV005'	Weather Station	Davis	6250	MS191218083	02/11/2022	02/11/2023

Software Utilized:

Name	Manufacturer	Version
None	--	--

8.3 Results:

The sample tested was found to Comply.

FCC Part §27.53(h)(3): The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

FCC Part §2.1049: The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission.

Intertek

Report Number: 105081151BOX-002

Issued: 06/13/2022

Revised: 07/15/2022

Band 10, Bandwidth: 5 MHz, Modulation: TM1.1-QPSK

Channel	Frequency (MHz)	Antenna Port	Occupied BW (MHz)	26 dB BW (MHz)
Mid	2140.00	ANT0	4.50	5.00
		ANT1	4.50	5.00
High	2167.50	ANT0	4.50	5.00
		ANT1	4.50	5.00

Band 10, Bandwidth: 10 MHz, Modulation: TM1.1-QPSK

Channel	Frequency (MHz)	Antenna Port	Occupied BW (MHz)	26 dB BW (MHz)
Mid	2140.00	ANT0	8.97	9.85
		ANT1	8.97	9.85
High	2165.00	ANT0	8.97	9.87
		ANT1	8.97	9.85

Band 10, Bandwidth: 15 MHz, Modulation: TM1.1-QPSK

Channel	Frequency (MHz)	Antenna Port	Occupied BW (MHz)	26 dB BW (MHz)
Mid	2140.00	ANT0	13.46	14.78
		ANT1	13.46	14.80
High	2162.50	ANT0	13.46	14.78
		ANT1	13.46	14.78

Band 10, Bandwidth: 20 MHz, Modulation: TM1.1-QPSK

Channel	Frequency (MHz)	Antenna Port	Occupied BW (MHz)	26 dB BW (MHz)
Mid	2140.00	ANT0	17.89	19.50
		ANT1	17.89	19.54
High	2160.00	ANT0	17.89	19.54
		ANT1	17.88	19.50

Band 10, Bandwidth: 5 MHz, Modulation: TM3.2-16QAM

Channel	Frequency (MHz)	Antenna Port	Occupied BW (MHz)	26 dB BW (MHz)
Mid	2140.00	ANT0	4.49	4.95
		ANT1	4.47	4.95
High	2167.50	ANT0	4.49	4.95
		ANT1	4.49	4.95

Band 10, Bandwidth: 10 MHz, Modulation: TM3.2-16QAM

Channel	Frequency (MHz)	Antenna Port	Occupied BW (MHz)	26 dB BW (MHz)
Mid	2140.00	ANT0	8.95	9.69
		ANT1	8.91	9.73
High	2165.00	ANT0	8.96	9.75
		ANT1	8.92	9.69

Band 10, Bandwidth: 15 MHz, Modulation: TM3.2-16QAM

Channel	Frequency (MHz)	Antenna Port	Occupied BW (MHz)	26 dB BW (MHz)
Mid	2140.00	ANT0	13.40	14.51
		ANT1	13.39	14.65
High	2162.50	ANT0	13.39	14.56
		ANT1	13.40	14.51

Band 10, Bandwidth: 20 MHz, Modulation: TM3.2-16QAM

Channel	Frequency (MHz)	Antenna Port	Occupied BW (MHz)	26 dB BW (MHz)
Mid	2140.00	ANT0	17.92	19.42
		ANT1	17.90	19.42
High	2160.00	ANT0	17.92	19.46
		ANT1	17.90	19.42

Intertek

Report Number: 105081151BOX-002

Issued: 06/13/2022

Revised: 07/15/2022

Band 10, Bandwidth: 5 MHz, Modulation: TM3.1-64QAM

Channel	Frequency (MHz)	Antenna Port	Occupied BW (MHz)	26 dB BW (MHz)
Mid	2140.00	ANT0	4.53	5.01
		ANT1	4.53	5.00
High	2167.50	ANT0	4.53	5.00
		ANT1	4.53	5.01

Band 10, Bandwidth: 10 MHz, Modulation: TM3.1-64QAM

Channel	Frequency (MHz)	Antenna Port	Occupied BW (MHz)	26 dB BW (MHz)
Mid	2140.00	ANT0	8.98	9.85
		ANT1	8.98	9.85
High	2165.00	ANT0	8.98	9.85
		ANT1	8.98	9.85

Band 10, Bandwidth: 15 MHz, Modulation: TM3.1-64QAM

Channel	Frequency (MHz)	Antenna Port	Occupied BW (MHz)	26 dB BW (MHz)
Mid	2140.00	ANT0	13.48	14.80
		ANT1	13.47	14.80
High	2162.50	ANT0	13.47	14.78
		ANT1	13.46	14.78

Band 10, Bandwidth: 20 MHz, Modulation: TM3.1-64QAM

Channel	Frequency (MHz)	Antenna Port	Occupied BW (MHz)	26 dB BW (MHz)
Mid	2140.00	ANT0	17.89	19.42
		ANT1	17.89	19.50
High	2160.00	ANT0	17.88	19.50
		ANT1	17.89	19.50

Band 10, Bandwidth: 5 MHz, Modulation: TM3.1a-256QAM

Channel	Frequency (MHz)	Antenna Port	Occupied BW (MHz)	26 dB BW (MHz)
Mid	2140.00	ANT0	4.52	5.00
		ANT1	4.52	5.00
High	2167.50	ANT0	4.52	5.00
		ANT1	4.52	5.00

Band 10, Bandwidth: 10 MHz, Modulation: TM3.1a-256QAM

Channel	Frequency (MHz)	Antenna Port	Occupied BW (MHz)	26 dB BW (MHz)
Mid	2140.00	ANT0	8.96	9.77
		ANT1	8.96	9.77
High	2165.00	ANT0	8.96	9.77
		ANT1	8.96	9.79

Band 10, Bandwidth: 15 MHz, Modulation: TM3.1a-256QAM

Channel	Frequency (MHz)	Antenna Port	Occupied BW (MHz)	26 dB BW (MHz)
Mid	2140.00	ANT0	13.45	14.71
		ANT1	13.45	14.80
High	2162.50	ANT0	13.45	14.78
		ANT1	13.45	14.80

Band 10, Bandwidth: 20 MHz, Modulation: TM3.1a-256QAM


Channel	Frequency (MHz)	Antenna Port	Occupied BW (MHz)	26 dB BW (MHz)
Mid	2140.00	ANT0	17.89	19.50
		ANT1	17.88	19.54
High	2160.00	ANT0	17.89	19.58
		ANT1	17.88	19.58

8.4 Setup Photograph:

Confidential – Photos not included in this report


8.5 Plots/Data:

TM1.1-QPSK_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz Occupied Bandwidth




17:14:42 07.06.2022

TM1.1-QPSK_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz Occupied Bandwidth




17:21:27 07.06.2022


TM1.1-QPSK_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2167.5 MHz Occupied Bandwidth



TM1.1-QPSK_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2167.5 MHz Occupied Bandwidth




TM1.1-QPSK_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz Occupied Bandwidth




18:25:05 07.06.2022

TM1.1-QPSK_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz Occupied Bandwidth




18:28:27 07.06.2022

TM1.1-QPSK_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2165 MHz Occupied Bandwidth




18:34:13 07.06.2022

TM1.1-QPSK_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2165 MHz Occupied Bandwidth




18:29:38 07.06.2022


TM1.1-QPSK_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz Occupied Bandwidth



TM1.1-QPSK_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz Occupied Bandwidth




TM1.1-QPSK_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2162.5 MHz Occupied Bandwidth




20:32:31 07.06.2022

TM1.1-QPSK_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2162.5 MHz Occupied Bandwidth




20:27:56 07.06.2022


TM1.1-QPSK_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz Occupied Bandwidth




TM1.1-QPSK_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz Occupied Bandwidth




TM1.1-QPSK_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2160 MHz Occupied Bandwidth




TM1.1-QPSK_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2160 MHz Occupied Bandwidth




TM3.2-16QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz Occupied Bandwidth




TM3.2-16QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz Occupied Bandwidth




TM3.2-16QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2167.5 MHz Occupied Bandwidth



TM3.2-16QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2167.5 MHz Occupied Bandwidth




TM3.2-16QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz Occupied Bandwidth




20:19:35 07.06.2022

TM3.2-16QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz Occupied Bandwidth




20:16:24 07.06.2022


TM3.2-16QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2165 MHz Occupied Bandwidth




TM3.2-16QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2165 MHz Occupied Bandwidth




TM3.2-16QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz Occupied Bandwidth



TM3.2-16QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz Occupied Bandwidth




**TM3.2-16QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2162.5 MHz Occupied Bandwidth**




21:01:37 07.06.2022

**TM3.2-16QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2162.5 MHz Occupied Bandwidth**




21:06:52 07.06.2022

TM3.2-16QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz Occupied Bandwidth




22:25:44 07.06.2022

TM3.2-16QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz Occupied Bandwidth




22:22:50 07.06.2022

TM3.2-16QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2160 MHz Occupied Bandwidth




22:16:15 07.06.2022

TM3.2-16QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2160 MHz Occupied Bandwidth




22:21:12 07.06.2022

TM3.1-64QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz Occupied Bandwidth




18:42:57 07.06.2022

TM3.1-64QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz Occupied Bandwidth




17:48:34 07.06.2022


**TM3.1-64QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2167.5 MHz Occupied Bandwidth**



**TM3.1-64QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2167.5 MHz Occupied Bandwidth**




TM3.1-64QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz Occupied Bandwidth




18:42:57 07.06.2022

TM3.1-64QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz Occupied Bandwidth




18:40:12 07.06.2022

TM3.1-64QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2165 MHz Occupied Bandwidth




18:35:49 07.06.2022

TM3.1-64QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2165 MHz Occupied Bandwidth




18:39:02 07.06.2022


TM3.1-64QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz Occupied Bandwidth



TM3.1-64QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz Occupied Bandwidth




TM3.1-64QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2162.5 MHz Occupied Bandwidth




20:38:21 07.06.2022

TM3.1-64QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2162.5 MHz Occupied Bandwidth




20:42:01 07.06.2022


TM3.1-64QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz Occupied Bandwidth



TM3.1-64QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz Occupied Bandwidth




TM3.1-64QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2160 MHz Occupied Bandwidth




21:57:54 07.06.2022

TM3.1-64QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2160 MHz Occupied Bandwidth




21:54:16 07.06.2022

TM3.1a-256QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2112.5 MHz Occupied Bandwidth




17:54:08 07.06.2022

TM3.1a-256QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2112.5 MHz Occupied Bandwidth




17:57:13 07.06.2022

**TM3.1a-256QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2167.5 MHz Occupied Bandwidth**




18:02:35 07.06.2022

**TM3.1a-256QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2167.5 MHz Occupied Bandwidth**




17:58:31 07.06.2022

TM3.1a-256QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz Occupied Bandwidth




19:00:46 07.06.2022

TM3.1a-256QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz Occupied Bandwidth




19:03:40 07.06.2022

TM3.1a-256QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2165 MHz Occupied Bandwidth




19:10:16 07.06.2022

TM3.1a-256QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2165 MHz Occupied Bandwidth




19:04:59 07.06.2022


TM3.1a-256QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz Occupied Bandwidth



TM3.1a-256QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz Occupied Bandwidth




TM3.1a-256QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2162.5 MHz Occupied Bandwidth




20:57:27 07.06.2022

TM3.1a-256QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2162.5 MHz Occupied Bandwidth




20:53:21 07.06.2022

TM3.1a-256QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 2140 MHz Occupied Bandwidth




22:05:46 07.06.2022

TM3.1a-256QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 2140 MHz Occupied Bandwidth




22:08:39 07.06.2022


TM3.1a-256QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 2160 MHz Occupied Bandwidth



TM3.1a-256QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 2160 MHz Occupied Bandwidth




**TM1.1-QPSK_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 26 dB Bandwidth**




17:16:05 07.06.2022

**TM1.1-QPSK_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 26 dB Bandwidth**




17:21:12 07.06.2022

TM1.1-QPSK_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 26 dB Bandwidth




17:38:53 07.06.2022

TM1.1-QPSK_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 26 dB Bandwidth




17:27:53 07.06.2022

TM1.1-QPSK_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 26 dB Bandwidth




18:25:59 07.06.2022

TM1.1-QPSK_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 26 dB Bandwidth




18:28:11 07.06.2022

TM1.1-QPSK_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 26 dB Bandwidth




18:33:57 07.06.2022

TM1.1-QPSK_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 26 dB Bandwidth




18:30:20 07.06.2022

TM1.1-QPSK_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 26 dB Bandwidth




20:23:56 07.06.2022

TM1.1-QPSK_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 26 dB Bandwidth




20:26:28 07.06.2022

TM1.1-QPSK_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 26 dB Bandwidth




20:32:15 07.06.2022

TM1.1-QPSK_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 26 dB Bandwidth




20:28:39 07.06.2022


TM1.1-QPSK_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 26 dB Bandwidth



TM1.1-QPSK_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 26 dB Bandwidth




**TM1.1-QPSK_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 26 dB Bandwidth**




21:29:45 07.06.2022

**TM1.1-QPSK_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 26 dB Bandwidth**




21:37:43 07.06.2022

**TM3.2-16QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 26 dB Bandwidth**




18:04:49 07.06.2022

**TM3.2-16QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 26 dB Bandwidth**




18:07:08 07.06.2022

TM3.2-16QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 26 dB Bandwidth




18:12:00 07.06.2022

TM3.2-16QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 26 dB Bandwidth




18:09:12 07.06.2022

**TM3.2-16QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 26 dB Bandwidth**




20:19:19 07.06.2022

**TM3.2-16QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 26 dB Bandwidth**




20:17:19 07.06.2022

**TM3.2-16QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 26 dB Bandwidth**




20:09:12 07.06.2022

**TM3.2-16QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 26 dB Bandwidth**




20:12:14 07.06.2022


**TM3.2-16QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 26 dB Bandwidth**



**TM3.2-16QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 26 dB Bandwidth**




**TM3.2-16QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 26 dB Bandwidth**




21:02:16 07.06.2022

**TM3.2-16QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 26 dB Bandwidth**




21:06:32 07.06.2022

**TM3.2-16QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 26 dB Bandwidth**




22:25:22 07.06.2022

**TM3.2-16QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 26 dB Bandwidth**




22:23:28 07.06.2022

**TM3.2-16QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 26 dB Bandwidth**




22:16:40 07.06.2022

**TM3.2-16QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 26 dB Bandwidth**




22:20:53 07.06.2022


**TM3.1-64QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 26 dB Bandwidth**



**TM3.1-64QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 26 dB Bandwidth**




**TM3.1-64QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 26 dB Bandwidth**




18:42:38 07.06.2022

**TM3.1-64QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 26 dB Bandwidth**




18:40:41 07.06.2022

**TM3.1-64QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 26 dB Bandwidth**




18:36:11 07.06.2022

**TM3.1-64QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 26 dB Bandwidth**




18:38:45 07.06.2022


**TM3.1-64QAM_15 MHz Bandwidth
Slot 1 (Band 10), ANT0, Mid Channel 26 dB Bandwidth,**



**TM3.1-64QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 26 dB Bandwidth**




**TM3.1-64QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 26 dB Bandwidth**




20:38:54 07.06.2022

**TM3.1-64QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 26 dB Bandwidth**




20:41:44 07.06.2022

**TM3.1-64QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 26 dB Bandwidth**




22:03:46 07.06.2022

**TM3.1-64QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 26 dB Bandwidth**




22:00:59 07.06.2022

**TM3.1-64QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 26 dB Bandwidth**




21:52:45 07.06.2022

**TM3.1-64QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 26 dB Bandwidth**




21:52:45 07.06.2022

**TM3.1a-256QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 26 dB Bandwidth**




17:54:33 07.06.2022

**TM3.1a-256QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 26 dB Bandwidth**




17:56:50 07.06.2022


**TM3.1a-256QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 26 dB Bandwidth**



**TM3.1a-256QAM_5 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 26 dB Bandwidth**




TM3.1a-256QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 26 dB Bandwidth




19:01:12 07.06.2022

TM3.1a-256QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 26 dB Bandwidth




19:03:23 07.06.2022

**TM3.1a-256QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 26 dB Bandwidth**




19:09:45 07.06.2022

**TM3.1a-256QAM_10 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 26 dB Bandwidth**




19:09:53 07.06.2022

**TM3.1a-256QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 26 dB Bandwidth**




20:49:44 07.06.2022

**TM3.1a-256QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 26 dB Bandwidth**




20:51:50 07.06.2022

**TM3.1a-256QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 26 dB Bandwidth**




20:53:52 07.06.2022

**TM3.1a-256QAM_15 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 26 dB Bandwidth**




20:57:09 07.06.2022

**TM3.1a-256QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, Mid Channel 26 dB Bandwidth**




22:06:12 07.06.2022

**TM3.1a-256QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, Mid Channel 26 dB Bandwidth**




22:08:18 07.06.2022

**TM3.1a-256QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT0, High Channel 26 dB Bandwidth**



22:13:32 07.06.2022

**TM3.1a-256QAM_20 MHz Bandwidth
Slot 3 (Band 10), ANT1, High Channel 26 dB Bandwidth**



22:10:45 07.06.2022

Test Personnel: Vathana Ven
Supervising/Reviewing
Engineer:
(Where Applicable) N/A

Test Date: 06/07/2022

Product Standard: FCC Part 27
Input Voltage: 48 VDC (POE)

Limit Applied: See report section 8.3

Pretest Verification w/
Ambient Signals or
BB Source: N/A

Ambient Temperature: 25 °C

Relative Humidity: 43 %

Atmospheric Pressure: 1006 mbars

Deviations, Additions, or Exclusions: None

9 Upper Band Edge Compliance

9.1 Method

Tests are performed in accordance with ANSI C63.26 and CFR47 FCC Parts 2.1051, 2.1053, and 27.

TEST SITE: EMC Lab

The EMC Lab has one Semi-anechoic Chamber and one Shielded Chamber. AC Mains Power is available at 120, 230, and 277 Single Phase; 208, 400, and 480 3-Phase. Large reference ground-planes are installed in the general lab area to facilitate EMC work not requiring a shielded environment.

9.2 Test Equipment Used:

Asset	Description	Manufacturer	Model	Serial	Cal Date	Cal Due
CEN001'	DC-40GHz attenuator 20dB	Centric RF	C411-20	CEN001	01/26/2022	01/26/2023
CBLHF2012-2M-2	2m 9kHz-40GHz Coaxial Cable – SET2	Huber & Suhner	SF102	252675001	02/10/2022	02/10/2023
ROS005-1'	Signal and Spectrum Analyzer	Rohde and Schwartz	FSW43	100646	11/02/2021	11/02/2022
DAV005'	Weather Station	Davis	6250	MS19121808 3	02/11/2022	02/11/2023

Software Utilized:

Name	Manufacturer	Version
None	--	--

9.3 Results:

The sample tested was found to Comply.

FCC Part § 27.53(h) (1) & (3): The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

Intertek

Report Number: 105081151BOX-002

Issued: 06/13/2022

Revised: 07/15/2022

Band 10, Bandwidth: 5 MHz, Modulation: TM1.1-QPSK

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)
High	2167.50	ANT0	-28.85
		ANT1	-27.93

Band 10, Bandwidth: 10 MHz, Modulation: TM1.1-QPSK

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)
High	2165.00	ANT0	-31.99
		ANT1	-31.12

Band 10, Bandwidth: 15 MHz, Modulation: TM1.1-QPSK

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)
High	2162.50	ANT0	-33.26
		ANT1	-32.44

Band 10, Bandwidth: 20 MHz, Modulation: TM1.1-QPSK

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)
High	2160.00	ANT0	-34.39
		ANT1	-33.37

Band 10, Bandwidth: 5 MHz, Modulation: TM3.2-16QAM

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)
High	2167.50	ANT0	-29.43
		ANT1	-28.29

Band 10, Bandwidth: 10 MHz, Modulation: TM3.2-16QAM

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)
High	2165.00	ANT0	-32.01
		ANT1	-30.94

Band 10, Bandwidth: 15 MHz, Modulation: TM3.2-16QAM

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)
High	2162.50	ANT0	-33.51
		ANT1	-32.67

Band 10, Bandwidth: 20 MHz, Modulation: TM3.2-16QAM

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)
High	2160.00	ANT0	-34.26
		ANT1	-33.22

Band 10, Bandwidth: 5 MHz, Modulation: TM3.1-64QAM

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)
High	2167.50	ANT0	-29.09
		ANT1	-28.15

Band 10, Bandwidth: 10 MHz, Modulation: TM3.1-64QAM

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)
High	2165.00	ANT0	-32.06
		ANT1	-30.84

Band 10, Bandwidth: 15 MHz, Modulation: TM3.1-64QAM

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)
High	2162.50	ANT0	-33.37
		ANT1	-32.43

Intertek

Report Number: 105081151BOX-002

Issued: 06/13/2022

Revised: 07/15/2022

Band 10, Bandwidth: 20 MHz, Modulation: TM3.1-64QAM

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)
High	2160.00	ANT0	-34.14
		ANT1	-33.19

Band 10, Bandwidth: 5 MHz, Modulation: TM3.1a-256QAM

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)
High	2167.50	ANT0	-29.12
		ANT1	-28.12

Band 10, Bandwidth: 10 MHz, Modulation: TM3.1a-256QAM

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)
High	2165.00	ANT0	-31.98
		ANT1	-30.91

Band 10, Bandwidth: 15 MHz, Modulation: TM3.1a-256QAM

Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)
High	2162.50	ANT0	-33.26
		ANT1	-32.38

Band 10, Bandwidth: 20 MHz, Modulation: TM3.1a-256QAM


Band Edge	Frequency (MHz)	Antenna Port	Reading (dBm)
High	2160.00	ANT0	-34.04
		ANT1	-33.15

9.4 Setup Photograph:


Confidential – Photos not included in this report

9.5 Plots/Data:

Band Edge Compliant, Upper Band Edge, 2167.5 MHz
Slot3 (Band 10), Antenna Port: ANT0, Bandwidth: 5 MHz, Modulation: TM1.1-QPSK



Band Edge Compliant, Upper Band Edge, 2167.5 MHz
Slot 3 (Band 10), Antenna Port: ANT1, Bandwidth: 5 MHz, Modulation: TM1.1-QPSK



Band Edge Compliant, Upper Band Edge, 2165 MHz
Slot 3 (Band 10), Antenna Port: ANT0, Bandwidth: 10 MHz, Modulation: TM1.1-QPSK




18:33:14 07.06.2022

Band Edge Compliant, Upper Band Edge, 2165 MHz
Slot 3 (Band 10), Antenna Port: ANT1, Bandwidth: 10 MHz, Modulation: TM1.1-QPSK




18:31:26 07.06.2022


Band Edge Compliant, Upper Band Edge, 2162.5 MHz
Slot 3 (Band 10), Antenna Port: ANT0, Bandwidth: 15 MHz, Modulation: TM1.1-QPSK




Band Edge Compliant, Upper Band Edge, 2162.5 MHz
Slot 3 (Band 10), Antenna Port: ANT1, Bandwidth: 15 MHz, Modulation: TM1.1-QPSK




Band Edge Compliant, Upper Band Edge, 2160 MHz
Slot 3 (Band 10), Antenna Port: ANT0, Bandwidth: 20 MHz, Modulation: TM1.1-QPSK




Band Edge Compliant, Upper Band Edge, 2160 MHz
Slot 3 (Band 66), Antenna Port: ANT1, Bandwidth: 20 MHz, Modulation: TM1.1-QPSK




Band Edge Compliant, Upper Band Edge, 2167.5 MHz
Slot 3 (Band 10), Antenna Port: ANT0, Bandwidth: 5 MHz, Modulation: TM3.2-16QAM




Band Edge Compliant, Upper Band Edge, 2167.5 MHz
Slot 3 (Band 10), Antenna Port: ANT1, Bandwidth: 5 MHz, Modulation: TM3.2-16QAM




Band Edge Compliant, Upper Band Edge, 2165 MHz
Slot 3 (Band 10), Antenna Port: ANT0, Bandwidth: 10 MHz, Modulation: TM3.2-16QAM



Band Edge Compliant, Upper Band Edge, 2165 MHz
Slot 3 (Band 10), Antenna Port: ANT1, Bandwidth: 10 MHz, Modulation: TM3.2-16QAM




Band Edge Compliant, Upper Band Edge, 2162.5 MHz
Slot 3 (Band 10), Antenna Port: ANT0, Bandwidth: 15 MHz, Modulation: TM3.2-16QAM




21:03:30 07.06.2022

Band Edge Compliant, Upper Band Edge, 2162.5 MHz
Slot 3 (Band 10), Antenna Port: ANT1, Bandwidth: 15 MHz, Modulation: TM3.2-16QAM




21:04:58 07.06.2022


Band Edge Compliant, Upper Band Edge, 2160 MHz
Slot 3 (Band 10), Antenna Port: ANT0, Bandwidth: 20 MHz, Modulation: TM3.2-16QAM




Band Edge Compliant, Upper Band Edge, 2160 MHz
Slot 3 (Band 10), Antenna Port: ANT1, Bandwidth: 20 MHz, Modulation: TM3.2-16QAM




Band Edge Compliant, Upper Band Edge, 2167.5 MHz
Slot 3 (Band 10), Antenna Port: ANT0, Bandwidth: 5 MHz, Modulation: TM3.1-64QAM



Band Edge Compliant, Upper Band Edge, 2167.5 MHz
Slot 3 (Band 10), Antenna Port: ANT1, Bandwidth: 5 MHz, Modulation: TM3.1-64QAM



Band Edge Compliant, Upper Band Edge, 2165 MHz
Slot 3 (Band 10), Antenna Port: ANT0, Bandwidth: 10 MHz, Modulation: TM3.1-64QAM




18:36:47 07.06.2022

Band Edge Compliant, Upper Band Edge, 2165 MHz
Slot 3 (Band 10), Antenna Port: ANT1, Bandwidth: 10 MHz, Modulation: TM3.1-64QAM




18:38:02 07.06.2022


Band Edge Compliant, Upper Band Edge, 2162.5 MHz
Slot 3 (Band 10), Antenna Port: ANT0, Bandwidth: 15 MHz, Modulation: TM3.1-64QAM




Band Edge Compliant, Upper Band Edge, 2162.5 MHz
Slot 3 (Band 10), Antenna Port: ANT1, Bandwidth: 15 MHz, Modulation: TM3.1-64QAM




Band Edge Compliant, Upper Band Edge, 2160 MHz
Slot 3 (Band 10), Antenna Port: ANT0, Bandwidth: 20 MHz, Modulation: TM3.1-64QAM




Band Edge Compliant, Upper Band Edge, 2160 MHz
Slot 3 (Band 10), Antenna Port: ANT1, Bandwidth: 20 MHz, Modulation: TM3.1-64QAM




Band Edge Compliant, Upper Band Edge, 2167.5 MHz
Slot 3 (Band 10), Antenna Port: ANT0, Bandwidth: 5 MHz, Modulation: TM3.1a-256QAM



Band Edge Compliant, Upper Band Edge, 2167.5 MHz
Slot 3 (Band 10), Antenna Port: ANT1, Bandwidth: 5 MHz, Modulation: TM3.1a-256QAM



Band Edge Compliant, Upper Band Edge, 2165 MHz
Slot 3 (Band 10), Antenna Port: ANT0, Bandwidth: 10 MHz, Modulation: TM3.1a-256QAM



Band Edge Compliant, Upper Band Edge, 2165 MHz
Slot 3 (Band 10), Antenna Port: ANT1, Bandwidth: 10 MHz, Modulation: TM3.1a-256QAM



Band Edge Compliant, Upper Band Edge, 2162.5 MHz
Slot 3 (Band 10), Antenna Port: ANT0, Bandwidth: 15 MHz, Modulation: TM3.1a-256QAM



21:17:57 07.06.2022

Band Edge Compliant, Upper Band Edge, 2162.5 MHz
Slot 3 (Band 10), Antenna Port: ANT1, Bandwidth: 15 MHz, Modulation: TM3.1a-256QAM




21:18:24 07.06.2022

Band Edge Compliant, Upper Band Edge, 2160 MHz
Slot 3 (Band 10), Antenna Port: ANT0, Bandwidth: 20 MHz, Modulation: TM3.1a-256QAM



22:12:55 07.06.2022

Band Edge Compliant, Upper Band Edge, 2160 MHz
Slot 3 (Band 10), Antenna Port: ANT1, Bandwidth: 20 MHz, Modulation: TM3.1a-256QAM



22:11:35 07.06.2022

Test Personnel: Vathana Ven
Supervising/Reviewing
Engineer:
(Where Applicable) N/A

Test Date: 06/07/2022

Product Standard: FCC Part 27
Input Voltage: 48 VDC (POE)

Limit Applied: See report section 9.3

Pretest Verification w/
Ambient Signals or
BB Source: N/A

Ambient Temperature: 25 °C

Relative Humidity: 43 %

Atmospheric Pressure: 1006 mbars

Deviations, Additions, or Exclusions: None

10 Revision History

Revision Level	Date	Report Number	Prepared By	Reviewed By	Notes
0	06/13/2022	105081151BOX-002	VFV <i>VFV</i>	KPS <i>KPS</i>	Original Issue
1	07/15/2022	105081151BOX-002	VFV <i>VFV</i>	KPS <i>KPS</i>	Modified result tables on pages 9-10