




























Mode	CB: 15MHz, 64QAM																																																																																																																																																																																																								
High Channel, 1RB L		High Channel, 1RB H																																																																																																																																																																																																							
Agilent Spectrum Analyzer - ACP RL RF SD DC PASS SENSE: INT ALON: AUTO 10:21:07 AM Jan 16, 2017 Radio Std: None Radio Device: BTS Center Freq: 2.682500000 GHz Trig: Free Run Avg/Hold: 1/1 #Atten: 20 dB IF Gain: Low Ref Offset 28.24 dB Ref 30.00 dBm 19.4 dBm Center 2.683 GHz #Res BW 150 kHz #VBW 470 kHz Span 25 MHz #Sweep 50 s Total Carrier Power 19.363 dBm/ 15.00 MHz ACP-IBW <table><thead><tr><th>Carrier Power</th><th>Filter</th><th>Offset Freq</th><th>Integ BW</th><th>Lower</th><th>Upper</th><th>Filter</th></tr><tr><th></th><th></th><th></th><th></th><th>dBc</th><th>dBm</th><th></th></tr></thead><tbody><tr><td>1</td><td>19.363 dBm/ 15.00 MHz</td><td>OFF</td><td>7.575 MHz</td><td>150.0 kHz</td><td>-47.80</td><td>-28.44</td><td>-66.81</td><td>-47.44</td><td>OFF</td></tr><tr><td></td><td></td><td></td><td>9.000 MHz</td><td>1.000 MHz</td><td>-57.62</td><td>-38.26</td><td>-61.42</td><td>-42.06</td><td>OFF</td></tr><tr><td></td><td></td><td></td><td>10.00 MHz</td><td>1.000 MHz</td><td>-59.21</td><td>-39.84</td><td>-61.51</td><td>-42.15</td><td>OFF</td></tr><tr><td></td><td></td><td></td><td>11.00 MHz</td><td>1.000 MHz</td><td>-59.06</td><td>-40.30</td><td>-61.73</td><td>-42.36</td><td>OFF</td></tr><tr><td></td><td></td><td></td><td>12.00 MHz</td><td>1.000 MHz</td><td>-60.11</td><td>-40.75</td><td>-61.95</td><td>-42.59</td><td>OFF</td></tr></tbody></table> CF Step 2.500000 MHz Auto Man Freq Offset 0 Hz Agilent Spectrum Analyzer - ACP RL RF SD DC PASS SENSE: INT ALON: AUTO 10:26:35 AM Jan 16, 2017 Radio Std: None Radio Device: BTS Center Freq: 2.682500000 GHz Trig: Free Run Avg/Hold: 1/1 #Atten: 20 dB IF Gain: Low Ref Offset 28.24 dB Ref 30.00 dBm 19.4 dBm Center 2.683 GHz #Res BW 150 kHz #VBW 470 kHz Span 25 MHz #Sweep 50 s Total Carrier Power 19.415 dBm/ 15.00 MHz ACP-IBW <table><thead><tr><th>Carrier Power</th><th>Filter</th><th>Offset Freq</th><th>Integ BW</th><th>Lower</th><th>Upper</th><th>Filter</th></tr><tr><th></th><th></th><th></th><th></th><th>dBc</th><th>dBm</th><th></th></tr></thead><tbody><tr><td>1</td><td>19.415 dBm/ 15.00 MHz</td><td>OFF</td><td>7.575 MHz</td><td>150.0 kHz</td><td>-65.14</td><td>-45.73</td><td>-47.16</td><td>-27.74</td><td>OFF</td></tr><tr><td></td><td></td><td></td><td>9.000 MHz</td><td>1.000 MHz</td><td>-60.91</td><td>-41.50</td><td>-56.04</td><td>-36.63</td><td>OFF</td></tr><tr><td></td><td></td><td></td><td>10.00 MHz</td><td>1.000 MHz</td><td>-60.87</td><td>-41.46</td><td>-58.43</td><td>-39.02</td><td>OFF</td></tr><tr><td></td><td></td><td></td><td>11.00 MHz</td><td>1.000 MHz</td><td>-61.07</td><td>-41.65</td><td>-59.45</td><td>-40.04</td><td>OFF</td></tr><tr><td></td><td></td><td></td><td>12.00 MHz</td><td>1.000 MHz</td><td>-61.27</td><td>-41.85</td><td>-60.25</td><td>-40.83</td><td>OFF</td></tr></tbody></table> CF Step 2.500000 MHz Auto Man Freq Offset 0 Hz MSO Alignment Completed (STATUS) <tr><td colspan="2">High Channel, Full RB</td><td>---</td></tr> <tr><td colspan="2"> Agilent Spectrum Analyzer - ACP RL RF SD DC PASS SENSE: INT ALON: AUTO 10:19:05 AM Jan 16, 2017 Radio Std: None Radio Device: BTS Center Freq: 2.682500000 GHz Trig: Free Run Avg/Hold: 1/1 #Atten: 20 dB IF Gain: Low Ref Offset 28.24 dB Ref 30.00 dBm 19.6 dBm Center 2.683 GHz #Res BW 150 kHz #VBW 470 kHz Span 25 MHz #Sweep 50 s Total Carrier Power 19.623 dBm/ 15.00 MHz ACP-IBW <table><thead><tr><th>Carrier Power</th><th>Filter</th><th>Offset Freq</th><th>Integ BW</th><th>Lower</th><th>Upper</th><th>Filter</th></tr><tr><th></th><th></th><th></th><th></th><th>dBc</th><th>dBm</th><th></th></tr></thead><tbody><tr><td>1</td><td>19.623 dBm/ 15.00 MHz</td><td>OFF</td><td>7.575 MHz</td><td>150.0 kHz</td><td>-53.38</td><td>-33.76</td><td>-54.27</td><td>-34.65</td><td>OFF</td></tr><tr><td></td><td></td><td></td><td>9.000 MHz</td><td>1.000 MHz</td><td>-47.74</td><td>-28.12</td><td>-48.17</td><td>-28.55</td><td>OFF</td></tr><tr><td></td><td></td><td></td><td>10.00 MHz</td><td>1.000 MHz</td><td>-48.10</td><td>-28.47</td><td>-48.48</td><td>-28.86</td><td>OFF</td></tr><tr><td></td><td></td><td></td><td>11.00 MHz</td><td>1.000 MHz</td><td>-48.57</td><td>-28.95</td><td>-49.05</td><td>-29.42</td><td>OFF</td></tr><tr><td></td><td></td><td></td><td>12.00 MHz</td><td>1.000 MHz</td><td>-48.90</td><td>-29.28</td><td>-49.52</td><td>-29.90</td><td>OFF</td></tr></tbody></table> CF Step 2.500000 MHz Auto Man Freq Offset 0 Hz MSO (STATUS) <tr><td colspan="2"></td><td>---</td></tr></td></tr>		Carrier Power	Filter	Offset Freq	Integ BW	Lower	Upper	Filter					dBc	dBm		1	19.363 dBm/ 15.00 MHz	OFF	7.575 MHz	150.0 kHz	-47.80	-28.44	-66.81	-47.44	OFF				9.000 MHz	1.000 MHz	-57.62	-38.26	-61.42	-42.06	OFF				10.00 MHz	1.000 MHz	-59.21	-39.84	-61.51	-42.15	OFF				11.00 MHz	1.000 MHz	-59.06	-40.30	-61.73	-42.36	OFF				12.00 MHz	1.000 MHz	-60.11	-40.75	-61.95	-42.59	OFF	Carrier Power	Filter	Offset Freq	Integ BW	Lower	Upper	Filter					dBc	dBm		1	19.415 dBm/ 15.00 MHz	OFF	7.575 MHz	150.0 kHz	-65.14	-45.73	-47.16	-27.74	OFF				9.000 MHz	1.000 MHz	-60.91	-41.50	-56.04	-36.63	OFF				10.00 MHz	1.000 MHz	-60.87	-41.46	-58.43	-39.02	OFF				11.00 MHz	1.000 MHz	-61.07	-41.65	-59.45	-40.04	OFF				12.00 MHz	1.000 MHz	-61.27	-41.85	-60.25	-40.83	OFF	High Channel, Full RB		---	Agilent Spectrum Analyzer - ACP RL RF SD DC PASS SENSE: INT ALON: AUTO 10:19:05 AM Jan 16, 2017 Radio Std: None Radio Device: BTS Center Freq: 2.682500000 GHz Trig: Free Run Avg/Hold: 1/1 #Atten: 20 dB IF Gain: Low Ref Offset 28.24 dB Ref 30.00 dBm 19.6 dBm Center 2.683 GHz #Res BW 150 kHz #VBW 470 kHz Span 25 MHz #Sweep 50 s Total Carrier Power 19.623 dBm/ 15.00 MHz ACP-IBW <table><thead><tr><th>Carrier Power</th><th>Filter</th><th>Offset Freq</th><th>Integ BW</th><th>Lower</th><th>Upper</th><th>Filter</th></tr><tr><th></th><th></th><th></th><th></th><th>dBc</th><th>dBm</th><th></th></tr></thead><tbody><tr><td>1</td><td>19.623 dBm/ 15.00 MHz</td><td>OFF</td><td>7.575 MHz</td><td>150.0 kHz</td><td>-53.38</td><td>-33.76</td><td>-54.27</td><td>-34.65</td><td>OFF</td></tr><tr><td></td><td></td><td></td><td>9.000 MHz</td><td>1.000 MHz</td><td>-47.74</td><td>-28.12</td><td>-48.17</td><td>-28.55</td><td>OFF</td></tr><tr><td></td><td></td><td></td><td>10.00 MHz</td><td>1.000 MHz</td><td>-48.10</td><td>-28.47</td><td>-48.48</td><td>-28.86</td><td>OFF</td></tr><tr><td></td><td></td><td></td><td>11.00 MHz</td><td>1.000 MHz</td><td>-48.57</td><td>-28.95</td><td>-49.05</td><td>-29.42</td><td>OFF</td></tr><tr><td></td><td></td><td></td><td>12.00 MHz</td><td>1.000 MHz</td><td>-48.90</td><td>-29.28</td><td>-49.52</td><td>-29.90</td><td>OFF</td></tr></tbody></table> CF Step 2.500000 MHz Auto Man Freq Offset 0 Hz MSO (STATUS) <tr><td colspan="2"></td><td>---</td></tr>		Carrier Power	Filter	Offset Freq	Integ BW	Lower	Upper	Filter					dBc	dBm		1	19.623 dBm/ 15.00 MHz	OFF	7.575 MHz	150.0 kHz	-53.38	-33.76	-54.27	-34.65	OFF				9.000 MHz	1.000 MHz	-47.74	-28.12	-48.17	-28.55	OFF				10.00 MHz	1.000 MHz	-48.10	-28.47	-48.48	-28.86	OFF				11.00 MHz	1.000 MHz	-48.57	-28.95	-49.05	-29.42	OFF				12.00 MHz	1.000 MHz	-48.90	-29.28	-49.52	-29.90	OFF			---
Carrier Power	Filter	Offset Freq	Integ BW	Lower	Upper	Filter																																																																																																																																																																																																			
				dBc	dBm																																																																																																																																																																																																				
1	19.363 dBm/ 15.00 MHz	OFF	7.575 MHz	150.0 kHz	-47.80	-28.44	-66.81	-47.44	OFF																																																																																																																																																																																																
			9.000 MHz	1.000 MHz	-57.62	-38.26	-61.42	-42.06	OFF																																																																																																																																																																																																
			10.00 MHz	1.000 MHz	-59.21	-39.84	-61.51	-42.15	OFF																																																																																																																																																																																																
			11.00 MHz	1.000 MHz	-59.06	-40.30	-61.73	-42.36	OFF																																																																																																																																																																																																
			12.00 MHz	1.000 MHz	-60.11	-40.75	-61.95	-42.59	OFF																																																																																																																																																																																																
Carrier Power	Filter	Offset Freq	Integ BW	Lower	Upper	Filter																																																																																																																																																																																																			
				dBc	dBm																																																																																																																																																																																																				
1	19.415 dBm/ 15.00 MHz	OFF	7.575 MHz	150.0 kHz	-65.14	-45.73	-47.16	-27.74	OFF																																																																																																																																																																																																
			9.000 MHz	1.000 MHz	-60.91	-41.50	-56.04	-36.63	OFF																																																																																																																																																																																																
			10.00 MHz	1.000 MHz	-60.87	-41.46	-58.43	-39.02	OFF																																																																																																																																																																																																
			11.00 MHz	1.000 MHz	-61.07	-41.65	-59.45	-40.04	OFF																																																																																																																																																																																																
			12.00 MHz	1.000 MHz	-61.27	-41.85	-60.25	-40.83	OFF																																																																																																																																																																																																
High Channel, Full RB		---																																																																																																																																																																																																							
Agilent Spectrum Analyzer - ACP RL RF SD DC PASS SENSE: INT ALON: AUTO 10:19:05 AM Jan 16, 2017 Radio Std: None Radio Device: BTS Center Freq: 2.682500000 GHz Trig: Free Run Avg/Hold: 1/1 #Atten: 20 dB IF Gain: Low Ref Offset 28.24 dB Ref 30.00 dBm 19.6 dBm Center 2.683 GHz #Res BW 150 kHz #VBW 470 kHz Span 25 MHz #Sweep 50 s Total Carrier Power 19.623 dBm/ 15.00 MHz ACP-IBW <table><thead><tr><th>Carrier Power</th><th>Filter</th><th>Offset Freq</th><th>Integ BW</th><th>Lower</th><th>Upper</th><th>Filter</th></tr><tr><th></th><th></th><th></th><th></th><th>dBc</th><th>dBm</th><th></th></tr></thead><tbody><tr><td>1</td><td>19.623 dBm/ 15.00 MHz</td><td>OFF</td><td>7.575 MHz</td><td>150.0 kHz</td><td>-53.38</td><td>-33.76</td><td>-54.27</td><td>-34.65</td><td>OFF</td></tr><tr><td></td><td></td><td></td><td>9.000 MHz</td><td>1.000 MHz</td><td>-47.74</td><td>-28.12</td><td>-48.17</td><td>-28.55</td><td>OFF</td></tr><tr><td></td><td></td><td></td><td>10.00 MHz</td><td>1.000 MHz</td><td>-48.10</td><td>-28.47</td><td>-48.48</td><td>-28.86</td><td>OFF</td></tr><tr><td></td><td></td><td></td><td>11.00 MHz</td><td>1.000 MHz</td><td>-48.57</td><td>-28.95</td><td>-49.05</td><td>-29.42</td><td>OFF</td></tr><tr><td></td><td></td><td></td><td>12.00 MHz</td><td>1.000 MHz</td><td>-48.90</td><td>-29.28</td><td>-49.52</td><td>-29.90</td><td>OFF</td></tr></tbody></table> CF Step 2.500000 MHz Auto Man Freq Offset 0 Hz MSO (STATUS) <tr><td colspan="2"></td><td>---</td></tr>		Carrier Power	Filter	Offset Freq	Integ BW	Lower	Upper	Filter					dBc	dBm		1	19.623 dBm/ 15.00 MHz	OFF	7.575 MHz	150.0 kHz	-53.38	-33.76	-54.27	-34.65	OFF				9.000 MHz	1.000 MHz	-47.74	-28.12	-48.17	-28.55	OFF				10.00 MHz	1.000 MHz	-48.10	-28.47	-48.48	-28.86	OFF				11.00 MHz	1.000 MHz	-48.57	-28.95	-49.05	-29.42	OFF				12.00 MHz	1.000 MHz	-48.90	-29.28	-49.52	-29.90	OFF			---																																																																																																																																					
Carrier Power	Filter	Offset Freq	Integ BW	Lower	Upper	Filter																																																																																																																																																																																																			
				dBc	dBm																																																																																																																																																																																																				
1	19.623 dBm/ 15.00 MHz	OFF	7.575 MHz	150.0 kHz	-53.38	-33.76	-54.27	-34.65	OFF																																																																																																																																																																																																
			9.000 MHz	1.000 MHz	-47.74	-28.12	-48.17	-28.55	OFF																																																																																																																																																																																																
			10.00 MHz	1.000 MHz	-48.10	-28.47	-48.48	-28.86	OFF																																																																																																																																																																																																
			11.00 MHz	1.000 MHz	-48.57	-28.95	-49.05	-29.42	OFF																																																																																																																																																																																																
			12.00 MHz	1.000 MHz	-48.90	-29.28	-49.52	-29.90	OFF																																																																																																																																																																																																
