




5.1.1.9.2 Test Channel = HCH


5.1.1.9.2.1 Test RB=1RB



Date: 2.NOV.2016 04:18:40



5.1.1.9.2.2 Test RB=25RB




Date: 2.NOV.2016 04:16:02



5.1.1.10 Test Mode = LTE/TM1 10MHz

5.1.1.10.1 Test Channel = LCH


5.1.1.10.1.1 Test RB=1RB



Date: 2.NOV.2016 03:50:52



5.1.1.10.1.2 Test RB=50RB




Date: 2.NOV.2016 03:50:04



5.1.1.10.2 Test Channel = HCH


5.1.1.10.2.1 Test RB=1RB



Date: 2.NOV.2016 04:13:16



5.1.1.10.2.2 Test RB=50RB




Date: 2.NOV.2016 04:13:42



5.1.1.11 Test Mode = LTE/TM2 10MHz

5.1.1.11.1 Test Channel = LCH


5.1.1.11.1.1 Test RB=1RB



Date: 2.NOV.2016 03:51:27



5.1.1.11.1.2 Test RB=50RB




Date: 2.NOV.2016 03:49:19



5.1.1.11.2 Test Channel = HCH


5.1.1.11.2.1 Test RB=1RB



Date: 2.NOV.2016 04:12:29



5.1.1.11.2.2 Test RB=50RB




Date: 2.NOV.2016 04:14:04



5.1.1.12 Test Mode = LTE/TM3 10MHz

5.1.1.12.1 Test Channel = LCH


5.1.1.12.1.1 Test RB=1RB



Date: 2.NOV.2016 03:52:28



5.1.1.12.1.2 Test RB=50RB




Date: 2.NOV.2016 03:48:37



5.1.1.12.2 Test Channel = HCH


5.1.1.12.2.1 Test RB=1RB



Date: 2.NOV.2016 04:08:32



5.1.1.12.2.2 Test RB=50RB




Date: 2.NOV.2016 04:14:30



5.1.1.13 Test Mode = LTE/TM1 15MHz

5.1.1.13.1 Test Channel = LCH


5.1.1.13.1.1 Test RB=1RB



Date: 2.NOV.2016 03:43:34



5.1.1.13.1.2 Test RB=75RB



Date: 2.NOV.2016 03:44:41




**SGS-CSTC Standards Technical Services Co., Ltd.**  
**Shenzhen Branch**

Report No.: SZEM161000852202

Page: 141 of 187

**5.1.1.13.2 Test Channel = HCH**

**5.1.1.13.2.1 Test RB=1RB**




Date: 2.NOV.2016 03:40:31

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



5.1.1.13.2.2 Test RB=75RB




Date: 2.NOV.2016 03:39:53



5.1.1.14 Test Mode = LTE/TM2 15MHz

5.1.1.14.1 Test Channel = LCH

5.1.1.14.1.1 Test RB=1RB



Date: 2.NOV.2016 03:43:09



5.1.14.1.2 Test RB=75RB




Date: 2.NOV.2016 03:45:26



5.1.1.14.2 Test Channel = HCH


5.1.1.14.2.1 Test RB=1RB



Date: 2.NOV.2016 03:40:58



5.1.14.2.2 Test RB=75RB




Date: 2.NOV.2016 03:39:10



5.1.1.15 Test Mode = LTE/TM3 15MHz

5.1.1.15.1 Test Channel = LCH

5.1.1.15.1.1 Test RB=1RB



Date: 2.NOV.2016 03:42:41



5.1.1.15.1.2 Test RB=75RB




Date: 2.NOV.2016 03:46:09



5.1.1.15.2 Test Channel =HCH


5.1.1.15.2.1 Test RB=1RB



Date: 2.NOV.2016 03:41:27



5.1.1.15.2.2 Test RB=75RB



Date: 2.NOV.2016 03:38:20



## 6 Spurious Emission at Antenna Terminal

NOTE: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of  $< RBW/2$  so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points =  $k * (Span / RBW)$ " with  $k$  between 4 and 5, which results in an acceptable level error of less than 0.5 dB.


Part I - Test Plots

### 6.1 For LTE


#### 6.1.1 Test Band = LTE band 26(824-849)

##### 6.1.1.1 Test Mode = LTE / TM1 1.4MHz RB1#0

##### 6.1.1.1.1 Test Channel = LCH




Date: 3 NOV 2016 12:19:49




Date: 3.NOV.2016 12:20:42



6.1.1.1.2 Test Channel = MCH




Date: 3 NOV 2016 12:22:56




Date: 3.NOV.2016 12:21:35



6.1.1.1.3 Test Channel = HCH



Date: 3.NOV.2016 12:24:22




Date: 3.NOV.2016 12:25:15




6.1.1.2 Test Mode = LTE / TM1 3MHz RB1#0

6.1.1.2.1 Test Channel = LCH




Date: 3.NOV.2016 12:30:39



Date: 3.NOV.2016 12:29:54



6.1.1.2.2 Test Channel = MCH




Date: 3 NOV 2016 12:28:58



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch

Report No.: SZEM161000852202

Page: 160 of 187




Date: 3.NOV.2016 12:29:20


"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



6.1.1.2.3 Test Channel = HCH



Date: 3.NOV.2016 12:27:31




Date: 3.NOV.2016 12:26:42



6.1.1.3 Test Mode = LTE / TM1 5MHz RB1#0

6.1.1.3.1 Test Channel = LCH




Date: 3.NOV.2016 12:32:38



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch

Report No.: SZEM161000852202

Page: 164 of 187




Date: 3.NOV.2016 12:33:02


"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



6.1.1.3.2 Test Channel = MCH




Date: 3.NOV.2016 12:34:16




Date: 3.NOV.2016 12:33:32



6.1.1.3.3 Test Channel = HCH



Date: 3.NOV.2016 12:34:48




Date: 3.NOV.2016 12:35:31




6.1.1.4 Test Mode = LTE / TM1 10MHz RB1#0

6.1.1.4.1 Test Channel = LCH




Date: 3.NOV.2016 12:37:34




Date: 3.NOV.2016 12:36:35



6.1.1.4.2 Test Channel = MCH




Date: 3.NOV.2016 12:39:42



Date: 3.NOV.2016 12:40:38



6.1.1.4.3 Test Channel = HCH




Date: 3.NOV.2016 12:41:38



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch

Report No.: SZEM161000852202

Page: 174 of 187



Date: 3.NOV.2016 12:41:05

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch

Report No.: SZEM161000852202

Page: 175 of 187

6.1.1.5 Test Mode = LTE / TM1 15MHz RB1#0

6.1.1.5.1 Test Channel = LCH



Date: 3.NOV.2016 12:43:57


"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch

Report No.: SZEM161000852202

Page: 176 of 187




Date: 3.NOV.2016 12:44:37

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



6.1.1.5.2 Test Channel = MCH




Date: 3 NOV 2016 12:45:53



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch

Report No.: SZEM161000852202

Page: 178 of 187




Date: 3.NOV.2016 12:45:10


"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



6.1.1.5.3 Test Channel =HCH



Date: 3.NOV.2016 12:46:44



Date: 3.NOV.2016 12:47:10



## 7 Field Strength of Spurious Radiation

### 7.1 For LTE

#### 7.1.1 Test Band = LTE band26(824-849)

##### 7.1.1.1 Test Mode =LTE/TM1 15MHz RB1#0

##### 7.1.1.1.1 Test Channel = LCH

| Frequency (MHz) | Level (dBm) | Limit Line (dBm) | Over Limit (dB) | Polarization |
|-----------------|-------------|------------------|-----------------|--------------|
| 76.000          | -93.81      | -13.00           | -80.81          | Vertical     |
| 147.500         | -89.58      | -13.00           | -76.58          | Vertical     |
| 237.500         | -93.00      | -13.00           | -80.00          | Vertical     |
| 353.500         | -87.75      | -13.00           | -74.75          | Vertical     |
| 565.500         | -86.38      | -13.00           | -73.38          | Vertical     |
| 791.000         | -81.54      | -13.00           | -68.54          | Vertical     |
| 2475.000        | -41.43      | -13.00           | -28.43          | Vertical     |
| 4779.500        | -51.45      | -13.00           | -38.45          | Vertical     |
| 6968.000        | -49.01      | -13.00           | -36.01          | Vertical     |
| 6510.000        | -65.26      | -13.00           | -52.26          | Vertical     |
| 8460.000        | -63.50      | -13.00           | -50.50          | Vertical     |
| 10117.500       | -64.71      | -13.00           | -51.71          | Vertical     |

| Frequency (MHz) | Level (dBm) | Limit Line (dBm) | Over Limit (dB) | Polarization |
|-----------------|-------------|------------------|-----------------|--------------|
| 76.000          | -92.71      | -13.00           | -79.71          | Horizontal   |
| 210.500         | -92.63      | -13.00           | -79.63          | Horizontal   |
| 334.000         | -90.12      | -13.00           | -77.12          | Horizontal   |
| 457.500         | -87.13      | -13.00           | -74.13          | Horizontal   |
| 631.500         | -84.34      | -13.00           | -71.34          | Horizontal   |
| 873.500         | -81.53      | -13.00           | -68.53          | Horizontal   |
| 3897.000        | -52.39      | -13.00           | -39.39          | Horizontal   |
| 5015.500        | -51.43      | -13.00           | -38.43          | Horizontal   |
| 6684.000        | -51.35      | -13.00           | -38.35          | Horizontal   |
| 7873.000        | -64.45      | -13.00           | -51.45          | Horizontal   |
| 10507.500       | -63.24      | -13.00           | -50.24          | Horizontal   |
| 11872.500       | -64.16      | -13.00           | -51.16          | Horizontal   |



**SGS-CSTC Standards Technical Services Co., Ltd.**  
**Shenzhen Branch**

Report No.: SZEM161000852202

Page: 182 of 187

**7.1.1.1.2 Test Channel = MCH**

| Frequency (MHz) | Level (dBm) | Limit Line (dBm) | Over Limit (dB) | Polarization |
|-----------------|-------------|------------------|-----------------|--------------|
| 76.000          | -92.42      | -13.00           | -79.42          | Vertical     |
| 147.600         | -90.43      | -13.00           | -77.43          | Vertical     |
| 282.000         | -89.68      | -13.00           | -76.68          | Vertical     |
| 416.500         | -83.09      | -13.00           | -70.09          | Vertical     |
| 598.500         | -86.02      | -13.00           | -73.02          | Vertical     |
| 780.000         | -81.48      | -13.00           | -68.48          | Vertical     |
| 3352.500        | -52.17      | -13.00           | -39.17          | Vertical     |
| 4950.000        | -66.58      | -13.00           | -53.58          | Vertical     |
| 6375.500        | -49.44      | -13.00           | -36.44          | Vertical     |
| 7954.000        | -48.72      | -13.00           | -35.72          | Vertical     |
| 9234.000        | -64.32      | -13.00           | -51.32          | Vertical     |
| 11872.500       | -63.45      | -13.00           | -50.45          | Vertical     |

| Frequency (MHz) | Level (dBm) | Limit Line (dBm) | Over Limit (dB) | Polarization |
|-----------------|-------------|------------------|-----------------|--------------|
| 72.000          | -88.74      | -13.00           | -75.74          | Horizontal   |
| 147.500         | -91.34      | -13.00           | -78.34          | Horizontal   |
| 247.500         | -89.43      | -13.00           | -76.43          | Horizontal   |
| 441.500         | -87.21      | -13.00           | -74.21          | Horizontal   |
| 620.500         | -84.54      | -13.00           | -71.54          | Horizontal   |
| 906.500         | -80.32      | -13.00           | -67.32          | Horizontal   |
| 2200.000        | -42.30      | -13.00           | -29.30          | Horizontal   |
| 4050.000        | -52.31      | -13.00           | -39.31          | Horizontal   |
| 5667.500        | -52.58      | -13.00           | -39.58          | Horizontal   |
| 7976.500        | -64.57      | -13.00           | -51.57          | Horizontal   |
| 9727.500        | -64.25      | -13.00           | -51.25          | Horizontal   |
| 11872.500       | -63.85      | -13.00           | -50.85          | Horizontal   |

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



# SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM161000852202

Page: 183 of 187

## 7.1.1.1.3 Test Channel = HCH

| Frequency (MHz) | Level (dBm) | Limit Line (dBm) | Over Limit (dB) | Polarization |
|-----------------|-------------|------------------|-----------------|--------------|
| 76.000          | -92.32      | -13.00           | -79.32          | Vertical     |
| 181.500         | -93.71      | -13.00           | -80.71          | Vertical     |
| 286.500         | -89.69      | -13.00           | -76.69          | Vertical     |
| 472.000         | -88.22      | -13.00           | -75.22          | Vertical     |
| 674.500         | -86.04      | -13.00           | -73.04          | Vertical     |
| 846.000         | -82.08      | -13.00           | -69.08          | Vertical     |
| 2254.000        | -40.83      | -13.00           | -27.83          | Vertical     |
| 4252.500        | -52.35      | -13.00           | -39.35          | Vertical     |
| 5539.000        | -48.23      | -13.00           | -35.23          | Vertical     |
| 7875.000        | -64.32      | -13.00           | -51.32          | Vertical     |
| 9737.500        | -64.13      | -13.00           | -51.13          | Vertical     |
| 11677.500       | -63.94      | -13.00           | -50.94          | Vertical     |

| Frequency (MHz) | Level (dBm) | Limit Line (dBm) | Over Limit (dB) | Polarization |
|-----------------|-------------|------------------|-----------------|--------------|
| 76.000          | -93.10      | -13.00           | -80.10          | Horizontal   |
| 147.500         | -90.37      | -13.00           | -77.37          | Horizontal   |
| 282.000         | -86.57      | -13.00           | -73.57          | Horizontal   |
| 425.800         | -87.24      | -13.00           | -74.24          | Horizontal   |
| 615.000         | -84.34      | -13.00           | -71.34          | Horizontal   |
| 771.000         | -81.28      | -13.00           | -68.28          | Horizontal   |
| 3585.000        | -68.29      | -13.00           | -55.29          | Horizontal   |
| 4347.500        | -52.06      | -13.00           | -39.06          | Horizontal   |
| 6437.000        | -49.91      | -13.00           | -36.91          | Horizontal   |
| 7787.500        | -65.42      | -13.00           | -52.42          | Horizontal   |
| 9240.000        | -64.08      | -13.00           | -51.08          | Horizontal   |
| 10645.500       | -47.23      | -13.00           | -34.23          | Horizontal   |

### NOTE:

- 1) The disturbance above 13GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.



## 8 Frequency Stability

### 8.1 Frequency Error VS. Voltage

| Test Band               | Test Mode     | Test Channel | Test Temp. | Test Volt. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|-------------------------|---------------|--------------|------------|------------|------------------|-----------------------|---------|
| LTE band26<br>(824-849) | LTE/TM1 15MHz | LCH          | TN         | VL         | 0.40             | 0.00048               | PASS    |
|                         |               |              |            | VN         | -5.70            | -0.00686              | PASS    |
|                         |               |              |            | VH         | -6.25            | -0.00752              | PASS    |
|                         |               | MCH          | TN         | VL         | -5.43            | -0.00649              | PASS    |
|                         |               |              |            | VN         | -0.22            | -0.00026              | PASS    |
|                         |               |              |            | VH         | -5.49            | -0.00656              | PASS    |
|                         |               | HCH          | TN         | VL         | -5.20            | -0.00618              | PASS    |
|                         |               |              |            | VN         | -0.74            | -0.00088              | PASS    |
|                         |               |              |            | VH         | -4.51            | -0.00536              | PASS    |
|                         | LTE/TM2 15MHz | LCH          | TN         | VL         | -6.33            | -0.00761              | PASS    |
|                         |               |              |            | VN         | -8.88            | -0.01068              | PASS    |
|                         |               |              |            | VH         | -7.32            | -0.00880              | PASS    |
|                         |               | MCH          | TN         | VL         | 1.55             | 0.00185               | PASS    |
|                         |               |              |            | VN         | -2.84            | -0.00340              | PASS    |
|                         |               |              |            | VH         | 2.22             | 0.00265               | PASS    |
|                         |               | HCH          | TN         | VL         | -7.16            | -0.00851              | PASS    |
|                         |               |              |            | VN         | -4.13            | -0.00491              | PASS    |
|                         |               |              |            | VH         | -5.40            | -0.00642              | PASS    |
|                         | LTE/TM3 15MHz | LCH          | TN         | VL         | -2.35            | -0.00283              | PASS    |
|                         |               |              |            | VN         | 3.13             | 0.00376               | PASS    |
|                         |               |              |            | VH         | -4.25            | -0.00511              | PASS    |
|                         |               | MCH          | TN         | VL         | 1.04             | 0.00124               | PASS    |
|                         |               |              |            | VN         | -3.51            | -0.00420              | PASS    |
|                         |               |              |            | VH         | 4.66             | 0.00557               | PASS    |
|                         |               | HCH          | TN         | VL         | -4.12            | -0.00490              | PASS    |
|                         |               |              |            | VN         | 0.23             | 0.00027               | PASS    |
|                         |               |              |            | VH         | 3.35             | 0.00398               | PASS    |



## 8.2 Frequency Error VS. Temperature

| Test Band            | Test Mode     | Test Channel | Test Volt. | Test Temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|----------------------|---------------|--------------|------------|------------|------------------|-----------------------|---------|
| LTE band26 (824-849) | LTE/TM1 15MHz | LCH          | VN         | -30        | -5.71            | -0.00687              | PASS    |
|                      |               |              |            | -20        | -4.85            | -0.00583              | PASS    |
|                      |               |              |            | -10        | -7.50            | -0.00902              | PASS    |
|                      |               |              |            | 0          | -3.58            | -0.00431              | PASS    |
|                      |               |              |            | 10         | -4.02            | -0.00483              | PASS    |
|                      |               |              |            | 20         | -2.89            | -0.00348              | PASS    |
|                      |               |              |            | 30         | -0.40            | -0.00048              | PASS    |
|                      |               |              |            | 40         | -4.69            | -0.00564              | PASS    |
|                      |               |              |            | 50         | -6.25            | -0.00752              | PASS    |
|                      |               | MCH          | VN         | -30        | 2.34             | 0.00280               | PASS    |
|                      |               |              |            | -20        | -3.73            | -0.00446              | PASS    |
|                      |               |              |            | -10        | 1.62             | 0.00194               | PASS    |
|                      |               |              |            | 0          | 0.08             | 0.00010               | PASS    |
|                      |               |              |            | 10         | -4.35            | -0.00520              | PASS    |
|                      |               |              |            | 20         | -0.14            | -0.00017              | PASS    |
|                      |               |              |            | 30         | -3.65            | -0.00436              | PASS    |
|                      |               |              |            | 40         | 0.60             | 0.00072               | PASS    |
|                      |               |              |            | 50         | -7.60            | -0.00909              | PASS    |
|                      |               | HCH          | VN         | -30        | 0.51             | 0.00061               | PASS    |
|                      |               |              |            | -20        | -4.45            | -0.00529              | PASS    |
|                      |               |              |            | -10        | -7.87            | -0.00935              | PASS    |
|                      |               |              |            | 0          | -5.21            | -0.00619              | PASS    |
|                      |               |              |            | 10         | -2.61            | -0.00310              | PASS    |
|                      |               |              |            | 20         | -2.27            | -0.00270              | PASS    |
|                      |               |              |            | 30         | -2.13            | -0.00253              | PASS    |
|                      |               |              |            | 40         | -4.07            | -0.00484              | PASS    |
|                      |               |              |            | 50         | -6.42            | -0.00763              | PASS    |



**SGS-CSTC Standards Technical Services Co., Ltd.**  
**Shenzhen Branch**

Report No.: SZEM161000852202

Page: 186 of 187

| Test Band            | Test Mode     | Test Channel | Test Volt. | Test Temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|----------------------|---------------|--------------|------------|------------|------------------|-----------------------|---------|
| LTE band26 (824-849) | LTE/TM2 15MHz | LCH          | VN         | -30        | -3.58            | -0.00431              | PASS    |
|                      |               |              |            | -20        | -1.54            | -0.00185              | PASS    |
|                      |               |              |            | -10        | 2.38             | 0.00286               | PASS    |
|                      |               |              |            | 0          | -4.75            | -0.00571              | PASS    |
|                      |               |              |            | 10         | 1.65             | 0.00198               | PASS    |
|                      |               |              |            | 20         | 0.11             | 0.00013               | PASS    |
|                      |               |              |            | 30         | -0.31            | -0.00037              | PASS    |
|                      |               |              |            | 40         | -4.14            | -0.00498              | PASS    |
|                      |               |              |            | 50         | -8.59            | -0.01033              | PASS    |
|                      |               | MCH          | VN         | -30        | -7.20            | -0.00861              | PASS    |
|                      |               |              |            | -20        | -2.35            | -0.00281              | PASS    |
|                      |               |              |            | -10        | -7.49            | -0.00895              | PASS    |
|                      |               |              |            | 0          | -5.22            | -0.00624              | PASS    |
|                      |               |              |            | 10         | -4.04            | -0.00483              | PASS    |
|                      |               |              |            | 20         | -3.93            | -0.00470              | PASS    |
|                      |               |              |            | 30         | -5.66            | -0.00677              | PASS    |
|                      |               |              |            | 40         | -4.62            | -0.00552              | PASS    |
|                      |               |              |            | 50         | -6.32            | -0.00756              | PASS    |
|                      |               | HCH          | VN         | -30        | -5.54            | -0.00658              | PASS    |
|                      |               |              |            | -20        | -4.45            | -0.00529              | PASS    |
|                      |               |              |            | -10        | 1.53             | 0.00182               | PASS    |
|                      |               |              |            | 0          | -2.83            | -0.00336              | PASS    |
|                      |               |              |            | 10         | 2.60             | 0.00309               | PASS    |
|                      |               |              |            | 20         | -0.47            | -0.00056              | PASS    |
|                      |               |              |            | 30         | -2.66            | -0.00316              | PASS    |
|                      |               |              |            | 40         | -5.23            | -0.00622              | PASS    |
|                      |               |              |            | 50         | -3.20            | -0.00380              | PASS    |

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



**SGS-CSTC Standards Technical Services Co., Ltd.**  
**Shenzhen Branch**

Report No.: SZEM161000852202

Page: 187 of 187

| Test Band            | Test Mode     | Test Channel | Test Volt. | Test Temp. | Freq. Error [Hz] | Freq. vs. rated [ppm] | Verdict |
|----------------------|---------------|--------------|------------|------------|------------------|-----------------------|---------|
| LTE band26 (824-849) | LTE/TM3 15MHz | LCH          | VN         | -30        | -3.32            | -0.00399              | PASS    |
|                      |               |              |            | -20        | -6.61            | -0.00795              | PASS    |
|                      |               |              |            | -10        | -7.90            | -0.00950              | PASS    |
|                      |               |              |            | 0          | -2.36            | -0.00284              | PASS    |
|                      |               |              |            | 10         | -3.21            | -0.00386              | PASS    |
|                      |               |              |            | 20         | -4.14            | -0.00498              | PASS    |
|                      |               |              |            | 30         | -7.39            | -0.00889              | PASS    |
|                      |               |              |            | 40         | -2.95            | -0.00355              | PASS    |
|                      |               |              |            | 50         | -6.22            | -0.00748              | PASS    |
|                      |               | MCH          | VN         | -30        | -4.36            | -0.00521              | PASS    |
|                      |               |              |            | -20        | 2.31             | 0.00276               | PASS    |
|                      |               |              |            | -10        | -1.76            | -0.00210              | PASS    |
|                      |               |              |            | 0          | 1.70             | 0.00203               | PASS    |
|                      |               |              |            | 10         | 0.13             | 0.00016               | PASS    |
|                      |               |              |            | 20         | -0.37            | -0.00044              | PASS    |
|                      |               |              |            | 30         | -0.21            | -0.00025              | PASS    |
|                      |               |              |            | 40         | -3.60            | -0.00430              | PASS    |
|                      |               |              |            | 50         | -5.56            | -0.00665              | PASS    |
|                      |               | HCH          | VN         | -30        | -8.18            | -0.00972              | PASS    |
|                      |               |              |            | -20        | -4.57            | -0.00543              | PASS    |
|                      |               |              |            | -10        | -6.37            | -0.00757              | PASS    |
|                      |               |              |            | 0          | -6.67            | -0.00793              | PASS    |
|                      |               |              |            | 10         | -4.83            | -0.00574              | PASS    |
|                      |               |              |            | 20         | -7.37            | -0.00876              | PASS    |
|                      |               |              |            | 30         | -3.15            | -0.00374              | PASS    |
|                      |               |              |            | 40         | -4.16            | -0.00494              | PASS    |
|                      |               |              |            | 50         | -7.39            | -0.00878              | PASS    |

The End

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."