




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 111 of 544

Test mode:	802.11ac(HT80) MIMO	Frequency(MHz):	5210
------------	---------------------	-----------------	------



Test mode:	802.11ac(HT80) MIMO	Frequency(MHz):	5290
------------	---------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 112 of 544

Test mode:	802.11ac(HT80) MIMO	Frequency(MHz):	5530
------------	---------------------	-----------------	------



Test mode:	802.11ac(HT80) MIMO	Frequency(MHz):	5610
------------	---------------------	-----------------	------





SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM161000852204


Page: 113 of 544

99% occupied bandwidth


Test plot as follows:

Antenna 0

Test mode:	802.11a	Frequency(MHz):	5180
------------	---------	-----------------	------



Test mode:	802.11a	Frequency(MHz):	5220
------------	---------	-----------------	------





SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 114 of 544

Test mode:	802.11a	Frequency(MHz):	5240
------------	---------	-----------------	------



Test mode:	802.11a	Frequency(MHz):	5260
------------	---------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 115 of 544

Test mode:	802.11a	Frequency(MHz):	5300
------------	---------	-----------------	------



Test mode:	802.11a	Frequency(MHz):	5320
------------	---------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM161000852204

Page: 116 of 544

Test mode:	802.11a	Frequency(MHz):	5500
------------	---------	-----------------	------



Test mode:	802.11a	Frequency(MHz):	5600
------------	---------	-----------------	------





SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 117 of 544

Test mode:	802.11a	Frequency(MHz):	5700
------------	---------	-----------------	------



Test mode:	802.11n(HT20)	Frequency(MHz):	5180
------------	---------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 118 of 544

Test mode:	802.11n(HT20)	Frequency(MHz):	5220
------------	---------------	-----------------	------



Test mode:	802.11n(HT20)	Frequency(MHz):	5240
------------	---------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 119 of 544

Test mode:	802.11n(HT20)	Frequency(MHz):	5260
------------	---------------	-----------------	------



Test mode:	802.11n(HT20)	Frequency(MHz):	5300
------------	---------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 120 of 544

Test mode:	802.11n(HT20)	Frequency(MHz):	5320
------------	---------------	-----------------	------



Test mode:	802.11n(HT20)	Frequency(MHz):	5500
------------	---------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 121 of 544

Test mode:	802.11n(HT20)	Frequency(MHz):	5600
------------	---------------	-----------------	------



Test mode:	802.11n(HT20)	Frequency(MHz):	5700
------------	---------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 123 of 544

Test mode:	802.11n(HT20) MIMO	Frequency(MHz):	5240
------------	--------------------	-----------------	------



Test mode:	802.11n(HT20) MIMO	Frequency(MHz):	5260
------------	--------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 125 of 544

Test mode:	802.11n(HT20) MIMO	Frequency(MHz):	5500
------------	--------------------	-----------------	------



Test mode:	802.11n(HT20) MIMO	Frequency(MHz):	5600
------------	--------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 126 of 544

Test mode:	802.11n(HT20) MIMO	Frequency(MHz):	5700
------------	--------------------	-----------------	------



Test mode:	802.11ac(HT20)	Frequency(MHz):	5180
------------	----------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM161000852204

Page: 127 of 544

Test mode:	802.11ac(HT20)	Frequency(MHz):	5220
------------	----------------	-----------------	------



Test mode:	802.11ac(HT20)	Frequency(MHz):	5240
------------	----------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 128 of 544

Test mode:	802.11ac(HT20)	Frequency(MHz):	5260
------------	----------------	-----------------	------



Test mode:	802.11ac(HT20)	Frequency(MHz):	5300
------------	----------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 129 of 544

Test mode:	802.11ac(HT20)	Frequency(MHz):	5320
------------	----------------	-----------------	------



Test mode:	802.11ac(HT20)	Frequency(MHz):	5500
------------	----------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 130 of 544

Test mode:	802.11ac(HT20)	Frequency(MHz):	5600
------------	----------------	-----------------	------



Test mode:	802.11ac(HT20)	Frequency(MHz):	5700
------------	----------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 131 of 544

Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5180
------------	---------------------	-----------------	------



Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5220
------------	---------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 132 of 544

Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5240
------------	---------------------	-----------------	------



Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5260
------------	---------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 133 of 544

Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5300
------------	---------------------	-----------------	------



Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5320
------------	---------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 134 of 544

Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5500
------------	---------------------	-----------------	------



Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5600
------------	---------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 135 of 544

Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5700
------------	---------------------	-----------------	------



Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5745
------------	---------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 136 of 544

Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5785
------------	---------------------	-----------------	------



Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5825
------------	---------------------	-----------------	------







SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM161000852204
Page: 137 of 544

Test mode:	802.11n(HT40)	Frequency(MHz):	5190
------------	---------------	-----------------	------



Test mode:	802.11n(HT40)	Frequency(MHz):	5230
------------	---------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 138 of 544

Test mode:	802.11n(HT40)	Frequency(MHz):	5270
------------	---------------	-----------------	------



Test mode:	802.11n(HT40)	Frequency(MHz):	5310
------------	---------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 139 of 544


Test mode:	802.11n(HT40)	Frequency(MHz):	5510
------------	---------------	-----------------	------




Test mode:	802.11n(HT40)	Frequency(MHz):	5590
------------	---------------	-----------------	------



Test mode:	802.11n(HT40)	Frequency(MHz):	5670
------------	---------------	-----------------	------



Test mode:	802.11n(HT40) MIMO	Frequency(MHz):	5190
------------	--------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 141 of 544

Test mode:	802.11n(HT40) MIMO	Frequency(MHz):	5230
------------	--------------------	-----------------	------



Test mode:	802.11n(HT40) MIMO	Frequency(MHz):	5270
------------	--------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 142 of 544

Test mode:	802.11n(HT40) MIMO	Frequency(MHz):	5310
------------	--------------------	-----------------	------



Test mode:	802.11n(HT40) MIMO	Frequency(MHz):	5510
------------	--------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 143 of 544

Test mode:	802.11n(HT40) MIMO	Frequency(MHz):	5590
------------	--------------------	-----------------	------



Test mode:	802.11n(HT40) MIMO	Frequency(MHz):	5670
------------	--------------------	-----------------	------





SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 144 of 544

Test mode:	802.11ac(HT40)	Frequency(MHz):	5190
------------	----------------	-----------------	------



Test mode:	802.11ac(HT40)	Frequency(MHz):	5230
------------	----------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM161000852204

Page: 145 of 544

Test mode:	802.11ac(HT40)	Frequency(MHz):	5270
------------	----------------	-----------------	------



Test mode:	802.11ac(HT40)	Frequency(MHz):	5310
------------	----------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 146 of 544

Test mode:	802.11ac(HT40)	Frequency(MHz):	5510
------------	----------------	-----------------	------



Test mode:	802.11ac(HT40)	Frequency(MHz):	5590
------------	----------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 147 of 544

Test mode:	802.11ac(HT40)	Frequency(MHz):	5670
------------	----------------	-----------------	------



Test mode:	802.11ac(HT40)	Frequency(MHz):	5755
------------	----------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 148 of 544

Test mode:	802.11ac(HT40)	Frequency(MHz):	5795
------------	----------------	-----------------	------



Test mode:	802.11ac(HT40) MIMO	Frequency(MHz):	5190
------------	---------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM161000852204

Page: 149 of 544

Test mode:	802.11ac(HT40) MIMO	Frequency(MHz):	5230
------------	---------------------	-----------------	------



Test mode:	802.11ac(HT40) MIMO	Frequency(MHz):	5270
------------	---------------------	-----------------	------





SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 150 of 544

Test mode:	802.11ac(HT40) MIMO	Frequency(MHz):	5310
------------	---------------------	-----------------	------



Test mode:	802.11ac(HT40) MIMO	Frequency(MHz):	5510
------------	---------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 151 of 544

Test mode:	802.11ac(HT40) MIMO	Frequency(MHz):	5590
------------	---------------------	-----------------	------



Test mode:	802.11ac(HT40) MIMO	Frequency(MHz):	5670
------------	---------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 152 of 544

Test mode:	802.11ac(HT80)	Frequency(MHz):	5210
------------	----------------	-----------------	------



Test mode:	802.11ac(HT80)	Frequency(MHz):	5290
------------	----------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 153 of 544

Test mode:	802.11ac(HT80)	Frequency(MHz):	5530
------------	----------------	-----------------	------



Test mode:	802.11ac(HT80)	Frequency(MHz):	5610
------------	----------------	-----------------	------





SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM161000852204

Page: 154 of 544

Test mode:	802.11ac(HT80) MIMO	Frequency(MHz):	5210
------------	---------------------	-----------------	------



Test mode:	802.11ac(HT80) MIMO	Frequency(MHz):	5290
------------	---------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 155 of 544

Test mode:	802.11ac(HT80) MIMO	Frequency(MHz):	5530
------------	---------------------	-----------------	------



Test mode:	802.11ac(HT80) MIMO	Frequency(MHz):	5610
------------	---------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM161000852204

Page: 156 of 544

Antenna 1

Test mode:	802.11a	Frequency(MHz):	5180
------------	---------	-----------------	------



Test mode:	802.11a	Frequency(MHz):	5220
------------	---------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 157 of 544

Test mode:	802.11a	Frequency(MHz):	5240
------------	---------	-----------------	------



Test mode:	802.11a	Frequency(MHz):	5260
------------	---------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 158 of 544

Test mode:	802.11a	Frequency(MHz):	5300
------------	---------	-----------------	------



Test mode:	802.11a	Frequency(MHz):	5320
------------	---------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 159 of 544

Test mode:	802.11a	Frequency(MHz):	5500
------------	---------	-----------------	------



Test mode:	802.11a	Frequency(MHz):	5600
------------	---------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 160 of 544

Test mode:	802.11a	Frequency(MHz):	5700
------------	---------	-----------------	------



Test mode:	802.11n(HT20)	Frequency(MHz):	5180
------------	---------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM161000852204

Page: 161 of 544

Test mode:	802.11n(HT20)	Frequency(MHz):	5220
------------	---------------	-----------------	------



Test mode:	802.11n(HT20)	Frequency(MHz):	5240
------------	---------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 162 of 544

Test mode:	802.11n(HT20)	Frequency(MHz):	5260
------------	---------------	-----------------	------



Test mode:	802.11n(HT20)	Frequency(MHz):	5300
------------	---------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 163 of 544

Test mode:	802.11n(HT20)	Frequency(MHz):	5320
------------	---------------	-----------------	------



Test mode:	802.11n(HT20)	Frequency(MHz):	5500
------------	---------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 164 of 544

Test mode:	802.11n(HT20)	Frequency(MHz):	5600
------------	---------------	-----------------	------



Test mode:	802.11n(HT20)	Frequency(MHz):	5700
------------	---------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 167 of 544

Test mode:	802.11n(HT20) MIMO	Frequency(MHz):	5300
------------	--------------------	-----------------	------



Test mode:	802.11n(HT20) MIMO	Frequency(MHz):	5320
------------	--------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 168 of 544

Test mode:	802.11n(HT20) MIMO	Frequency(MHz):	5500
------------	--------------------	-----------------	------



Test mode:	802.11n(HT20) MIMO	Frequency(MHz):	5600
------------	--------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 169 of 544

Test mode:	802.11n(HT20) MIMO	Frequency(MHz):	5700
------------	--------------------	-----------------	------



Test mode:	802.11ac(HT20)	Frequency(MHz):	5180
------------	----------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 170 of 544

Test mode:	802.11ac(HT20)	Frequency(MHz):	5220
------------	----------------	-----------------	------



Test mode:	802.11ac(HT20)	Frequency(MHz):	5240
------------	----------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM161000852204

Page: 171 of 544

Test mode:	802.11ac(HT20)	Frequency(MHz):	5260
------------	----------------	-----------------	------



Test mode:	802.11ac(HT20)	Frequency(MHz):	5300
------------	----------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 172 of 544

Test mode:	802.11ac(HT20)	Frequency(MHz):	5320
------------	----------------	-----------------	------



Test mode:	802.11ac(HT20)	Frequency(MHz):	5500
------------	----------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 173 of 544

Test mode:	802.11ac(HT20)	Frequency(MHz):	5600
------------	----------------	-----------------	------



Test mode:	802.11ac(HT20)	Frequency(MHz):	5700
------------	----------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 174 of 544

Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5180
------------	---------------------	-----------------	------



Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5220
------------	---------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM161000852204
Page: 175 of 544

Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5240
------------	---------------------	-----------------	------



Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5260
------------	---------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 176 of 544

Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5300
------------	---------------------	-----------------	------



Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5320
------------	---------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 177 of 544

Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5500
------------	---------------------	-----------------	------



Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5600
------------	---------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 178 of 544

Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5700
------------	---------------------	-----------------	------



Test mode:	802.11n(HT40)	Frequency(MHz):	5190
------------	---------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 179 of 544

Test mode:	802.11n(HT40)	Frequency(MHz):	5230
------------	---------------	-----------------	------



Test mode:	802.11n(HT40)	Frequency(MHz):	5270
------------	---------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 180 of 544

Test mode:	802.11n(HT40)	Frequency(MHz):	5310
------------	---------------	-----------------	------



Test mode:	802.11n(HT40)	Frequency(MHz):	5510
------------	---------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 181 of 544

Test mode:	802.11n(HT40)	Frequency(MHz):	5590
------------	---------------	-----------------	------



Test mode:	802.11n(HT40)	Frequency(MHz):	5670
------------	---------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 182 of 544

Test mode:	802.11n(HT40) MIMO	Frequency(MHz):	5190
------------	--------------------	-----------------	------



Test mode:	802.11n(HT40) MIMO	Frequency(MHz):	5230
------------	--------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 184 of 544

Test mode:	802.11n(HT40) MIMO	Frequency(MHz):	5510
------------	--------------------	-----------------	------



Test mode:	802.11n(HT40) MIMO	Frequency(MHz):	5590
------------	--------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 185 of 544

Test mode:	802.11n(HT40) MIMO	Frequency(MHz):	5670
------------	--------------------	-----------------	------



Test mode:	802.11ac(HT40)	Frequency(MHz):	5190
------------	----------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 186 of 544

Test mode:	802.11ac(HT40)	Frequency(MHz):	5230
------------	----------------	-----------------	------



Test mode:	802.11ac(HT40)	Frequency(MHz):	5270
------------	----------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM161000852204

Page: 187 of 544

Test mode:	802.11ac(HT40)	Frequency(MHz):	5310
------------	----------------	-----------------	------



Test mode:	802.11ac(HT40)	Frequency(MHz):	5510
------------	----------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM161000852204

Page: 188 of 544

Test mode:	802.11ac(HT40)	Frequency(MHz):	5590
------------	----------------	-----------------	------



Test mode:	802.11ac(HT40)	Frequency(MHz):	5670
------------	----------------	-----------------	------





SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 190 of 544

Test mode:	802.11ac(HT40) MIMO	Frequency(MHz):	5270
------------	---------------------	-----------------	------



Test mode:	802.11ac(HT40) MIMO	Frequency(MHz):	5310
------------	---------------------	-----------------	------





SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM161000852204

Page: 191 of 544

Test mode:	802.11ac(HT40) MIMO	Frequency(MHz):	5510
------------	---------------------	-----------------	------



Test mode:	802.11ac(HT40) MIMO	Frequency(MHz):	5590
------------	---------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 193 of 544

Test mode:	802.11ac(HT80)	Frequency(MHz):	5290
------------	----------------	-----------------	------



Test mode:	802.11ac(HT80)	Frequency(MHz):	5530
------------	----------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 194 of 544

Test mode:	802.11ac(HT80)	Frequency(MHz):	5610
------------	----------------	-----------------	------



Test mode:	802.11ac(HT80) MIMO	Frequency(MHz):	5210
------------	---------------------	-----------------	------





SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM161000852204

Page: 195 of 544

Test mode:	802.11ac(HT80) MIMO	Frequency(MHz):	5290
------------	---------------------	-----------------	------



Test mode:	802.11ac(HT80) MIMO	Frequency(MHz):	5530
------------	---------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM161000852204


Page: 196 of 544

Test mode:	802.11ac(HT80) MIMO	Frequency(MHz):	5610
------------	---------------------	-----------------	------





6.5 Power Spectral Density

Test Requirement:	47 CFR Part 15 Section 15.407(a)	
Test Method:	ANSI C63.10: 2013	
Test Setup:	 <i>Remark:</i> Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer.	
Test Instruments:	Refer to section 5.10 for details	
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates	
Final Test Mode:	Through Pre-scan, find the 6Mbps of rate is the worst case of 802.11a; MCS0 of rate is the worst case of 802.11n(HT20); MCS0 of rate is the worst case of 802.11n(HT40); MCS0 of rate is the worst case of 802.11ac(HT20); MCS0 of rate is the worst case of 802.11ac(HT40); MCS0 of rate is the worst case of 802.11ac(HT80) Only the worst case is recorded in the report.	
Limit:	Frequency Band	Limit
	5150-5250MHz	The power spectral density less than 11dBm/1MHz
	5250-5350MHz	The power spectral density less than 11dBm/1MHz
	5470-5725MHz	The power spectral density less than 11dBm/1MHz
Test Results:	Pass	



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM161000852204

Page: 198 of 544

Measurement Data:

802.11a mode				
Frequency (MHz)	Power Spectral Density		Limit	Result
	Antenna 0	Antenna 1		
5180	1.45	0.48	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5220	1.03	0.85	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5240	1.17	0.93	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5260	0.43	0.33	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5300	0.34	0.53	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5320	0.41	0.27	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5500	1.42	0.46	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5600	1.62	1.13	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5700	1.42	0.91	$\leq 11\text{dBm}/1\text{MHz}$	Pass

802.11n(HT20) mode				
Frequency (MHz)	Power Spectral Density		Limit	Result
5180	-0.26	-1.39	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5220	-0.58	-0.93	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5240	-0.76	-1.12	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5260	-1.10	-1.34	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5300	-1.33	-1.22	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5320	-1.32	-1.31	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5500	-0.42	-0.88	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5600	-0.05	-0.29	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5700	-0.20	-0.58	$\leq 11\text{dBm}/1\text{MHz}$	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM161000852204

Page: 199 of 544

802.11ac(HT20) mode				
Frequency (MHz)	Power Spectral Density		Limit	Result
5180	-2.54	-3.64	≤11dBm/1MHz	Pass
5220	-2.59	-3.25	≤11dBm/1MHz	Pass
5240	-2.66	-3.35	≤11dBm/1MHz	Pass
5260	-3.54	-3.61	≤11dBm/1MHz	Pass
5300	-3.33	-3.16	≤11dBm/1MHz	Pass
5320	-3.61	-3.42	≤11dBm/1MHz	Pass
5500	-2.68	-3.13	≤11dBm/1MHz	Pass
5600	-2.42	-2.42	≤11dBm/1MHz	Pass
5700	-2.57	-2.68	≤11dBm/1MHz	Pass

802.11n(HT40) mode				
Frequency (MHz)	Power Spectral Density		Limit	Result
5190	-5.10	-6.14	≤11dBm/1MHz	Pass
5230	-5.18	-5.71	≤11dBm/1MHz	Pass
5270	-5.83	-6.26	≤11dBm/1MHz	Pass
5310	-6.15	-5.97	≤11dBm/1MHz	Pass
5510	-5.12	-5.85	≤11dBm/1MHz	Pass
5590	-4.82	-5.24	≤11dBm/1MHz	Pass
5670	-5.08	-5.45	≤11dBm/1MHz	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM161000852204

Page: 200 of 544

802.11ac(HT40) mode				
Frequency (MHz)	Power Spectral Density		Limit	Result
5190	-7.21	-8.30	≤11dBm/1MHz	Pass
5230	-7.37	-8.02	≤11dBm/1MHz	Pass
5270	-8.13	-8.39	≤11dBm/1MHz	Pass
5310	-8.16	-8.13	≤11dBm/1MHz	Pass
5510	-7.19	-7.99	≤11dBm/1MHz	Pass
5590	-6.90	-7.17	≤11dBm/1MHz	Pass
5670	-7.13	-7.40	≤11dBm/1MHz	Pass

802.11ac(HT80) mode				
Frequency (MHz)	Power Spectral Density		Limit	Result
5210	-10.98	-11.16	≤11dBm/1MHz	Pass
5290	-11.68	-11.90	≤11dBm/1MHz	Pass
5530	-10.55	-11.98	≤11dBm/1MHz	Pass
5610	-10.41	-10.78	≤11dBm/1MHz	Pass

MIMO

802.11n(HT20) mode				
Frequency (MHz)	Power Spectral Density		Limit	Result
5180	-0.40	-0.83	≤11dBm/1MHz	Pass
5220	-0.61	-0.50	≤11dBm/1MHz	Pass
5240	-0.47	-0.52	≤11dBm/1MHz	Pass
5260	-1.20	-0.95	≤11dBm/1MHz	Pass
5300	-1.14	-0.77	≤11dBm/1MHz	Pass
5320	-1.38	-0.83	≤11dBm/1MHz	Pass
5500	-0.36	-0.77	≤11dBm/1MHz	Pass
5600	0.04	-0.13	≤11dBm/1MHz	Pass
5700	-0.18	0.05	≤11dBm/1MHz	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM161000852204

Page: 201 of 544

802.11ac(HT20) mode				
Frequency (MHz)	Power Spectral Density		Limit	Result
5180	-2.37	-3.36	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5220	-2.54	-3.14	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5240	-2.58	-3.16	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5260	-3.14	-3.41	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5300	-3.35	-3.15	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5320	-3.56	-3.28	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5500	-2.76	-3.03	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5600	-2.23	-2.27	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5700	-2.36	-2.50	$\leq 11\text{dBm}/1\text{MHz}$	Pass

802.11n(HT40) mode				
Frequency (MHz)	Power Spectral Density		Limit	Result
5190	-5.14	-5.39	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5230	-5.16	-4.99	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5270	-5.80	-5.45	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5310	-6.15	-5.18	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5510	-5.23	-5.23	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5590	-4.95	-4.60	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5670	-5.07	-4.75	$\leq 11\text{dBm}/1\text{MHz}$	Pass

802.11ac(HT40) mode				
Frequency (MHz)	Power Spectral Density		Limit	Result
5190	-7.12	-8.16	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5230	-7.32	-7.89	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5270	-7.92	-8.29	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5310	-8.20	-8.08	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5510	-7.17	-7.86	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5590	-6.93	-7.25	$\leq 11\text{dBm}/1\text{MHz}$	Pass
5670	-7.17	-7.32	$\leq 11\text{dBm}/1\text{MHz}$	Pass

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM161000852204

Page: 202 of 544

802.11ac(HT80) mode				
Frequency (MHz)	Power Spectral Density		Limit	Result
5210	-11.02	-11.28	≤11dBm/1MHz	Pass
5290	-11.73	-11.86	≤11dBm/1MHz	Pass
5530	-10.65	-11.80	≤11dBm/1MHz	Pass
5610	-10.34	-10.58	≤11dBm/1MHz	Pass



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM161000852204


Page: 204 of 544

Test mode:	802.11a	Frequency(MHz):	5240
------------	---------	-----------------	------



Date: 27.NOV.2016 10:57:58

Test mode:	802.11a	Frequency(MHz):	5260
------------	---------	-----------------	------



Date: 27.NOV.2016 10:58:27




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM161000852204


Page: 205 of 544

Test mode:	802.11a	Frequency(MHz):	5300
------------	---------	-----------------	------



Date: 27.NOV.2016 10:59:02

Test mode:	802.11a	Frequency(MHz):	5320
------------	---------	-----------------	------



Date: 27.NOV.2016 10:59:37




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM161000852204


Page: 206 of 544

Test mode:	802.11a	Frequency(MHz):	5500
------------	---------	-----------------	------



Date: 27.NOV.2016 11:30:17

Test mode:	802.11a	Frequency(MHz):	5600
------------	---------	-----------------	------



Date: 27.NOV.2016 11:31:03




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM161000852204


Page: 207 of 544

Test mode:	802.11a	Frequency(MHz):	5700
------------	---------	-----------------	------



Date: 27.NOV.2016 11:31:36

Test mode:	802.11n(HT20)	Frequency(MHz):	5180
------------	---------------	-----------------	------



Date: 27.NOV.2016 11:33:33



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM161000852204


Page: 208 of 544

Test mode:	802.11n(HT20)	Frequency(MHz):	5220
------------	---------------	-----------------	------



Date: 27.NOV.2016 11:34:17

Test mode:	802.11n(HT20)	Frequency(MHz):	5240
------------	---------------	-----------------	------



Date: 27.NOV.2016 11:35:00




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM161000852204


Page: 209 of 544

Test mode:	802.11n(HT20)	Frequency(MHz):	5260
------------	---------------	-----------------	------



Date: 27.NOV.2016 11:35:48

Test mode:	802.11n(HT20)	Frequency(MHz):	5300
------------	---------------	-----------------	------



Date: 27.NOV.2016 11:36:29




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM161000852204


Page: 210 of 544

Test mode:	802.11n(HT20)	Frequency(MHz):	5320
------------	---------------	-----------------	------



Date: 27.NOV.2016 11:37:20

Test mode:	802.11n(HT20)	Frequency(MHz):	5500
------------	---------------	-----------------	------



Date: 27.NOV.2016 11:38:10




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM161000852204


Page: 211 of 544

Test mode:	802.11n(HT20)	Frequency(MHz):	5600
------------	---------------	-----------------	------



Date: 27.NOV.2016 11:38:51

Test mode:	802.11n(HT20)	Frequency(MHz):	5700
------------	---------------	-----------------	------



Date: 27.NOV.2016 11:39:50




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 212 of 544

Test mode:	802.11n(HT20) MIMO	Frequency(MHz):	5180
------------	--------------------	-----------------	------



Test mode:	802.11n(HT20) MIMO	Frequency(MHz):	5220
------------	--------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM161000852204


Page: 213 of 544

Test mode:	802.11n(HT20) MIMO	Frequency(MHz):	5240
------------	--------------------	-----------------	------



Date: 27.NOV.2016 12:00:29

Test mode:	802.11n(HT20) MIMO	Frequency(MHz):	5260
------------	--------------------	-----------------	------



Date: 27.NOV.2016 12:01:12




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM161000852204
Page: 214 of 544

Test mode:	802.11n(HT20) MIMO	Frequency(MHz):	5300
------------	--------------------	-----------------	------



Test mode:	802.11n(HT20) MIMO	Frequency(MHz):	5320
------------	--------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM161000852204


Page: 215 of 544

Test mode:	802.11n(HT20) MIMO	Frequency(MHz):	5500
------------	--------------------	-----------------	------



Date: 27.NOV.2016 12:03:11

Test mode:	802.11n(HT20) MIMO	Frequency(MHz):	5600
------------	--------------------	-----------------	------



Date: 27.NOV.2016 12:03:47




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM161000852204


Page: 216 of 544

Test mode:	802.11n(HT20) MIMO	Frequency(MHz):	5700
------------	--------------------	-----------------	------



Date: 27.NOV.2016 12:04:21

Test mode:	802.11ac(HT20)	Frequency(MHz):	5180
------------	----------------	-----------------	------



Date: 27.NOV.2016 11:11:14



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM161000852204


Page: 217 of 544

Test mode:	802.11ac(HT20)	Frequency(MHz):	5220
------------	----------------	-----------------	------



Date: 27.NOV.2016 11:10:37

Test mode:	802.11ac(HT20)	Frequency(MHz):	5240
------------	----------------	-----------------	------



Date: 27.NOV.2016 11:10:00




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM161000852204


Page: 218 of 544

Test mode:	802.11ac(HT20)	Frequency(MHz):	5260
------------	----------------	-----------------	------



Date: 27.NOV.2016 11:09:25

Test mode:	802.11ac(HT20)	Frequency(MHz):	5300
------------	----------------	-----------------	------



Date: 27.NOV.2016 11:07:30




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM161000852204


Page: 219 of 544

Test mode:	802.11ac(HT20)	Frequency(MHz):	5320
------------	----------------	-----------------	------



Date: 27.NOV.2016 11:06:42

Test mode:	802.11ac(HT20)	Frequency(MHz):	5500
------------	----------------	-----------------	------



Date: 27.NOV.2016 11:06:06




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM161000852204


Page: 220 of 544

Test mode:	802.11ac(HT20)	Frequency(MHz):	5600
------------	----------------	-----------------	------



Date: 27.NOV.2016 11:05:28

Test mode:	802.11ac(HT20)	Frequency(MHz):	5700
------------	----------------	-----------------	------



Date: 27.NOV.2016 11:04:49




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 221 of 544

Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5180
------------	---------------------	-----------------	------



Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5220
------------	---------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM161000852204


Page: 222 of 544

Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5240
------------	---------------------	-----------------	------



Date: 27.NOV.2016 12:09:51

Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5260
------------	---------------------	-----------------	------



Date: 27.NOV.2016 12:09:15




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM161000852204


Page: 223 of 544

Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5300
------------	---------------------	-----------------	------



Date: 27.NOV.2016 12:08:30

Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5320
------------	---------------------	-----------------	------



Date: 27.NOV.2016 12:07:48



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM161000852204


Page: 224 of 544

Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5500
------------	---------------------	-----------------	------



Date: 27.NOV.2016 12:06:59

Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5600
------------	---------------------	-----------------	------



Date: 27.NOV.2016 12:06:26



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM161000852204


Page: 225 of 544

Test mode:	802.11ac(HT20) MIMO	Frequency(MHz):	5700
------------	---------------------	-----------------	------



Date: 27.NOV.2016 12:05:46

Test mode:	802.11n(HT40)	Frequency(MHz):	5190
------------	---------------	-----------------	------



Date: 27.NOV.2016 11:47:41




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM161000852204


Page: 226 of 544

Test mode:	802.11n(HT40)	Frequency(MHz):	5230
------------	---------------	-----------------	------



Date: 27.NOV.2016 11:48:36

Test mode:	802.11n(HT40)	Frequency(MHz):	5270
------------	---------------	-----------------	------



Date: 27.NOV.2016 11:49:30




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 227 of 544

Test mode:	802.11n(HT40)	Frequency(MHz):	5310
------------	---------------	-----------------	------



Test mode:	802.11n(HT40)	Frequency(MHz):	5510
------------	---------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 228 of 544

Test mode:	802.11n(HT40)	Frequency(MHz):	5590
------------	---------------	-----------------	------



Test mode:	802.11n(HT40)	Frequency(MHz):	5670
------------	---------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 229 of 544

Test mode:	802.11n(HT40) MIMO	Frequency(MHz):	5190
------------	--------------------	-----------------	------



Test mode:	802.11n(HT40) MIMO	Frequency(MHz):	5230
------------	--------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 231 of 544

Test mode:	802.11n(HT40) MIMO	Frequency(MHz):	5510
------------	--------------------	-----------------	------



Test mode:	802.11n(HT40) MIMO	Frequency(MHz):	5590
------------	--------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 232 of 544

Test mode:	802.11n(HT40) MIMO	Frequency(MHz):	5670
------------	--------------------	-----------------	------



Test mode:	802.11ac(HT40)	Frequency(MHz):	5190
------------	----------------	-----------------	------





SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM161000852204

Page: 234 of 544

Test mode:	802.11ac(HT40)	Frequency(MHz):	5310
------------	----------------	-----------------	------



Date: 27.NOV.2016 11:21:52

Test mode:	802.11ac(HT40)	Frequency(MHz):	5510
------------	----------------	-----------------	------



Date: 27.NOV.2016 11:22:34



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM161000852204

Page: 235 of 544

Test mode:	802.11ac(HT40)	Frequency(MHz):	5590
------------	----------------	-----------------	------



Date: 27.NOV.2016 11:23:14

Test mode:	802.11ac(HT40)	Frequency(MHz):	5670
------------	----------------	-----------------	------



Date: 27.NOV.2016 11:23:55




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM161000852204

Page: 236 of 544

Test mode:	802.11ac(HT40) MIMO	Frequency(MHz):	5190
------------	---------------------	-----------------	------



Test mode:	802.11ac(HT40) MIMO	Frequency(MHz):	5230
------------	---------------------	-----------------	------





SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 237 of 544

Test mode:	802.11ac(HT40) MIMO	Frequency(MHz):	5270
------------	---------------------	-----------------	------



Test mode:	802.11ac(HT40) MIMO	Frequency(MHz):	5310
------------	---------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 238 of 544

Test mode:	802.11ac(HT40) MIMO	Frequency(MHz):	5510
------------	---------------------	-----------------	------



Test mode:	802.11ac(HT40) MIMO	Frequency(MHz):	5590
------------	---------------------	-----------------	------






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: SZEM161000852204

Page: 239 of 544

Test mode:	802.11ac(HT40) MIMO	Frequency(MHz):	5670
------------	---------------------	-----------------	------



Test mode:	802.11ac(HT80)	Frequency(MHz):	5210
------------	----------------	-----------------	------





SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM161000852204

Page: 240 of 544

Test mode:	802.11ac(HT80)	Frequency(MHz):	5290
------------	----------------	-----------------	------



Date: 27.NOV.2016 11:26:05

Test mode:	802.11ac(HT80)	Frequency(MHz):	5530
------------	----------------	-----------------	------



Date: 27.NOV.2016 11:26:45