



Test Mode: LTE Band 2_TX CH18900_20M

Horizontal




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 2_TX CH18900_20M




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode: LTE Band 2_TX CH18900_20M



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment


Test Mode: LTE Band 25_TX CH26365_1.4M



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	41.640	-61.68	2.06	-59.62	-13.00	-46.62	peak	
2		145.430	-68.15	2.69	-65.46	-13.00	-52.46	peak	
3		208.480	-70.12	-2.46	-72.58	-13.00	-59.58	peak	
4		285.110	-76.61	2.43	-74.18	-13.00	-61.18	peak	
5		393.750	-76.13	4.02	-72.11	-13.00	-59.11	peak	
6		751.680	-77.18	12.46	-64.72	-13.00	-51.72	peak	

Test Mode: LTE Band 25_TX CH26365_1.4M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		72.680	-61.89	-5.63	-67.52	-13.00	-54.52	peak	
2		153.190	-70.70	3.76	-66.94	-13.00	-53.94	peak	
3		193.930	-66.51	-1.71	-68.22	-13.00	-55.22	peak	
4		377.260	-74.34	5.77	-68.57	-13.00	-55.57	peak	
5		533.430	-76.78	8.09	-68.69	-13.00	-55.69	peak	
6	*	710.940	-77.31	13.72	-63.59	-13.00	-50.59	peak	

Test Mode: LTE Band 25_TX CH26365_1.4M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode: LTE Band 25_TX CH26365_1.4M


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode: LTE Band 25_TX CH26365_1.4M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	5745.000	-71.67	16.49	-55.18	-13.00	-42.18	peak	

Test Mode: LTE Band 25_TX CH26365_1.4M


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		


Test Mode: LTE Band 25_TX CH26365_1.4M

Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		


Test Mode: LTE Band 25_TX CH26365_1.4M



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode: LTE Band 25_TX CH26365_20M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	41.640	-62.29	2.06	-60.23	-13.00	-47.23	peak	
2		152.220	-68.80	3.16	-65.64	-13.00	-52.64	peak	
3		287.050	-76.21	2.35	-73.86	-13.00	-60.86	peak	
4		521.790	-75.61	7.51	-68.10	-13.00	-55.10	peak	
5		625.580	-77.02	9.43	-67.59	-13.00	-54.59	peak	
6		831.220	-76.39	13.50	-62.89	-13.00	-49.89	peak	

Test Mode: LTE Band 25_TX CH26365_20M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		72.680	-61.43	-5.63	-67.06	-13.00	-54.06	peak	
2		152.220	-71.46	3.91	-67.55	-13.00	-54.55	peak	
3		193.930	-66.59	-1.71	-68.30	-13.00	-55.30	peak	
4		381.140	-74.59	6.09	-68.50	-13.00	-55.50	peak	
5		497.540	-76.31	7.88	-68.43	-13.00	-55.43	peak	
6	*	704.150	-77.20	13.88	-63.32	-13.00	-50.32	peak	

Test Mode: LTE Band 25_TX CH26365_20M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode: LTE Band 25_TX CH26365_20M


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode: LTE Band 25_TX CH26365_20M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode:


LTE Band 25_TX CH26365_20M



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode: LTE Band 25_TX CH26365_20M


Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 25_TX CH26365_20M

Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

ATTACHMENT E - BAND EDGE

DCS1900



GSM

Channel

512

Channel

810





EDGE




Channel

512

Channel

810





LTE Band 2_1.4M

1RB0



1RB5

Channel

18607

Channel

19193




6RB0

Channel

18607

Channel

19193



LTE Band 2_3M

1RB0



1RB14

Channel

18615

Channel

19185




15RB0

Channel

18615

Channel

19185



LTE Band 2_5M

1RB0



1RB24

Channel

18625

Channel

19175





25RB0

Channel

18625

Channel

19175



LTE Band 2_10M

1RB0



1RB49

Channel

18650

Channel

19150




50RB0


Channel

18650

Channel

19150





LTE Band 2_20M

1RB0



1RB99

Channel

18700

Channel

19100





100RB0


Channel


18700

Channel

19100







LTE Band 25_5M

1RB0



1RB24

Channel

26065

Channel

26675





25RB0

Channel

26065

Channel

26675



LTE Band 25_10M

1RB0



1RB49

Channel

26090

Channel

26640





50RB0


Channel

26090

Channel

26640





LTE Band 25_20M

1RB0



1RB99

Channel

26140

Channel

26590





100RB0

Channel

26140

Channel

26590




ATTACHMENT F - PEAK TO AVERAGE RATIO

DCS1900 Spectrum Plot

GSM -512




GSM-661




GSM-810




EDGE-512




EDGE-661



EDGE-810




WCDMA Band II Spectrum Plot



WCDMA_HSDPA Band II Spectrum Plot


9262

9400



9538

-



WCDMA_HSUPA Band II Spectrum Plot

9262

9400




9538

-




-

LTE Band 2 Spectrum Plot_1.4M



LTE Band 2 Spectrum Plot_3M

QPSK-18615




QPSK-18900



QPSK-19185



16QAM-18615




16QAM-18900




16QAM-19185




LTE Band 2 Spectrum Plot_5M



LTE Band 2 Spectrum Plot_10M




LTE Band 2 Spectrum Plot_15M



LTE Band 2 Spectrum Plot_20M

QPSK-18700



QPSK-18900



QPSK-19100



16QAM-18700



16QAM-18900



16QAM-19100




LTE Band 25 Spectrum Plot_1.4M

QPSK-26047




QPSK-26365



QPSK-26683



16QAM-26047



16QAM-26365




16QAM-26683



LTE Band 25 Spectrum Plot_3M


QPSK-26055



QPSK-26365




QPSK-26675



16QAM-26055



16QAM-26365




16QAM-26675



LTE Band 25 Spectrum Plot_5M


QPSK-26065



QPSK-26365




QPSK-26665



16QAM-26065



16QAM-26365




16QAM-26665



LTE Band 25 Spectrum Plot_10M


QPSK-26090



QPSK-26365




QPSK-26640




16QAM-26090



16QAM-26365




16QAM-26640



LTE Band 25 Spectrum Plot_15M


QPSK-26115



QPSK-26365




QPSK-26615




16QAM-26115



16QAM-26365




16QAM-26115



LTE Band 25 Spectrum Plot_20M


QPSK-26140



QPSK-26365




QPSK-26590




16QAM-26140



16QAM-26365



16QAM-26590



ATTACHMENT G - FREQUENCY STABILITY

Test Mode:	DCS1900_CH661
------------	---------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	7.36	0.003977948	2.5
5	5.49	0.002967247	2.5
10	8.33	0.004502216	2.5
15	7.16	0.003869852	2.5
20	5.76	0.003113177	2.5
25	6.73	0.003637445	2.5
30	8.12	0.004388715	2.5
35	6.91	0.003734731	2.5
Max. Deviation (ppm)	8.33	0.004502216	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
Low	7.14	0.003859042	2.5
Middle	6.07	0.003280726	2.5
High	7.26	0.0039239	2.5
Max. Deviation (ppm)	7.26	0.0039239	2.5

Test Mode:	WCDMA Band II_CH9400
------------	----------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	8.73	0.004643617	2.5
5	9.12	0.004851064	2.5
10	7.65	0.004069149	2.5
15	5.43	0.002888298	2.5
20	6.15	0.003271277	2.5
25	5.06	0.002691489	2.5
30	7.86	0.004180851	2.5
35	6.91	0.003675532	2.5
Max. Deviation (ppm)	9.12	0.004851064	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
Low	6.62	0.003521277	2.5
Middle	5.47	0.002909574	2.5
High	8.22	0.00437234	2.5
Max. Deviation (ppm)	8.22	0.00437234	2.5

Test Mode:	LTE Band 2_CH18900_1.4M
------------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-5.64	0.003	2.5
5	-7.26	0.003861702	2.5
10	6.33	0.003367021	2.5
15	5.16	0.002744681	2.5
20	-5.34	0.002840426	2.5
25	4.79	0.002547872	2.5
30	-5.18	0.002755319	2.5
35	-6.72	0.003574468	2.5
Max. Deviation (ppm)	7.26	0.003861702	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
Low	5.32	0.002829787	2.5
Middle	4.18	0.002223404	2.5
High	-6.79	0.003611702	2.5
Max. Deviation (ppm)	6.79	0.003611702	2.5

Test Mode:	LTE Band 2_CH18900_3M
------------	-----------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-6.13	0.003260638	2.5
5	-5.28	0.002808511	2.5
10	6.05	0.003218085	2.5
15	5.33	0.002835106	2.5
20	-4.25	0.002260638	2.5
25	7.31	0.003888298	2.5
30	-7.97	0.004239362	2.5
35	6.14	0.003265957	2.5
Max. Deviation (ppm)	7.97	0.004239362	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
Low	5.99	0.00318617	2.5
Middle	4.67	0.002484043	2.5
High	-6.26	0.003329787	2.5
Max. Deviation (ppm)	6.26	0.003329787	2.5

Test Mode:	LTE Band 2_CH18900_5M
------------	-----------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-6.14	0.003265957	2.5
5	5.97	0.003175532	2.5
10	-3.26	0.001734043	2.5
15	-4.01	0.002132979	2.5
20	5.16	0.002744681	2.5
25	4.38	0.002329787	2.5
30	-5.16	0.002744681	2.5
35	4.36	0.002319149	2.5
Max. Deviation (ppm)	6.14	0.003265957	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
Low	-4.26	0.002265957	2.5
Middle	5.12	0.002723404	2.5
High	4.96	0.002638298	2.5
Max. Deviation (ppm)	5.12	0.002723404	2.5

Test Mode:	LTE Band 2_CH18900_10M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-5.21	0.002771277	2.5
5	4.99	0.002654255	2.5
10	6.27	0.003335106	2.5
15	-5.25	0.002792553	2.5
20	-6.12	0.003255319	2.5
25	-6.08	0.003234043	2.5
30	6.14	0.003265957	2.5
35	-5.73	0.003047872	2.5
Max. Deviation (ppm)	6.27	0.003335106	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
Low	4.38	0.002329787	2.5
Middle	-5.16	0.002744681	2.5
High	7.62	0.004053191	2.5
Max. Deviation (ppm)	7.62	0.004053191	2.5

Test Mode:	LTE Band 2_CH18900_15M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	6.13	0.003260638	2.5
5	-7.13	0.003792553	2.5
10	-5.92	0.003148936	2.5
15	6.13	0.003260638	2.5
20	4.26	0.002265957	2.5
25	-4.33	0.002303191	2.5
30	5.21	0.002771277	2.5
35	-4.31	0.002292553	2.5
Max. Deviation (ppm)	7.13	0.003792553	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
Low	4.06	0.002159574	2.5
Middle	4.73	0.002515957	2.5
High	-5.27	0.002803191	2.5
Max. Deviation (ppm)	5.27	0.002803191	2.5

Test Mode:	LTE Band 2_CH18900_20M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	5.26	0.002797872	2.5
5	-4.22	0.002244681	2.5
10	5.17	0.00275	2.5
15	4.18	0.002223404	2.5
20	-5.32	0.002829787	2.5
25	6.18	0.003287234	2.5
30	-7.11	0.003781915	2.5
35	-5.82	0.003095745	2.5
Max. Deviation (ppm)	7.11	0.003781915	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
Low	-4.88	0.002595745	2.5
Middle	-3.15	0.001675532	2.5
High	3.72	0.001978723	2.5
Max. Deviation (ppm)	-4.88	0.002595745	2.5

Test Mode:	LTE Band 25_CH26365_1.4M
------------	--------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-6.73	0.003575033	2.5
5	5.16	0.002741036	2.5
10	-4.31	0.002289509	2.5
15	5.16	0.002741036	2.5
20	2.49	0.001322709	2.5
25	-4.33	0.002300133	2.5
30	5.12	0.002719788	2.5
35	-4.78	0.002539177	2.5
Max. Deviation (ppm)	6.73	0.003575033	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
Low	-5.16	0.002741036	2.5
Middle	4.04	0.002146082	2.5
High	5.16	0.002741036	2.5
Max. Deviation (ppm)	5.16	0.002741036	2.5

Test Mode:	LTE Band 25_CH26365_3M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	4.29	0.002278884	2.5
5	-5.06	0.002687915	2.5
10	3.78	0.002007968	2.5
15	4.12	0.002188579	2.5
20	-5.02	0.002666667	2.5
25	6.72	0.003569721	2.5
30	-4.24	0.002252324	2.5
35	-5.15	0.002735724	2.5
Max. Deviation (ppm)	6.72	0.003569721	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
Low	3.72	0.001976096	2.5
Middle	5.18	0.00275166	2.5
High	-3.49	0.001853918	2.5
Max. Deviation (ppm)	5.18	0.00275166	2.5

Test Mode:	LTE Band 25_CH26365_5M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	5.06	0.002687915	2.5
5	4.37	0.002321381	2.5
10	-6.58	0.003495352	2.5
15	3.25	0.001726428	2.5
20	-2.76	0.001466135	2.5
25	3.67	0.001949535	2.5
30	-6.12	0.003250996	2.5
35	4.16	0.002209827	2.5
Max. Deviation (ppm)	6.58	0.003495352	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
Low	4.26	0.002262948	2.5
Middle	-3.83	0.002034529	2.5
High	-6.13	0.003256308	2.5
Max. Deviation (ppm)	6.13	0.003256308	2.5

Test Mode:	LTE Band 25_CH26365_10M
------------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-4.38	0.002326693	2.5
5	5.14	0.002730412	2.5
10	-3.77	0.002002656	2.5
15	4.02	0.002135458	2.5
20	5.34	0.002836653	2.5
25	-3.76	0.001997344	2.5
30	3.65	0.001938911	2.5
35	-5.19	0.002756972	2.5
Max. Deviation (ppm)	5.34	0.002836653	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
Low	-2.26	0.001200531	2.5
Middle	5.43	0.002884462	2.5
High	4.41	0.002342629	2.5
Max. Deviation (ppm)	5.43	0.002884462	2.5

Test Mode:	LTE Band 25_CH26365_15M
------------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	6.37	0.003383798	2.5
5	-5.16	0.002741036	2.5
10	4.28	0.002273572	2.5
15	-2.34	0.001243028	2.5
20	6.33	0.00336255	2.5
25	-5.79	0.003075697	2.5
30	4.33	0.002300133	2.5
35	-3.25	0.001726428	2.5
Max. Deviation (ppm)	6.37	0.003383798	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
Low	3.62	0.001922975	2.5
Middle	6.18	0.003282869	2.5
High	-4.77	0.002533865	2.5
Max. Deviation (ppm)	6.18	0.003282869	2.5

Test Mode:	LTE Band 25_CH26365_20M
------------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	3.49	0.001853918	2.5
5	-5.27	0.002799469	2.5
10	4.63	0.002459495	2.5
15	3.87	0.002055777	2.5
20	-4.61	0.002448871	2.5
25	5.19	0.002756972	2.5
30	6.13	0.003256308	2.5
35	-4.49	0.002385126	2.5
Max. Deviation (ppm)	5.27	0.003256308	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
Low	-5.79	0.003075697	2.5
Middle	-4.35	0.002310757	2.5
High	5.22	0.002772908	2.5
Max. Deviation (ppm)	5.79	0.003075697	2.5