



**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 7.55                    | 0.06        | 7.61                                | 11.00           |
| CH60    | 5300            | 8.42                    | 0.06        | 8.48                                | 11.00           |
| CH64    | 5320            | 8.97                    | 0.06        | 9.03                                | 11.00           |




Date: 21.SEP.2016 22:01:36

### CH60



Date: 21.SEP.2016 22:02:43

### CH64




Date: 21.SEP.2016 22:03:15

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density+Duty<br>Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|-------------------------------------------|--------------------|
| CH54    | 5270               | 4.06                       | 0.11        | 4.17                                      | 11.00              |
| CH62    | 5310               | 5.17                       | 0.11        | 5.28                                      | 11.00              |

### CH54



Date: 21.SEP.2016 22:20:44


### CH62



Date: 21.SEP.2016 22:21:37


**Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode\_CH52/CH60/CH64**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 7.60                    | 0.06        | 7.66                                | 11.00           |
| CH60    | 5300            | 8.46                    | 0.06        | 8.52                                | 11.00           |
| CH64    | 5320            | 8.92                    | 0.06        | 8.98                                | 11.00           |




Date: 21.SEP.2016 22:11:16

### CH60



Date: 21.SEP.2016 22:12:05

### CH64




Date: 21.SEP.2016 22:12:47

**Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode\_CH54/CH62**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density+Duty<br>Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|-------------------------------------------|--------------------|
| CH54    | 5270               | 4.08                       | 0.11        | 4.19                                      | 11.00              |
| CH62    | 5310               | 4.90                       | 0.11        | 5.01                                      | 11.00              |

### CH54



Date: 22.SEP.2016 19:58:23


### CH62



Date: 22.SEP.2016 19:59:41

**Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode\_CH58**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH58    | 5290            | -0.52                   | 0.22        | -0.30                               | 11.00           |



Date: 22.SEP.2016 20:08:14


**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | 10.31                   | 0.14        | 10.45                               | 11.00           |
| CH116   | 5580            | 7.83                    | 0.14        | 7.97                                | 11.00           |
| CH140   | 5700            | 8.61                    | 0.14        | 8.75                                | 11.00           |




Date: 21.SEP.2016 21:47:40

### CH116



Date: 21.SEP.2016 21:50:01

### CH140




Date: 21.SEP.2016 21:50:47

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | 10.11                   | 0.06        | 10.17                               | 11.00           |
| CH116   | 5580            | 7.57                    | 0.06        | 7.63                                | 11.00           |
| CH140   | 5700            | 8.37                    | 0.06        | 8.43                                | 11.00           |

**CH100**




Date: 21.SEP.2016 22:04:03

### CH116



Date: 21.SEP.2016 22:04:53

### CH140




Date: 21.SEP.2016 22:05:25

Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH102   | 5510            | 6.44                    | 0.11        | 6.55                                | 11.00           |
| CH110   | 5550            | 4.96                    | 0.11        | 5.07                                | 11.00           |
| CH134   | 5670            | 4.25                    | 0.11        | 4.36                                | 11.00           |

CH102




Date: 21.SEP.2016 22:22:38

### CH110



Date: 21.SEP.2016 22:23:41

### CH134




Date: 21.SEP.2016 22:24:31

**Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode\_CH100/CH116/CH140**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | 10.09                   | 0.06        | 10.15                               | 11.00           |
| CH116   | 5580            | 7.59                    | 0.06        | 7.65                                | 11.00           |
| CH140   | 5700            | 8.40                    | 0.06        | 8.46                                | 11.00           |

**CH100**




Date: 21.SEP.2016 22:13:37

### CH116



Date: 21.SEP.2016 22:14:37


### CH140



Date: 21.SEP.2016 22:15:08


**Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode\_CH102/CH110/CH134**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH102   | 5510            | 6.44                    | 0.11        | 6.55                                | 11.00           |
| CH110   | 5550            | 5.20                    | 0.11        | 5.31                                | 11.00           |
| CH134   | 5670            | 4.23                    | 0.11        | 4.34                                | 11.00           |




Date: 22.SEP.2016 20:00:47

### CH110



Date: 22.SEP.2016 20:01:51

### CH134




Date: 22.SEP.2016 20:02:46

**Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode\_CH106/CH122**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH106   | 5530            | 1.71                    | 0.22        | 1.93                                | 11.00           |
| CH122   | 5610            | -0.64                   | 0.22        | -0.42                               | 11.00           |

### CH106



Date: 22.SEP.2016 20:10:30


### CH122



Date: 22.SEP.2016 20:12:07


**Test Mode: TX AC Wave2(160 MHz) Mode / CH58(UNII-2A)+CH1122 (UNII-2C)**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH58    | 5290            | -1.73                   | 0.13        | -1.60                               | 10.42           |
| CH122   | 5610            | -1.53                   | 0.13        | -1.40                               | 10.42           |



Date: 4.JAN.2017 13:29:58

# CH122




Date: 4.JAN.2017 13:35:22

## For 2TX Non-Beamforming


**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_ANT 1**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 7.37                    | 0.14        | 7.51                                | 11.00           |
| CH60    | 5300            | 6.46                    | 0.14        | 6.60                                | 11.00           |
| CH64    | 5320            | 6.90                    | 0.14        | 7.04                                | 11.00           |




Date: 30.DEC.2016 14:03:41

### CH60



Date: 30.DEC.2016 14:09:32


### CH64



Date: 30.DEC.2016 14:10:45


**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_ANT 2**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 7.14                    | 0.14        | 7.28                                | 11.00           |
| CH60    | 5300            | 7.13                    | 0.14        | 7.27                                | 11.00           |
| CH64    | 5320            | 6.50                    | 0.14        | 6.64                                | 11.00           |




Date: 30.DEC.2016 14:05:54

### CH60



Date: 30.DEC.2016 14:08:25

### CH64




Date: 30.DEC.2016 14:12:38

**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH52    | 5260               | 10.41                      | 11.00              |
| CH60    | 5300               | 9.96                       | 11.00              |
| CH64    | 5320               | 9.85                       | 11.00              |


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 1**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 6.30                    | 0.06        | 6.36                                | 11.00           |
| CH60    | 5300            | 6.30                    | 0.06        | 6.36                                | 11.00           |
| CH64    | 5320            | 4.84                    | 0.06        | 4.90                                | 11.00           |




Date: 30.DEC.2016 15:05:55

### CH60



Date: 30.DEC.2016 15:09:21

### CH64




Date: 30.DEC.2016 15:28:31

**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 6.78                    | 0.06        | 6.84                                | 11.00           |
| CH60    | 5300            | 6.75                    | 0.06        | 6.81                                | 11.00           |
| CH64    | 5320            | 5.03                    | 0.06        | 5.09                                | 11.00           |

**CH52**




Date: 30.DEC.2016 15:04:40

### CH60



Date: 30.DEC.2016 15:13:13

### CH64



Date: 30.DEC.2016 15:26:16


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH52    | 5260               | 9.62                       | 11.00              |
| CH60    | 5300               | 9.60                       | 11.00              |
| CH64    | 5320               | 8.01                       | 11.00              |

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 1**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density+Duty<br>Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|-------------------------------------------|--------------------|
| CH54    | 5270               | 6.05                       | 0.11        | 6.16                                      | 11.00              |
| CH62    | 5310               | -2.13                      | 0.11        | -2.02                                     | 11.00              |

### CH54



Date: 30.DEC.2016 16:07:12

### CH62




Date: 30.DEC.2016 16:10:38

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 2**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density+Duty<br>Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|-------------------------------------------|--------------------|
| CH54    | 5270               | 6.29                       | 0.11        | 6.40                                      | 11.00              |
| CH62    | 5310               | -1.79                      | 0.11        | -1.68                                     | 11.00              |

### CH54



Date: 30.DEC.2016 16:06:12

### CH62




Date: 30.DEC.2016 16:11:48

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH54    | 5270               | 9.29                       | 11.00              |
| CH62    | 5310               | 1.16                       | 11.00              |


**Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode\_CH52/CH60/CH64\_ANT 1**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 6.48                    | 0.06        | 6.54                                | 11.00           |
| CH60    | 5300            | 6.36                    | 0.06        | 6.42                                | 11.00           |
| CH64    | 5320            | 4.96                    | 0.06        | 5.02                                | 11.00           |




Date: 30.DEC.2016 15:42:16

### CH60



Date: 30.DEC.2016 15:44:07


### CH64



Date: 30.DEC.2016 15:47:22


**Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode\_CH52/CH60/CH64\_ANT 2**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 7.00                    | 0.06        | 7.06                                | 11.00           |
| CH60    | 5300            | 6.75                    | 0.06        | 6.81                                | 11.00           |
| CH64    | 5320            | 5.02                    | 0.06        | 5.08                                | 11.00           |




Date: 30.DEC.2016 15:41:15

### CH60



Date: 30.DEC.2016 15:45:07

### CH64



Date: 30.DEC.2016 15:46:29


**Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode\_CH52/CH60/CH64\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH52    | 5260               | 9.82                       | 11.00              |
| CH60    | 5300               | 9.63                       | 11.00              |
| CH64    | 5320               | 8.06                       | 11.00              |

**Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode\_CH54/CH62\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH54    | 5270            | 6.17                    | 0.11        | 6.28                                | 11.00           |
| CH62    | 5310            | -2.24                   | 0.11        | -2.13                               | 11.00           |

### CH54



Date: 30.DEC.2016 16:21:05

### CH62




Date: 30.DEC.2016 16:31:40

**Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode\_CH54/CH62\_ANT 2**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density+Duty<br>Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|-------------------------------------------|--------------------|
| CH54    | 5270               | 6.25                       | 0.11        | 6.36                                      | 11.00              |
| CH62    | 5310               | -1.75                      | 0.11        | -1.64                                     | 11.00              |

### CH54



Date: 30.DEC.2016 16:21:58

### CH62




Date: 30.DEC.2016 16:23:16

**Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode\_CH54/CH62\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH54    | 5270               | 9.33                       | 11.00              |
| CH62    | 5310               | 1.13                       | 11.00              |

**Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode\_CH58\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH58    | 5290            | -6.17                   | 0.22        | -5.95                               | 11.00           |



Date: 30.DEC.2016 18:23:34

**Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode\_CH58\_ANT 2**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH58    | 5290            | -5.93                   | 0.22        | -5.71                               | 11.00           |




Date: 30.DEC.2016 18:22:08

**Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode\_CH58\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH58    | 5290               | -2.82                      | 11.00              |


**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 1**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | 7.11                    | 0.14        | 7.25                                | 11.00           |
| CH116   | 5580            | 7.20                    | 0.14        | 7.34                                | 11.00           |
| CH140   | 5700            | 7.12                    | 0.14        | 7.26                                | 11.00           |




Date: 30.DEC.2016 14:14:53

### CH116



Date: 30.DEC.2016 14:17:35

### CH140




Date: 30.DEC.2016 14:21:04

**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | 5.98                    | 0.14        | 6.12                                | 11.00           |
| CH116   | 5580            | 6.42                    | 0.14        | 6.56                                | 11.00           |
| CH140   | 5700            | 6.28                    | 0.14        | 6.42                                | 11.00           |

**CH100**




Date: 30.DEC.2016 14:14:00

### CH116



Date: 30.DEC.2016 14:18:27

### CH140



Date: 30.DEC.2016 14:20:01


**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH100   | 5500               | 9.73                       | 11.00              |
| CH116   | 5580               | 9.98                       | 11.00              |
| CH140   | 5700               | 9.87                       | 11.00              |

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | 4.89                    | 0.06        | 4.95                                | 11.00           |
| CH116   | 5580            | 7.02                    | 0.06        | 7.08                                | 11.00           |
| CH140   | 5700            | 4.02                    | 0.06        | 4.08                                | 11.00           |

**CH100**




Date: 30.DEC.2016 15:29:35

### CH116



Date: 30.DEC.2016 15:33:13

### CH140




Date: 30.DEC.2016 15:34:32

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | 3.51                    | 0.06        | 3.57                                | 11.00           |
| CH116   | 5580            | 6.25                    | 0.06        | 6.31                                | 11.00           |
| CH140   | 5700            | 3.19                    | 0.06        | 3.25                                | 11.00           |

**CH100**




Date: 30.DEC.2016 15:31:04

### CH116



Date: 30.DEC.2016 15:32:22

### CH140



Date: 30.DEC.2016 15:35:27


**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH100   | 5500               | 7.32                       | 11.00              |
| CH116   | 5580               | 9.72                       | 11.00              |
| CH140   | 5700               | 6.70                       | 11.00              |

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH102   | 5510            | -2.29                   | 0.11        | -2.18                               | 11.00           |
| CH110   | 5550            | 4.79                    | 0.11        | 4.90                                | 11.00           |
| CH134   | 5670            | 2.43                    | 0.11        | 2.54                                | 11.00           |

**CH102**




Date: 30.DEC.2016 16:14:08

### CH110



Date: 30.DEC.2016 16:15:27

### CH134




Date: 30.DEC.2016 16:18:41

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH102   | 5510            | -3.60                   | 0.11        | -3.49                               | 11.00           |
| CH110   | 5550            | 3.64                    | 0.11        | 3.75                                | 11.00           |
| CH134   | 5670            | 1.89                    | 0.11        | 2.00                                | 11.00           |

**CH102**




Date: 30.DEC.2016 16:13:09

### CH110



Date: 30.DEC.2016 16:16:25

### CH134



Date: 30.DEC.2016 16:17:49


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH102   | 5510               | 0.22                       | 11.00              |
| CH110   | 5550               | 7.37                       | 11.00              |
| CH134   | 5670               | 5.29                       | 11.00              |

**Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode\_CH100/CH116/CH140\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | 5.45                    | 0.06        | 5.51                                | 11.00           |
| CH116   | 5580            | 7.08                    | 0.06        | 7.14                                | 11.00           |
| CH140   | 5700            | 4.90                    | 0.06        | 4.96                                | 11.00           |

**CH100**




Date: 30.DEC.2016 15:48:24

### CH116



Date: 30.DEC.2016 15:51:16

### CH140




Date: 30.DEC.2016 15:52:38

**Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode\_CH100/CH116/CH140\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | 4.53                    | 0.06        | 4.59                                | 11.00           |
| CH116   | 5580            | 6.22                    | 0.06        | 6.28                                | 11.00           |
| CH140   | 5700            | 4.17                    | 0.06        | 4.23                                | 11.00           |

**CH100**




Date: 30.DEC.2016 15:49:15

### CH116



Date: 30.DEC.2016 15:50:28

### CH140



Date: 30.DEC.2016 15:53:40


**Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode\_CH100/CH116/CH140\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH100   | 5500               | 8.08                       | 11.00              |
| CH116   | 5580               | 9.74                       | 11.00              |
| CH140   | 5700               | 7.62                       | 11.00              |

**Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode\_CH102/CH110/CH134\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH102   | 5510            | -1.19                   | 0.11        | -1.08                               | 11.00           |
| CH110   | 5550            | 4.74                    | 0.11        | 4.85                                | 11.00           |
| CH134   | 5670            | 2.45                    | 0.11        | 2.56                                | 11.00           |

**CH102**




Date: 30.DEC.2016 17:33:51

### CH110



Date: 30.DEC.2016 18:12:58

### CH134




Date: 30.DEC.2016 18:14:50

**Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode\_CH102/CH110/CH134\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH102   | 5510            | -2.81                   | 0.11        | -2.70                               | 11.00           |
| CH110   | 5550            | 3.37                    | 0.11        | 3.48                                | 11.00           |
| CH134   | 5670            | 1.65                    | 0.11        | 1.76                                | 11.00           |

**CH102**




Date: 30.DEC.2016 18:09:16

### CH110



Date: 30.DEC.2016 18:11:35

### CH134



Date: 30.DEC.2016 18:15:52


**Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode\_CH102/CH110/CH134\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH102   | 5510               | 1.20                       | 11.00              |
| CH110   | 5550               | 7.23                       | 11.00              |
| CH134   | 5670               | 5.19                       | 11.00              |

**Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode\_CH106/CH122\_ANT 1**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density+Duty<br>Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|-------------------------------------------|--------------------|
| CH106   | 5530               | -5.84                      | 0.22        | -5.62                                     | 11.00              |
| CH122   | 5610               | 0.74                       | 0.22        | 0.96                                      | 11.00              |

### CH106



Date: 30.DEC.2016 18:27:10

### CH122




Date: 30.DEC.2016 18:33:39

**Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode\_CH106/CH122\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH106   | 5530            | -7.87                   | 0.22        | -7.65                               | 11.00           |
| CH122   | 5610            | -0.44                   | 0.22        | -0.22                               | 11.00           |

### CH106



Date: 30.DEC.2016 18:29:38

### CH122




Date: 30.DEC.2016 18:32:13

**Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode\_CH106/CH122\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH106   | 5530               | -3.51                      | 11.00              |
| CH122   | 5610               | 3.42                       | 11.00              |


**Test Mode: TX AC Wave2(160 MHz) Mode / CH58(UNII-2A)+CH1122 (UNII-2C)\_ANT 1**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH58    | 5290            | -1.56                   | 0.13        | -1.43                               | 11.00           |
| CH122   | 5610            | -1.55                   | 0.13        | -1.42                               | 11.00           |



Date: 4.JAN.2017 13:41:13


# CH122



Date: 4.JAN.2017 13:46:48


**Test Mode: TX AC Wave2(160 MHz) Mode / CH58(UNII-2A)+CH1122 (UNII-2C)\_ANT 2**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH58    | 5290            | -1.15                   | 0.13        | -1.02                               | 11.00           |
| CH122   | 5610            | -0.81                   | 0.13        | -0.68                               | 11.00           |



Date: 4.JAN.2017 13:43:22

# CH122



Date: 4.JAN.2017 13:44:59


**Test Mode: TX AC Wave2(160 MHz) Mode / CH58(UNII-2A)+CH1122 (UNII-2C)\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH58    | 5290               | 1.79                       | 11.00              |
| CH122   | 5610               | 1.98                       | 11.00              |

## For 3TX Non-Beamforming


Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_ANT 1

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 4.53                    | 0.14        | 4.67                                | 11.00           |
| CH60    | 5300            | 4.57                    | 0.14        | 4.71                                | 11.00           |
| CH64    | 5320            | 5.04                    | 0.14        | 5.18                                | 11.00           |




Date: 2.JAN.2017 13:39:57

### CH60



Date: 2.JAN.2017 13:40:47


### CH64



Date: 2.JAN.2017 13:41:59


Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_ANT 2

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 5.12                    | 0.14        | 5.26                                | 11.00           |
| CH60    | 5300            | 5.05                    | 0.14        | 5.19                                | 11.00           |
| CH64    | 5320            | 5.39                    | 0.14        | 5.53                                | 11.00           |




Date: 2.JAN.2017 13:45:59

### CH60



Date: 2.JAN.2017 13:46:55


### CH64



Date: 2.JAN.2017 13:47:58


**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_ANT 3**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 4.65                    | 0.14        | 4.79                                | 11.00           |
| CH60    | 5300            | 4.53                    | 0.14        | 4.67                                | 11.00           |
| CH64    | 5320            | 5.12                    | 0.14        | 5.26                                | 11.00           |




Date: 2.JAN.2017 13:51:52

### CH60



Date: 2.JAN.2017 13:52:46

### CH64



Date: 2.JAN.2017 13:53:34


**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH52    | 5260               | 9.69                       | 11.00              |
| CH60    | 5300               | 9.63                       | 11.00              |
| CH64    | 5320               | 10.10                      | 11.00              |

**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 4.19                    | 0.06        | 4.25                                | 11.00           |
| CH60    | 5300            | 4.31                    | 0.06        | 4.37                                | 11.00           |
| CH64    | 5320            | 3.83                    | 0.06        | 3.89                                | 11.00           |

**CH52**




Date: 2.JAN.2017 14:02:56

### CH60



Date: 2.JAN.2017 14:06:26

### CH64




Date: 2.JAN.2017 14:07:12

**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 4.58                    | 0.06        | 4.64                                | 11.00           |
| CH60    | 5300            | 4.67                    | 0.06        | 4.73                                | 11.00           |
| CH64    | 5320            | 3.96                    | 0.06        | 4.02                                | 11.00           |

**CH52**




Date: 2.JAN.2017 14:10:55

### CH60



Date: 2.JAN.2017 14:11:51

### CH64




Date: 2.JAN.2017 14:12:37

**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 3**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 4.52                    | 0.06        | 4.58                                | 11.00           |
| CH60    | 5300            | 4.32                    | 0.06        | 4.38                                | 11.00           |
| CH64    | 5320            | 3.69                    | 0.06        | 3.75                                | 11.00           |

**CH52**




Date: 2.JAN.2017 14:16:15

### CH60



Date: 2.JAN.2017 14:17:02

### CH64



Date: 2.JAN.2017 14:17:48


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH52    | 5260               | 9.26                       | 11.00              |
| CH60    | 5300               | 9.27                       | 11.00              |
| CH64    | 5320               | 8.66                       | 11.00              |

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH54    | 5270            | 3.58                    | 0.11        | 3.69                                | 11.00           |
| CH62    | 5310            | -3.89                   | 0.11        | -3.78                               | 11.00           |

### CH54



Date: 2.JAN.2017 14:49:43

### CH62




Date: 2.JAN.2017 14:50:44

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 2**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density+Duty<br>Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|-------------------------------------------|--------------------|
| CH54    | 5270               | 4.18                       | 0.11        | 4.29                                      | 11.00              |
| CH62    | 5310               | -3.49                      | 0.11        | -3.38                                     | 11.00              |

### CH54



Date: 2.JAN.2017 14:57:14

### CH62




Date: 2.JAN.2017 14:58:17

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 3**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH54    | 5270            | 3.90                    | 0.11        | 4.01                                | 11.00           |
| CH62    | 5310            | -3.59                   | 0.11        | -3.48                               | 11.00           |

### CH54



Date: 2.JAN.2017 15:02:45

### CH62




Date: 2.JAN.2017 15:03:40

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH54    | 5270               | 8.77                       | 11.00              |
| CH62    | 5310               | 1.23                       | 11.00              |


**Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode\_CH52/CH60/CH64\_ANT 1**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 4.53                    | 0.06        | 4.59                                | 11.00           |
| CH60    | 5300            | 4.85                    | 0.06        | 4.91                                | 11.00           |
| CH64    | 5320            | 3.83                    | 0.06        | 3.89                                | 11.00           |




Date: 2.JAN.2017 14:25:59

### CH60



Date: 2.JAN.2017 14:26:50


### CH64



Date: 2.JAN.2017 14:27:38


**Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode\_CH52/CH60/CH64\_ANT 2**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 4.91                    | 0.06        | 4.97                                | 11.00           |
| CH60    | 5300            | 4.68                    | 0.06        | 4.74                                | 11.00           |
| CH64    | 5320            | 3.97                    | 0.06        | 4.03                                | 11.00           |




Date: 2.JAN.2017 14:33:42

### CH60



Date: 2.JAN.2017 14:34:38


### CH64



Date: 2.JAN.2017 14:35:26


**Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode\_CH52/CH60/CH64\_ANT 3**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 4.49                    | 0.06        | 4.55                                | 11.00           |
| CH60    | 5300            | 4.83                    | 0.06        | 4.89                                | 11.00           |
| CH64    | 5320            | 4.01                    | 0.06        | 4.07                                | 11.00           |




Date: 2.JAN.2017 14:38:57

### CH60



Date: 2.JAN.2017 14:39:53

### CH64



Date: 2.JAN.2017 14:40:44


**Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode\_CH52/CH60/CH64\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH52    | 5260               | 9.48                       | 11.00              |
| CH60    | 5300               | 9.62                       | 11.00              |
| CH64    | 5320               | 8.77                       | 11.00              |

**Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode\_CH54/CH62\_ANT 1**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density+Duty<br>Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|-------------------------------------------|--------------------|
| CH54    | 5270               | 3.92                       | 0.11        | 4.03                                      | 11.00              |
| CH62    | 5310               | -4.35                      | 0.11        | -4.24                                     | 11.00              |

### CH54



Date: 2.JAN.2017 15:09:45

### CH62




Date: 2.JAN.2017 15:10:49

**Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode\_CH54/CH62\_ANT 2**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density+Duty<br>Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|-------------------------------------------|--------------------|
| CH54    | 5270               | 4.29                       | 0.11        | 4.40                                      | 11.00              |
| CH62    | 5310               | -3.55                      | 0.11        | -3.44                                     | 11.00              |

### CH54



Date: 2.JAN.2017 15:14:35

### CH62




Date: 2.JAN.2017 15:15:35

**Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode\_CH54/CH62\_ANT 3**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH54    | 5270            | 3.82                    | 0.11        | 3.93                                | 11.00           |
| CH62    | 5310            | -3.31                   | 0.11        | -3.20                               | 11.00           |

### CH54



Date: 2.JAN.2017 15:20:06

### CH62




Date: 2.JAN.2017 15:20:55

**Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode\_CH54/CH62\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH54    | 5270               | 8.90                       | 11.00              |
| CH62    | 5310               | 1.17                       | 11.00              |

**Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode\_CH58\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH58    | 5290            | -8.56                   | 0.22        | -8.34                               | 11.00           |



Date: 2.JAN.2017 15:27:12

**Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode\_CH58\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH58    | 5290            | -7.47                   | 0.22        | -7.25                               | 11.00           |



Date: 2.JAN.2017 15:31:10

**Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode\_CH58\_ANT 3**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH58    | 5290            | -8.20                   | 0.22        | -7.98                               | 11.00           |



Date: 2.JAN.2017 15:35:10


**Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode\_CH58\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH58    | 5290               | -3.06                      | 11.00              |

**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | 4.94                    | 0.14        | 5.08                                | 11.00           |
| CH116   | 5580            | 5.22                    | 0.14        | 5.36                                | 11.00           |
| CH140   | 5700            | 5.20                    | 0.14        | 5.34                                | 11.00           |

**CH100**




Date: 2.JAN.2017 13:42:48

### CH116



Date: 2.JAN.2017 13:43:45


### CH140



Date: 2.JAN.2017 13:44:38


**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 2**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | 3.63                    | 0.14        | 3.77                                | 11.00           |
| CH116   | 5580            | 4.38                    | 0.14        | 4.52                                | 11.00           |
| CH140   | 5700            | 4.03                    | 0.14        | 4.17                                | 11.00           |




Date: 2.JAN.2017 13:48:55

### CH116



Date: 2.JAN.2017 13:49:45


### CH140



Date: 2.JAN.2017 13:50:36


**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 3**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | 4.95                    | 0.14        | 5.09                                | 11.00           |
| CH116   | 5580            | 5.39                    | 0.14        | 5.53                                | 11.00           |
| CH140   | 5700            | 5.17                    | 0.14        | 5.31                                | 11.00           |




Date: 2.JAN.2017 13:54:32

### CH116



Date: 2.JAN.2017 13:56:40

### CH140



Date: 2.JAN.2017 13:57:36


**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH100   | 5500               | 9.46                       | 11.00              |
| CH116   | 5580               | 9.93                       | 11.00              |
| CH140   | 5700               | 9.74                       | 11.00              |

Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 1


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | 3.47                    | 0.06        | 3.53                                | 11.00           |
| CH116   | 5580            | 4.82                    | 0.06        | 4.88                                | 11.00           |
| CH140   | 5700            | 3.77                    | 0.06        | 3.83                                | 11.00           |

CH100




Date: 2.JAN.2017 14:08:01

### CH116



Date: 2.JAN.2017 14:08:57

### CH140




Date: 2.JAN.2017 14:09:45

Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 2


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | 2.22                    | 0.06        | 2.28                                | 11.00           |
| CH116   | 5580            | 4.08                    | 0.06        | 4.14                                | 11.00           |
| CH140   | 5700            | 2.75                    | 0.06        | 2.81                                | 11.00           |

CH100




Date: 2.JAN.2017 14:13:21

### CH116



Date: 2.JAN.2017 14:14:14

### CH140




Date: 2.JAN.2017 14:15:02

Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 3


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | 3.66                    | 0.06        | 3.72                                | 11.00           |
| CH116   | 5580            | 5.17                    | 0.06        | 5.23                                | 11.00           |
| CH140   | 5700            | 3.87                    | 0.06        | 3.93                                | 11.00           |

CH100




Date: 2.JAN.2017 14:18:33

### CH116



Date: 2.JAN.2017 14:19:25

### CH140



Date: 2.JAN.2017 14:20:10


**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH100   | 5500               | 7.99                       | 11.00              |
| CH116   | 5580               | 9.54                       | 11.00              |
| CH140   | 5700               | 8.32                       | 11.00              |

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH102   | 5510            | -4.08                   | 0.11        | -3.97                               | 11.00           |
| CH110   | 5550            | 2.89                    | 0.11        | 3.00                                | 11.00           |
| CH134   | 5670            | 1.79                    | 0.11        | 1.90                                | 11.00           |

**CH102**




Date: 2.JAN.2017 14:51:50

### CH110



Date: 2.JAN.2017 14:52:48

### CH134




Date: 2.JAN.2017 14:56:03

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH102   | 5510            | -5.65                   | 0.11        | -5.54                               | 11.00           |
| CH110   | 5550            | 1.94                    | 0.11        | 2.05                                | 11.00           |
| CH134   | 5670            | 1.09                    | 0.11        | 1.20                                | 11.00           |

**CH102**




Date: 2.JAN.2017 14:59:10

### CH110



Date: 2.JAN.2017 15:00:21

### CH134




Date: 2.JAN.2017 15:01:37

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 3**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH102   | 5510            | -4.05                   | 0.11        | -3.94                               | 11.00           |
| CH110   | 5550            | 3.41                    | 0.11        | 3.52                                | 11.00           |
| CH134   | 5670            | 1.70                    | 0.11        | 1.81                                | 11.00           |

**CH102**




Date: 2.JAN.2017 15:04:28

### CH110



Date: 2.JAN.2017 15:05:15

### CH134




Date: 2.JAN.2017 15:06:04

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH102   | 5510               | 0.35                       | 11.00              |
| CH110   | 5550               | 7.67                       | 11.00              |
| CH134   | 5670               | 6.42                       | 11.00              |


**Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode\_CH100/CH116/CH140\_ANT 1**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | 3.75                    | 0.06        | 3.81                                | 11.00           |
| CH116   | 5580            | 4.32                    | 0.06        | 4.38                                | 11.00           |
| CH140   | 5700            | 3.24                    | 0.06        | 3.30                                | 11.00           |




Date: 2.JAN.2017 14:28:22

### CH116



Date: 2.JAN.2017 14:32:25


### CH140



Date: 2.JAN.2017 14:30:22


**Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode\_CH100/CH116/CH140\_ANT 2**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | 2.75                    | 0.06        | 2.81                                | 11.00           |
| CH116   | 5580            | 3.42                    | 0.06        | 3.48                                | 11.00           |
| CH140   | 5700            | 1.97                    | 0.06        | 2.03                                | 11.00           |




Date: 2.JAN.2017 14:36:14

### CH116



Date: 2.JAN.2017 14:37:04


### CH140



Date: 2.JAN.2017 14:37:52


**Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode\_CH100/CH116/CH140\_ANT 3**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | 3.67                    | 0.06        | 3.73                                | 11.00           |
| CH116   | 5580            | 4.23                    | 0.06        | 4.29                                | 11.00           |
| CH140   | 5700            | 2.81                    | 0.06        | 2.87                                | 11.00           |




Date: 2.JAN.2017 14:41:27

### CH116



Date: 2.JAN.2017 14:42:16

### CH140



Date: 2.JAN.2017 14:43:01


**Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode\_CH100/CH116/CH140\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH100   | 5500               | 8.24                       | 11.00              |
| CH116   | 5580               | 8.84                       | 11.00              |
| CH140   | 5700               | 7.54                       | 11.00              |

**Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode\_CH102/CH110/CH134\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH102   | 5510            | -4.20                   | 0.11        | -4.09                               | 11.00           |
| CH110   | 5550            | 3.49                    | 0.11        | 3.60                                | 11.00           |
| CH134   | 5670            | 1.40                    | 0.11        | 1.51                                | 11.00           |

### CH102




Date: 2.JAN.2017 15:11:41

### CH110



Date: 2.JAN.2017 15:12:24

### CH134




Date: 2.JAN.2017 15:13:36

**Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode\_CH102/CH110/CH134\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH102   | 5510            | -5.79                   | 0.11        | -5.68                               | 11.00           |
| CH110   | 5550            | 2.09                    | 0.11        | 2.20                                | 11.00           |
| CH134   | 5670            | 0.83                    | 0.11        | 0.94                                | 11.00           |

**CH102**




Date: 2.JAN.2017 15:16:32

### CH110



Date: 2.JAN.2017 15:17:46

### CH134




Date: 2.JAN.2017 15:18:36

**Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode\_CH102/CH110/CH134\_ANT 3**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH102   | 5510            | -4.29                   | 0.11        | -4.18                               | 11.00           |
| CH110   | 5550            | 3.26                    | 0.11        | 3.37                                | 11.00           |
| CH134   | 5670            | 1.35                    | 0.11        | 1.46                                | 11.00           |

**CH102**




Date: 2.JAN.2017 15:21:44

### CH110



Date: 2.JAN.2017 15:22:42

### CH134



Date: 2.JAN.2017 15:23:29


**Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode\_CH102/CH110/CH134\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH102   | 5510               | 0.18                       | 11.00              |
| CH110   | 5550               | 7.87                       | 11.00              |
| CH134   | 5670               | 6.08                       | 11.00              |

**Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode\_CH106/CH122\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH106   | 5530            | -9.68                   | 0.22        | -9.46                               | 11.00           |
| CH122   | 5610            | -1.71                   | 0.22        | -1.49                               | 11.00           |

### CH106



Date: 2.JAN.2017 15:28:10

### CH122




Date: 2.JAN.2017 15:29:36

**Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode\_CH106/CH122\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH106   | 5530            | -11.35                  | 0.22        | -11.13                              | 11.00           |
| CH122   | 5610            | -1.77                   | 0.22        | -1.55                               | 11.00           |

### CH106



Date: 2.JAN.2017 15:32:06

### CH122




Date: 2.JAN.2017 15:33:46

**Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode\_CH106/CH122\_ANT 3**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density+Duty<br>Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|-------------------------------------------|--------------------|
| CH106   | 5530               | -9.61                      | 0.22        | -9.39                                     | 11.00              |
| CH122   | 5610               | -1.82                      | 0.22        | -1.60                                     | 11.00              |

### CH106



Date: 2.JAN.2017 15:36:07

### CH122



Date: 2.JAN.2017 15:37:01


**Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode\_CH106/CH122\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH106   | 5530               | -5.15                      | 11.00              |
| CH122   | 5610               | 3.22                       | 11.00              |

## For 4TX Non-Beamforming


**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_ANT 1**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 2.52                    | 0.14        | 2.66                                | 11.00           |
| CH60    | 5300            | 2.45                    | 0.14        | 2.59                                | 11.00           |
| CH64    | 5320            | 3.01                    | 0.14        | 3.15                                | 11.00           |




Date: 2.JAN.2017 16:10:44

### CH60



Date: 2.JAN.2017 16:11:39


### CH64



Date: 2.JAN.2017 16:41:43


**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_ANT 2**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 3.08                    | 0.14        | 3.22                                | 11.00           |
| CH60    | 5300            | 2.87                    | 0.14        | 3.01                                | 11.00           |
| CH64    | 5320            | 3.27                    | 0.14        | 3.41                                | 11.00           |




Date: 2.JAN.2017 16:16:15

### CH60



Date: 2.JAN.2017 16:17:36


### CH64



Date: 2.JAN.2017 16:40:38


**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_ANT 3**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 2.71                    | 0.14        | 2.85                                | 11.00           |
| CH60    | 5300            | 2.66                    | 0.14        | 2.80                                | 11.00           |
| CH64    | 5320            | 3.22                    | 0.14        | 3.36                                | 11.00           |




Date: 2.JAN.2017 16:25:44

### CH60



Date: 2.JAN.2017 16:26:54


### CH64



Date: 2.JAN.2017 16:39:22


**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_ANT 4**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 3.77                    | 0.14        | 3.91                                | 11.00           |
| CH60    | 5300            | 3.48                    | 0.14        | 3.62                                | 11.00           |
| CH64    | 5320            | 3.93                    | 0.14        | 4.07                                | 11.00           |




Date: 2.JAN.2017 16:31:43

### CH60



Date: 2.JAN.2017 16:32:38

### CH64



Date: 2.JAN.2017 16:38:39


**Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH52    | 5260               | 9.21                       | 11.00              |
| CH60    | 5300               | 9.05                       | 11.00              |
| CH64    | 5320               | 9.54                       | 11.00              |

**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 2.29                    | 0.06        | 2.35                                | 11.00           |
| CH60    | 5300            | 3.31                    | 0.06        | 3.37                                | 11.00           |
| CH64    | 5320            | 2.82                    | 0.06        | 2.88                                | 11.00           |

**CH52**




Date: 2.JAN.2017 16:51:47

### CH60



Date: 2.JAN.2017 16:53:19

### CH64




Date: 2.JAN.2017 16:54:05

**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 2.74                    | 0.06        | 2.80                                | 11.00           |
| CH60    | 5300            | 3.80                    | 0.06        | 3.86                                | 11.00           |
| CH64    | 5320            | 3.30                    | 0.06        | 3.36                                | 11.00           |

**CH52**




Date: 2.JAN.2017 16:57:45

### CH60



Date: 2.JAN.2017 16:58:39

### CH64




Date: 2.JAN.2017 16:59:40

**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 3**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 2.59                    | 0.06        | 2.65                                | 11.00           |
| CH60    | 5300            | 3.52                    | 0.06        | 3.58                                | 11.00           |
| CH64    | 5320            | 3.13                    | 0.06        | 3.19                                | 11.00           |

**CH52**




Date: 2.JAN.2017 17:03:42

### CH60



Date: 2.JAN.2017 17:04:43

### CH64




Date: 2.JAN.2017 17:05:27

**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 4**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 3.47                    | 0.06        | 3.53                                | 11.00           |
| CH60    | 5300            | 4.37                    | 0.06        | 4.43                                | 11.00           |
| CH64    | 5320            | 3.79                    | 0.06        | 3.85                                | 11.00           |

**CH52**




Date: 2.JAN.2017 17:09:09

### CH60



Date: 2.JAN.2017 17:09:55

### CH64



Date: 2.JAN.2017 17:10:52


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH52    | 5260               | 8.88                       | 11.00              |
| CH60    | 5300               | 9.85                       | 11.00              |
| CH64    | 5320               | 9.36                       | 11.00              |

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 1**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density+Duty<br>Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|-------------------------------------------|--------------------|
| CH54    | 5270               | 3.36                       | 0.11        | 3.47                                      | 11.00              |
| CH62    | 5310               | -3.54                      | 0.11        | -3.43                                     | 11.00              |

### CH54



Date: 2.JAN.2017 18:44:06

### CH62




Date: 2.JAN.2017 18:45:05

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 2**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density+Duty<br>Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|-------------------------------------------|--------------------|
| CH54    | 5270               | 3.82                       | 0.11        | 3.93                                      | 11.00              |
| CH62    | 5310               | -3.10                      | 0.11        | -2.99                                     | 11.00              |

### CH54



Date: 2.JAN.2017 18:49:23

### CH62




Date: 2.JAN.2017 18:50:27

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 3**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density+Duty<br>Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|-------------------------------------------|--------------------|
| CH54    | 5270               | 3.25                       | 0.11        | 3.36                                      | 11.00              |
| CH62    | 5310               | -3.38                      | 0.11        | -3.27                                     | 11.00              |

### CH54



Date: 2.JAN.2017 18:54:23

### CH62




Date: 2.JAN.2017 18:55:15

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 4**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH54    | 5270            | 4.23                    | 0.11        | 4.34                                | 11.00           |
| CH62    | 5310            | -2.72                   | 0.11        | -2.61                               | 11.00           |

### CH54



Date: 2.JAN.2017 18:59:40

### CH62




Date: 2.JAN.2017 19:00:42

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH54    | 5270               | 9.81                       | 11.00              |
| CH62    | 5310               | 2.95                       | 11.00              |


**Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode\_CH52/CH60/CH64\_ANT 1**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 1.98                    | 0.06        | 2.04                                | 11.00           |
| CH60    | 5300            | 2.13                    | 0.06        | 2.19                                | 11.00           |
| CH64    | 5320            | 1.55                    | 0.06        | 1.61                                | 11.00           |




Date: 2.JAN.2017 18:13:18

### CH60



Date: 2.JAN.2017 18:25:02


### CH64



Date: 2.JAN.2017 18:15:12


**Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode\_CH52/CH60/CH64\_ANT 2**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 3.61                    | 0.06        | 3.67                                | 11.00           |
| CH60    | 5300            | 3.71                    | 0.06        | 3.77                                | 11.00           |
| CH64    | 5320            | 3.31                    | 0.06        | 3.37                                | 11.00           |




Date: 2.JAN.2017 18:19:13

### CH60



Date: 2.JAN.2017 18:24:31


### CH64



Date: 2.JAN.2017 18:21:10


**Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode\_CH52/CH60/CH64\_ANT 3**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 2.20                    | 0.06        | 2.26                                | 11.00           |
| CH60    | 5300            | 2.22                    | 0.06        | 2.28                                | 11.00           |
| CH64    | 5320            | 1.70                    | 0.06        | 1.76                                | 11.00           |




Date: 2.JAN.2017 18:26:28

### CH60



Date: 2.JAN.2017 18:27:20


### CH64



Date: 2.JAN.2017 18:28:05


**Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode\_CH52/CH60/CH64\_ANT 4**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 3.24                    | 0.06        | 3.30                                | 11.00           |
| CH60    | 5300            | 3.27                    | 0.06        | 3.33                                | 11.00           |
| CH64    | 5320            | 2.42                    | 0.06        | 2.48                                | 11.00           |




Date: 2.JAN.2017 18:32:39

### CH60



Date: 2.JAN.2017 18:33:38

### CH64



Date: 2.JAN.2017 18:34:34


**Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode\_CH52/CH60/CH64\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH52    | 5260               | 8.89                       | 11.00              |
| CH60    | 5300               | 8.97                       | 11.00              |
| CH64    | 5320               | 8.38                       | 11.00              |

**Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode\_CH54/CH62\_ANT 1**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density+Duty<br>Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|-------------------------------------------|--------------------|
| CH54    | 5270               | 2.77                       | 0.11        | 2.88                                      | 11.00              |
| CH62    | 5310               | -3.85                      | 0.11        | -3.74                                     | 11.00              |

### CH54



Date: 2.JAN.2017 19:06:51

### CH62




Date: 2.JAN.2017 19:08:07

**Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode\_CH54/CH62\_ANT 2**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density+Duty<br>Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|-------------------------------------------|--------------------|
| CH54    | 5270               | 3.96                       | 0.11        | 4.07                                      | 11.00              |
| CH62    | 5310               | -3.23                      | 0.11        | -3.12                                     | 11.00              |

### CH54



Date: 2.JAN.2017 19:12:17

### CH62




Date: 2.JAN.2017 19:14:06

**Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode\_CH54/CH62\_ANT 3**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density+Duty<br>Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|-------------------------------------------|--------------------|
| CH54    | 5270               | 2.62                       | 0.11        | 2.73                                      | 11.00              |
| CH62    | 5310               | -4.02                      | 0.11        | -3.91                                     | 11.00              |

### CH54



Date: 2.JAN.2017 19:19:15

### CH62




Date: 2.JAN.2017 19:20:19

**Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode\_CH54/CH62\_ANT 4**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density+Duty<br>Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|-------------------------------------------|--------------------|
| CH54    | 5270               | 3.78                       | 0.11        | 3.89                                      | 11.00              |
| CH62    | 5310               | -3.51                      | 0.11        | -3.40                                     | 11.00              |

### CH54



Date: 2.JAN.2017 19:27:33

### CH62




Date: 2.JAN.2017 19:28:33

**Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode\_CH54/CH62\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH54    | 5270               | 8.04                       | 11.00              |
| CH62    | 5310               | 1.19                       | 11.00              |

**Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode\_CH58\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH58    | 5290            | -8.01                   | 0.22        | -7.79                               | 11.00           |



Date: 2.JAN.2017 19:44:25

**Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode\_CH58\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH58    | 5290            | -7.17                   | 0.22        | -6.95                               | 11.00           |



Date: 2.JAN.2017 19:47:23

**Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode\_CH58\_ANT 3**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH58    | 5290            | -8.08                   | 0.22        | -7.86                               | 11.00           |



Date: 2.JAN.2017 19:51:13

**Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode\_CH58\_ANT 4**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH58    | 5290            | -7.13                   | 0.22        | -6.91                               | 11.00           |




Date: 2.JAN.2017 19:54:23

**Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode\_CH58\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH58    | 5290               | -1.33                      | 11.00              |


**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 1**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | -2.15                   | 0.14        | -2.01                               | 11.00           |
| CH116   | 5580            | 3.06                    | 0.14        | 3.20                                | 11.00           |
| CH140   | 5700            | 3.18                    | 0.14        | 3.32                                | 11.00           |




Date: 2.JAN.2017 16:13:26

### CH116



Date: 2.JAN.2017 16:14:13

### CH140




Date: 2.JAN.2017 16:42:29

**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | -3.58                   | 0.14        | -3.44                               | 11.00           |
| CH116   | 5580            | 2.48                    | 0.14        | 2.62                                | 11.00           |
| CH140   | 5700            | 1.99                    | 0.14        | 2.13                                | 11.00           |

**CH100**




Date: 2.JAN.2017 16:22:03

### CH116



Date: 2.JAN.2017 16:23:26


### CH140



Date: 2.JAN.2017 16:41:02


**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 3**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | -1.96                   | 0.14        | -1.82                               | 11.00           |
| CH116   | 5580            | 3.57                    | 0.14        | 3.71                                | 11.00           |
| CH140   | 5700            | 3.06                    | 0.14        | 3.20                                | 11.00           |




Date: 2.JAN.2017 16:28:36

### CH116



Date: 2.JAN.2017 16:29:31


### CH140



Date: 2.JAN.2017 16:39:45


**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_ANT 4**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | -2.55                   | 0.14        | -2.41                               | 11.00           |
| CH116   | 5580            | 3.76                    | 0.14        | 3.90                                | 11.00           |
| CH140   | 5700            | 3.81                    | 0.14        | 3.95                                | 11.00           |




Date: 2.JAN.2017 16:34:55

### CH116



Date: 2.JAN.2017 16:35:48

### CH140



Date: 2.JAN.2017 16:37:24


**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH100   | 5500               | 3.65                       | 11.00              |
| CH116   | 5580               | 9.41                       | 11.00              |
| CH140   | 5700               | 9.22                       | 11.00              |

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | -2.29                   | 0.06        | -2.23                               | 11.00           |
| CH116   | 5580            | 2.97                    | 0.06        | 3.03                                | 11.00           |
| CH140   | 5700            | 3.07                    | 0.06        | 3.13                                | 11.00           |

**CH100**




Date: 2.JAN.2017 16:54:54

### CH116



Date: 2.JAN.2017 16:55:40

### CH140




Date: 2.JAN.2017 16:56:28

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | -3.67                   | 0.06        | -3.61                               | 11.00           |
| CH116   | 5580            | 2.22                    | 0.06        | 2.28                                | 11.00           |
| CH140   | 5700            | 2.03                    | 0.06        | 2.09                                | 11.00           |

**CH100**




Date: 2.JAN.2017 17:00:28

### CH116



Date: 2.JAN.2017 17:01:20

### CH140




Date: 2.JAN.2017 17:02:26

**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 3**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | -1.99                   | 0.06        | -1.93                               | 11.00           |
| CH116   | 5580            | 3.40                    | 0.06        | 3.46                                | 11.00           |
| CH140   | 5700            | 2.92                    | 0.06        | 2.98                                | 11.00           |

**CH100**




Date: 2.JAN.2017 17:06:13

### CH116



Date: 2.JAN.2017 17:07:05


### CH140



Date: 2.JAN.2017 17:08:03


Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_ANT 4

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | -2.63                   | 0.06        | -2.57                               | 11.00           |
| CH116   | 5580            | 3.70                    | 0.06        | 3.76                                | 11.00           |
| CH140   | 5700            | 3.55                    | 0.06        | 3.61                                | 11.00           |




Date: 2.JAN.2017 17:11:39

### CH116



Date: 2.JAN.2017 17:12:25

### CH140



Date: 2.JAN.2017 17:13:14


**Test Mode: UNII-2C/TX N20 Mode\_CH100/CH116/CH140\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH100   | 5500               | 3.48                       | 11.00              |
| CH116   | 5580               | 9.19                       | 11.00              |
| CH140   | 5700               | 9.01                       | 11.00              |

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH102   | 5510            | -3.71                   | 0.11        | -3.60                               | 11.00           |
| CH110   | 5550            | 3.49                    | 0.11        | 3.60                                | 11.00           |
| CH134   | 5670            | 2.40                    | 0.11        | 2.51                                | 11.00           |

**CH102**




Date: 2.JAN.2017 18:45:57

### CH110



Date: 2.JAN.2017 18:47:01

### CH134




Date: 2.JAN.2017 18:47:55

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH102   | 5510            | -5.12                   | 0.11        | -5.01                               | 11.00           |
| CH110   | 5550            | 2.10                    | 0.11        | 2.21                                | 11.00           |
| CH134   | 5670            | 1.47                    | 0.11        | 1.58                                | 11.00           |

**CH102**




Date: 2.JAN.2017 18:51:20

### CH110



Date: 2.JAN.2017 18:52:16

### CH134




Date: 2.JAN.2017 18:53:12

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 3**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH102   | 5510            | -3.60                   | 0.11        | -3.49                               | 11.00           |
| CH110   | 5550            | 3.74                    | 0.11        | 3.85                                | 11.00           |
| CH134   | 5670            | 2.02                    | 0.11        | 2.13                                | 11.00           |

**CH102**




Date: 2.JAN.2017 18:56:13

### CH110



Date: 2.JAN.2017 18:57:15


### CH134



Date: 2.JAN.2017 18:58:22


**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_ANT 4**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH102   | 5510            | -4.17                   | 0.11        | -4.06                               | 11.00           |
| CH110   | 5550            | 3.33                    | 0.11        | 3.44                                | 11.00           |
| CH134   | 5670            | 2.84                    | 0.11        | 2.95                                | 11.00           |




Date: 2.JAN.2017 19:01:34

### CH110



Date: 2.JAN.2017 19:02:31

### CH134




Date: 2.JAN.2017 19:03:31

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH102   | 5510               | 2.02                       | 11.00              |
| CH110   | 5550               | 9.34                       | 11.00              |
| CH134   | 5670               | 8.34                       | 11.00              |


**Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode\_CH100/CH116/CH140\_ANT 1**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | 3.35                    | 0.06        | 3.41                                | 11.00           |
| CH116   | 5580            | 2.59                    | 0.06        | 2.65                                | 11.00           |
| CH140   | 5700            | 3.12                    | 0.06        | 3.18                                | 11.00           |




Date: 2.JAN.2017 18:16:02

### CH116



Date: 2.JAN.2017 18:16:55


### CH140



Date: 2.JAN.2017 18:17:52


**Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode\_CH100/CH116/CH140\_ANT 2**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | 3.49                    | 0.06        | 3.55                                | 11.00           |
| CH116   | 5580            | 2.98                    | 0.06        | 3.04                                | 11.00           |
| CH140   | 5700            | 2.73                    | 0.06        | 2.79                                | 11.00           |




Date: 2.JAN.2017 18:21:56

### CH116



Date: 2.JAN.2017 18:22:45


### CH140



Date: 2.JAN.2017 18:23:37


**Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode\_CH100/CH116/CH140\_ANT 3**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | 3.71                    | 0.06        | 3.77                                | 11.00           |
| CH116   | 5580            | 2.92                    | 0.06        | 2.98                                | 11.00           |
| CH140   | 5700            | 2.64                    | 0.06        | 2.70                                | 11.00           |




Date: 2.JAN.2017 18:28:53

### CH116



Date: 2.JAN.2017 18:30:01


### CH140



Date: 2.JAN.2017 18:30:55


**Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode\_CH100/CH116/CH140\_ANT 4**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH100   | 5500            | 3.23                    | 0.06        | 3.29                                | 11.00           |
| CH116   | 5580            | 3.65                    | 0.06        | 3.71                                | 11.00           |
| CH140   | 5700            | 3.23                    | 0.06        | 3.29                                | 11.00           |




Date: 2.JAN.2017 18:35:28

### CH116



Date: 2.JAN.2017 18:36:21

### CH140



Date: 2.JAN.2017 18:37:14


**Test Mode: UNII-2C/TX AC Wave2(20 MHz) Mode\_CH100/CH116/CH140\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH100   | 5500               | 9.53                       | 11.00              |
| CH116   | 5580               | 9.13                       | 11.00              |
| CH140   | 5700               | 9.02                       | 11.00              |

**Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode\_CH102/CH110/CH134\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH102   | 5510            | -3.39                   | 0.11        | -3.28                               | 11.00           |
| CH110   | 5550            | 2.88                    | 0.11        | 2.99                                | 11.00           |
| CH134   | 5670            | 1.23                    | 0.11        | 1.34                                | 11.00           |

### CH102




Date: 2.JAN.2017 19:08:58

### CH110



Date: 2.JAN.2017 19:09:48

### CH134




Date: 2.JAN.2017 19:10:49

**Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode\_CH102/CH110/CH134\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH102   | 5510            | -5.02                   | 0.11        | -4.91                               | 11.00           |
| CH110   | 5550            | 2.54                    | 0.11        | 2.65                                | 11.00           |
| CH134   | 5670            | 1.54                    | 0.11        | 1.65                                | 11.00           |

**CH102**




Date: 2.JAN.2017 19:15:01

### CH110



Date: 2.JAN.2017 19:15:55

### CH134




Date: 2.JAN.2017 19:17:58

**Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode\_CH102/CH110/CH134\_ANT 3**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH102   | 5510            | -3.63                   | 0.11        | -3.52                               | 11.00           |
| CH110   | 5550            | 3.01                    | 0.11        | 3.12                                | 11.00           |
| CH134   | 5670            | 1.19                    | 0.11        | 1.30                                | 11.00           |

**CH102**




Date: 2.JAN.2017 19:21:16

### CH110



Date: 2.JAN.2017 19:25:27

### CH134




Date: 2.JAN.2017 19:26:22

**Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode\_CH102/CH110/CH134\_ANT 4**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH102   | 5510            | -4.50                   | 0.11        | -4.39                               | 11.00           |
| CH110   | 5550            | 2.89                    | 0.11        | 3.00                                | 11.00           |
| CH134   | 5670            | 2.52                    | 0.11        | 2.63                                | 11.00           |

**CH102**




Date: 2.JAN.2017 19:29:29

### CH110



Date: 2.JAN.2017 19:30:25

### CH134



Date: 2.JAN.2017 19:31:29


**Test Mode: UNII-2C/TX AC Wave2(40 MHz) Mode\_CH102/CH110/CH134\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH102   | 5510               | 0.92                       | 11.00              |
| CH110   | 5550               | 7.69                       | 11.00              |
| CH134   | 5670               | 6.20                       | 11.00              |

**Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode\_CH106/CH122\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH106   | 5530            | -9.23                   | 0.22        | -9.01                               | 11.00           |
| CH122   | 5610            | 0.60                    | 0.22        | 0.82                                | 11.00           |

### CH106



Date: 2.JAN.2017 19:45:25

### CH122




Date: 2.JAN.2017 19:46:04

**Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode\_CH106/CH122\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH106   | 5530            | -10.51                  | 0.22        | -10.29                              | 11.00           |
| CH122   | 5610            | -0.96                   | 0.22        | -0.74                               | 11.00           |

### CH106



Date: 2.JAN.2017 19:48:32

### CH122




Date: 2.JAN.2017 19:49:55

**Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode\_CH106/CH122\_ANT 3**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH106   | 5530            | -9.47                   | 0.22        | -9.25                               | 11.00           |
| CH122   | 5610            | 0.12                    | 0.22        | 0.34                                | 11.00           |

### CH106



Date: 2.JAN.2017 19:52:12

### CH122




Date: 2.JAN.2017 19:53:05

**Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode\_CH106/CH122\_ANT 4**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH106   | 5530            | -9.62                   | 0.22        | -9.40                               | 11.00           |
| CH122   | 5610            | 0.27                    | 0.22        | 0.49                                | 11.00           |

### CH106



Date: 2.JAN.2017 19:55:18

### CH122



Date: 2.JAN.2017 19:56:26


**Test Mode: UNII-2C/TX AC Wave2(80 MHz) Mode\_CH106/CH122\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH106   | 5530               | -3.44                      | 11.00              |
| CH122   | 5610               | 6.28                       | 11.00              |

## For 2TX Beamforming


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 1**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 4.94                    | 0.06        | 5.00                                | 9.18            |
| CH60    | 5300            | 5.57                    | 0.06        | 5.63                                | 9.18            |
| CH64    | 5320            | 4.89                    | 0.06        | 4.95                                | 9.18            |




Date: 3.JAN.2017 10:38:12

### CH60



Date: 3.JAN.2017 10:19:55

### CH64




Date: 3.JAN.2017 10:20:44

**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 5.25                    | 0.06        | 5.31                                | 9.18            |
| CH60    | 5300            | 5.31                    | 0.06        | 5.37                                | 9.18            |
| CH64    | 5320            | 4.67                    | 0.06        | 4.73                                | 9.18            |

**CH52**




Date: 3.JAN.2017 10:37:36

### CH60



Date: 3.JAN.2017 10:33:20

### CH64



Date: 3.JAN.2017 10:34:32


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH52    | 5260               | 8.17                       | 9.18               |
| CH60    | 5300               | 8.51                       | 9.18               |
| CH64    | 5320               | 7.85                       | 9.18               |

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 1**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density+Duty<br>Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|-------------------------------------------|--------------------|
| CH54    | 5270               | 3.37                       | 0.11        | 3.48                                      | 9.18               |
| CH62    | 5310               | 4.19                       | 0.11        | 4.30                                      | 9.18               |

### CH54



Date: 3.JAN.2017 11:12:56

### CH62




Date: 3.JAN.2017 11:13:54

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_ANT 2**


| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density+Duty<br>Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|-------------------------------------------|--------------------|
| CH54    | 5270               | 3.69                       | 0.11        | 3.80                                      | 9.18               |
| CH62    | 5310               | 4.59                       | 0.11        | 4.70                                      | 9.18               |

### CH54



Date: 3.JAN.2017 11:18:57

### CH62




Date: 3.JAN.2017 11:19:58

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH54    | 5270               | 6.65                       | 9.18               |
| CH62    | 5310               | 7.51                       | 9.18               |


**Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode\_CH52/CH60/CH64\_ANT 1**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 5.11                    | 0.06        | 5.17                                | 9.18            |
| CH60    | 5300            | 5.00                    | 0.06        | 5.06                                | 9.18            |
| CH64    | 5320            | 5.42                    | 0.06        | 5.48                                | 9.18            |




Date: 3.JAN.2017 10:51:16

### CH60



Date: 3.JAN.2017 10:52:11


### CH64



Date: 3.JAN.2017 10:54:05


**Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode\_CH52/CH60/CH64\_ANT 2**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH52    | 5260            | 5.44                    | 0.06        | 5.50                                | 9.18            |
| CH60    | 5300            | 5.44                    | 0.06        | 5.50                                | 9.18            |
| CH64    | 5320            | 5.72                    | 0.06        | 5.78                                | 9.18            |




Date: 3.JAN.2017 11:00:23

### CH60



Date: 3.JAN.2017 11:01:06

### CH64



Date: 3.JAN.2017 11:01:53


**Test Mode: UNII-2A/TX AC Wave2(20 MHz) Mode\_CH52/CH60/CH64\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH52    | 5260               | 8.35                       | 9.18               |
| CH60    | 5300               | 8.30                       | 9.18               |
| CH64    | 5320               | 8.64                       | 9.18               |

**Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode\_CH54/CH62\_ANT 1**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH54    | 5270            | 2.94                    | 0.11        | 3.05                                | 9.18            |
| CH62    | 5310            | 4.06                    | 0.11        | 4.17                                | 9.18            |

### CH54



Date: 3.JAN.2017 11:32:01

### CH62




Date: 3.JAN.2017 11:32:42

**Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode\_CH54/CH62\_ANT 2**


| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH54    | 5270            | 3.74                    | 0.11        | 3.85                                | 9.18            |
| CH62    | 5310            | 4.83                    | 0.11        | 4.94                                | 9.18            |

### CH54



Date: 3.JAN.2017 14:04:09

### CH62




Date: 3.JAN.2017 14:05:21

**Test Mode: UNII-2A/TX AC Wave2(40 MHz) Mode\_CH54/CH62\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH54    | 5270               | 6.48                       | 9.18               |
| CH62    | 5310               | 7.58                       | 9.18               |

**Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode\_CH58\_ANT 1**

| Channel | Frequency (MHz) | Power Density (dBm/MHz) | Duty Factor | Power Density+Duty Factor (dBm/MHz) | Limit (dBm/MHz) |
|---------|-----------------|-------------------------|-------------|-------------------------------------|-----------------|
| CH58    | 5290            | -0.01                   | 0.22        | 0.21                                | 9.18            |



Date: 3.JAN.2017 14:21:39

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Duty Factor | Power Density+Duty<br>Factor<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|-------------|-------------------------------------------|--------------------|
| CH58    | 5290               | 0.63                       | 0.22        | 0.85                                      | 9.18               |



**Test Mode: UNII-2A/TX AC Wave2(80 MHz) Mode\_CH58\_Total**

| Channel | Frequency<br>(MHz) | Power Density<br>(dBm/MHz) | Limit<br>(dBm/MHz) |
|---------|--------------------|----------------------------|--------------------|
| CH58    | 5290               | 3.55                       | 9.18               |