Test Mode: UNII-3/TX 802.11a Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	9.42	30.00
CH157	5785	11.14	30.00
CH165	5825	8.91	30.00

Test Mode: UNII-3/ TX 802.11n(20MHz) Mode_CH149/CH157/CH165_ANT 1					
Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.35	0.07	5.42	30.00
CH157	5785	4.65	0.07	4.72	30.00
CH165	5825	4.09	0.07	4.16	30.00

TX CH149



Date: 31.MAY.2016 16:11:00

TX CH157



Date: 31.MAY.2016 16:11:32

TX CH165



Date: 31.MAY.2016 16:12:42

Test Mode: UNII-3/ TX 802.11n(20MHz) Mode_CH149/CH157/CH165_ANT 2					
Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.65	0.07	5.72	30.00
CH157	5785	5.12	0.07	5.19	30.00
CH165	5825	4.59	0.07	4.66	30.00

TX CH149



Date: 31.MAY.2016 16:19:47

TX CH157



Date: 31.MAY.2016 16:20:23

TX CH165



Date: 31.MAY.2016 16:20:46

Test Mode: UNII-3/ TX 802.11n(20MHz) Mode_CH149/CH157/CH165_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.01	0.07	7.08	30.00
CH157	5785	6.13	0.07	6.20	30.00
CH165	5825	4.84	0.07	4.91	30.00

TX CH149



Date: 31.MAY.2016 16:31:51

TX CH157



Date: 31.MAY.2016 16:36:08

TX CH165



Date: 31.MAY.2016 16:36:59

Test Mode: UNII-3/ TX 802.11n(20MHz) Mode_CH149/CH157/CH165_ANT 4					
Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.01	0.07	7.08	30.00
CH157	5785	6.28	0.07	6.35	30.00
CH165	5825	5.39	0.07	5.46	30.00

TX CH149



Date: 31.MAY.2016 16:41:45

TX CH157



Date: 31.MAY.2016 16:42:05

TX CH165



Date: 31.MAY.2016 16:42:23

Test Mode: UNII-3/ TX 802.11n(20MHz) Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	12.41	30.00
CH157	5785	11.68	30.00
CH165	5825	10.84	30.00

Test Mode: UNII-3/ TX 802.11n(40MHz) Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.58	0.18	2.76	30.00
CH159	5795	1.80	0.18	1.98	30.00

TX CH151



Date: 31.MAY.2016 17:51:22

TX CH159



Date: 31.MAY.2016 17:51:58

Test Mode: UNII-3/ TX 802.11n(40MHz) Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	1.67	0.18	1.85	30.00
CH159	5795	1.13	0.18	1.31	30.00

TX CH151



Date: 31.MAY.2016 17:56:08

TX CH159



Date: 31.MAY.2016 17:57:51

Test Mode: UNII-3/ TX 802.11n(40MHz) Mode_CH151/CH159_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.94	0.18	3.12	30.00
CH159	5795	1.71	0.18	1.89	30.00

TX CH151



Date: 31.MAY.2016 18:02:02

TX CH159



Date: 31.MAY.2016 18:02:22

Test Mode: UNII-3/ TX 802.11n(40MHz) Mode_CH151/CH159_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.85	0.18	3.03	30.00
CH159	5795	2.05	0.18	2.23	30.00

TX CH151



Date: 31.MAY.2016 18:07:04

TX CH159



Date: 31.MAY.2016 18:07:22

Test Mode: UNII-3/ TX 802.11n(40MHz) Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	8.74	30.00
CH159	5795	7.88	30.00

Test Mode: UNII-1/TX 802.11ac Wave2(20MHz) Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.49	0.06	8.55	17.00
CH40	5200	9.17	0.06	9.23	17.00
CH48	5240	10.46	0.06	10.52	17.00

CH36



CH40



Date: 31.MAY.2016 16:44:49

CH48



Date: 31.MAY.2016 16:45:16

Test Mode: UNII-1/TX 802.11ac Wave2(20MHz) Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.02	0.06	8.08	17.00
CH40	5200	8.76	0.06	8.82	17.00
CH48	5240	10.06	0.06	10.12	17.00

CH36



Date: 31.MAY.2016 17:05:01

CH40



Date: 31.MAY.2016 17:05:20

CH48



Date: 31.MAY.2016 17:05:41

Test Mode: UNII-1/TX 802.11ac Wave2(20MHz) Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.01	0.06	8.07	17.00
CH40	5200	8.66	0.06	8.72	17.00
CH48	5240	9.60	0.06	9.66	17.00

CH36



CH40



Date: 31.MAY.2016 17:14:05

CH48



Date: 31.MAY.2016 17:14:33

Test Mode: UNII-1/TX 802.11ac Wave2(20MHz) Mode_CH36/CH40/CH48_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.88	0.06	8.94	17.00
CH40	5200	9.51	0.06	9.57	17.00
CH48	5240	10.60	0.06	10.66	17.00

CH36



Date: 31.MAY.2016 17:26:23

CH40



Date: 31.MAY.2016 17:27:00

CH48



Date: 31.MAY.2016 17:27:22

Test Mode: UNII-1/TX 802.11ac Wave2(20MHz) Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	14.44	17.00
CH40	5200	15.12	17.00
CH48	5240	16.28	17.00

Test Mode: UNII-1/TX 802.11ac Wave2(40MHz) Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.29	0.18	5.47	17.00
CH46	5230	6.47	0.18	6.65	17.00

CH38



Date: 31.MAY.2016 20:41:08

CH46



Date: 31.MAY.2016 20:41:28

Test Mode: UNII-1/TX 802.11ac Wave2(40MHz) Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.15	0.18	5.33	17.00
CH46	5230	6.35	0.18	6.53	17.00

CH38



Date: 31.MAY.2016 21:11:22

CH46



Date: 31.MAY.2016 21:11:40

Test Mode: UNII-1/TX 802.11ac Wave2(40MHz) Mode_CH38/CH46_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	4.64	0.18	4.82	17.00
CH46	5230	5.74	0.18	5.92	17.00

CH38



Date: 31.MAY.2016 21:16:22

CH46



Date: 31.MAY.2016 21:19:18

Test Mode: UNII-1/TX 802.11ac Wave2(40MHz) Mode_CH38/CH46_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.24	0.18	5.42	17.00
CH46	5230	6.36	0.18	6.54	17.00

CH38



Date: 31.MAY.2016 21:23:20

CH46



Date: 31.MAY.2016 21:23:36

Test Mode: UNII-1/TX 802.11ac Wave2(40MHz) Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	9.99	17.00
CH46	5230	11.15	17.00

Test Mode: UNII-1/TX 802.11ac Wave2(80MHz) Mode_CH42_ANT 1					
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	0.81	0.41	1.22	17.00

CH42



Test Mode: UNII-1/TX 802.11ac Wave2(80MHz) Mode_CH42_ANT 2					
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	1.00	0.41	1.41	17.00

CH42



Test Mode: UNII-1/TX 802.11ac Wave2(80MHz) Mode_CH42_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	0.11	0.41	0.52	17.00

CH42



Test Mode: UNII-1/TX 802.11ac Wave2(80MHz) Mode_CH42_ANT 4					
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	0.01	0.41	0.42	17.00

CH42



Test Mode: UNII-1/TX 802.11ac Wave2(80MHz) Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	6.93	17.00

Test Mode: UNII-2A/TX 802.11ac Wave2(20MHz) Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.49	0.06	4.55	11.00
CH60	5300	4.77	0.06	4.83	11.00
CH64	5320	4.46	0.06	4.52	11.00

CH52



Date: 14.JUN.2016 16:51:51

CH60



Date: 14.JUN.2016 16:57:05

CH64



Date: 14.JUN.2016 17:00:20

Test Mode: UNII-2A/TX 802.11ac Wave2(20MHz) Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.53	0.06	4.59	11.00
CH60	5300	4.80	0.06	4.86	11.00
CH64	5320	4.54	0.06	4.60	11.00

CH52



CH60



Date: 14.JUN.2016 16:57:14

CH64



Date: 14.JUN.2016 17:00:29

Test Mode: UNII-2A/TX 802.11ac Wave2(20MHz) Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.53	0.06	4.59	11.00
CH60	5300	4.80	0.06	4.86	11.00
CH64	5320	4.52	0.06	4.58	11.00

CH52



CH60



Date: 14.JUN.2016 16:57:24

CH64



Date: 14.JUN.2016 17:00:38

Test Mode: UNII-2A/TX 802.11ac Wave2(20MHz) Mode_CH52/CH60/CH64_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.49	0.06	4.55	11.00
CH60	5300	4.81	0.06	4.87	11.00
CH64	5320	4.50	0.06	4.56	11.00

CH52



Date: 14.JUN.2016 16:52:19

CH60



Date: 14.JUN.2016 16:57:33

CH64



Date: 14.JUN.2016 17:00:47

Test Mode: UNII-2A/TX 802.11ac Wave2(20MHz) Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	10.59	11.00
CH60	5300	10.87	11.00
CH64	5320	10.58	11.00

Test Mode: UNII-2A/TX 802.11ac Wave2(40MHz) Mode_CH54/CH62_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.55	0.18	4.73	11.00
CH62	5310	3.46	0.18	3.64	11.00

CH54



Date: 31.MAY.2016 21:04:16

CH62



Date: 14.JUN.2016 17:24:33

Test Mode: UNII-2A/TX 802.11ac Wave2(40MHz) Mode_CH54/CH62_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.51	0.18	4.69	11.00
CH62	5310	3.38	0.18	3.56	11.00

CH54



Date: 31.MAY.2016 21:11:59

CH62



Date: 14.JUN.2016 17:24:43

Test Mode: UNII-2A/TX 802.11ac Wave2(40MHz) Mode_CH54/CH62_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.46	0.18	3.64	11.00
CH62	5310	3.24	0.18	3.42	11.00

CH54



Date: 31.MAY.2016 21:19:46

CH62



Date: 14.JUN.2016 17:24:52

Test Mode: UNII-2A/TX 802.11ac Wave2(40MHz) Mode_CH54/CH62_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.45	0.18	4.63	11.00
CH62	5310	3.33	0.18	3.51	11.00

CH54



Date: 31.MAY.2016 21:25:32

CH62



Date: 14.JUN.2016 17:25:01

Test Mode: UNII-2A/TX 802.11ac Wave2(40MHz) Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	9.16	11.00
CH62	5310	8.32	11.00

Test Mode: UNII-2A/TX 802.11ac Wave2(80MHz) Mode_CH58_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	1.23	0.41	1.64	11.00

CH58



Test Mode: UNII-2A/TX 802.11ac Wave2(80MHz) Mode_CH58_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	1.40	0.41	1.81	11.00

CH58



Test Mode: UNII-2A/TX 802.11ac Wave2(80MHz) Mode_CH58_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	0.35	0.41	0.76	11.00

CH58



Test Mode: UNII-2A/TX 802.11ac Wave2(80MHz) Mode_CH58_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	0.48	0.41	0.89	11.00

CH58



Test Mode: UNII-2A/TX 802.11ac Wave2(80MHz) Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	7.32	11.00

Test Mode: UNII-2C/TX 802.11ac Wave2(20MHz) Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.30	0.06	4.36	11.00
CH116	5580	1.47	0.06	1.53	11.00
CH140	5700	2.47	0.06	2.53	11.00

CH100



CH116



Date: 31.MAY.2016 16:53:34

CH140



Date: 31.MAY.2016 16:54:41

Test Mode: UNII-2C/TX 802.11ac Wave2(20MHz) Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.29	0.06	4.35	11.00
CH116	5580	3.89	0.06	3.95	11.00
CH140	5700	2.52	0.06	2.58	11.00

CH100



CH116



Date: 31.MAY.2016 17:09:04

CH140



Date: 31.MAY.2016 17:09:29

Test Mode: UNII-2C/TX 802.11ac Wave2(20MHz) Mode_CH100/CH116/CH140_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.32	0.06	4.38	11.00
CH116	5580	4.32	0.06	4.38	11.00
CH140	5700	3.65	0.06	3.71	11.00

CH100



CH116



Date: 31.MAY.2016 17:17:43

CH140



Date: 31.MAY.2016 17:18:07

Test Mode: UNII-2C/TX 802.11ac Wave2(20MHz) Mode_CH100/CH116/CH140_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.35	0.06	4.41	11.00
CH116	5580	3.71	0.06	3.77	11.00
CH140	5700	4.77	0.06	4.83	11.00

CH100



Date: 14.JUN.2016 17:02:20

CH116



Date: 31.MAY.2016 17:31:56

CH140



Date: 31.MAY.2016 17:32:26

Test Mode: UNII-2C/TX 802.11ac Wave2(20MHz) Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	10.39	11.00
CH116	5580	9.55	11.00
CH140	5700	9.54	11.00

Test Mode: UNII-2C/TX 802.11ac Wave2(40MHz) Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.90	0.18	4.08	11.00
CH110	5550	3.88	0.18	4.06	11.00
CH134	5670	4.48	0.18	4.66	11.00

CH102



Date: 31.MAY.2016 21:06:51

CH110



Date: 31.MAY.2016 21:07:11

CH134



Date: 14.JUN.2016 17:26:31

Test Mode: UNII-2C/TX 802.11ac Wave2(40MHz) Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	4.49	0.18	4.67	11.00
CH110	5550	4.32	0.18	4.50	11.00
CH134	5670	4.55	0.18	4.73	11.00

CH102



CH110



Date: 31.MAY.2016 21:14:15

CH134



Date: 14.JUN.2016 17:26:40

Test Mode: UNII-2C/TX 802.11ac Wave2(40MHz) Mode_CH102/CH110/CH134_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	4.07	0.18	4.25	11.00
CH110	5550	3.70	0.18	3.88	11.00
CH134	5670	4.51	0.18	4.69	11.00

CH102



Date: 31.MAY.2016 21:20:39

CH110



Date: 31.MAY.2016 21:20:57

CH134



Date: 14.JUN.2016 17:26:49

Test Mode: UNII-2C/TX 802.11ac Wave2(40MHz) Mode_CH102/CH110/CH134_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	4.48	0.18	4.66	11.00
CH110	5550	4.54	0.18	4.72	11.00
CH134	5670	4.53	0.18	4.71	11.00

CH102



CH110



Date: 31.MAY.2016 21:32:19

CH134



Date: 14.JUN.2016 17:26:58

Test Mode: UNII-2C/TX 802.11ac Wave2(40MHz) Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	9.12	11.00
CH110	5550	8.93	11.00
CH134	5670	9.47	11.00

Test Mode: UNII-2C/TX 802.11ac Wave2(80MHz) Mode_CH106/CH122_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	0.30	0.41	0.71	11.00
CH122	5610	3.21	0.41	3.62	11.00

CH106



Date: 31.MAY.2016 21:54:34

CH122



Date: 31.MAY.2016 21:55:47

Test Mode: UNII-2C/TX 802.11ac Wave2(80MHz) Mode_CH106/CH122_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	0.90	0.41	1.31	11.00
CH122	5610	1.07	0.41	1.48	11.00

CH106



Date: 31.MAY.2016 21:58:46

CH122



Date: 31.MAY.2016 22:00:00

Test Mode: UNII-2C/TX 802.11ac Wave2(80MHz) Mode_CH106/CH122_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	0.61	0.41	1.02	11.00
CH122	5610	0.79	0.41	1.20	11.00

CH106



Date: 31.MAY.2016 22:02:28

CH122



Date: 31.MAY.2016 22:03:37

Test Mode: UNII-2C/TX 802.11ac Wave2(80MHz) Mode_CH106/CH122_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	0.75	0.41	1.16	11.00
CH122	5610	1.13	0.41	1.54	11.00

CH106



Date: 31.MAY.2016 22:06:22

CH122



Date: 31.MAY.2016 22:09:29

Test Mode: UNII-2C/TX 802.11ac Wave2(80MHz) Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	7.08	11.00
CH122	5610	8.10	11.00

Test Mode: UNII-3/ TX 802.11ac Wave2(20MHz) Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.46	0.06	5.52	30.00
CH157	5785	4.77	0.06	4.83	30.00
CH165	5825	4.26	0.06	4.32	30.00

TX CH149



Date: 31.MAY.2016 16:56:00

TX CH157



Date: 31.MAY.2016 16:56:20

TX CH165



Date: 31.MAY.2016 16:57:23

Test Mode: UNII-3/ TX 802.11ac Wave2(20MHz) Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.64	0.06	5.70	30.00
CH157	5785	5.10	0.06	5.16	30.00
CH165	5825	4.61	0.06	4.67	30.00

TX CH149



Date: 31.MAY.2016 17:10:11

TX CH157



Date: 31.MAY.2016 17:10:35

TX CH165



Date: 31.MAY.2016 17:10:56

Test Mode: UNII-3/ TX 802.11ac Wave2(20MHz) Mode_CH149/CH157/CH165_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.15	0.06	7.21	30.00
CH157	5785	6.30	0.06	6.36	30.00
CH165	5825	5.07	0.06	5.13	30.00

TX CH149



Date: 31.MAY.2016 17:18:33

TX CH157



Date: 31.MAY.2016 17:23:33

TX CH165



Date: 31.MAY.2016 17:24:02

Test Mode: UNII-3/ TX 802.11ac Wave2(20MHz) Mode_CH149/CH157/CH165_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.04	0.06	7.10	30.00
CH157	5785	6.20	0.06	6.26	30.00
CH165	5825	5.32	0.06	5.38	30.00

TX CH149



Date: 31.MAY.2016 17:33:03

TX CH157



Date: 31.MAY.2016 17:33:27

TX CH165



Date: 31.MAY.2016 17:33:48

Test Mode: UNII-3/ TX 802.11ac Wave2(20MHz) Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	12.47	30.00
CH157	5785	11.72	30.00
CH165	5825	10.91	30.00

Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.51	0.18	-0.33	30.00
CH159	5795	-1.22	0.18	-1.04	30.00

TX CH151



Date: 31.MAY.2016 21:09:35

TX CH159



Date: 31.MAY.2016 21:09:55

Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	1.56	0.18	1.74	30.00
CH159	5795	0.99	0.18	1.17	30.00

TX CH151



Date: 31.MAY.2016 21:15:16

TX CH159



Date: 31.MAY.2016 21:15:36

Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.70	0.18	2.88	30.00
CH159	5795	1.50	0.18	1.68	30.00

TX CH151



Date: 31.MAY.2016 21:22:05

TX CH159



Date: 31.MAY.2016 21:22:33

Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.69	0.18	2.87	30.00
CH159	5795	1.93	0.18	2.11	30.00

TX CH151



Date: 31.MAY.2016 21:39:14

TX CH159



Date: 31.MAY.2016 21:39:36

Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	7.99	30.00
CH159	5795	7.16	30.00

Test Mode: UNII-3/ TX 802.11ac Wave2(80MHz) Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-4.12	0.41	-3.71	30.00

TX CH155



Test Mode: UNII-3/ TX 802.11ac Wave2(80MHz) Mode_CH155_ANT 2					
Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-4.20	0.41	-3.79	30.00

TX CH155



Date: 31.MAY.2016 22:00:31

Test Mode: UNII-3/ TX 802.11ac Wave2(80MHz) Mode_CH155_ANT 3					
Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-2.74	0.41	-2.33	30.00

TX CH155



Test Mode: UNII-3/ TX 802.11ac Wave2(80MHz) Mode_CH155_ANT 3					
Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-2.45	0.41	-2.04	30.00

TX CH155



Test Mode: UNII-3/ TX 802.11ac Wave2(80MHz) Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	3.13	30.00

For 2TX with Beamforming

Test Mode: UNII-1/TX 802.11n(20MHz) Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.43	0.07	5.50	17.00
CH40	5200	6.09	0.07	6.16	17.00
CH48	5240	7.17	0.07	7.24	17.00

CH36



CH40



Date: 5.JUN.2016 15:38:39

CH48



Date: 5.JUN.2016 15:39:05

Test Mode: UNII-1/TX 802.11n(20MHz) Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.40	0.07	5.47	17.00
CH40	5200	5.67	0.07	5.74	17.00
CH48	5240	6.77	0.07	6.84	17.00

CH36



CH40



Date: 5.JUN.2016 17:07:01

CH48



Date: 5.JUN.2016 17:15:04

Test Mode: UNII-1/TX 802.11n(20MHz) Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.50	17.00
CH40	5200	8.97	17.00
CH48	5240	10.05	17.00

Test Mode: UNII-1/TX 802.11n(40MHz) Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.68	0.18	2.86	17.00
CH46	5230	3.70	0.18	3.88	17.00

CH38



Date: 5.JUN.2016 16:50:58

CH46



Date: 5.JUN.2016 16:51:25

Test Mode: UNII-1/TX 802.11n(40MHz) Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.82	0.18	3.00	17.00
CH46	5230	3.96	0.18	4.14	17.00

CH38



Date: 5.JUN.2016 17:32:49

CH46



Date: 5.JUN.2016 17:33:24

Test Mode: UNII-1/TX 802.11n(40MHz) Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.94	17.00
CH46	5230	7.02	17.00

Test Mode: UNII-2A/TX 802.11n(20MHz) Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	7.15	0.07	7.22	11.00
CH60	5300	7.17	0.07	7.24	11.00
CH64	5320	7.14	0.07	7.21	11.00

CH52



Date: 5.JUN.2016 16:38:50

CH60



Date: 5.JUN.2016 16:39:25

CH64



Date: 5.JUN.2016 16:39:49

Test Mode: UNII-2A/TX 802.11n(20MHz) Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	6.92	0.07	6.99	11.00
CH60	5300	7.32	0.07	7.39	11.00
CH64	5320	7.29	0.07	7.36	11.00

CH52



Date: 5.JUN.2016 17:15:34

CH60



Date: 5.JUN.2016 17:17:11

CH64



Date: 5.JUN.2016 17:17:33

Test Mode: UNII-2A/TX 802.11n(20MHz) Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	10.12	11.00
CH60	5300	10.33	11.00
CH64	5320	10.30	11.00

Test Mode: UNII-2A/TX 802.11n(40MHz) Mode_CH54/CH62_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.98	0.18	4.16	11.00
CH62	5310	4.11	0.18	4.29	11.00

CH54



Date: 5.JUN.2016 16:51:52

CH62



Date: 5.JUN.2016 16:52:13

Test Mode: UNII-2A/TX 802.11n(40MHz) Mode_CH54/CH62_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.23	0.18	4.41	11.00
CH62	5310	4.39	0.18	4.57	11.00

CH54



Date: 5.JUN.2016 17:34:01

CH62



Date: 5.JUN.2016 17:34:53

Test Mode: UNII-2A/TX 802.11n(40MHz) Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	7.30	11.00
CH62	5310	7.44	11.00

Test Mode: UNII-2C/TX 802.11n(20MHz) Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	6.62	0.07	6.69	11.00
CH116	5580	6.45	0.07	6.52	11.00
CH140	5700	6.59	0.07	6.66	11.00

CH100



CH116



Date: 5.JUN.2016 16:41:29

CH140



Date: 5.JUN.2016 16:41:52

Test Mode: UNII-2C/TX 802.11n(20MHz) Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.45	0.07	7.52	11.00
CH116	5580	7.26	0.07	7.33	11.00
CH140	5700	6.45	0.07	6.52	11.00

CH100



CH116



Date: 5.JUN.2016 17:23:08

CH140



Date: 5.JUN.2016 17:24:38

Test Mode: UNII-2C/TX 802.11n(20MHz) Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	10.14	11.00
CH116	5580	9.95	11.00
CH140	5700	9.60	11.00

Test Mode: UNII-2C/TX 802.11n(40MHz) Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.57	0.18	3.75	11.00
CH110	5550	3.46	0.18	3.64	11.00
CH134	5670	3.07	0.18	3.25	11.00

CH102



Date: 5.JUN.2016 16:52:39

CH110



Date: 5.JUN.2016 16:53:12

CH134



Date: 5.JUN.2016 16:53:36

Test Mode: UNII-2C/TX 802.11n(40MHz) Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	4.36	0.18	4.54	11.00
CH110	5550	4.40	0.18	4.58	11.00
CH134	5670	4.28	0.18	4.46	11.00

CH102



Date: 5.JUN.2016 17:35:53

CH110



Date: 5.JUN.2016 17:36:18

CH134



Date: 5.JUN.2016 17:37:19

Test Mode: UNII-2C/TX 802.11n(40MHz) Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	7.17	11.00
CH110	5550	7.15	11.00
CH134	5670	6.91	11.00

Test Mode: UNII-3/ TX 802.11n(20MHz) Mode_CH149/CH157/CH165_ANT 1					
Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.82	0.07	2.89	30.00
CH157	5785	2.26	0.07	2.33	30.00
CH165	5825	1.67	0.07	1.74	30.00

TX CH149



TX CH157



Date: 5.JUN.2016 16:43:49

TX CH165



Date: 5.JUN.2016 16:44:14

Test Mode: UNII-3/ TX 802.11n(20MHz) Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.07	0.07	3.14	30.00
CH157	5785	2.81	0.07	2.88	30.00
CH165	5825	2.54	0.07	2.61	30.00

TX CH149



Date: 5.JUN.2016 17:25:00

TX CH157



Date: 5.JUN.2016 17:25:35

TX CH165



Date: 5.JUN.2016 17:26:14

Test Mode: UNII-3/ TX 802.11n(20MHz) Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.03	30.00
CH157	5785	5.62	30.00
CH165	5825	5.21	30.00

Test Mode: UNII-3/ TX 802.11n(40MHz) Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.16	0.18	0.02	30.00
CH159	5795	-0.64	0.18	-0.46	30.00

TX CH151



Date: 5.JUN.2016 16:54:03

TX CH159



Date: 5.JUN.2016 16:54:33

Test Mode: UNII-3/ TX 802.11n(40MHz) Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	0.23	0.18	0.41	30.00
CH159	5795	-0.13	0.18	0.05	30.00

TX CH151



Date: 5.JUN.2016 17:37:45

TX CH159



Date: 5.JUN.2016 17:38:23

Test Mode: UNII-3/ TX 802.11n(40MHz) Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.23	30.00
CH159	5795	2.81	30.00

Test Mode: UNII-1/TX 802.11ac Wave2(20MHz) Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.33	0.06	5.39	17.00
CH40	5200	5.92	0.06	5.98	17.00
CH48	5240	7.09	0.06	7.15	17.00

CH36



CH40



Date: 5.JUN.2016 16:45:08

CH48



Date: 5.JUN.2016 16:45:32

Test Mode: UNII-1/TX 802.11ac Wave2(20MHz) Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.10	0.06	5.16	17.00
CH40	5200	5.76	0.06	5.82	17.00
CH48	5240	6.81	0.06	6.87	17.00

CH36



CH40



Date: 5.JUN.2016 17:27:06

CH48



Date: 5.JUN.2016 17:27:26

Test Mode: UNII-1/TX 802.11ac Wave2(20MHz) Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.29	17.00
CH40	5200	8.91	17.00
CH48	5240	10.02	17.00

Test Mode: UNII-1/TX 802.11ac Wave2(40MHz) Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.78	0.18	2.96	17.00
CH46	5230	3.77	0.18	3.95	17.00

CH38



Date: 5.JUN.2016 16:55:41

CH46



Date: 5.JUN.2016 16:56:07

Test Mode: UNII-1/TX 802.11ac Wave2(40MHz) Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.78	0.18	2.96	17.00
CH46	5230	3.96	0.18	4.14	17.00

CH38



Date: 5.JUN.2016 17:39:09

CH46



Date: 5.JUN.2016 17:40:14

Test Mode: UNII-1/TX 802.11ac Wave2(40MHz) Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.97	17.00
CH46	5230	7.06	17.00

Test Mode: UNII-1/TX 802.11ac Wave2(80MHz) Mode_CH42_ANT 1					
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	0.00	0.41	0.41	17.00

CH42



Test Mode: UNII-1/TX 802.11ac Wave2(80MHz) Mode_CH42_ANT 2					
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	0.71	0.41	1.12	17.00

CH42



Date: 5.JUN.2016 17:46:02

Test Mode: UNII-1/TX 802.11ac Wave2(80MHz) Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	3.79	17.00

Test Mode: UNII-2A/TX 802.11ac Wave2(20MHz) Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	7.09	0.06	7.15	11.00
CH60	5300	7.14	0.06	7.20	11.00
CH64	5320	7.02	0.06	7.08	11.00

CH52



CH60



Date: 5.JUN.2016 16:46:34

CH64



Date: 5.JUN.2016 16:47:42

Test Mode: UNII-2A/TX 802.11ac Wave2(20MHz) Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	6.91	0.06	6.97	11.00
CH60	5300	7.33	0.06	7.39	11.00
CH64	5320	7.32	0.06	7.38	11.00

CH52



CH60



Date: 5.JUN.2016 17:28:42

CH64



Date: 5.JUN.2016 17:29:09

Test Mode: UNII-2A/TX 802.11ac Wave2(20MHz) Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	10.07	11.00
CH60	5300	10.31	11.00
CH64	5320	10.24	11.00

Test Mode: UNII-2A/TX 802.11ac Wave2(40MHz) Mode_CH54/CH62_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.94	0.18	4.12	11.00
CH62	5310	4.14	0.18	4.32	11.00

CH54



Date: 5.JUN.2016 16:56:49

CH62



Date: 5.JUN.2016 16:57:55

Test Mode: UNII-2A/TX 802.11ac Wave2(40MHz) Mode_CH54/CH62_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.26	0.18	4.44	11.00
CH62	5310	4.47	0.18	4.65	11.00

CH54



Date: 5.JUN.2016 17:40:36

CH62



Date: 5.JUN.2016 17:41:01

Test Mode: UNII-2A/TX 802.11ac Wave2(40MHz) Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	7.29	11.00
CH62	5310	7.50	11.00

Test Mode: UNII-2A/TX 802.11ac Wave2(80MHz) Mode_CH58_ANT 1					
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	0.89	0.41	1.30	11.00

CH58



Test Mode: UNII-2A/TX 802.11ac Wave2(80MHz) Mode_CH58_ANT 2					
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	1.44	0.41	1.85	11.00

CH58



Date: 5.JUN.2016 17:46:38

Test Mode: UNII-2A/TX 802.11ac Wave2(80MHz) Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	4.59	11.00

Test Mode: UNII-2C/TX 802.11ac Wave2(20MHz) Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	6.62	0.06	6.68	11.00
CH116	5580	6.35	0.06	6.41	11.00
CH140	5700	6.44	0.06	6.50	11.00

CH100



CH116



Date: 5.JUN.2016 16:48:40

CH140



Date: 5.JUN.2016 16:49:13

Test Mode: UNII-2C/TX 802.11ac Wave2(20MHz) Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.44	0.06	7.50	11.00
CH116	5580	7.28	0.06	7.34	11.00
CH140	5700	6.53	0.06	6.59	11.00

CH100



Date: 5.JUN.2016 17:29:33

CH116



Date: 5.JUN.2016 17:30:01

CH140



Date: 5.JUN.2016 17:30:25

Test Mode: UNII-2C/TX 802.11ac Wave2(20MHz) Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	10.12	11.00
CH116	5580	9.91	11.00
CH140	5700	9.56	11.00

Test Mode: UNII-2C/TX 802.11ac Wave2(40MHz) Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.59	0.18	3.77	11.00
CH110	5550	3.50	0.18	3.68	11.00
CH134	5670	3.22	0.18	3.40	11.00

CH102



Date: 5.JUN.2016 16:58:37

CH110



Date: 5.JUN.2016 16:59:03

CH134



Date: 5.JUN.2016 16:59:39

Test Mode: UNII-2C/TX 802.11ac Wave2(40MHz) Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	4.33	0.18	4.51	11.00
CH110	5550	4.12	0.18	4.30	11.00
CH134	5670	4.22	0.18	4.40	11.00

CH102



Date: 5.JUN.2016 17:41:28

CH110



Date: 5.JUN.2016 17:42:02

CH134



Date: 5.JUN.2016 17:44:08

Test Mode: UNII-2C/TX 802.11ac Wave2(40MHz) Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	7.17	11.00
CH110	5550	7.01	11.00
CH134	5670	6.94	11.00

Test Mode: UNII-2C/TX 802.11ac Wave2(80MHz) Mode_CH106/CH122_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	0.23	0.41	0.64	11.00
CH122	5610	-0.39	0.41	0.02	11.00

CH106



Date: 5.JUN.2016 17:04:08

CH122



Date: 5.JUN.2016 17:04:44

Test Mode: UNII-2C/TX 802.11ac Wave2(80MHz) Mode_CH106/CH122_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	1.19	0.41	1.60	11.00
CH122	5610	1.05	0.41	1.46	11.00

CH106



Date: 5.JUN.2016 17:47:50

CH122



Date: 5.JUN.2016 17:49:01

Test Mode: UNII-2C/TX 802.11ac Wave2(80MHz) Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	4.16	11.00
CH122	5610	3.81	11.00

Test Mode: UNII-3/ TX 802.11ac Wave2(20MHz) Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.74	0.06	2.80	30.00
CH157	5785	2.22	0.06	2.28	30.00
CH165	5825	1.58	0.06	1.64	30.00

TX CH149



Date: 5.JUN.2016 16:49:34

TX CH157



Date: 5.JUN.2016 16:50:00

TX CH165



Date: 5.JUN.2016 16:50:24

Test Mode: UNII-3/ TX 802.11ac Wave2(20MHz) Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.08	0.06	3.14	30.00
CH157	5785	2.92	0.06	2.98	30.00
CH165	5825	2.62	0.06	2.68	30.00

TX CH149



Date: 5.JUN.2016 17:30:50

TX CH157



Date: 5.JUN.2016 17:31:46

TX CH165



Date: 5.JUN.2016 17:32:14

Test Mode: UNII-3/ TX 802.11ac Wave2(20MHz) Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.98	30.00
CH157	5785	5.65	30.00
CH165	5825	5.20	30.00

Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-0.18	0.18	0.00	30.00
CH159	5795	-0.66	0.18	-0.48	30.00

TX CH151



Date: 5.JUN.2016 17:00:28

TX CH159



Date: 5.JUN.2016 17:01:40

Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	0.31	0.18	0.49	30.00
CH159	5795	-0.15	0.18	0.03	30.00

TX CH151



Date: 5.JUN.2016 17:44:40

TX CH159



Date: 5.JUN.2016 17:45:14

Test Mode: UNII-3/ TX 802.11ac Wave2(40MHz) Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.26	30.00
CH159	5795	2.79	30.00

Test Mode: UNII-3/ TX 802.11ac Wave2(80MHz) Mode_CH155_ANT 1					
Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-3.75	0.41	-3.34	30.00

TX CH155



Test Mode: UNII-3/ TX 802.11ac Wave2(80MHz) Mode_CH155_ANT 2					
Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-3.29	0.41	-2.88	30.00

TX CH155



Test Mode: UNII-3/ TX 802.11ac Wave2(80MHz) Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-0.09	30.00

Test Mode: UNII-1/ TX 802.11ac Wave2(160 MHz and 80+80MHz) Mode _ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
42+58	5250	-1.08	0.13	-0.95	17.00

CH42+58



Date: 6.JUN.2016 11:41:15

Test Mode: UNII-1/ TX 802.11ac Wave2(160 MHz and 80+80MHz) Mode _ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
42+58	5250	-1.35	0.13	-1.22	17.00

CH42+58



Date: 6.JUN.2016 11:41:54

Test Mode: UNII-1/ TX 802.11ac Wave2(160 MHz and 80+80MHz) Mode _ Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
42+58	5250	1.93	17.00

Test Mode: UNII-2C/ TX 802.11ac Wave2(160 MHz and 80+80MHz) Mode _ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
106+122	5570	-1.05	0.13	-0.92	17.00

CH106+122



Date: 6.JUN.2016 11:45:25

Test Mode: UNII-2C/ TX 802.11ac Wave2(160 MHz and 80+80MHz) Mode _ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
106+122	5570	-1.00	0.13	-0.87	17.00

CH106+122



Date: 6.JUN.2016 11:45:55

Test Mode: UNII-2C/ TX 802.11ac Wave2(160 MHz and 80+80MHz) Mode _ Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
106+122	5570	2.12	17.00

For 3TX with Beamforming

Test Mode: UNII-1/TX 802.11n(20MHz) Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.35	0.07	3.42	17.00
CH40	5200	3.94	0.07	4.01	17.00
CH48	5240	5.10	0.07	5.17	17.00

CH36



Date: 5.JUN.2016 13:45:12

CH40



Date: 5.JUN.2016 13:45:42

CH48



Date: 5.JUN.2016 13:46:02

Test Mode: UNII-1/TX 802.11n(20MHz) Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.79	0.07	2.86	17.00
CH40	5200	3.51	0.07	3.58	17.00
CH48	5240	4.79	0.07	4.86	17.00

CH36



CH40



Date: 5.JUN.2016 14:26:11

CH48



Date: 5.JUN.2016 14:26:32

Test Mode: UNII-1/TX 802.11n(20MHz) Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.81	0.07	2.88	17.00
CH40	5200	3.53	0.07	3.60	17.00
CH48	5240	4.80	0.07	4.87	17.00

CH36



CH40



Date: 5.JUN.2016 14:58:11

CH48



Date: 5.JUN.2016 14:59:06

Test Mode: UNII-1/TX 802.11n(20MHz) Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	7.83	17.00
CH40	5200	8.51	17.00
CH48	5240	9.74	17.00

Test Mode: UNII-1/TX 802.11n(40MHz) Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.69	0.18	0.87	17.00
CH46	5230	1.79	0.18	1.97	17.00

CH38



Date: 5.JUN.2016 14:07:07

CH46



Date: 5.JUN.2016 14:07:52

Test Mode: UNII-1/TX 802.11n(40MHz) Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.60	0.18	0.78	17.00
CH46	5230	1.73	0.18	1.91	17.00

CH38



Date: 5.JUN.2016 14:41:40

CH46



Date: 5.JUN.2016 14:42:03

Test Mode: UNII-1/TX 802.11n(40MHz) Mode_CH38/CH46_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.68	0.18	0.86	17.00
CH46	5230	1.67	0.18	1.85	17.00

CH38



Date: 5.JUN.2016 15:18:27

CH46



Date: 5.JUN.2016 15:18:49

Test Mode: UNII-1/TX 802.11n(40MHz) Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.61	17.00
CH46	5230	6.68	17.00

Test Mode: UNII-2A/TX 802.11n(20MHz) Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	3.15	0.07	3.22	11.00
CH60	5300	3.15	0.07	3.22	11.00
CH64	5320	3.15	0.07	3.22	11.00

CH52



CH60



Date: 5.JUN.2016 13:47:19

CH64



Date: 5.JUN.2016 13:47:58

Test Mode: UNII-2A/TX 802.11n(20MHz) Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.97	0.07	3.04	11.00
CH60	5300	3.30	0.07	3.37	11.00
CH64	5320	3.02	0.07	3.09	11.00

CH52



Date: 5.JUN.2016 14:27:06

CH60



Date: 5.JUN.2016 14:28:20

CH64



Date: 5.JUN.2016 14:29:02

Test Mode: UNII-2A/TX 802.11n(20MHz) Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.99	0.07	3.06	11.00
CH60	5300	3.33	0.07	3.40	11.00
CH64	5320	3.00	0.07	3.07	11.00

CH52



Date: 5.JUN.2016 14:59:44

CH60



Date: 5.JUN.2016 15:00:09

CH64



Date: 5.JUN.2016 15:00:42

Test Mode: UNII-2A/TX 802.11n(20MHz) Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	7.88	11.00
CH60	5300	8.10	11.00
CH64	5320	7.90	11.00

Test Mode: UNII-2A/TX 802.11n(40MHz) Mode_CH54/CH62_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-0.04	0.18	0.14	11.00
CH62	5310	0.09	0.18	0.27	11.00

CH54



Date: 5.JUN.2016 14:08:26

CH62



Date: 5.JUN.2016 14:08:50

Test Mode: UNII-2A/TX 802.11n(40MHz) Mode_CH54/CH62_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	0.22	0.18	0.40	11.00
CH62	5310	0.42	0.18	0.60	11.00

CH54



Date: 5.JUN.2016 14:42:29

CH62



Date: 5.JUN.2016 14:43:24

Test Mode: UNII-2A/TX 802.11n(40MHz) Mode_CH54/CH62_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	0.21	0.18	0.39	11.00
CH62	5310	0.48	0.18	0.66	11.00

CH54



Date: 5.JUN.2016 15:19:16

CH62



Date: 5.JUN.2016 15:20:15

Test Mode: UNII-2A/TX 802.11n(40MHz) Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	5.08	11.00
CH62	5310	5.28	11.00

Test Mode: UNII-2C/TX 802.11n(20MHz) Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.77	0.07	2.84	11.00
CH116	5580	2.59	0.07	2.66	11.00
CH140	5700	2.67	0.07	2.74	11.00

CH100



CH116



Date: 5.JUN.2016 13:49:18

CH140



Date: 5.JUN.2016 13:50:09

Test Mode: UNII-2C/TX 802.11n(20MHz) Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.65	0.07	3.72	11.00
CH116	5580	3.10	0.07	3.17	11.00
CH140	5700	2.62	0.07	2.69	11.00

CH100



Date: 5.JUN.2016 14:29:37

CH116



Date: 5.JUN.2016 14:30:07

CH140



Date: 5.JUN.2016 14:30:57

Test Mode: UNII-2C/TX 802.11n(20MHz) Mode_CH100/CH116/CH140_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.72	0.07	3.79	11.00
CH116	5580	3.17	0.07	3.24	11.00
CH140	5700	2.59	0.07	2.66	11.00

CH100



Date: 5.JUN.2016 15:01:12

CH116



Date: 5.JUN.2016 15:02:15

CH140



Date: 5.JUN.2016 15:02:41

Test Mode: UNII-2C/TX 802.11n(20MHz) Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	8.24	11.00
CH116	5580	7.80	11.00
CH140	5700	7.47	11.00