





4.1.1.16 Test Mode = LTE/TM1 20MHz

4.1.1.16.1 Test Channel = LCH



Date: 15.NOV.2017 10:52:07


4.1.1.16.2 Test Channel = MCH



Date: 15.NOV.2017 10:55:42




4.1.1.16.3 Test Channel = HCH



Date: 15.NOV.2017 10:56:50

4.1.1.17 Test Mode = LTE/TM2 20MHz


4.1.1.17.1 Test Channel = LCH



Date: 15.NOV.2017 10:53:34




4.1.1.17.2 Test Channel = MCH



Date: 15.NOV.2017 10:54:52

4.1.1.17.3 Test Channel = HCH




Date: 15.NOV.2017 10:57:46




4.1.1.18 Test Mode = LTE/TM3 20MHz

4.1.1.18.1 Test Channel = LCH



Date: 29.NOV.2017 11:18:59


4.1.1.18.2 Test Channel = MCH



Date: 29.NOV.2017 11:26:55



4.1.1.18.3 Test Channel = HCH



Date: 29.NOV.2017 11:28:41



5 Band Edges Compliance

Part I –


5.1 For LTE

5.1.1 Test Band = LTE band4

5.1.1.1 Test Mode = LTE/TM1 1.4MHz


5.1.1.1.1 Test Channel = LCH

5.1.1.1.1.1 Test RB=1RB



Date: 15.NOV.2017 11:22:35


5.1.1.1.2 Test RB=6RB



Date: 15.NOV.2017 11:20:52

5.1.1.1.2 Test Channel = HCH


5.1.1.1.2.1 Test RB=1RB



Date: 15.NOV.2017 11:25:51



5.1.1.1.2.2 Test RB=6RB




Date: 15.NOV.2017 11:25:18

5.1.1.2 Test Mode = LTE/TM2 1.4MHz

5.1.1.2.1 Test Channel = LCH


5.1.1.2.1.1 Test RB=1RB



Date: 15.NOV.2017 11:22:12




5.1.1.2.1.2 Test RB=6RB



Date: 15.NOV.2017 11:21:48

5.1.1.2.2 Test Channel = HCH


5.1.1.2.2.1 Test RB=1RB



Date: 15.NOV.2017 11:26:20



5.1.1.2.2 Test RB=6RB




Date: 15.NOV.2017 11:26:44

5.1.1.3 Test Mode = LTE/TM3 1.4MHz

5.1.1.3.1 Test Channel = LCH


5.1.1.3.1.1 Test RB=1RB



Date: 29.NOV.2017 11:31:54




5.1.1.3.1.2 Test RB=6RB



Date: 29.NOV.2017 11:30:57

5.1.1.3.2 Test Channel = HCH


5.1.1.3.2.1 Test RB=1RB



Date: 29.NOV.2017 11:34:03



5.1.1.3.2.2 Test RB=6RB




Date: 29.NOV.2017 11:34:24

5.1.1.4 Test Mode = LTE/TM1 3MHz

5.1.1.4.1 Test Channel = LCH


5.1.1.4.1.1 Test RB=1RB



Date: 15.NOV.2017 11:37:18




5.1.1.4.1.2 Test RB=15RB



Date: 15.NOV.2017 11:38:57

5.1.1.4.2 Test Channel = HCH


5.1.1.4.2.1 Test RB=1RB



Date: 15.NOV.2017 11:29:04



5.1.1.4.2.2 Test RB=15RB




Date: 15.NOV.2017 11:28:15

5.1.1.5 Test Mode = LTE/TM2 3MHz


5.1.1.5.1 Test Channel = LCH

5.1.1.5.1.1 Test RB=1RB



Date: 15.NOV.2017 11:37:02


5.1.1.5.1.2 Test RB=15RB



Date: 15.NOV.2017 11:36:18

5.1.1.5.2 Test Channel = HCH


5.1.1.5.2.1 Test RB=1RB



Date: 15.NOV.2017 11:29:19



5.1.1.5.3 Test RB=15RB




Date: 15.NOV.2017 11:29:38

5.1.1.6 Test Mode = LTE/TM3 3MHz

5.1.1.6.1 Test Channel = LCH


5.1.1.6.2 Test RB=1RB



Date: 29.NOV.2017 11:36:44




5.1.1.6.2.1 Test RB=15RB



Date: 29.NOV.2017 11:36:16


5.1.1.6.3 Test Channel = HCH

5.1.1.6.3.1 Test RB=1RB



Date: 29.NOV.2017 11:39:03

5.1.1.6.3.2 Test RB=15RB




Date: 29.NOV.2017 11:39:25

5.1.1.7 Test Mode = LTE/TM1 5MHz

5.1.1.7.1 Test Channel = LCH


5.1.1.7.1.1 Test RB=1RB



Date: 15.NOV.2017 14:00:36




5.1.1.7.1.2 Test RB=25RB



Date: 15.NOV.2017 13:57:43

5.1.1.7.2 Test Channel = HCH


5.1.1.7.2.1 Test RB=1RB



Date: 15.NOV.2017 14:03:05



5.1.1.7.2.2 Test RB=25RB




Date: 15.NOV.2017 14:01:37

5.1.1.8 Test Mode = LTE/TM2 5MHz


5.1.1.8.1 Test Channel = LCH

5.1.1.8.1.1 Test RB=1RB



Date: 15.NOV.2017 13:58:31


5.1.1.8.1.2 Test RB=25RB



Date: 15.NOV.2017 13:58:05


5.1.1.8.2 Test Channel = HCH

5.1.1.8.2.1 Test RB=1RB



Date: 15.NOV.2017 14:03:27

5.1.1.8.2.2 Test RB=25RB




Date: 15.NOV.2017 14:03:52

5.1.1.9 Test Mode = LTE/TM3 5MHz


5.1.1.9.1 Test Channel = LCH

5.1.1.9.1.1 Test RB=1RB



Date: 29.NOV.2017 11:43:30


5.1.1.9.1.2 Test RB=25RB



Date: 29.NOV.2017 11:43:09

5.1.1.9.2 Test Channel = HCH


5.1.1.9.2.1 Test RB=1RB



Date: 29.NOV.2017 11:44:24



5.1.1.9.2.2 Test RB=25RB




Date: 29.NOV.2017 11:44:39

5.1.1.10 Test Mode = LTE/TM1 10MHz

5.1.1.10.1 Test Channel = LCH


5.1.1.10.1.1 Test RB=1RB



Date: 15.NOV.2017 14:18:19




5.1.1.10.1.2 Test RB=50RB



Date: 15.NOV.2017 14:23:34

5.1.1.10.2 Test Channel = HCH


5.1.1.10.2.1 Test RB=1RB



Date: 15.NOV.2017 14:28:53



5.1.1.10.2 Test RB=50RB




Date: 15.NOV.2017 14:28:36

5.1.1.11 Test Mode = LTE/TM2 10MHz

5.1.1.11.1 Test Channel = LCH


5.1.1.11.1.1 Test RB=1RB



Date: 15.NOV.2017 14:17:58




5.1.1.11.1.2 Test RB=50RB



Date: 15.NOV.2017 14:17:13

5.1.1.11.2 Test Channel = HCH


5.1.1.11.2.1 Test RB=1RB



Date: 15.NOV.2017 14:29:08



5.1.1.11.2.2 Test RB=50RB




Date: 15.NOV.2017 14:29:26

5.1.1.12 Test Mode = LTE/TM3 10MHz

5.1.1.12.1 Test Channel = LCH


5.1.1.12.1.1 Test RB=1RB



Date: 29.NOV.2017 11:47:12




5.1.1.12.1.2 Test RB=50RB



Date: 29.NOV.2017 11:46:50

5.1.1.12.2 Test Channel = HCH


5.1.1.12.2.1 Test RB=1RB



Date: 29.NOV.2017 11:51:21



5.1.1.12.2 Test RB=50RB




Date: 29.NOV.2017 11:51:39

5.1.1.13 Test Mode = LTE/TM1 15MHz

5.1.1.13.1 Test Channel = LCH


5.1.1.13.1.1 Test RB=1RB



Date: 15.NOV.2017 14:34:54




5.1.1.13.1.2 Test RB=75RB



Date: 15.NOV.2017 14:34:30

5.1.1.13.2 Test Channel = HCH


5.1.1.13.2.1 Test RB=1RB



Date: 15.NOV.2017 14:32:01



5.1.1.13.2 Test RB=75RB




Date: 15.NOV.2017 14:31:37

5.1.1.14 Test Mode = LTE/TM2 15MHz

5.1.1.14.1 Test Channel = LCH


5.1.1.14.1.1 Test RB=1RB



Date: 15.NOV.2017 14:34:02




5.1.1.14.1.2 Test RB=75RB



Date: 15.NOV.2017 14:34:16

5.1.1.14.2 Test Channel = HCH


5.1.1.14.2.1 Test RB=1RB



Date: 15.NOV.2017 14:32:18



5.1.1.14.2.2 Test RB=75RB




Date: 15.NOV.2017 14:32:33

5.1.1.15 Test Mode = LTE/TM3 15MHz

5.1.1.15.1 Test Channel = LCH


5.1.1.15.1.1 Test RB=1RB



Date: 29.NOV.2017 11:55:48




5.1.1.15.1.2 Test RB=75RB



Date: 29.NOV.2017 11:54:50

5.1.1.15.2 Test Channel = HCH


5.1.1.15.2.1 Test RB=1RB



Date: 29.NOV.2017 11:58:43



5.1.1.15.2.2 Test RB=75RB




Date: 29.NOV.2017 11:58:57

5.1.1.16 Test Mode = LTE/TM1 20MHz


5.1.1.16.1 Test Channel = LCH

5.1.1.16.1.1 Test RB=1RB



Date: 15.NOV.2017 14:38:00


5.1.1.16.1.2 Test RB=100RB



Date: 15.NOV.2017 14:38:22

5.1.1.16.2 Test Channel = HCH


5.1.1.16.2.1 Test RB=1RB



Date: 15.NOV.2017 14:40:36



5.1.1.16.2.2 Test RB=100RB




Date: 15.NOV.2017 14:40:16

5.1.1.17 Test Mode = LTE/TM2 20MHz

5.1.1.17.1 Test Channel = LCH


5.1.1.17.1.1 Test RB=1RB



Date: 15.NOV.2017 14:37:37




5.1.1.17.1.2 Test RB=100RB



Date: 15.NOV.2017 14:37:05


5.1.1.17.2 Test Channel = HCH

5.1.1.17.2.1 Test RB=1RB



Date: 15.NOV.2017 14:41:05

5.1.1.17.2.2 Test RB=100RB




Date: 15.NOV.2017 14:41:24

5.1.1.18 Test Mode = LTE/TM3 20MHz


5.1.1.18.1 Test Channel = LCH

5.1.1.18.1.1 Test RB=1RB



Date: 29.NOV.2017 12:00:07


5.1.1.18.1.2 Test RB=100RB



Date: 29.NOV.2017 11:59:39

5.1.1.18.2 Test Channel = HCH


5.1.1.18.2.1 Test RB=1RB



Date: 29.NOV.2017 12:01:28



5.1.1.18.2.2 Test RB=100RB



Date: 29.NOV.2017 12:01:44

6 Spurious Emission at Antenna Terminal

NOTE: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of $< RBW/2$ so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = $k \cdot (\text{Span} / RBW)$ " with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.


Part I - Test Plots

6.1 For LTE

6.1.1 Test Band = LTE band4

6.1.1.1 Test Mode = LTE / TM1 20MHz RB1#0

6.1.1.1.1 Test Channel = LCH




Date: 15.NOV.2017 14:48:59




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM171001122301

Page: 97 of 106




Date: 15.NOV.2017 14:52:56




Date: 15.NOV.2017 14:53:21




6.1.1.1.2 Test Channel = MCH



Date: 15.NOV.2017 14:50:06




Date: 15.NOV.2017 14:52:16



Date: 15.NOV.2017 14:54:20

6.1.1.1.3 Test Channel = HCH




Date: 15.NOV.2017 14:50:35




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM171001122301

Page: 100 of 106



Date: 15.NOV.2017 14:51:25



Date: 15.NOV.2017 14:55:22



7 Field Strength of Spurious Radiation

7.1 For LTE

7.1.1 Test Band = LTE band4

7.1.1.1 Test Mode =LTE/TM1 20MHz RB1#0

Diversity antenna

7.1.1.1.1 Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
1133.000000	-67.06	-13.00	54.06	Vertical
3585.000000	-68.80	-13.00	55.80	Vertical
6120.000000	-65.51	-13.00	52.51	Vertical
1364.000000	-60.11	-13.00	47.11	Horizontal
2680.000000	-57.69	-13.00	44.69	Horizontal
4852.500000	-66.89	-13.00	53.89	Horizontal

7.1.1.1.2 Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
1386.000	-65.44	-13.00	-52.44	Vertical
2976.115	-56.78	-13.00	-43.78	Vertical
5535.000	-66.70	-13.00	-53.70	Vertical
1100.87 0	-66.79	-13.00	-53.79	Horizontal
2808.000	-57.08	-13.00	-44.08	Horizontal
6607.500	-65.68	-13.00	-52.68	Horizontal

7.1.1.1.3 Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
1133.000	-67.06	-13.00	-54.06	Vertical
2664.000	-57.65	-13.00	-44.65	Vertical
4950.000	-66.68	-13.00	-53.68	Vertical
1210.000	-62.26	-13.00	-49.26	Horizontal
2808.000	-57.08	-13.00	-44.08	Horizontal
5437.500	-67.31	-13.00	-54.31	Horizontal

Main antenna

7.1.1.1.4 Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
1276.000	-66.35	-13.00	-53.35	Vertical
2134.000	-51.61	-13.00	-38.61	Vertical
3440.750	-62.79	-13.00	-49.79	Vertical
1199.000	-66.83	-13.00	-53.83	Horizontal
2123.000	-49.70	-13.00	-36.70	Horizontal
3440.750	-60.37	-13.00	-47.37	Horizontal



7.1.1.1.5 Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
1210.075	-66.28	-13.00	-53.28	Vertical
2134.000	-48.46	-13.00	-35.46	Vertical
3465.150	-60.80	-13.00	-47.80	Vertical
1386.000	-65.03	-13.00	-52.03	Horizontal
2134.000	-49.65	-13.00	-36.65	Horizontal
3465.150	-61.74	-13.00	-48.74	Horizontal

7.1.1.1.6 Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
1397.000	-65.87	-13.00	-52.87	Vertical
2156.335	-49.25	-13.00	-36.25	Vertical
3490.000	-62.22	-13.00	-49.22	Vertical
1397.000	-64.07	-13.00	-51.07	Horizontal
2156.000	-50.75	-13.00	-37.75	Horizontal
3490.000	-60.00	-13.00	-47.00	Horizontal

NOTE:

- 1) The disturbance above 13GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.



8 Frequency Stability

8.1 Frequency Error VS. Voltage

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
LTEband4	LTE/TM1 20MHz	LCH	TN	VL	-4.93	-0.00287	PASS
				VN	0.43	0.00025	PASS
				VH	-3.23	-0.00188	PASS
		MCH	TN	VL	1.43	0.00083	PASS
				VN	-2.14	-0.00124	PASS
				VH	2.73	0.00158	PASS
		HCH	TN	VL	-3.56	-0.00204	PASS
				VN	-5.10	-0.00292	PASS
				VH	-4.79	-0.00274	PASS
	LTE/TM2 20MHz	LCH	TN	VL	-4.26	-0.00248	PASS
				VN	-2.25	-0.00131	PASS
				VH	-5.96	-0.00347	PASS
		MCH	TN	VL	1.59	0.00092	PASS
				VN	-2.85	-0.00165	PASS
				VH	2.57	0.00148	PASS
		HCH	TN	VL	-3.78	-0.00217	PASS
				VN	-8.09	-0.00464	PASS
				VH	6.44	0.00369	PASS
	LTE/TM3 20MHz	LCH	TN	VL	3.09	0.00180	PASS
				VN	-0.33	-0.00019	PASS
				VH	4.28	0.00249	PASS
		MCH	TN	VL	-2.87	-0.00166	PASS
				VN	4.43	0.00256	PASS
				VH	-3.57	-0.00206	PASS
		HCH	TN	VL	3.33	0.00191	PASS
				VN	1.47	0.00084	PASS
				VH	-2.95	-0.00169	PASS



8.2 Frequency Error VS. Temperature

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
LTEband4	LTE/TM1 20MHz	LCH	VN	-30	-0.47	-0.00027	PASS
				-20	-1.32	-0.00077	PASS
				-10	2.34	0.00136	PASS
				0	1.55	0.00090	PASS
				10	4.65	0.00270	PASS
				20	1.11	0.00065	PASS
				30	-2.31	-0.00134	PASS
				40	-5.14	-0.00299	PASS
				50	4.59	0.00267	PASS
		MCH	VN	-30	-7.89	-0.00455	PASS
				-20	-5.45	-0.00315	PASS
				-10	-7.43	-0.00429	PASS
				0	-5.61	-0.00324	PASS
				10	-4.94	-0.00285	PASS
				20	-194	-0.11198	PASS
				30	-5.69	-0.00328	PASS
				40	-4.22	-0.00244	PASS
				50	-6.90	-0.00398	PASS
		HCH	VN	-30	8.54	0.00489	PASS
				-20	-1.42	-0.00081	PASS
				-10	0.53	0.00030	PASS
				0	-2.33	-0.00134	PASS
				10	2.69	0.00154	PASS
				20	-1.57	-0.00090	PASS
				30	-2.64	-0.00151	PASS
				40	-5.93	-0.00340	PASS
				50	-8.93	-0.00512	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM171001122301

Page: 105 of 106

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
LTEband4	LTE/TM2 20MHz	LCH	VN	-30	-0.59	-0.00034	PASS
				-20	-2.25	-0.00131	PASS
				-10	3.33	0.00194	PASS
				0	2.44	0.00142	PASS
				10	1.69	0.00098	PASS
				20	-2.23	-0.00130	PASS
				30	-5.44	-0.00316	PASS
				40	5.39	0.00313	PASS
				50	2.79	0.00162	PASS
		MCH	VN	-30	-3.89	-0.00225	PASS
				-20	-5.48	-0.00316	PASS
				-10	-7.26	-0.00419	PASS
				0	-4.33	-0.00250	PASS
				10	-0.74	-0.00043	PASS
				20	1.79	0.00103	PASS
				30	-3.24	-0.00187	PASS
				40	-2.68	-0.00155	PASS
				50	-3.98	-0.00230	PASS
		HCH	VN	-30	1.36	0.00078	PASS
				-20	-5.55	-0.00318	PASS
				-10	1.54	0.00088	PASS
				0	-3.33	-0.00191	PASS
				10	2.82	0.00162	PASS
				20	-1.57	-0.00090	PASS
				30	-2.59	-0.00148	PASS
				40	-4.39	-0.00252	PASS
				50	-8.60	-0.00493	PASS



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM171001122301

Page: 106 of 106

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
LTEband4	LTE/TM3 20MHz	LCH	VN	-30	1.59	0.00092	PASS
				-20	-1.64	-0.00095	PASS
				-10	4.34	0.00252	PASS
				0	1.29	0.00075	PASS
				10	5.43	0.00316	PASS
				20	6.54	0.00380	PASS
				30	-2.67	-0.00155	PASS
				40	-0.63	-0.00037	PASS
				50	3.55	0.00206	PASS
		MCH	VN	-30	-7.64	-0.00441	PASS
				-20	-5.32	-0.00307	PASS
				-10	-5.23	-0.00302	PASS
				0	-5.64	-0.00326	PASS
				10	-4.74	-0.00274	PASS
				20	-6.30	-0.00364	PASS
				30	-5.20	-0.00300	PASS
				40	-4.93	-0.00285	PASS
				50	-6.27	-0.00362	PASS
		HCH	VN	-30	5.34	0.00306	PASS
				-20	-1.81	-0.00104	PASS
				-10	6.57	0.00377	PASS
				0	-2.53	-0.00145	PASS
				10	1.69	0.00097	PASS
				20	-2.57	-0.00147	PASS
				30	8.66	0.00496	PASS
				40	-5.49	-0.00315	PASS
				50	-5.93	-0.00340	PASS

The End