


ANNEX H: The EUT Appearances and Test Configuration



a-1: Front Side



a-2: Back Side

a: EUT

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No. RZA1108 -1401SAR01R1

Page 116 of

122



b: Battery

Picture 6: Constituents of EUT



Picture 7: Left Hand Touch Cheek Position



Picture 8: Left Hand Tilt 15 Degree Position



Picture 9: Right Hand Touch Cheek Position



Picture 10: Right Hand Tilt 15 Degree Position

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No. RZA1108 -1401SAR01R1

122

Page 119 of



Picture 11: Body, The EUT display Back Side, the distance from handset to the bottom of the Phantom is 10mm



Picture 12: Body, The EUT display Front Side, the distance from handset to the bottom of the Phantom is 10mm



Picture 13: Body with Earphone, The EUT display Back Side, the distance from handset to the bottom of the Phantom is 10mm



Picture 14: Left edge, the distance from handset to the bottom of the Phantom is 10mm



Picture 15: Right edge, the distance from handset to the bottom of the Phantom is 10mm



Picture 16: Top edge, the distance from handset to the bottom of the Phantom is 10mm

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No. RZA1108 -1401SAR01R1

122

Page 122 of



Picture 17: Bottom edge, the distance from handset to the bottom of the Phantom is 10mm