



Test Mode:	LTE Band 4_TX CH20175_1.4M
------------	----------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode:	LTE Band 4_TX CH20175_1.4M
------------	----------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode: LTE Band 4_TX CH20175_1.4M




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3420.000	-66.16	13.97	-52.19	-13.00	-39.19	peak	
2	*	5130.000	-59.84	14.97	-44.87	-13.00	-31.87	peak	

Test Mode: LTE Band 4_TX CH20175_1.4M




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3420.000	-61.56	10.32	-51.24	-13.00	-38.24	peak	
2		5130.000	-67.53	15.16	-52.37	-13.00	-39.37	peak	

Test Mode:	LTE Band 4_TX CH20175_1.4M
------------	----------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment


Test Mode:	LTE Band 4_TX CH20175_1.4M
------------	----------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode: LTE Band 4_TX CH20175_20M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		38.730	-59.33	1.21	-58.12	-13.00	-45.12	peak	
2	*	62.010	-57.58	0.73	-56.85	-13.00	-43.85	peak	
3		86.260	-61.79	-5.91	-67.70	-13.00	-54.70	peak	
4		159.010	-70.18	3.18	-67.00	-13.00	-54.00	peak	
5		188.110	-63.08	-1.31	-64.39	-13.00	-51.39	peak	
6		280.260	-76.66	2.64	-74.02	-13.00	-61.02	peak	


Test Mode: LTE Band 4_TX CH20175_20M

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		38.730	-70.76	1.63	-69.13	-13.00	-56.13	peak	
2		62.010	-72.75	-0.97	-73.72	-13.00	-60.72	peak	
3		84.320	-63.38	-7.87	-71.25	-13.00	-58.25	peak	
4	*	159.010	-68.98	2.90	-66.08	-13.00	-53.08	peak	
5		195.870	-65.64	-1.77	-67.41	-13.00	-54.41	peak	
6		420.910	-79.32	6.78	-72.54	-13.00	-59.54	peak	


Test Mode:	LTE Band 4_TX CH20175_20M
------------	---------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment


Test Mode: LTE Band 4_TX CH20175_20M

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode: LTE Band 4_TX CH20175_20M




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3420.000	-65.32	13.97	-51.35	-13.00	-38.35	peak	
2	*	5130.000	-64.17	14.97	-49.20	-13.00	-36.20	peak	

Test Mode: LTE Band 4_TX CH20175_20M




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	3420.000	-61.07	10.32	-50.75	-13.00	-37.75	peak	
2		5190.000	-71.15	15.39	-55.76	-13.00	-42.76	peak	

Test Mode: LTE Band 4_TX CH20175_20M



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment


Test Mode:	LTE Band 4_TX CH20175_20M
------------	---------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode: LTE Band 7_TX CH21100_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		38.730	-59.47	1.21	-58.26	-13.00	-45.26	peak	
2	*	62.010	-57.22	0.73	-56.49	-13.00	-43.49	peak	
3		86.260	-61.55	-5.91	-67.46	-13.00	-54.46	peak	
4		159.980	-70.59	3.18	-67.41	-13.00	-54.41	peak	
5		191.020	-63.58	-1.85	-65.43	-13.00	-52.43	peak	
6		288.990	-75.26	2.26	-73.00	-13.00	-60.00	peak	


Test Mode: LTE Band 7_TX CH21100_5M

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		30.000	-70.53	1.88	-68.65	-13.00	-55.65	peak	
2		38.730	-71.51	1.63	-69.88	-13.00	-56.88	peak	
3		61.040	-72.69	-0.87	-73.56	-13.00	-60.56	peak	
4		84.320	-64.77	-7.87	-72.64	-13.00	-59.64	peak	
5	*	158.040	-68.68	3.04	-65.64	-13.00	-52.64	peak	
6		194.900	-64.94	-1.74	-66.68	-13.00	-53.68	peak	

Test Mode: LTE Band 7_TX CH21100_5M




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	dBm	Factor	ment	dBm	dB	Detector	Comment

Test Mode:	LTE Band 7_TX CH21100_5M
------------	--------------------------




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 7_TX CH21100_5M




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		5130.000	-69.09	14.97	-54.12	-13.00	-41.12	peak	
2	*	10260.000	-68.57	21.83	-46.74	-13.00	-33.74	peak	

Test Mode:	LTE Band 7_TX CH21100_5M
------------	--------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode: LTE Band 7_TX CH21100_5M



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment


Test Mode:	LTE Band 7_TX CH21100_5M
------------	--------------------------



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		

Test Mode: LTE Band 7_TX CH21100_20M

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		39.700	-60.72	1.90	-58.82	-13.00	-45.82	peak	
2	*	62.010	-57.78	0.73	-57.05	-13.00	-44.05	peak	
3		87.230	-61.75	-5.46	-67.21	-13.00	-54.21	peak	
4		161.920	-69.91	2.55	-67.36	-13.00	-54.36	peak	
5		189.080	-62.97	-1.56	-64.53	-13.00	-51.53	peak	
6		288.990	-76.01	2.26	-73.75	-13.00	-60.75	peak	


Test Mode: LTE Band 7_TX CH21100_20M

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		38.730	-70.84	1.63	-69.21	-13.00	-56.21	peak	
2		62.010	-72.28	-0.97	-73.25	-13.00	-60.25	peak	
3		85.290	-64.23	-7.88	-72.11	-13.00	-59.11	peak	
4	*	158.040	-69.63	3.04	-66.59	-13.00	-53.59	peak	
5		196.840	-65.20	-1.81	-67.01	-13.00	-54.01	peak	
6		380.170	-77.37	6.10	-71.27	-13.00	-58.27	peak	


Test Mode: LTE Band 7_TX CH21100_20M



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment


Test Mode: LTE Band 7_TX CH21100_20M

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode: LTE Band 7_TX CH21100_20M




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		5130.000	-67.35	14.97	-52.38	-13.00	-39.38	peak	
2	*	10275.000	-67.55	21.86	-45.69	-13.00	-32.69	peak	

Test Mode:	LTE Band 7_TX CH21100_20M
------------	---------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

Test Mode:	LTE Band 7_TX CH21100_20M
------------	---------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment


Test Mode:	LTE Band 7_TX CH21100_20M
------------	---------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment

ATTACHMENT E - BAND EDGE


WCDMA Band 4_WCDMA




WCDMA Band 4_HSDPA



WCDMA Band 4_HSUPA





LTE Band 4_3M

1RB0



1RB14

Channel

19965

Channel

20385





15RB0

Channel

19965



Channel

20385





LTE Band 4_5M


1RB0		1RB24	
Channel	19975	Channel	20375





25RB0

19975		20375	
Channel	19975	Channel	20375












LTE Band 7_5M

1RB0		1RB24	
Channel	20775	Channel	21425





25RB0

20775		21425	
Channel	20775	Channel	21425




LTE Band 7_10M

1RB0		1RB49	
Channel	20800	Channel	21400



50RB0

20800		21400	
Channel	20800	Channel	21400




LTE Band 7_15M

1RB0		1RB74	
Channel	20825	Channel	21375



75RB0

20825		21375	
Channel	20825	Channel	21375





LTE Band 7_20M

1RB0		1RB99	
Channel	20850	Channel	21350




100RB0

20850		21350	
Channel	20850	Channel	21350




ATTACHMENT F - PEAK TO AVERAGE RATIO

WCDMA Band 4 Spectrum Plot_WCDMA




WCDMA Band 4 Spectrum Plot_HSDPA


1312



1413




1513




WCDMA Band 4 Spectrum Plot_HSUPA


1312




1413



1513




LTE Band 4 Spectrum Plot_1.4M



LTE Band 4 Spectrum Plot_3M


QPSK-19965



QPSK-20175




QPSK-20385




16QAM-19965



16QAM-20175




16QAM-20385



LTE Band 4 Spectrum Plot_5M


QPSK-19975



QPSK-20175




QPSK-20375



16QAM-19975



16QAM-20175




16QAM-20375




LTE Band 4 Spectrum Plot_10M


QPSK-20000




QPSK-20175



QPSK-20350




16QAM-20000



16QAM-20175




16QAM-20350



LTE Band 4 Spectrum Plot_15M


QPSK-20025




QPSK-20175



QPSK-20325




16QAM-20025



16QAM-20175




16QAM-20325



LTE Band 4 Spectrum Plot_20M


QPSK-20050




QPSK-20175




QPSK-20300




16QAM-20050




16QAM-20175



16QAM-20300




LTE Band 7 Spectrum Plot_5M



LTE Band 7 Spectrum Plot_10M


QPSK-20800




QPSK-21100



QPSK-21400



16QAM-20800



16QAM-21100




16QAM-21400



LTE Band 7 Spectrum Plot_15M


QPSK-20825




QPSK-21100



QPSK-21375




16QAM-20825



16QAM-21100




16QAM-21375



LTE Band 7 Spectrum Plot_20M


QPSK-20850




QPSK-21100



QPSK-21350




16QAM-20850



16QAM-21100



16QAM-21350



ATTACHMENT G - FREQUENCY STABILITY

Test Mode:	WCDMA Band 4_CH1413
------------	---------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	7.69	0.004438416	2.5
5	8.54	0.004929008	2.5
10	7.66	0.004421101	2.5
15	9.05	0.005223364	2.5
20	7.47	0.004311439	2.5
25	7.28	0.004201778	2.5
30	8.34	0.004813575	2.5
35	9.13	0.005269537	2.5
Max. Deviation (ppm)	9.13	0.005269537	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
Low	8.89	0.005131017	2.5
Middle	9.32	0.005379199	2.5
High	8.52	0.004917465	2.5
Max. Deviation (ppm)	9.32	0.005379199	2.5

Test Mode:	LTE Band 4_CH20175_1.4M
------------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	3.88	0.002239538	2.5
5	2.56	0.001477633	2.5
10	-3.45	0.001991342	2.5
15	6.37	0.003676768	2.5
20	1.78	0.001027417	2.5
25	-2.33	0.001344877	2.5
30	-4.12	0.002378066	2.5
35	3.48	0.002008658	2.5
Max. Deviation (ppm)	6.37	0.003676768	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	2.15	0.001240981	2.5
4.0	3.67	0.002118326	2.5
4.2	2.09	0.001206349	2.5
Max. Deviation (ppm)	3.67	0.002118326	2.5

Test Mode:	LTE Band 4_CH20175_3M
------------	-----------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	-2.69	0.00155267	2.5
5	-3.33	0.001922078	2.5
10	5.69	0.003284271	2.5
15	4.59	0.002649351	2.5
20	2.36	0.001362193	2.5
25	-6.32	0.003647908	2.5
30	5.79	0.003341991	2.5
35	5.51	0.003180375	2.5
Max. Deviation (ppm)	6.32	0.003647908	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	1.28	0.000738817	2.5
4.0	-2.60	0.001500722	2.5
4.2	-5.34	0.003082251	2.5
Max. Deviation (ppm)	5.34	0.003082251	2.5

Test Mode:	LTE Band 4_CH20175_5M
------------	-----------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	3.22	0.001858586	2.5
5	-1.48	0.000854257	2.5
10	1.83	0.001056277	2.5
15	-2.36	0.001362193	2.5
20	5.68	0.003278499	2.5
25	-4.56	0.002632035	2.5
30	1.84	0.001062049	2.5
35	3.66	0.002112554	2.5
Max. Deviation (ppm)	5.68	0.003278499	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	6.77	0.003907648	2.5
4.0	-5.03	0.002903319	2.5
4.2	4.16	0.002401154	2.5
Max. Deviation (ppm)	6.77	0.003907648	2.5

Test Mode:	LTE Band 4_CH20175_10M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	4.56	0.002632035	2.5
5	-3.92	0.002262626	2.5
10	-1.89	0.001090909	2.5
15	1.33	0.000767677	2.5
20	-2.68	0.001546898	2.5
25	-2.45	0.001414141	2.5
30	3.18	0.001835498	2.5
35	5.87	0.003388167	2.5
Max. Deviation (ppm)	5.87	0.003388167	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	3.75	0.002164502	2.5
4.0	-1.03	0.000594517	2.5
4.2	2.62	0.001512266	2.5
Max. Deviation (ppm)	3.75	0.002164502	2.5

Test Mode:	LTE Band 4_CH20175_15M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	4.32	0.002493506	2.5
5	2.14	0.001235209	2.5
10	-6.08	0.00350938	2.5
15	2.33	0.001344877	2.5
20	-5.88	0.003393939	2.5
25	2.09	0.001206349	2.5
30	3.73	0.002152958	2.5
35	4.10	0.002366522	2.5
Max. Deviation (ppm)	6.08	0.00350938	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	5.51	0.003180375	2.5
4.0	6.38	0.00368254	2.5
4.2	-2.10	0.001212121	2.5
Max. Deviation (ppm)	6.38	0.00368254	2.5

Test Mode:	LTE Band 4_CH20175_20M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	2.39	0.001379509	2.5
5	5.25	0.003030303	2.5
10	-5.42	0.003128427	2.5
15	2.30	0.001327561	2.5
20	5.08	0.002932179	2.5
25	4.09	0.00236075	2.5
30	4.11	0.002372294	2.5
35	7.77	0.004484848	2.5
Max. Deviation (ppm)	7.77	0.004484848	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	5.34	0.003082251	2.5
4.0	2.13	0.001229437	2.5
4.2	4.82	0.002782107	2.5
Max. Deviation (ppm)	5.34	0.003082251	2.5

Test Mode:	LTE Band 7_CH21100_5M
------------	-----------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	3.20	0.001262327	2.5
5	-6.24	0.002461538	2.5
10	1.98	0.000781065	2.5
15	-3.99	0.001573964	2.5
20	1.07	0.000422091	2.5
25	5.16	0.002035503	2.5
30	2.34	0.000923077	2.5
35	-1.99	0.00078501	2.5
Max. Deviation (ppm)	6.24	0.002461538	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	6.64	0.002619329	2.5
4.0	6.27	0.002473373	2.5
4.2	3.57	0.001408284	2.5
Max. Deviation (ppm)	6.64	0.002619329	2.5

Test Mode:	LTE Band 7_CH21100_10M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	3.22	0.001270217	2.5
5	6.14	0.002422091	2.5
10	-6.97	0.002749507	2.5
15	3.28	0.001293886	2.5
20	3.74	0.001475345	2.5
25	-4.61	0.00181854	2.5
30	5.14	0.002027613	2.5
35	3.24	0.001278107	2.5
Max. Deviation (ppm)	6.14	0.002749507	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	3.19	0.001258383	2.5
4.0	5.21	0.002055227	2.5
4.2	-3.69	0.001455621	2.5
Max. Deviation (ppm)	5.21	0.002055227	2.5

Test Mode:	LTE Band 7_CH21100_15M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	3.14	0.001238659	2.5
5	-5.21	0.002055227	2.5
10	-6.28	0.002477318	2.5
15	-3.08	0.00121499	2.5
20	2.27	0.000895464	2.5
25	1.66	0.000654832	2.5
30	5.14	0.002027613	2.5
35	2.68	0.001057199	2.5
Max. Deviation (ppm)	6.28	0.002477318	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	2.12	0.000836292	2.5
4.0	1.87	0.000737673	2.5
4.2	-2.94	0.001159763	2.5
Max. Deviation (ppm)	2.94	0.001159763	2.5

Test Mode:	LTE Band 7_CH21100_20M
------------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
0	3.75	0.00147929	2.5
5	1.28	0.000504931	2.5
10	-6.29	0.002481262	2.5
15	1.82	0.000717949	2.5
20	4.37	0.001723866	2.5
25	5.24	0.002067061	2.5
30	-1.18	0.000465483	2.5
35	5.02	0.001980276	2.5
Max. Deviation (ppm)	6.29	0.002481262	2.5

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
3.8	1.33	0.000524655	2.5
4.0	5.14	0.002027613	2.5
4.2	3.62	0.001428008	2.5
Max. Deviation (ppm)	5.14	0.002027613	2.5